



No. PW/EE/NH/RMP-CB-Tender /2023-24-To Telephone No: 01782-233214 E-mail: eenh-ram-hp@nic.in

13691

Dated: 20/02/2024

The Executive Engineer, (IT) Nigam Vihar Shimla-2.

Subject: -

Publication of tender notice

Enclosed, please find herewith copy of tender notice in respect of tenders invited vide this office NIT No. PW/EE/NH/RMP/CB-Tender Notice/ 2023-24-13680-90 dated 20/02/2024 for uploading the same on department website for wide publicity.

DA:- Copy of NIT

Executive Engineer, NH Division HPPWD, Rampur Bushal

HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT NOTICE INVITING TENDER

Sealed item rate tender(s) on PWD form No.6 &8 are hereby invited/ Re-invite by the Executive Engineer, NH- Division, HP.PWD, Rampur Distt. Shimla (H.P) on behalf of the Governor of H.P for the following works from the registered contractors in HP.PWD in appropriate class to reach in this office on 27.02.2024 up to 10.30 A.M. and will be opened on the same day at 11.00A.M. in the presence of Contractors or their authorized representative who wish to be present at that time. The application for obtaining the tender form will be received on 26.02.2024 i.e. 11.00 AM to 1.00 PM and the tender form can be had from this office against this cash payment (Non-refundable) on the same day from 2.00P.M. to 5.00 P.M. No application shall be entertained without earnest money or through FAX.

Earnest money shall be in shape of NSC/FDR duly pledged in favour of Executive Engineer NH-Division HP.PWD Rampur Bushahr Distt. Shimla H.P. Ambiguous /Telegraphically/conditional tenders or tender through FAX shall not be entertained/ considered in any case.

Sr. No.	Name of Work	Estimated Cost	Earnest Money	Time	Form No.	Cost of form
1	R/R damages on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O wire crate R/wall at RD 22/232.30 to 22/238)	496730/-	10000/-	One month	6&8	350/-
2	R/R damages on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O wire crate R/wall at RD 22/221.10 to 22/226.80)	496730/-	10000/-	One month	6&8	350/-
3	A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC R/wall at RD 43/250 to 43/255.50 and 43/280 to 43/285.50)	491287/-	9900/-	One month	6&8	350/-
4	A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC B/wall at RD 40/300 to 40/319.80)	494451/-	9900/-	One	668	350/-
5	R/R damages on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O wire crate R/wall at RD 70/220 to 70/245).	496911/-	10000/-	One month	6&8	350/-
6	R/R damages on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O wire crate R/wall at RD 70/285 to 70/310).	496743/-	10000/-	One month	6&8	350/-
7	A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC R/wall at RD 71/785 to 71/795).	439945/-	8800/-	One month	6£8	350/-
8	A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC R/wall at RD 71/710 to 71/720).	440528/-	8900/-	One month	6&8	350/-
9	A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC R/wall at RD 71/910 to 71/916).	404144/-	8100/-	One month	8£8	350/-
10	A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC R/wall at RD 65/725 to 65/735).	445260/-	9000/-	One month	68:8	350/-
11	A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC B/wall at RD 70/355 to 70/370).	466639/-	9400/-	One month	688	350/-
12	R/R damages on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC R /wall at RD 65/450 to 65/457).	470005/-	9400/-	One month	6&8	350/-
13	A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC R /wall at RD 65/425 to 65/435).	405642/-	. 8200/-	One month	688	350/-
14	A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC R /wall at RD 77/025 to 77/035).	440614/-	8900/-	One month	6£8	350/-
15	A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC R /wall at RD 60/143 to 60/150).	387051/-	7800/-	One month	688	350/-
16	A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC R /wall at RD 60/135 to 60/143).	441470/-	\$900/-	One month	668	350/-
17	A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC R /wall at RD 75/730 to 75/740).	426259/-	8600/-	One month	848	350/-
18	A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC R /wall at RD 61/279 to 61/284).	452112/-	9100/-	Two months	6&8	350/-
19	RR damages on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O V-shape drain in PCC at RD 79/875 to 80/675).	432883/-	8700/-	Two months	688	350/-

20	RR damages on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O V-shape drain in PCC at RD 91/00 to 91/800).	488700/-	9800/-	Two months	668	350/-
21	A/R & M/O on NH-305 Sninj Luhri Aut road Km 0/00 to 97/00 (SH:- Improvement of road geometries by cutting of narrow reaches at RD 87/400 to 87/530).	498194/-	10000/-	One month	688	350/-
22	R/R damages on NH-05 Km 236/00 to 368/00 (S11:- Removal of massive land slide/fallen debries from abandoned portion of NH-05 at Urni Dhank at Km 347/425 to 347/450)	425094/-	8600/-	One month	688	350/-
23	R/R damages on NH-05 Km 236/00 to 368/00 (SH:- Removal of massive land slide/fallen debries from abandoned portion of NH-05 at Urni Dhank at Km 347/400 to 347/425)	434295/-	8700/-	One month	688	350/-
24	R/R damages on N11-505A Km 0/00 to 17/00 (S11:- C/O PCC B/svall at RD 0/290 to 0/309)	489584/-	9800/-	One month	688	350/-
25	R/R damages on NH-505A Km 0/00 to 17/00 (SH:- C/O PCC B/wall at RD 0/265 to 0/284.30)	496344/-	9800/-	One month	6&8	350/-
26	R/R damages on NH-505A Km 0/00 to 17/00 (SH:- C/O PCC R/wall at RD 13/720 to 13/731.10)	499068/-	10000/-	One month	688	350/-
27	R/R damages on NH-05 Km 236/00 to 368/00 (SH:- C/O PCC R/wall at RD 327/706 to 327/711.50)	488824/-	9800/-	One month	688	350/-
28	A/R & M/O on NH-305 Suinj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC R/wall at RD 77/900 to 77/908).	440689/-	8900/-	One month	688	350/-
29	A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 97/00 (SH:- C/O PCC R/wall at RD 65/958 to 65/967).	495559/-	10000/-	One month	848	350/-

SPECIAL CONDITIONS

- 1. The material shall be arranged by the contractor himself.
- 2. The detail of documents to be attached with the application is given below.
 - Latest copy of renewal enlistment.
- Copy of Pan Card. ii
- Copy of GST No. iii
- 3. The offer of the tender shall be kept open for 90 days
- 4. Tender received after the specified time/date shall not be opened.
- 5. Executive Engineer NH-division HP.PWD Rampur Distt. Shimla H.P. reserves the right to reject any or all tender/s without assigning any reasons.
- 6. If due to any unforeseen reasons the office of the Executive Engineer NH-Division HP.PWD Rampur remain closed on the notified date of sale and receipt of tender, tender will be sold and received/opened the next working day of same specified time.
- 7. Tenderers may contact the Executive Engineer for any further information they may require during the working day/ office hours.
- 8. The contractors are requested to insert the rate of each in words as well as in figures failing which Executive Engineer reserves the right to reject any or all tenders.
- 9. The labourcess shall allow/ deduction @ 2% TDS amount of GST (1% CGST and 1% SGST).
- 10. The labour cess @ 1% will be deducted from the gross amount of the bill
- 11. All the works are of urgent nature hence the contractor already having two works are not eligible to participate for the tendering.
- 12. A contractors enlisted in a particular class shall be eligible to tender for his own class and one step below as per Govt. notification No.PBW (B) 22-1/2002 dated 26-05-2015.
- 13. The Contractor will have to submit the proof of registration under Employees Provident Funds & Miscellaneous Provision Act. 1952 before award of work.
- 14. Cement should be purchased from H.P. State Civil Supply Corporation
- 15. GST will be deducted from each bill as per latest instruction of the Government

Executive Engineer. NH Division, H.P.PWD, Rampur Bushahr.

No.PW/EE/NH/RMP/CB-Tender Notice/2023-24-Copy forwarded for information to the:-

13680-90

Dated: 20/09/2024

1. Engineer-in-Chief, HP.PWD, Shimla

2. Chief Engineer (NH) HP.PWD, Shimla-1

- 3. Superintending Engineer, NH-Circle, HP.PWD, Shimla
- 4. All the Assistant Engineer working under this division
- 5. A/B & D/B in this office.
- 6. Notice board of this office.

Executive Engineer, NH Division, H.P.PWD, Rampur Bushah

Certificate

16

Certified that the tenders of the works invited vide this office NIT No. PW/EE/NH/RMP/CB-tender/ 2023-24-13680-90 dated 20/02/2024is of urgent nature in exigency of public interest.

Executive Engineer NH Division HPPWD, Rampur Bushah

Name of work:-R/R damages on NH-305 Sainj Luhri Aut road km 0/000 to Earnest money:-1000000 97/000 (S.H:-C/o wire crate R/wall at Rd 22/232.30 to 22/238) Servo Subhead/item of work Quantity Rate In Rate In words. Unit Ano technical specification for structure in all depth as per drawing and wedging and disciplination in all fact to subhe developing and the pits safeking the useful interview and disposal of inserviceable materials upto the indentified disriptivate property during the course of security such as per drawing and technical specification of subhit private property during the course of security including 10 per cent extra for lays and igents and begins safeking the security including 10 per cent extra for lays and igents and igents and igents and igents and whith stone shoulder apron laid in wire crates with 4mm dia G.I. Providing and laying to boulder apron laid in wire crates with 4mm dia G.I. Providing and laying to be comparated for lays and igented and including halling of material in all leads and distriction of filing behind Retaining walls satisfying the expecting and taying the direction and direction of Engineer-in-Charge. Providing and laying to behind Retaining walls satisfying the expecting and expensional provided to a firm condition complete including carriage of materials by incentinal transport in all leads and lifts and as per direction of the Engineer-in-Charge.						
re of work:-R/R damages on NH-305 Sainj Luhri Aut road km 0/000 to 000 (S.H:-C/o wire crate R/wall at Rd 22/232.30 to 22/238) Sub head/item of work Sub head/item of work Sub head/item of work Pigure Sub head/item of work Sub head/item of work Sub head/item of work At the lin wire crate R/wall at Rd 22/232.30 to 22/238) Rate In wire charcal specification for structure in all depth as per drawing and technical specification Clause. 394 of section 300 of MORTH specification weeding and disposal of userviceable materials upto the indentified duriging said of sock with in all depths and heights, stacking the useful materials and disposal of unserviceable materials upto the indentified duriging size as per the direction of the Engineer-in-Charges with in all leads and the sole responsibility of contractor which shall have to be duly compansated by him at his own cost. Proceeding and laying of boulder apron laid in wire crates with 4mm dia G.I. Proceding and laying of boulder apron laid in wire crates with 4mm dia G.I. Proceding not less than 25Kg each as per drawing and technical specifications Clause 1301 including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.				22.91	Providing and laying back filling behind Retaining walls satisfying the requirement as per drawing and technical specifications in all heights and depths compacted to a firm condition complete including carriage of materials by mechnical transport in all leads and lifts and as per direction of the Engineer-in-Charge.	ω
ne of work:-R/R damages on NH-305 Sainj Luhri Aut road km 0/000 to 5000 (S.H:-C/o wire crate R/wall at Rd 22/232.30 to 22/238) Sub head/item of work Sub head/item of work Sub head/item of work Pigure Quantity Rate In Rate In wind of soils i.e pick work, Jumper work, blasting work in soft and wedging out of tock with in all depths and heights, stacking the useful materials and disposal of unserviceable materials upto the indentified dumping sits as per the direction of the Engineer-in-Charges with in all leads and lits. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.				158.00	Proceeding and laying of boulder apron laid in wire crates with 4mm dia G.L. were conforming to IS:280 and IS: 4826 in 100mmx100mm mesh (woven dragonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25Kg each as per drawing and technical specifications Clause 1301 including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	~
ne of work:-R/R damages on NH-305 Sainj Luhri Aut road km 0/000 to 000 (S.H:-C/o wire crate R/wall at Rd 22/232.30 to 22/238) Sub head/item of work Quantity Figure 3 4 5	ס כ			19.84	technical specification for structure in all depth as per drawing and technical specification Clause 304 of section 300 of MORTH specification in all kind or soils i.e pick work, Jumper work, blasting work in soft and hard rock and intermediate classification of soil including chiselling and wedging but of rock with in all depths and heights stacking the useful materials and disposal of unserviceable materials upto the indentified dumpping site as per the direction of the Engineer-in-Charges with in all leads and lits. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	
ne of work:-R/R damages on NH-305 Sainj Luhri Aut road km 0/000 to 000 (S.H:-C/o wire crate R/wall at Rd 22/232.30 to 22/238) Sub head/item of work		U	4	ω	2	,
0/000 to			Rate In Figure	Quantity	Sub head/item of work	Sr No
0/000 to	1					``
)/000 to	1 =	Earne			000 (S.H:-C/o_wire_crate_R/wall at Rd 22/232.30 to 22/	97/
SCHEDULE OF QUANTILY	121	Estim	00 to		e of work:-R/R damages on NH-305 Saini Luhri Aut roa	Nan
				QUANTI	SCHEDULE OF	

Executive Engineer,
NH Division HPPWD,
Rampus Bushair.

		SCHEDULE OF QUANTI	UANTITY	Y	Estima	ted cost;	Estimated cost: 491287.00
	Nami	Name of Work:-A/k and M/O of NH-305 Sainj Luhri Aut road km O/	KM U/U	01000	Earnes	Earnest money: 9900.00	9900.00
	43/2	9//000 (3.nc/0 fcc k/wall at ku 43/230 to 43/233.30 aliu 43/200 to 43/285.50)	007/64	8		Time:-	Time:- One month
. 1	Sr No.	Sub head/item of work	Quantity	Rate In	Rate In words.	Unit	Amount
		2	(.:	4-		6	7
<u>-</u> -	1	Earth work in excavation for structure in all depth as per drawing and	44.66			Per cubic	
		technical specification Clause 304 of section 300 of MORTH specification in all kind of soils i.e pick work, Jumper work, blasting work in soft and				metre	
		hard rock and intemediate classification of soil including chiselling and wedging out of rock with in all depths and heights ,stacking the useful materials and disposal of unserviceable materials upto the indentified					
		dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts: Any loss of public/private property during the course of					
		be duly compansated by him at his own cost.					
	2	Providing and laying mechanically mixed and vibrated coment concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all	71.15			Per cubic	
		heights and depth as per drawing and technical specifications in					
		No.1500,1700 & 2100 including carriage of all materials within all leads					
		and lifts with all modes of transportation and equipment and cost of					
		Engineer-in-Charge.					
	w	Providing weep holes in Brick masonry/Plain/ Reinforced concrete	26.40			Per	
		abutment, wing wall/ return wall with 100 mm dia AC pipe, extending				running	
		drawing foce. Complete as per drawing and Technical Specifications					
		including carriage of all labour, equipments and materials to various					
		including all incidental charges. Any loss of public/private property					
		during the course of execution shall be the sole responsibility of					
		contractor which shall have to be duly compansated by him at his own					
_	L	COSC					

Total:-	of the Engineer-in-Charge.
	of the Engineer-in-Charge.
	materials by mechnical transport in all leads and lifts and as per direction
	depths compacted to a firm condition complete including carriage of
matra	requirement as per drawing and technical specifications in all heights and
.57 Per cubic	Providing and laying back filling behind Retaining walls satisfying the 20.57

	SCHEDULE OF QUANTI	UANTIT	ITY			
Nam	Name of work: A/R and M/O of NH-305 Saini Luhri Aut road km 0/000 to	km 0/0	00 to	Estima	ited cost:-	Estimated cost:- 494451.00
97/0	97/000 (S.H:-C/o PCC B/wall at Rd 40/300 to 40/3198)		(Earnes	Earnest money: 9900.00	9900.00
,	(Circ. 2/2 x 22 2/ wan at the TO/300 to TO/315.0)				Time:-	Time:- One month
Sr No.	Sub head/item of work	Quantity	Rate In Figure	Rate In words.	Unit	Amount
	2	3	4	5	6	7
ы	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 304 of section 300 of MORTH specification	60.39			Per cubic	
	in all kind of soils i.e pick work, Jumper work, blasting work in soft and hard rock and intermediate classification of soil including chiselling and wedging out of rock with in all depths and heights ,stacking the useful materials and disposal of unserviceable materials upto the indentified dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of					
	or saily companioness of min acting own cost.					
. 2	Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all	73.91			Per cubic metre	
	heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification					
	No.1500,1700 & 2100 including carriage of all materials within all leads					
	and lifts with all modes of transportation and equipment and cost of					
	formwork required to complete the work to the satisfaction of the				_	
	Engineer in charge.					

Total:-	
	COST.
	contractor which shall have to be duly compansated by him at his own
	during the course of execution shall be the sole responsibility of
	including all incidental charges. Any loss of public/private property
	locations through all modes of transportation in all leads and lifts,
_	including carriage of all labour, equipments and materials to various
	drawing foce. Complete as per drawing and Technical Specifications
metre	through the full width of the structure with slope of 1V :20H towards
running	abutment, wing wall/return wall with 100 mm dia AC pipe, extending
Per	Providing weep holes in Brick masonry/Plain/ Reinforced concrete 37.62 37.62

					Total Rs:-	
·	Per cubic meter.			171.75	Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS:280 and IS:4826 in 100 mm x 100 mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	2
	Per cubic meter.			63.25	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	
Amount	Unit	Rate In words.	In figure	Qty.	o. Descriptions	S. No.
	Cost:- 496911.00 [oney:- 10000.00 Time:- one month	Estimated Cost:- 496911.00 Earnest Money:- 10000.00 Time:- one mont		0 (SH :-	Name of work:- R/R Damages on NH-305 Sainj Luri aut Road Km. 0/00 to 97/00 C/O Wire Crate R/ Wall at Rd. 70/220 to 70/245)	Nan C/O
				TLILY	Kinnen A in ampairsc	

N.H.Division,HP.PWD, Rampur Bsr. Executive Engineer,

					Total Rs:-	
	Per cubic meter.			171.75	Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS:280 and IS:4826 in 100 mm x 100 mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	ю
	Per cubic meter.			62.70	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	L
Amount	Unit	Rate In words.	In figure	Qty.	lo. Descriptions	S. No.
	Cost:- 496743.00 Ioney:- 10000.00 Time:- one month	Estimated Cost:- 496743.00 Earnest Money:- 10000.00 Time:- one mont		0 (SH:-	Name of work:- R/R Damages on NH-305 Sainj Luri aut Road Km. 0/00 to 97/00 C/O Wire Crate R/ Wall at Rd. 70/285 to 70/310)	Name C/O V
						7

				Ñ	97.	Z
		ю	P	S. No.	(00)	ime o
	Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing wall/ return wall with 100 mm dia AC pipe, extending through the full width of the structure with slope of 1V:20H towards drawing foce. Complete as per drawing and Technical Specifications including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Providing concrete for plain/reinforced cement concrete in sub structure complete as per drawings and technical specifications, PCC Grade M15 using Batching plant, including all incidental charges, including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Descriptions	97/00) (Sub Head:- C/O PCC R/wall at RD, 71/785 to 71/795)	Road (NH 305) Km.
	24.00	64.68	37.80	Qty.		0/00 to
				In figure		
				Rate In words	Earnest Money:- 8800.00 Time:- One mo	Estimated Cost:- 439945.00
4	Per running meter.	Per cubic meter.	Per cubic meter.	Unit	Ioney:- 8800.00 Time:- One month	439945.00
				Amount	b	

	4
Total Rs:-	Back filling behind abutment, wing wall and return wall complete as per drawing and Technical Specification. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.
	14.80
	Per cubic meter.
-	

Name	Name of work:- A/R & M/O Sainj Luri Jalori banjar Aut Road (NH 305) Km.	305) Km. 0/00 to		Estimated Cost:- 440528 00	440528.00	
97/00)	97/00) (Sub Head:- C/O PCC R/wall at RD.71/710 to 71/720)			Earnest Money: 8900.00	8900.00	
				Time:-	Time:- One month	
S. No.	Descriptions	Otv		Rate	IImit	A
	-		In figure	In words.	יומטנ	Amount
-	Earth work in excavation of foundation of structures as per drawing and technical	chnical 38.00			Per cubic	
_	specinication, including setting out, construction of snoring and bracing, removal of	oval of			meter.	
•	excavation earth to the extent required and utilising the remaining earth locally for	ally for	•			
	road work including carriage of all labour, equipments and materials to various	arious				
	locations through all modes of transportation in all leads and lifts, including all	ing all			<u> </u>	
	incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly companied and leave to be duly companied.	eution nsated				
	by him at his own cost.	\$	_			
2	Providing concrete for plain/reinforced cement concrete in sub structure comp	complete as 6/169			Day and h	
	per drawings and technical specifications. PCC Grade M15 using Batching plant				meter.	
	materials to various locations through all modes of transportation in all leads and	ds and				
	lifts, including all incidental charges. Any loss of public private property during the	ing the				
	course of execution shall be the sole responsibility of contractor which shall have to	have to				
	See with contraction of the second contracti					
లు	Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing	ing 24.00	•		Per	
	structure with slope of 1V:20H towards drawing foce. Complete as per drawing and	f the		•-	running	,
	Technical Specifications including carriage of all labour, equipments and materials	rials			meter.	
	to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the	-				
	course of execution shall be the sole responsibility of contractor which shall have to	ve to				
_	be duly compansated by him at his own cost.					
		_				
		,				•

y.			
		4	
	Total Rs:-	Back filling behind abutment, wing wall and return wall complete as per drawing and Technical Specification. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	
		15.30	
			-
Exec N.H.J Ram		Per cu meter	
Executive Engineer, N.H.Division,HP.PW Rampur Bsr.		Per cubic meter,	
Executive Engineer, N.H.Division,HP.PWD Rampur Bsr.			Ω
Ģ			٧)

.

•

•

- T		<u></u> - <u>-</u> <u>-</u>	is	Na 97/
ω	ιο 	<u> </u>	S. No.	/00) (
Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing wall/return wall with 100 mm dia AC pipe, extending through the full width of the structure with slope of 1V :20H towards drawing foce. Complete as per drawing and Technical Specifications including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Providing concrete for plain/reinforced cement concrete in sub structure complete as per drawings and technical specifications. PCC Grade M15 using Batching plant, including all incidental charges, including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Descriptions	Name of work:- A/R & M/O Sainj Luri Jalori banjar Aut Road (NH 305) Km. 0 97/00) (Sub Head:- C/O PCC R/wall at RD.71/910 to 71/916)
17.40	59.27	27.06	Qty.	0/00 to
			In	
			figure	
			Rate In words.	Estimated Cost:- 404144.00 Earnest Money:- 8100.00 Time:- One mont
Per running meter.	Per cubic meter.	Per cubic meter.	Unit	Cost:- 404144.00 oney:- 8100.00 Time:- One month
			Amount	

2

3 Prowall stru Tec to v incl cou	2 Prov per inch mat lifts cour be d	1 Earth speci stum excav road locat incid shall by h	S. No.	Name of wc 97/00) (Sub
Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing wall/ return wall with 100 mm dia AC pipe, extending through the full width of the structure with slope of 1V :20H towards drawing foce. Complete as per drawing and Technical Specifications including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Providing concrete for plain/reinforced cement concrete in sub structure complete as per drawings and technical specifications. PCC Grade M15 using Batching plant, including all incidental charges, including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Descriptions	Schedule of Quantity Name of work:- A/R & M/O Sainj Luri Jalori banjar Aut Road (NH 305) Km. 0/00 to 97/00) (Sub Head:- C/O PCC R/wall at RD.65/725 to 65/735)
24.00	64.68	38.00	Qty.	<u>tity</u> 0/00 to
			In figure	
·			Rate In words.	Estimated Cost:- Earnest Money:- Time:-
Per running meter.	Per cubic meter.	Per cubic meter.	Unit	- 445260.00 - 9000.00 - One month
			Amount	

4 Back filing behind abutment, wing wall and witurn wall complete as per drawing and Technical Specialization, including carriage of all labour, equipments and motorials to various locations through ill modes of transportation in all leads and liver and some of execution shall be the sole responsibility of contractor which shall lawre to be dily companished by him at his own ows. Total Rs: Total Rs: Contractor Family Famil						
wing 15.30 Per cubic meter. sand ing the aave to S:- Executive Engineer, N.H.Division, H.P.PWI Rampur Bsr.						
wing 15.30 Per cubic meter. sand ing the aave to S:- Executive Engineer, N.H.Division, H.P.PWI Rampur Bsr.						Back filling behind abutment, wing wall and return and Technical Specification. including carriage of all materials to various locations through all modes of trilifts, including all incidental charges. Any loss of pulcourse of execution shall be the sole responsibility of be duly compansated by him at his own cost.
the be Executive Engineer, N.H.Division,HP.PW. Rampur Bsr.	,				Total Rs	wall complete as per draw labour, equipments and ransportation in all leads blic/private property duri contractor which shall he
Per cubic meter. Executive Engineer, N.H.Division, HP PWI Rampur Bsr.					**	ving and ang the
Per cubic meter. C						15.30
Per cubic meter. C						
		,				
	•					
				Executive I N.H.Divisio		Per cubic meter.
	 ,		 	Engin Engin)n,HP		
· · · · · · · · · · · · · · · · · · ·				eer, PWD,		

•

.

·

	3 Provi wall/ struc Tech to va inclu cour be d	per d include mate lifts, cours be du	1 Earth specifi stump excave road of location incide shall loby hir	S. No.		97/00) (Sub	Name of wor	
	Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing wall/ return wall with 100 mm dia AC pipe, extending through the full width of the structure with slope of 1V:20H towards drawing foce. Complete as per drawing and Technical Specifications including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Providing concrete for plain/reinforced cement concrete in sub structure complete as per drawings and technical specifications. PCC Grade M15 using Batching plant including all incidental charges. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Descriptions		97/00) (Sub Head:- C/O PCC B/wall at RD 70/355 to 70/370)	Name of work:- A/R & M/O Sainj Luri Jalori banjar Aut Road (NH 305) Km. 0/00 to	Schedule of Quantity
	37.50	70.95	37.05	Qty.			0/00 to	ity
	,			In figure				
			·	Rate In words.	Time:-	Earnest Money: 9400.00	Estimated Cost:- 466639.00	
ier e seguina	Per running meter.	Per cubic meter.	Per cubic meter.	Unit	Time:- One month	9400.00	466639.00	
				Amount				

		Schedule of Quan			Estimated Cost. 470005 00	ARONOE OO	
Name	Name of work:- R/R damages on Sainj Luri	Jalori banjar Aut Koau (Mii 309)	2711.		THE TAKE OF THE PARTIES OF THE PARTI	2 10000.00	
0/00 to	0/00 to 97/00) (Sub Head:- C/O PCC R/wall at RD-65/450 to 65/457)	RD-65/450 to 65/457)			Earnest Money:- 9400.00	9400.00	
					Time:-	Time: two months	<i>y</i>
2			2		Rate	-11	•
S. No.	Descriptions	ons	બુદપુ.	In figure	In words.	Onit	Amount
1	Earth work in excavation of foundation of structures as per drawing and technical	ructures as per drawing and technical	40.80			Per cubic	
	specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work including carriage of all labour equipments and materials to various	ion of shoring and bracing, removal of ing of sides and bottom, backfilling the utilising the remaining earth locally for equipments and materials to various				meter.	
	locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	property during the course of execution which shall have to be duly compansated					
2	Providing concrete for plain/reinforced cement concrete in sub structure complete a per drawings and technical specifications. PCC Grade M15 using Batching plant	concrete in sub structure complete as CC Grade M15 using Batching plant,	66.75			Per cubic meter.	
	including all incidental charges. including darriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	darriage of all labour, equipments and modes of transportation in all leads and oss of public/private property during the sibility of contractor which shall have to					
ဃ	Providing weep holes in Brick masonry/Plain, Reinforced concrete abutment, wing wall return wall with 100 mm dia AC pipe, extending through the full width of the	n Reinforced concrete abutment, wing tending through the full width of the	15.00		.e .g	Per running	,
	structure with slope of 1V:20H towards drawing foce. Complete as per drawing and Technical Specifications including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be dully companied by him at his own cost.	wing foce. Complete as per drawing and fall labour, equipments and materials apportation in all leads and lifts, public/private property during the whility of contractor which shall have to				meter.	
					•		

	44
Total Rs:-	Back filling behind abutment, wing wall and return wall complete as per drawing and Technical Specification. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.
	10.10
Walter	tan 1 000 km² (saz - a. nip bandaniah saz-naki akhanik
	Per cubic meter.

	THE TO SINDENSE	CILY				
Name	Name of work:- A/R & M/O Sainj Luri Jalori banjar Aut Road (NH 305) Km. 0/00 to	0/00 to		Estimated Cost:- 405642.00	405642.00	
97/00)	97/00) (Sub Head:- C/O PCC R/wall at RD 65/425 to 65/435)			Earnest Money: 8200.00	8200.00	
				Time:-	Time:- two months	W
)		Rate		
S. No.	Descriptions	Qty.	In figure	In words.	Unit	Amount
1	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of	32.10			Per cubic	
	stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.					
၁	Providing concrete for plain/reinforced cement concrete in sub structure complete as	CS 03			Domonkia	-
	per drawings and technical specifications. PCC Grade M15 using Batching plant , including all incidental charges. including carriage of all labour, equipments and	. ***			meter.	
	materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the					
	be duly compansated by him at his own cost.					
లు	Providing weep holes in Brick masonry/Plain/Reinforced concrete abutment, wing wall/return wall with 100 mm dia AC pipe, extending through the full width of the	17.50		,	Per running	,
	structure with slope of 1V :20H towards drawing foce. Complete as per drawing and Technical Specifications including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts,	a 150mm a		 	meter.	
	lincluding all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.					
		and the Cong				,
		-				

			Total Rs:-	-
				•
			be duly compansated by him at his own cost.	
			course of execution shall be the sole responsibility of contractor which shall have to	-,-
			lifts, including all incidental charges. Any loss of public/private property during the	
			materials to various locations through all modes of transportation in all leads and	
meter.	_		and Technical Specification. including carriage of all labour, equipments and	
Per cubic	-	11.90	Back filling behind abutment, wing wall and return wall complete as per drawing	4

W

Ш	()	
I	ch	
I	e	
I	Q	4
I	Z	
l	le	•
l	<u>Q</u>	
ı		9
l,	و)
ŀ	nP)
	Wua)
	Иn)
	Иn)
	Иn)

	ట	ю	,_	S. No.	Name 97/00)
	Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing wall/ return wall with 100 mm dia AC pipe, extending through the full width of the structure with slope of 1V:20H towards drawing foce. Complete as per drawing and Technical Specifications including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Providing concrete for plain/reinforced cement concrete in sub structure complete as per drawings and technical specifications. PCC Grade M15 using Batching plant , including all incidental charges, including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Descriptions	Schedule of Quantity Name of work:- A/R & M/O Sainj Luri Jalori banjar Aut Road (NH 305) Km. 0/00 to 97/00) (Sub Head:- C/O PCC R/wall at RD,77/025 to 77/035)
	24.00	64.68	41.70	Qty.)/00 to
				In figure	
	•			Rate In words.	Estimated Cost:- 440614.00 Earnest Money:- 8900.00 Time:- One mont
1	Per running meter.	Per cubic meter.	Per cubi¢ meter.	Unit	Cost:- 440614.00 oney:- 8900.00 Time:- One month
				Amount	h

		Schedule of Quant	tity				•
_	Name (Name of work:- A/R & M/O Saini Luri Jalori banjar Aut Road (NH 305) Km.	0/00 to		Estimated Cost:- 387051.00	387051.00	
	97/00)				Earnest Money:- 7800.00	7800.00	
	,				Time:-	Time:- One month	
			2		Rate	7:11	•
	y. No.	Descriptions	Qty.	In figure	In words.	Ont	Amount
	_	Earth work in excavation of foundation of structures as per drawing and technical	28.14			Per cubic	
<u> </u>		specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for				meter.	
		road work including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution					
		shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.					
	2	Providing concrete for plain/reinforced cement concrete in sub structure complete as per drawings and technical specifications. PCC Grade M15 using Batching plant,	56.58			Per cubic meter.	
		mending an incidental charges. Including carriage of an iabour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the					
		course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.					
	ယ	Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing wall/ return wall with 100 mm dia AC pipe, extending through the full width of the	17.50			Per running	
		structure with slope of IV:20H towards drawing foce. Complete as per drawing and Technical Specifications including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts,				meter.	
		course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.					
			•				

Back filling behind abutment, wing wall and return wall complete as per drawing and Technical Specification. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Back filling behind abutment, wing wall and return wall complete as per drawing and Technical Specification. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.
	13.23

3 Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing wall/ return wall with 100µmm dia AC pipe, extending through the full width of the structure with slope of 1V:20H towards drawing foce. Complete as per drawing and Technical Specifications including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts,	2 Providing concrete for plain/reinforced cement concrete in sub structure complete as per drawings and technical specifications. PCC Grade M15 using Batching plant, including all incidental charges, including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	1 Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	S. No. Descriptions	Name of work:- A/R & M/O Sainj Luri Jalori banjar Aut Road (NH 305) Km. 0/00 to 97/00) (Sub Head:- C/O PCC R/wall at RD.60/135 to 60/143)
	<u> </u>			ori banjar Aut Road (NH 305) Km. 0/00 60/135 to 60/143)
20.00	64.66	39.20	Qty. In	8
			figure	
			Rate In words.	Estimated Cost:- 441470.00 Earnest Money:- 8900.00 Time:- One mont
Per running meter.	Per cubic meter.	Per cubic meter.	Unit	441470.00 8900.00 One month
			Amount	

-	
	4
Total Rs:-	Back filling behind abutment, wing wall and return wall complete as per drawing and Technical Specification. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.
	12.24
	Per cu meter
	Per cubic meter.

		Schanne to ampaired	TULY				
Name	of work:- A/R & M/O Sainj L	Name of work:- A/R & M/O Sainj Luri Jalori banjar Aut Road (NH 305) Km. 0/00 to	0/00 to		Estimated Cost:- 426259.00	426259.00	
97/00)	97/00) (Sub Head:- C/O PCC R/wall at RD.75/730 to 75/740)	at RD.75/730 to 75/740)			Earnest Money:- 8600.00	8600.00	
•					Time:≟	Time: One month	
) }			?		Rate		
S. No.		Descriptions	Qty.	In figure	In words.	Unit	Amount
1	Earth work in excavation of four	Earth work in excavation of foundation of structures as per drawing and technical	31.06			Per cubic	
	specification, including setting or stumps and other deleterious may excavation earth to the extent reproad work including carriage or locations through all modes of the incidental charges. Any loss of pushall be the sole responsibility of by him at his own cost.	specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.				meter.	
22	Providing concrete for plain/reinf per drawings and technical specincluding all incidental charges.	Providing concrete for plain/reinforced cement concrete in sub structure complete as per drawings and technical specifications. PCC Grade M15 using Batching plant, including all incidental charges, including carriage of all labour, equipments and	63.27		Produce server of the	Per cubic meter.	
	lifts, including all incidental charges. Any le course of execution shall be the sole response be duly compansated by him at his own cost.	lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.			Species and the Edward		
ယ	Providing weep holes in Brick many wall/ return wall with 100 mm distructure with slope of IV :20H to Technical Specifications including to various locations through all not be a supplied to the state of the state	Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing wall/ return wall with 100 mm dia AC pipe, extending through the full width of the structure with slope of IV :20H towards drawing foce. Complete as per drawing and Technical Specifications including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental about the facility of the state of the	17.40	,		Per running meter.	
	course of execution shall be the sdle responsible duly compansated by him at his own cost.	course of execution shall be the sqle responsibility of contractor which shall have to be duly compansated by him at his own cost.	•				

Back filling behind abutment, wing wall and return wall complete as per drawing and Technical Specification. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost. Total Rs:-	V		4
	Total Rs:-	and Technical Specification. Including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Back filling behind abutment, wing wall and return wall complete as per drawing
Per cubic meter.			13.50
Per cubic meter.			
Per cubic neter.		В	F
		neter.	Per cubic

ı	C	
ı	che	4
ı	(P)	
ı		4
I	Z	
	ule	4
	0	
١	Ť	3
	Qu)
	u	
	ua	
	uan	
	uant	
	uanti	
	uantit	•

ယ	22	1	S. No.	Name 97/00
Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing wall/ return wall with 100 mm dia AC pipe, extending through the full width of the structure with slope of 1V:20H towards drawing foce. Complete as per drawing and Technical Specifications including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Providing concrete for plain/reinforced cement concrete in sub structure complete as per drawings and technical specifications. PCC Grade M15 using Batching plant including all incidental charges. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any ldss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work. including carriage of all laboun, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private/property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Descriptions	Schedule of Quan Name of work:- A/R & M/O Sainj Luri Jalori banjar Aut Road (NH 305) Km. (97/00) (Sub Head:- C/O PCC R/wall at RD.61/279 to 61/284)
15.00	66.75	40.60	Qty.	<u>ity</u>)/00 to
			In figure	
· '			Rate In words.	Estimated Cost:- 452112. Earnest Money:- 9100.00 Time:- two mo
Per running meter.	Per cubic meter.	Per cubic meter.	Unit	Cost:- 452112.00 oney:- 9100.00 Time:- two months
			Amount	hs

A Back filling behind abutment, wing wall and return wall complete as per drawing and Technical Specification. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost. Total Re-			T COURT PAGE			
wing 10.25			Total Rs:-			/
wing 10.25 s and ing the ave to				-		
wing 10.25 s and sing the ave to			isated by him at his own cost.	be duly compa		
wing 10.25 and ing the			tion shall be the sole responsibility of contractor which shall have to	course of exec		
wing 10.25	_	_	all incidental charges. Any loss of public/private property during the	lifts, including		
wing 10.25			rious locations through all modes of transportation in all leads and	materials to v		
10.25	meter.		Specification. including carriage of all labour, equipments and	and Technical		
	Per cubic	10.25	and abutment, wing wall and return wall complete as per drawing	Back filling be	4	

					Total Rs:-	
	Per cubic meter.			60.90	Providing concrete for plain/reinforced cement concrete in sub structure complete as per drawings and technical specifications. PCC Grade M15 using Batching plant, including all incidental charges, including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	2
	Per cubic meter.			96.54	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	
Amount	Unit	Rate In words.	In figure	Qty.	To. Descriptions	S. No.
1ths	Cost:- 432883.00 loney:- 8700.00 Time:- two months	Estimated Cost:- 432883.00 Earnest Money:- 8700.00 Time:- two mont) Km.	Schedule of Quantity Name of work:- R/R damages on Sainj Luri Jalori banjar Aut Road (NH 305) Km 0/00 to 97/00) (Sub Head:- C/O V-shape drain in PCC at Rd 79/875 to 80/675)	Nam 0/00

			be duly compansated by him at his own cost. Total Rs:-	
		<u> </u>	materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to	
	_	<u>. 11 .</u>	including all incidental charges, including carriage of all labour, equipments and	
	<u> </u>	s 72.00	Providing concrete for plain/reinforced cement concrete in sub structure complete as	2
		<u> </u>	shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	
		<u>, </u>	locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of evecution	<u> </u>
) H	excavation earth to the extent required and utilising the remaining earth locally for	
		<u> </u>	stumps and other deleterious matter, dressing of sides and bottom, backfilling the	
		1 96.00	Earth work in excavation of foundation of structures as per drawing and technical	–
In words	Y. In figure	الم الم	nescriptions.	3
Rate	•			Z Z
Time:- two months				
Earnest Money: 9800.00			0/00 to 97/00) (Sub Head:- C/O V-shape drain in PCC at Rd 91/00 to 91/800)	0/00 tc
Estimated Cost:- 488700.00)5) Km.	Name of work:- R/R damages on Sainj Luri Jalori banjar Aut Road (NH 305)	Name
		ntity	Schedule of Quantity	

SCHEDULE OF QUANTITY

	the cont	cubio othe	spec:	of ex Engi	proh	side,	soil, by ta	deptl	1 Exca	<u>, , , , , , , , , , , , , , , , , , , </u>	 No.	Sr,	, 	[mproven	NAME OF
	bills of the contractor. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	cubic metre, shall be sorted out and stacked along the road side properly, otherwise recovery @ Rs. 300/- per cubic metre shall be effected from the	specification of rural roads clause 1603.1. Minimum quantity of useful material such as stones, shingles, aggregates and slates etc. i.e 218.57	of excavated earth lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformity with the requirement of technical	prohibited) including cutting and trimming of side slopes and disposing	side, water pollution etc. and to protect stability of hill side. Rock shall	soil, ordinary rock and hard rock cutting by blasting shall be carried out	depths, in all kinds of soil including saturated soil comprising of mixed	Excavation in soil in hilly area by mechnical means in all heights and	2		Sub head/item of work		Improvement of road geometrices by cutting of nerrow reaches at Rd.87/400 to 530)	WORK:- A/R & M/O NH-305 Sainj Luri Aut Road Km. 0/00 to 9
									1131.18	3		Quantity Rate In		7/400 to 37	7/00 (SH
										4	Figure	Rate In		530)	`]•
	•									5		Rate In words.		Earnest	Estimat
Total:-							metre	Cubic	Per	6		Unit	Time:-	monev:-	ed cost:-
	•			- · · · · · · · · · · · · · · · · · · ·	r					7	 	Amount	Time:- One month	Earnest money:- 10000.00	Estimated cost:- 498194.00

8	ŋ	
ľ	อ	

	SCHEDULE OF QUANTITY	JANTITY			- -	
Nan	Name of work:-R/R damages on NH-05 Km 236/000 to 368/000 (SH:-	:HS) 00	ì	Estima	Estimated cost: 425094. Earnest money: 8600.00	Estimated cost:- 425094.00 Earnest money:- 8600.00
NH-	NH-05 at Urni Dhank at Km /RD 347/425 to 347/450)	eu portue	011 01		Time:- (Time:- One month
Sr No.	Sub head/item of work	Quantity	Rate In Figure	Rate In words.	Unit	Amount
1	2	3	4	5	6	. 7
د ـــر	Removal of land slide/slip clearance. Removal of land slide in hilly	3328.85			Per cubic	
	area in ordinary rock not requiring blasting by machnical means				metre	•
	including cutting and trimming of slopes and disposal of cut material with in lift upto 1.5 mtr. And lead upto 1000 mtr. As per technical specification clause 3023.5 and 1611					
					Total:-	

	specific	includi	area in	1 Remov	1	No.	Sr	NH-05 at U	Removal o	Name of w	
	specification clause 302.3.5 and 1611.	including cutting and trimming of slopes and disposal of cut material	area in ordinary rock not requiring blasting by machnical means	Removal of land slide/slip clearance. Removal of land slide in hilly	2	Sub Head/Item Of Work	Such hood litom of worth	NH-05 at Urni Dhank at Km /RD 347/400 to 347/425)	Removal of massive Land slide/fallen debries from abandoned portion of	Name of work:-R/R damages on NH-05 Km 236/000 to 368/000 (SH:-	SCHEDULE OF QUANTITY
				3400.90	3	Quantity	Onantity		ied porti	:HS) 000	UANTIT
					4.	Figure	Rate In		on of		Y
					5	Nate III words.	Date In words		Earne	Estim	
Total:-			metre	Per cubic	6		Ilnit	Time:-	Earnest money:- 8/00.00	ated cost:-	
					7		Amount	Time:- One month	8/00.00	Estimated cost: 434295.00	

Earnest money:- 9800.0 Time:- One m Rate In words. Unit 5 6 Per cubic metre Per cubic metre Per cubic metre	Name	SCHEDULE OF QUANTITY Name of work:-R/R damages on NH-505A Km 0/000 to 17/000 ta 368/000	UANTIT	<u>X</u>	Estima	Estimated cost:- 489584.00	89584.00
Time:- One m Quantity	(S.H:-	-C/o PCC B/wall at RD 0/290 to 0/309)			Earnes	t money:-	00.008
Earth work in excavation for structure in all depth as per drawing and technical specification Clause 304 of section 300 of MORTH specification in all kind of soils i.e pick work, Jumper work, blasting work in soft and hard rock and intermediate classification of soil including chiselling and wedging out of rock with in all depths and heights, stacking the useful materials and disposal of unserviceable materials upto the indentified dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost. Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification in foundation of retaining walls complete as per MORTH specification of the formwork required to complete the work to the satisfaction of the						Time:-)ne mont
Earth work in excavation for structure in all depth as per drawing and technical specification Clause 304 of section 300 of MORTH specification in all kind of soils. Le pick work, Jumper work, blasting work in soft and hard rock and intermediate classification of soil including chiselling and wedging out of rock with in all depths and heights, stacking the useful materials and disposal of unserviceable materials upto the indentified dumping site as per the direction of the Engineer-in-Charges with in all leads andlifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost. Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the	Sr No.	Sub head/item of work	Quantity	Rate In Figure	Rate In words.	Unit	Amount
Earth work in excavation for structure in all depth as per drawing and technical specification Clause 304 of section 300 of MORTH specification in all kind of soils i.e pick work, Jumper work, blasting work in soft and hard rock and intemediate classification of soil including chiselling and wedging out of rock with in all depths and heights "stacking the useful materials and disposal of unserviceable materials upto the indentified dumping site as per the direction of the Engineer-in-Charges with in all leads andlifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost. Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the	1	2	ω	4	ഗ	6	
technical specification Clause 304 of section 300 of MORTH specification in all kind of soils i.e pick work, Jumper work, blasting work in soft and hard rock and intermediate classification of soil including chiselling and wedging out of rock with in all depths and heights ,stacking the useful materials and disposal of unserviceable materials upto the indentified dumping site as per the direction of the Engineer-in-Charges with in all leads andlifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost. Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the	1	Earth work in excavation for structure in all depth as per drawing and	56.62			Per cubic	
hard rock and intemediate classification of soil including chiselling and wedging out of rock with in all depths and heights ,stacking the useful materials and disposal of unserviceable materials upto the indentified dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost. Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification for the south all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the		technical specification Clause 304 of section 300 of MORTH specification in all kind of soils i.e pick work, Jumper work, blasting work in soft and				metre	
materials and disposal of unserviceable materials upto the indentified dumping site as per the direction of the Engineer-in-Charges with in all leads andlifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost. Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the		hard rock and intemediate classification of soil including chiselling and wedging out of rock with in all depths and heights ,stacking the useful					
leads and lifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost. Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the		materials and disposal of unserviceable materials upto the indentified dumping site as per the direction of the Engineer-in-Charges with in all					
Providing and laying mechanically mixed and vibrated cement concrete M- 71.25 15 containing minimum contents of cement is 5.50 bags per cum in all heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the		leads andlifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to					
Providing and laying mechanically mixed and vibrated cement concrete M- 15 containing minimum contents of cement is 5.50 bags per cum in all heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the		be duly compansated by him at his own cost.				_	
heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the		Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all	71.25			Per cubic metre	
No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the		heights and depth as per drawing and technical specifications in					
formwork required to complete the work to the satisfaction of the		No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of					
::\ng\nccr-\n-(\narge		formwork required to complete the work to the satisfaction of the					

Total:-			
		cost.	
		contractor which shall have to be duly compansated by him at his own	
-		during the course of execution shall be the sole responsibility of	
		including all incidental charges. Any loss of public/private property	
-		locations through all modes of transportation in all leads and lifts,	
		including carriage of all labour, equipments and materials to various	
		drawing foce. Complete as per drawing and Technical Specifications	
metre		through the full width of the structure with slope of 1V :20H towards	
running		abutment, wing wall/return wall with 100 mm dia AC pipe, extending	
Per	38.00	3 Providing weep holes in Brick masonry/Plain/ Reinforced concrete 3	w

Name	Name of work:-R/R damages on NH-505A Km 0/000 to 17/000 to 368/000	UANTIT	8/000	Estima	Estimated cost: 496344.00
(S.H:-	(S.H:-C/o PCC B/wall at RD 0/265 to 0/284 30)			Earnes	Earnest money:- 9800.00
	2/2 - 22 2/				Time:- One month
Sr No.	Sub head/item of work	Quantity	Rate In Figure	Rate In words.	Unit
1	2	ω	4	СΊ	6
1	Earth work in excavation for structure in all depth as per drawing and	54.23			Per cubic
_	technical specification Clause 304 of section 300 of MORTH specification				metre
	in all kind of soils i.e pick work, Jumper work, blasting work in soft and	-			
	hard rock and intemediate classification of soil including chiselling and				
	wedging out of rock with in all depths and heights, stacking the useful				
	materials and disposal of unserviceable materials upto the indentified				
_	dumping site as per the direction of the Engineer-in-Charges with in all				
	leads andlifts. Any loss of public/private property during the course of				
_	execution shall be the sole responsibility of contractor which shall have to				
	be duly compansated by him at his own cost.				
J	Droviding and loving markening live sixed and dibrated compate contents M	77 20			
	15 containing minimum contents of cement is 5.50 bags per cum in all	-			metre
_	heights and depth as per drawing and technical specifications in				
	foundation of retaining walls complete as per MORTH specification				
	No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of				
	formwork required to complete the work to the satisfaction of the				
	Engineer-in-Charge.	-			

Total:-		
		cost.
		contractor which shall have to be duly compansated by him at his own
	,	during the course of execution shall be the sole responsibility of
		including all incidental charges. Any loss of public/private property
_		locations through all modes of transportation in all leads and lifts,
		including carriage of all labour, equipments and materials to various
		drawing foce. Complete as per drawing and Technical Specifications
metre		through the full width of the structure with slope of 1V :20H towards
running		abutment, wing wall/return wall with 100 mm dia AC pipe, extending
Per	38.60	Providing weep holes in Brick masonry/Plain/ Reinforced concrete

î .	SCHEDULE OF QUANTITY	UANTIT	Y			
Nam	Name of work:-R/R damages on NH-505A Km 0/000 to 17/000 to 18/000	00 1		Estima	Estimated cost:- 499068.00	199068.00
CC II.	. C /^ DCC D /~III ^+ DD \$12 /720 +^ 12 /721 10)	00000	9000	Earnes	Earnest money:-	10000.00
(3.11	(3.11;-c/0 f cc n/ wan at ND@13/ /20 to 13/ /31.10)				Time:-	One month
Sr No.	Sub head/item of work	Quantity	Rate In Figure	Rate In words.	Unit	Amount
Ľ	2	ω	4	У	6	7
٦	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 304 of section 300 of MORTH specification	32.30			Per cubic metre	
	in all kind of soils i.e pick work, Jumper work, blasting work in soft and hard rock and intemediate classification of soil including chiselling and					
	wedging out of rock with in all depths and heights ,stacking the useful materials and disposal of unserviceable materials upto the indentified					
	leads and lifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to					
	and the second s					
2	Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all	72.04			Per cubic metre	
	heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification					
	No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of					
	formwork required to complete the work to the satisfaction of the					
ω	Providing weep holes in Brick masonry/Plain/ Reinforced concrete	29.97			Per	
	abutment, wing wall/return wall with 100 mm dia AC pipe, extending				running	
	through the full width of the structure with slope of IV:20H towards				metre	
	including carriage of all labour, equipments and materials to various		•			
	locations through all modes of transportation in all leads and lifts,					
	during the course of execution shall be the sole responsibility of					
	contractor which shall have to be duly compansated by him at his own					
	COSC					

Total:-			
		of the Engineer-in-Charge.	
		materials by mechnical transport in all leads and lifts and as per direction	
		depths compacted to a firm condition complete including carriage of	
metre		requirement as per drawing and technical specifications in all heights and	_
Per cubic	12.88	4 Providing and laying back filling behind Retaining walls satisfying the	. 4

al.	SCHEDULE OF QUANT	UANTITY	Y			
Nam	Name of work:-R/R damages on NH-05 Km 236/000 to 368/000 (S	000 (S.H	3.H:-C/o	Estima	ted cost:-	Estimated cost: 488824.00
PCC	PCC R/wall at RD 327/706 to 327/711.50)		_	Edines		7000.00
	IV) WALL ALTER OF / / OO TO OF / / / II:00)				Time:-	One month
Sr No.	Sub head/item of work	Quantity	Rate In Figure	Rate In words.	Unit	Amount
1	2	ω	4	5	6	7
ъ	Earth work in excavation for structure in all depth as per drawing and	33.17			Per cubic	
	technical specification Clause 304 of section 300 of MORTH specification in all kind of soils i.e pick work, Jumper work, blasting work in soft and hard rock and intermediate classification of soil including chiselling and				metre	
	wedging out of rock with in all depths and heights ,stacking the useful materials and disposal of unserviceable materials upto the indentified					
	dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of contractor which shall have to					
	be duly compansated by him at his own cost.					
2	Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all	73.43			Per cubic metre	
	heights and depth as per drawing and technical specifications in					
	No.1500,1700 & 2100 including carriage of all materials within all leads					
	and lifts with all modes of transportation and equipment and cost of					
	Engineer-in-Charge.				<u>'</u>	
ω	Providing weep holes in Brick masonry/Plain/Reinforced concrete	16.50			running	
	through the full width of the structure with slope of 1V:20H towards				metre	
	drawing foce. Complete as per drawing and Technical Specifications					
	locations through all modes of transportation in all leads and lifts,					
	including all incidental charges. Any loss of public/private property					
	during the course of execution snall be the sole responsibility of contractor which shall have to be duly compansated by him at his own					
	cost.					

Total:-			
		of the Engineer-in-Charge.	
		materials by mechnical transport in all leads and lifts and as per direction	
		depths compacted to a firm condition complete including carriage of	
metre		requirement as per drawing and technical specifications in all heights and	
Per cubic	11.61	Providing and laying back filling behind Retaining walls satisfying the	4

Schedule of Quantity

	, -	The state of the s	ILILY				
97/00)	of work:- 4 (Sub Head	97/00) (Sub Head:- C/O PCC R/wall at RD.77/900 to 77/908)	07 00/0		Earnest Money: 8900 00	8900 00	
					Time:-	Time:- One month	
z Z		Descriptions	Otar		Rate	IImit	Amount
		Descriptions	Qty.	In figure	In words.	Onic	Эшоапс
1	Earth work	Earth work in excavation of foundation of structures as per drawing and technical	39.92		•	Per cubic	
	specification stumps and	specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the				meter.	
	excavation road work	excavation earth to the extent required and utilising the remaining earth locally for road work including carriage of all labour, equipments and materials to various					
	locations th	locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution					
	shall be the sole responds by him at his own cost	shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.					
22	Providing of per drawing	Providing concrete for plain/reinforced cement concrete in sub structure complete as per drawings and technical specifications. PCC Grade M15 using Batching plant,	64.66		٠	Per cubic meter.	
	materials to	including all incidental charges, including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and					
	lifts, includ	lifts, including all incidental charges. Any loss of public/private property during the					
_	be duly con	course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.					
—	Providing v	Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing wall/ return wall with 100 mm dia AC pipe, extending through the full width of the	19.20	·		Per	
	structure w	structure with slope of 1V :20H towards drawing foce. Complete as per drawing and Technical Specifications including carriage of all labour, equipments and materials			•	meter.	,
	to various l	to various locations through all modes of transportation in all leads and lifts,					
	course of ex	course of execution shall be the sole responsibility of contractor which shall have to					
_	be duly con	be duly compansated by him at his own cost.					

		4	
Total Rs:-	and Technical Specification. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Back filling behind abutment, wing wall and return wall complete as per drawing	
		11.44	
	meter	Per cubi	
	r.	ubic	

	Schedule of Quantity	tity				\$
Name	Name of work:- A/R & M/O Sainj Luri Jalori banjar Aut Road (NH 305) Km. 0/00 to	0/00 to		Estimated Cost:- 495559.00	495559.00	
97/00)	97/00) (Sub Head:- C/O PCC R/wall at RD.65/958 to 65/967)			Earnest Money: 10000.00	10000.00	
				Time:-	Time:-One month	
	Descriptions	0+1		Rate	11	A
. NO.	Descriptions	જાપ્યુ.	In figure	In words.	Onit	Amount
. 1	Earth work in excavation of foundation of structures as per drawing and technical	36.36			Per cubic	
	specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for			·	meter.	
	road work including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.					
2	Providing concrete for plain/reinforced cement concrete in sub structure complete as per drawings and technical specifications. PCC Grade M15 using Batching plant , including all incidental charges. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	72.75			Per cubic meter.	
, ,	Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing wall/ return wall with 100 mm dia AC pipe, extending through the full width of the structure with slope of 1V:20H towards drawing foce. Complete as per drawing and Technical Specifications including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	22.50	,		Per running meter.	

.

je P

Back filling behind abutment, wing wall and return wall complete as per drawing and Technical Specification. including carriage of all labour, equipments and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost. Total Rs:-	• —	<u> </u>			
14.94 14.94		,	•		4
	Total Rs:-		materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to	and Technical Specification, including carriage of all labour, equipments and	Back filling behind abutment, wing wall and return wall complete as per drawing
Per cubic meter.			·		14.94
Per cubic meter.			_		
				meter.	Per cubic
			One in a suite and a suite of the little of		
1 1					