

No.PW/RGH/Estt-Tender/2023-24-
To

Himacha Pradesh
Public Works Department
13389-13438

Dated:- 20-02-2024

The Director,
Information and Public Relation,
Suchna Avam Jan Sampark Bhawan,
Near HP.Admn.Tribunal Shimla-2.

Subject:- Publication of Notice inviting Tender Advertisement.

Jai Hind.


Enclose please find herewith the Notice Inviting Tender to be opened on 01.03.2024 for publication in Giri Raj weekly and two other regional news papers Himachal Pradesh.

Encl: - As above

Executive Engineer,
Rajgarh Division,
HP.PWD. Rajgarh.

Copy forwarded for information and necessary action to:-

1. The Engineer-in-Chief, HP.PWD.Shimla-1.
2. The Chief Engineer (South) HP.PWD.Shimla-1.
3. The Superintending Engineer, 12th Circle HPPWD Nahan.
4. The Executive Engineer (I.T) Cell), O/O Engineer-In-Chief, HPPWD Nigam Vihar Shimla-2 for up loaded Notice Inviting Tenders on Departmental website please.
5. All the Assistant Engineers working under this Division.
6. All Head of Branches of this office.
7. All Intending Bidders/Contractors.
8. Notice Board.


Executive Engineer,
Rajgarh Division,
HP.PWD. Rajgarh.

**HIMACHAL PRADESH
PUBLIC WORK DEPARTMENT
NOTICE INVITING TENDER**

Sealed items rates tender on form No. 6 and 8 are hereby invited on behalf of Governor of HP for the following works from approved and eligible contractor enlisted in HPPWD so as to reach in this office 01.03.2024 upto 10:30 AM and shall be opened on the same day at 11:00 AM in the presence of intending contractors or their authorised representative who may link to be present. The tender form be had from his office against cash payment (non refundable) during working hours.

The earnest money in the shape of FDR/TDR in HP duly pledged in favour of Executive Engineer Rajgarh Division HPPWD Rajgarh must be accompanied with the each tender. Conditional tender and tender received without earnest money will be rejected. The undersigned reserves the right to reject any or all tenders without assigning the reason. The offer of the tender will be kept opened for 75 days.

Sr. No.	Tender Schedule	
1.	Last date for tender receipt of application for tender form	28.02.2024 upto 4:00 PM
2.	Last date of sale of tender forms.	29.02.2024 upto 5:00 PM
3.	Date of receipt of tender forms	01.03.2024 upto 10:30AM
4.	Date of opening of tenders	01.03.2024 at 11:00 AM


Sr. No	Name of Work	Estimated cost	Earnest Money	Time Limit	Cost of form	Eligible Class of contractor
1	Restoration of rain damage on BBRC road Km 18/00 to 87/00 and Donga Fag to Kathli Bharan road km 0/00 to 8/00(SH:- C/O of unlined drain on BBRC road between km 60/00 to 61/00 & 64/00 to 66/00 and removal of slips on BBRC road 60/00 to 66/00 and Donga Fag to Kathli Bharan road between km 0/00 to 6/00).	4,98,550/-	10,000/-	Two months	350/-	Class-"C&D"
2	Restoration Rain damages on BBRC to Thor Kolan road km 0/00 to 3/510(SH:-Construction of PCC R/wall between km 0/810 to 0/820).	4,87,927/-	10,000/-	Two months	350/-	Class-"C&D"
3	Restoration Rain damages on BBRC road km 18/00 to 87/00(SH:-Construction of Wing wall Machher side for slab cuvert at RD 59/515 and repair of existing R/wall at RD 59/530).	4,90,003/-	10,000/-	Two months	350/-	Class-"C&D"
4	Restoration Rain damages on Banethi Bagthan Rajgarh Chandol road km 48/00 to 87/00(SH:-ROFD between km 73/285 to 73/360).	2,21,292.-/	5,000/-	One month	350/-	Class-"C&D"
5	Restoration rain damages on various roads under Rajgarh Division (SH:- Providing and Supplying dual directional delineator for road side with plastic head breakable at Neck).	4,99,800/-	10,000/-	Two months	350/-	Class-"C&D"
6	Restoration of rain damage on various roads under Habban Sub- Division (Habban & Chandol Section) (SH: - Providing and Supplying of high intensity Engineering grade prismatic sheeting).	4,99,400/-	10,000/-	Two Months	350/-	Class-"C&D"

Certificate: It is certified that the tender of above work are exigency/emergent nature and in public interest.

Terms & conditions:-

- The above job for consultancy work and consultants should be working with HPPWD.
- The contractors/Bidders must submit their Permanent Income Tax Account Number/GST number on the tender along with copy of the same be attached with the application.
- The contractor/Firms should attached copy of the Registration/Renewal with the application.
- The contractor/bidder should quoted in percentage rates.
- The contractors/bidders must inspect the site to ascertain/familiar the site conditions, accessibility etc. Before quoting the bid/tender.
- Conditional and telegraphic tender shall be accepted and rejected straightway. Tender received after due date and time will be rejected.
- The contractor/firm should have to produce the detail of work in hand in HPPWD and its position therefore along with application.
- The tender document shall be issued to only those contractors who dose not have more than two works in hand in HPPWD Division.
- The contractor shall have to establish testing laboratory at site for the day to day testing of material.
- The offer shall remain valid upto 75 days.

11. The above job is on present market rates and tender will be processed as per instruction issued by the Add. Chief Secretary (PW) to the Govt. of H.P notification No. PBW)B)A(3)1/2020 dt. 22.07.2020. Regarding adoption of CPWD works manual 2019 & other publication of CWP in HPPWD shall also be applicable.
12. The Executive Engineer reserve the right any or all the tenders without assigning any reason.
13. The tender document shall be issued to only those contractors who submit registration of GST No.




Executive Engineer
HPPWD Division Rajgarh
Distt Sirmour HP

on behalf of Governor of Himachal Pradesh
Tel. No. 01798-221023
Mail. ee-rai-hp@nic.in

SCHEDULE OF QUANTITY

Name of Work:- Restoration of rain damage on BBRC road km 48/00 to 87/0 and Dongga Fag to Kathi Bharan Estimated cost:-Rs.4,98,550/- road km 0/00 to 8/00(SH:- C/O of unlined drain on BBRC road between km 60/00 to 61/00 & 64/00 to 66/00 Earnest money:- Rs. 10,000/- and removal of slips on BBRC road 60/00 to 66/00 and Dongga Fag to Kathi Bharan road between km 0/00 to Time Limit:- Two Months 6/00).

Sr No	Description Items of work	Qty.	Unit	Rate		Amount
				in figures	in words	
1	Surface Drains in Ordinary Rock Construction of unlined surface drain of average cross-sectional area 0.4 sqm (Point four square metre) in ordinary rock to specified lines, grades, levels and dimensions as per approved design and Technical Specification Clause 307(three hundred seven). Excavated material to be used in embankment at site. B) Mechanical Means: all leads and lifts as per direction of the Engineer-in-Charge , as per H.P.PWD. specification, including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads and lifts including all incidental charges.	3000.00	Per Rmt	44.40	Rupees forty four and paise forty only.	133200.00
2	Removal of land slide in hilly area ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with in lall leads and lifts as per direction of the Engineer-in-Charge, as per H.P.PWD. specification, including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads and lifts including all incidental charges.	3700.00	Per Cum	92.00	Rupees ninety two and paise zero only.	3,40,400.00
3	Hiring of Tipper for removal of slips and debris , minimum eight hours per day including pay of operators, POL charges, Maintenance or any minor or major accidents and other damages to private and govt property is the whole responsibility of the contractor. The work shall be executed as per the PWD specification and the direction of Engineer-in-Charge.	5.00	Per Day	4990.00	Rs. Four thousand nine hundred ninety and paise zero only.	24950.00
Quoted rates precentage in figure						C.Total 498550.00
Quoted rates precentage in word						



 Executive Engineer,
 Rajgarh Division,
 HPPWD, Rajgarh.

SCHEDULE OF QUANTITY

Name of work: - Restoration Rain damages on BBRC to Thor Kolan road km 0/00 to 3/510(SH:-Construction of Estimated cost: - Rs. 4,87,927/-
PCC R/wall between km 0/810 to 0/820).
Earnest money: - Rs. 10,000/-
Time Limit: - Two Months

Sr. No	Sub-Head and Items of work	Qty.	Unit	Rate		Amount
				in figures.	in words	
1	Earthwork in excavation for all type of roads, structures such as retaining wall, breast wall, culvert, drain and parapets etc. in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chising / wedging out rocks (where blasting is prohibited) as per drawing and technical specification true to lines and grades. Dimesions and other particulars as per drawing and Technical Specification Clause 305.1(Three hundred Five point One) and 1606.1(One six zero six point one) including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all lead and lifts including dressing of sides and bottom and backfilling in trenches with excavated suitable material. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side & any structure near about, water pollutions etc., and to protect stability of hill side rock. Stacking of materials useful for construction at suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site(to be arranged by the contractor), trimming, filling of unevenness blindages and finishing of the road to specified dimensions or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.	52.700	Per Cubic Metre	255.20	Rupees two hundred Fifty five and paise twenty only.	13449.00
2	Providing and laying concrete for plain/reinforced concrete in open foundations complete as par drawings and technical specifications C- 802, 803, 1202 & 1203(Clause - Eight hundred Two, Eight hundred Three, One thousand Two hundred Two and One thousand Two hundred Three) 1:4:8. (One Cement : Four Sand : Eight graded stone) aggregate 40 mm nominal size and curing complete including the cost of form work and carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in-Charge.	85.200	Per Cubic Metre	5371.00	Rupees Five thousand three hundred seventy one and paise nil only.	457609.00

3	Providing wing holes in brick masonry/ stone masonry, plain/reinforced concrete abutment, wing walls, return wall with 100mm (One hundred) millimetre dia AC pipe extending through the full width of the structures with slope of 1(V) 20 (H) towards drawing face complete as per drawing and technical specifications clauses 6.14, 709, 1204.17 all modes of transportation in all leads and lifts to the entire satisfaction of the Engineer-in-Charge.	17.80	Each	276.80	Rupees two hundred seventy six and paise eighty only.	4706.00
4	Backfilling behind abutment, wing wall and return wall complete as per drawings & technical specification Clause 1204.18 in granular material as per drawing and RFP PWD technical specifications w/ cartage of all labour equipments and materials to various locations through all modes of transportation in all leads and lifts to the entire satisfaction as per direction of Engineer-in-Charge.	15.80	Per Cubic Metre.	769.80	Rupees seven hundred sixty nine and paise eighty only.	12163.00
Quoted rates percentage in figure				G.Total		487927.00
Quoted rates percentage in word						



 Executive Engineer,
 Raigarh Division,
 PWD, Raigarh.

SCHEDULE OF QUANTITY

Name of work: - Restoration Rain damages on BBRC road km 48/00 to 87/00(SH:-Construction of Wing wall Estimated cost: - Rs. 4,90,003/-
 Machher side for slab culvert at RD 59/515 and repair of existing R/wall at RD 59/530).
 Earnest money: - Rs. 10,000/-
 Time Limit: - Two Months

Sr. No	Sub-Head and Items of work	Qty.	Unit	Rate		Amount
				in figures.	in words	
1	Earthwork in excavation for all type of roads, structures such as retaining wall, breast wall, culvert, drain and parapets etc. in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiesing / wedging out rocks (where blasting is prohibited) as per drawing and technical specification true to lines and grades. Dimesions and other particulars as per drawing and Technical Specification Clause 305.1(Three hundred Five point One) and 1606.1(One six zero six point one) including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all lead and lifts including dressing of sides and bottom and backfilling in trenches with excavated suitable material. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side & any structure near about, water pollutions etc., and to protect stability of hill side rock. Stacking of materials useful for construction at suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site(to be arranged by the contractor), trimming, filling of unevenness blindages and finishing of the road to specified dimensions or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.	12.210	Per Cubic Metre	255.20	Rupees two hundred fifty five and paise twenty only.	3116.00

<p>2 Providing and laying Plain Cement Concrete nominal mix 1:3:6 (one cement isto three sand isto six graded stone aggregate 20mm twenty millimeters nominal size) Mechanically mixed and vibrated for plain/reinforced concrete in / under water and curing complete for 14 (fourteen) days in open foundations and plinths for all type of structure or similar works like drain etc. including pumping and bailing out water (surface and sub soil water) dewatering for all depth and any quantum of water including removal of slush which may arise at the time of laying under water complete for all height /depth including the cost of form work complete as per drawing and MORD Technical Specification clause 802, 803, 1202 and 1203 (Eight hundred two, eight hundred three, one thousand two hundred two and one thousand two hundred three) or as directed by the Engineer-in-Charge including carriage of materials with in all leads and lifts and other incidentals.</p>	71.62	Per cubic Metre.	6740.23	Rupees (six thousand seven hundred forty and paise twenty three) only	482735.00
<p>3 Providing weep holes in brick masonry/ stone masonry, plain/reinforced concrete abutment, wing walls, return wall with 100mm (One hundred) millimetre dia AC pipe extending through the full width of the structures with slope of 1(V):20 (H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7. all modes of transportation in all leads and lifts to the entire satisfaction of the Engineer-in-Charge,</p>	15.00	Each	276.80	Rupees hundred seventy six and paise eighty only.	4152.00
<p>Quoted rates precentage in figure</p>			G.Total		490003.00
<p>Quoted rates precentage in word</p>					



 Executive Engineer,
 Raigarh Division,
 HPRWD, Raigarh.

Name of work :- Restoration Rain damages on Banethi Bagthan Rajgarh Chandol road km 48/00 to 87/00(SH:-ROFD between km 73/285 to 73/360).

SCHEDULE OF QUANTITY

Estimated cost - Rs. 2,21,292/-
Earnest money:- Rs.5,000/-
Time Limit:- one Month


Sr. No	Sub-Head and Items of work	Qty.	Unit	Rate		Amount
				in figures.	in words	
1	Excavation in earth work in hilly area in all heights and depths in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side,water pollution, etcetra and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried, out true to lines, grades, side slopes, width, camber super-elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, in conformit with the requirement of technical specification for Rural Road. clause 1603.1 and 1603.2 of General conditions for contract to achieve designed formation width including hauling and safe disposal of unsuitable cut materials upto all lead and lifts in specified manner i/c arrangement of dumping site trimming, filling of unevenness, blindage and finishing of the road to specified dimensions or as directed by the Engineer -in -Charge for smooth riding. The recovery for stones,whether useful or not, for 76.58 cum (seventy six point fifty eight cubic metre) in all cases, @ rupees 170/- only(Rupees one hundred seventy only) per cubic meter shall be effected on pro- rata basis. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall compensated by him in all cases.	1503.01	Per Cubic Metre.	147.23	Rupees one hundred forty seven and paise twenty three only.	221292.00
	Quoted rates precentage in figure					Total: 221292.00
	Quoted rates precentage in word					


Executive Engineer,
Rajgarh Division,
RPPWD, Rajgarh.

SCHEDULE OF QUANTITY

Name of work:-Restoration rain damages on various roads under Rajgarh Division (SH:- Providing Estimated cost: - Rs. 4,99,800/- and Supplying dual directional delineator for road side with plastic head unbreakable at Neck).
Earnest money:- Rs. 10,000/-
Time Limit:- Two Months


Sr. No	Sub-Head and Items of work	Qty.	Unit	Rate		Amount
				in figures.	in words	
1	Providing dual direction delineator made out of 18 guage (Eighteen Gauge)MS Rectangular pipe size 25 x 68 mm (twenty five into sixty eight millimetre) and of length 600 mm (six hundred millimetre) pipe stove enamelled and baked to 120 cm (one hundred twenty centimetre) powder coated head made out of high impact plastic rectangular moulded withflat face provided with high intensity prismatic reflectors of color yellow of size 100x125 mm (one hundred into one hundred twenty five millimetre) with additional 2 (two) reflective strips of 20mm (twenty millimetre)wide make green /light for road side with plastic head un breakable at Neck.) including all leads and lifts as per direction of the Engineer-in-Charge.	510.00	Each	980.00	Rupees nine hundred eighty and paise nil only.	499800.00
	Quoted rates percentage in figure			G.Total		499800.00
	Quoted rates percentage in word					


 Executive Engineer,
 Rajgarh Division,
 HBPWD, Rajgarh.

SCHEDULE OF QUANTITY

Name of work : - Restoration of rain damage on various roads under Habban Sub- Division Estimated cost:-Rs.4,99,400/-
 (Habban & Chandol Section) (SH: - Providing and Supplying of high Intensity Engineering grade Earnest money: - Rs. 10,000/-
 prismatic sheeting).
 Time Limit: - Two Months

S.N	Item of Work	Qty.	Unit	Rate In		Amount
				Figures	Words	
0						
1	Providing and supplying of high intensity Engineering grade prismatic sheeting on the front side of existing W - metal beam crash barrier size 300 mm x 450 mm (three hundred into four hundred fifty millimetre) in yellow and white colour at site within all leads and lifts as per the direction of Engineer - in - Charge.	454.00	Per Rmt.	1100.00	Rupees One thousand one Hundred and paise nil only.	499400.00
	Quoted rates precentage in figure					
	Quoted rates precentage in word					


 Executive Engineer,
 Raigarh Division,
 HPWD, Raigarh.