#### OFFICE OF

## EXECUTIVE ENGINEER, SALOONI DIVISION HPPWD SALOONI HIMACHAL PRADESH, PUBLIC WORKS DEPARTMENT SALOONI Phone No. 01899-233287 Email: ee-slo-hp@nic.in \*NOTING INVITING TENDER\*

Sealed item rate tender on form 6&8 are hereby invited by the Executive Engineer, Salooni Division HPPWD Salooni on behalf of the Governor of Himachal Pradesh for the following work from the approved and eligible contractors enlisted in HPPWD. So as to reach in his office on or before 27.02.2024 to 11:00 AM and the same shall be opened on the same day at 11:30 AM, in the presence of the intending Contractor or their authorized representatives if any. The tender form can be obtained from his office on cash payment (Non refundable) on 26.02.2024 upto 12.30 PM and the application for issue of tender form shall be received on 26.02.2024 upto 04.00 P.M. The earnest money in the form of FDR from nationalized bank in HP duly pledged in favour of the Executive Engineer, Salooni Division HPPWD Salooni must be accompanied with each tender. The tender form will be issued to contractor who giving proof of enlistment, GST, Conditional tenders and the tenders received without earnest money will summarily be rejected. The offer of the tender shall be kept open for 75 days. The Executive Engineer, reserves the right to reject the tender without assigning any reason. Special care should be taken to write the rates both in figure and in words.

Sr. No.	Name of work	Estimated Cost	Earnest money	Cost of form	Time limit	Eligible Class
1.	Restoration of rain damages on various roads under Telka Section of Bhalei Sub Division (SH: Removal of slips/snow at various RD's)	2,75,450/-	5,600/-	350/-	Three months	D&C
2.	Restoration of rain damages on Bathri Sundla Langera J & K boundary road K.M. 28/0 to 93/400 (SH: Construction of PCC Retaining wall at R.D. 77/795 to 77/809)	4,83,895/-	9,700/-	350/-	Three months	D&C
3.	Restoration of rain damages on various roads under Kihar Section of Salooni Sub Division (SH: Removal of slips/snow at various RD's)	2,97,486/-	6,000/-	350/-	Three months	D&C
4.	Restoration of rain damages on various roads under Bhalei Section of Bhalei Sub Division (SH: Removal of slips/snow at various RD's)	2,95,125/-	6,000/-	350/-	Three months	D&C
5.	Restoration of rain damages on various roads under Salooni-1, Salooni-2 and Kihar Section of Salooni Sub Division (SH: Removal of slips/snow at various RD's)	4,95,810/-	10,000/-	350/-	Three months	D&C
6.	Restoration of rain damages on various roads under Brangal Section of Bhalei Sub Division (SH: Removal of slips/snow at various RD's)	2,95,125/-	6,000/-	350/-	Three months	D&C
7.	Restoration of rain damages on Bathri Sundla Langera J & K boundary road K.M. 13/130 to 28/0 (SH: Construction of PCC Protection wall, Wire crate at R.D. 21/952.50 to 21/960)	4,35,681/-	8,800/-	350/-	Three months	D&C
8.	Restoration of rain damages on various roads under Kihar Section of Salooni Sub Division (SH: Removal of slips/snow at various RD's)	4,97,384/-	10,000/-	350/-	Three months	D&C

9.	Restoration of rain damages on Bathri Sundla Langera J & K boundary road K.M. 13/130 to 28/0 (SH: Construction of PCC Protection wall, Wire crate at R.D. 21/930 to 21/937.50)	4,35,681/-	8,800/-	350/-	Three months	0.8.0
10.	Restoration of rain damages on various roads under Salooni-1 Section of Salooni Sub Division (SH: Removal of slips/snow at various RD's)	4,91,875/-	10,000/-	350/-	Three months	D&C
11.	Restoration of rain damages on Maira to Jalhral road K.M. 0/0 to 11/900 (SH: Construction of crate work Retaining wall at R.D. 8/405 to 8/435)	4,92,974/-	10,000/-	350/-	Three months	D&C
12.	Restoration of rain damages on various roads under Salooni-2 Section of Salooni Sub Division (SH: Removal of slips/snow at various RD's)	2,99,060/-	6,000/-	350/-	Three months	D&C

### TERMS AND CONDITIONS:-

- 1. The contractor should produce a copy of enlistment /renewal at time of application.
- 2. Executive Engineer reserves the right to reject/cancel any or all the tenders without assigning any
- 3. The contractor /firm have his registration and GST No., the copy of same be attached with the application.
- 4. The earnest Money shall be deposited duly pledged in favour of Executive Engineer, Salooni Division HPPWD Salooni and cost of tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money & cost of tender form shall summarily be rejected.
- 5. The contractor /firms are requested to insert the rate of each item in works as well as in figures failing which XEN reserves the right to accept/reject any tender without assigning any reasons at any stage.

Executive Engineer, Salooni Division HPPWD Salooni.

No. PW/SD/GA/Contract/Tender/2023-2024-

//883-939 Dated: - 17 /02/2024

#### Copy forwarded to:-

- 1. The F.C-Cum-Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information, please.
- 2. The Engineer-in-Chief, HPPWD, Shimla.
- 3. The Chief Engineer (Kangra Zone) HPPWD Dharamshala.
- 4. The Superintending Engineer, 7<sup>th</sup> Circle HPPWD Dalhousie.
- 5. The Executive Engineer (IT Cell) office of Engineer-in-Chief HPPWD Shimla for uploading the NIT on the Departmental website.
- 6. All the Assistant Engineers under Salooni Division.
- 7. All the Contractor working under this division.
- 8. H.D.M./Supdt./Acctt. of this office.
- 9. Notice Board.

Executive Engineer, Salooni Division ND Salooni.

# OFFICE OF EXECUTIVE ENGINEER, SALOONI DIVISION HPPWD SALOONI HIMACHAL PRADESH, PUBLIC WORKS DEPARTMENT SALOONI Phone No. 01899-233287 Email: ee-slo-hp@nic.in

#### \*CERTIFICATE\*

Certified that tender of works, as called vide this office letter No. PW/SD/GA/Contract/tender/2023-2024- 11833-93 Bated: 17/3/2094 are emergent nature in exigency of public interest.

Executive Engineer, Salooni Division HPPWD Salooni.

2

	+	-	Sr No		Nam	
The state the snow hit say har Is with the difficulties lead of 200 yty.	excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire satisfactions of Engineer-in-Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall be the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge. It is be ensured by the contractor in all cases.		Civision (Sil. Neinoval of Snow/slip sat various RDs )	Division (Su: Bomes of Various roads under Telka Section Bhalei Sub	Name of work:- Restoration of rain damages on various roads	DNIT
\darksig \tag{\tag{\tag{2}}	350.00 787.00	Quantity Rate	Time	Earnest money		
	787.00	Rate	Time limit	money	Estimated cost	
Total	Per hours.	Unit	Thre	121	27	
Total 275450.00	275450.00	Amount	Three month	5510	275450.00	

Executive Engineer Salooni-Division H.P.P.W.D Salooni

483985.00	Total				T
8897.00	Each	306.80	29.00	Providing 100mm (Hundred millimeter) diameter poly Vinyl chloride pipe. Weep holes in brick masonry/stone masonry, plain/reinforced concrete abutments, wing walls return walls and retaining /breast walls etc., extending through the full width of the structure with slope of 1 (V):20 (H) (one vertical is to twenty horizontal.) towards drainage face complete as per drawings and MORD technical specifications clause 614,709,1204.3.7 or as directed by the Engineer-in-Charge including carriage of materials within all leads, lifts and other incidental. The rate includes octrol,royality,Malkana,Tol tax, sale tax or any other taxes imposed by the Government.	4
16463.00	Per cubic metre	1187.80	13.86	Backfilling behind retaining wall/breast wall complete as per drawing and technical specification clause 1204.3.8 in granular material within all leads and lift of material as per direction of Engineer-in-Charge and other incidentals.	2
435595,00	Per cubic metre	6149.00	70.84	Providing and laying Mechanically mixed and vibrated concrete for plain / reinforced concrete nominal mix 1.5.10 (one cement is to five sand is to tent graded crushed stone aggregate 40 millimeter (forty millimeter) nominal size in or under water and curing complete for 14 (fourteen) days, in open foundations for all type of structures and the like drain etcetera including pumping or bailing out water (surface and sub soil water) dewatering for all depths and any quantum of water including removal of slush which may arise at the time of laying under water complete for all heights / depths including the cost of form work complete as per drawings and M.O.R.D. technical specification Clauses 802,803,1202 and 1203 or as directed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate includes octroi,royality, Malkana, Tol tax, sale tax or any other taxes imposed by the Government.	ω
23030.00	Per cubic metre	534.10	43.12	Learth work in excavation for all type of road structure such as retaining walls, breast walls, culvents, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may anse out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	-
Amount	Unit	Rate	Quintity		S. N.
Three month	Time limit	(608/27	KD 77/795 to	יייין איייין	
9700.00	Earnest money		7	Name of work:-Restoration of rain damages on RSI J&K boundary road km 380 to 200 (SU CO 200 D	
483985.00	Estimated cost	9		DNIT	

DNIT No 168 for the year 2023-2024

DNIT checked afford to E U83985.00

(Rufees fur Jakh eighty three thousand Nine Executive Engineer Secutive Engineer Engineer Secutive Engineer Secutive Engineer Secutive Engineer Secutive Engineer Secutive Engineer Engineer Secutive Engineer Eng

		Sr. No			T
	Hiring of Excavator cum loader for removal of land slide slip/snow clearence in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire satisfactions of Engineer-in-Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall be the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge.It is ensured that slip removal not less then 17.00 cum per hour to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	Description	The sine war of silow/slips at various RD'S)	Name of work- Restoration of rain damages on various roads under Kihar section (Sh.:-	DNIT
	378.00 787.00	Ouantity	Time	Earnest money	Estimat
	787.00	Rate	lime limit	money	Estimated cost
Total	Per hours.	Unit	One	55	297
Total 297486.00	297486.00	Amount	One month	5950.00	297486.00

DNIT decked and opposed for £ 2,97,486/mg DNIT RGO 169 for the year 1023-29

Executive Engineer Salooni-Division H.P.P.W.D.Salooni

	н	Sr. No	Marile	Name		
verified by the Engineer-in-charge_J+ 15 ~ CC 35 15 FOR STATE OF THE PROPERTY AND STATE OF THE	Hiring of Excavator cum loader for removal of land slide slip clearence in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire satisfactions of Engineer-in-Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall be the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly	Description	Division (SH: Removal of slip sat various RDs )	Name of work:- Restoration of rain damages on various roads under Bhalei Section Bhalei Sub		DNIT
	375.00 787.00 Per hours	Quantity Rate	Time limit	Earnest money	Estimated cost	
	787.00	Rate	imit	noney	d cost	
Total	Per hours.	Unit	Three	55	295	
Total 295125.00	295125.00	Amount	Three month	59.10	295125.00	

DNIT No 170 for the year 2023 - 24 DNIT checked and approved for 2 295125.00.

Executive Engineer Salooni-Bivision H.P.P.W.D Salooni

Total 495810.00	Total				
495810.00	Per hours	787.00	630.00	Hiring of Excavator cum loader for removal of land slide slip/snow clearence in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire satisfactions of Engineer-in-Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall be the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge. It is ensured that slip removal not less then 17.00 cum per hour to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	1 Hir de x an own by by
Amount	Unit	Rate	Quantity Rate	Description	Sr. No
One month	One	limit	Time limit	Kihar section (Sh.:-Removal of snow/slips at various RD'S)	
9920.00	992	money	Earnest money	Name of work- Restoration of rain damages on various roads under Salooni -1 Salooni-2 and	Name o
495810.00	4958	ed cost	Estimated cost		
			-	DNIT	

DNIT checked and appared for \$ 4,95,870 fort

Executive Engineer Salooni-Division H.P.P.W.D Salooni

	14	Sr. No			Non	
ナスルナム いるいいいとものない ISA/Ax するいたくるwinin aud. front	Hiring of Excavator cum loader for removal of land slide slip clearence in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire satisfactions of Engineer-in-Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall be the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge. 31 is the second staff and some the contractor in all cases.	Description	Sub Division (SH: Removal of slip sat various RDs )	were the storiation of family demages on various roads under Brangal Section Bhalei	of work- Postoration of rain damage.	DNIT
3	375.00 k	Quantity Rate	Time limit	Earnest money	Estimated cost	
	375.00 787.00	Rate	limit	money	ed cost	
Total	Per hours.	Unit	Thre	6	29	
Total 295125.00	295125.00	Amount	Three month	5910	295125.00	

DNIT No 172 for the year John 7 295125.00

Executive Engineer Salooni Oivision H.P.P.W.D Salooni

Name of work:-Restoration of rain damages on BSL J&K boundary road km 13/130 to 28/00 (SH.-C/O PCC protection wal, wire crate at RD Providing and laying. Mechanically mixed and vibrated concrete for plain / cement concrete in sub structure for all type Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets specifications clause 2503 and as per direction of the Engineer - in -Charge including carriage of materials within all leads of structure complete using place cement concrete grade M-15 (Miffleen) design mix with cement contents not less then bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deletenous materials and disposal of materials upto any lead and upto any lift including dressing of sides and rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the elcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out Supplying, fitting and placing HYSD bar reinforcement on superstructure copmpite as per drawings and MORD water complete for all heights/depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 and 1200 as directed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate includes octrol royality, Malkana, Tol tax, sale tax or any other taxes exceeding 150mm, one hundred fifty millimeters) compacted thickness including shoring and strutting, and pumping, and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not and lifts and other incidental. The rate also includes octroi.royality, malkana, toll tax sale tax or other taxes imposed by stone boulders weighing not less than 40kg (forty kilogram) each in toe walls as per drawing and MORD technical x100mm (hundred milimeters into hundred milimeters) mesh(woven diagonally) including 10% for laps & joints laid with Providing and laying boulder apron laid in wire crate with 4mm dia G.I. wire confirming to IS 280 and IS 4826 in 100 mm technical specification as directed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate includes octroi, royality, Malkana, Tol tax, sale tax or any other taxes imposed by the Government. imposed by the Government. pumping or bailing out water ,dewatening removal of slush as required at site which may arise at the time of laying under 275 kg (two hundred seventy five kilogram) per cubic metre in or under warter including curing complete including leads, lifts and other incidentals Description of Item 21/952.50 to 21/960) Quintity 35.18 123.75 40.73 35.81 2591 28 7702.00 Per cubic metre 520,60 Per cubic metre 98.38 Per kilogram Estimated cost ime limit Cum Unit Total Three month 435681.00 91161.00 313702 00 12175.00 18643.00 Amount 435681.00 8750.00

Repers Fore lake Thirty Ave thous and Six Sacon Division (undered Eighty Onle)

Executive Engineer

		025.00	Hiring of Excavator cum loader for removal of land slide slip/snow clearence in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire satisfactions of Engineer-in-Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall be the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge. It is ensured that slip removal not less then 17.00 cum per hour to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	T 0 0 0 0 C 0 C
Per 497384.00	787 00	632 00 787 00		Sr. No
Unit Amount	Rate	Quantity		
One month	limit	Time limit	Removal of snow/slins at various RD'S)	
9950.00	money	Earnest money	Name of work- Restoration of rain damages on various roads under Kihar section (Sh.:-	Nar
497384.00	ed cost	Estimated cost		
			DNIT	

Duit checked and approved for & 4,97,384/only

H.P.P.W.D Salooni Executive Engineer Salooni-Division

435681.00	Total			The state of the s	
91161.00	Cum	2591.28	35 18	Providing and laying boulder apron laid in wire crate with 4mm dia G.L. wire confirming to IS 280 and IS 4826 in 100 mm x100mm (hundred millimeters into hundred millimeters) mesh(woven diagonally) including 10% for laps & joints laid with stone boulders weighing not less than 40kg (forty kilogram) each in toe walls as per drawing and MORD technical specifications clause 2503 and as per direction of the Engineer - in -Charge including carriage of materials within all leads and lifts and other incidental. The rate also includes octrol, royality, maikana, toll tax sale tax or other taxes imposed by the Government.	4
12175.00	98.38 Per kilogram	98.38	123.75	3 Supplying , fitting and placing HYSD bar reinforcement on superstructure copmpite as per drawings and M.O.R.D. technical specification as directed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate includes octrol.royality.Malkana,Tol tax, sale tax or any other taxes imposed by the Government.	
313702.00	7702.00 Per cubic metre	7702.00	40.73	2 Providing and laying Mechanically mixed and vibrated concrete for plain / cement concrete in sub structure for all type of structure complete using plaon cement concrete grade M-15 (Mfifteen) design mix with cement contents not less then 275 kg (two hundred seventy five kilogram) per cubic metre in or under warter including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may anse at the time of laying under water complete for all heights/depths including the cost of form work in abumnents as per drawings and MOR.D. technical specification section 800,900 and 1200 as directed by the Engineer-in-Charge including camage of material within all leads, lifts and other incidentals. The rate includes octroi, royality, Malkana, Tot tax, sale tax or any other taxes imposed by the Government.	
18643 00	520.60 Per cubic metre	520.60	35.81	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deletenous materials and disposal of materials upto any lead and upto any lift including dressing of sluens and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	
Amount	Unit	Rate	Quintity	S. N. Description of Item	
Three month	Time limit			to 21/937.50)	1
8750.00		RD 21/930	al. wire cra	Name of work:-Restoration of rain damages on BSL J&K boundary road km 13/130 to 28/00 (SHC/O PCC protection wal, wire crate a	륁
435681.00	Estimated cost			O.Z.T	

ONIT NO 175 for the year 2023-24

ONIT Checked and appoint for 7 4,3568/1/2/2/2

(Repees fourther Thirty furtherward Six hundred Salvain Division eight one) only.

	1.4	Sr. No		-	Nam	
	Hiring of Excavator cum loader for removal of land slide slip/snow clearence in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire satisfactions of Engineer-in-Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall be the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge. It is ensured that slip removal not less then 17.00 cum per hour to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	Description	Removal of snow/slips at various RD'S)	-: Tection (Sh.:-	of work- Restoration of rain damages on water	DNIT
	625.00 787.00	Quantity Rate	Time	Earnest	Estima	
	787.00	Rate	Time limit	Earnest money	Estimated cost	
Total	Per hours.	Unit	One	36	49	
Total 491875.00	491875.00	Amount	One month	9840.00	491875.00	

DNIT decked and approved for \$ 4,91,875/only

Executive Engineer Salooni-Division
H.P.P.W.D Salooni

	ω = a α α x TI	N = \$ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	S. N.	Nam
	Providing and laying boulder apron laid in wire crate with 4mm dia G.L. wire confirming to IS 280 and IS 4826 in 100 mm x100mm (hundred milimeters into hundred milimeters) mesh(woven diagonally) including 10% for laps & joints laid with stone boulders weighing not less than 40kg (forty kilogram) each in toe walls as per drawing and MORD technical specifications clause 2503 and as per direction of the Engineer - in -Charge including carriage of materials within all leads and lifts and other incidental. The rate also includes octroi,royality, maikana, toll tax sale tax or other taxes imposed by the Government.	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	Providing and laying Mechanically mixed and vibrated concrete for plain / reinforced cement concrete nominal mix.  14.8 (one cement is to four sand is to eight graded /crushed stone aggregate 40 millimeter (forty millimeter) nominal size with 15% (fifteen percent) stone plums in or under water and curing complete for 14 (fourteen) days, in open foundations for all type of structures and the like drain etcetera including pumping or bailing out water (surface and time of laying under water complete for all heights / depths including the cost of form work complete as per drawings and H.P.P.W.D specification as per directions of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is including royalty, Malkana, Toll tax, sale tax, GST or other taxes imposed by the	of work-Restoration of rain damage on the Control Control
-	140.64	97.20	Quintity 18.23	
	2329 40	524.1	at RD 8/405 to Rate 6276.7	
	Cum	524.10 Per cubic metre	Time limit Unit Per cubic metre	Estimated cost
	327607.00	50943.00	Three month	492974.00

DNIT clecked and approved for \$ 4,92,974/orly (\* December Salon Division HPPWD Salooni hundred seventy toke) only.

		S	Т	_	_	
	ь	Sr. No			Nan	
	Hirring of Excavator cum loader for removal of land slide slip/snow clearence in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire satisfactions of Engineer-in-Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall be the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge.It is ensured that slip removal not less then 17.00 cum per hour to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	Description	Removal of snow/slips at various RD'S)	Section (Sh.:-	of work- Restoration of rain damages on various and the state of the s	DNIT
	380.00 787.00	Quantity Rate	Time	Earnest	Estimat	
	787.00	Rate	Time limit	Earnest money	Estimated cost	
Total	Per hours.	Unit	One	5	29	
Total 299060.00	299060.00	Amount	One month	5990.00	299060.00	

Parit of o 128 for the gent of 2,99,060/only

Executive Engineer Salooni-Division H.P.P.W.D Salooni