Himachal Pradesh Public Works Department

<u>Registered</u>

NO:- PW-RD-N.I.T/2024-25

13341

Dated: 4/12/2024

To

The Executive Engineer (IT Cell) Nigam Vihar Shimla.

Subject:-

Publication of Tender notice.

Jai Haind

Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. Of Himachal Pradesh letter No. PBW (B) A (3) 1/2020 dated Shimla-2 the 16th. July 2021.

1. Certified that the tender mentioned in the notice is exigencies/emergency are urgent nature and in public interest.

DA:- Notice inviting tender & Sechedule of Quantity.

HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

NOTICE INVITING TENDER

Sealed Percentage rate tenders on form No. 6 & 8 are hereby invited by the Executive Engineer B&R Division HP.PWD, Rohru Distt Shimla(HP) on behalf of the Governor of H.P for the following works from registered contractors in HPPWD (B&R) in appropriate class so as to reach in this office on 17/12/2024 up to 10:30 AM and will be opened on the same day at 11:00 AM in the presence of contractors or their authorized representative who wish to be present at that time. The application for obtaining the tender form will be received on 16/12/2024 between 10:00 AM to 2:00 PM The tender form can be had from this office against cash payment (Non-refundable) on 16/12/2024 between 02:00 PM to 5:00 PM.

The Earnest money in the shape of NSC/FDR/Saving account of the Post office bank in H.P duly pledged in favour of the XEN must accompany with each tender condition/incomplete tenders & tender without earnest money will be similarly rejected .The XEN reserves the right to accept or reject any or all tenders or drop the proposal of tenders without assigning any reason.

	Name of Work	Estimated	EMD	Cost of	Time	Eligible
Sr.	•	Cost	(Rs.),	Tende	Limit	class of
No.				r (Rs.)	Ì	Contrac
						tor
1.	R/R Damages to link road to village Rausi Km 0/00 to 4/015 in	495000/-	10000/-	350/	Two	Calss
	Chirgaon Sub Division Chirgaon Section (SH:- Removal of slip	}		-	Months	"C&D"
	by JCB at various RD's and dressing of road surface drain	7.41		Š		{ }
	clearance)					·
2.	R/R Damages to various road under Chirgaon Sub Division	495000/-	10000/-	350/	Two	Calss
	(Dhamwari Section) (SH:- Removal of slip by JCB at various		1	-	Months	"C&D"
	RD's and dressing of road surface drain clearance)	1070001		_		
3	R/R Damages to various road under Chirgaon Sub Division	495000/-	10000/-	350/	Two	Calss
	(Dhamwari Section) (SH:-Removal of slip by JCB at various		1	-	Months	"C&D"
	RD's and dressing of road surface drain clearance)					1
4	R/R Damages to various road under Chirgaon Sub Division	495000/-	10000/-	350/	Two	Calss
	(Dhamwari Section) (SH:- Removal of slip by JCB at various		1	\ -	Months	"C&D"
· ·	RD's and dressing of road surface drain clearance)					
5	R/R Damages to various road under Chirgaon Sub Division	495000/-	10000/-	350/	Two	Calss
	(Dhamwari Section) (SH:- Removal of slip by JCB at various		1	- '	Months	-"C&D"
	RD's and dressing of road surface drain clearance)		<i>j</i> 6		101101113	Cab
6	R/R Damages to various road under Chirgaon Sub Division	495000/-	10000/-	350/	Two	Calss
	(Seema Section) (SH:- Removal of slip by JCB at various			3307	1	"C&D"
	RD's and dressing of road surface drain clearance)			-	Months	CØD
7	R/R Damages to various road under Chirgaon Sub Division	495000/-	10000/-	2507	T	
	(Chirgaon Section) (SH:- Removal of slip by JCB at various	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10000/-	350/		Calss
	RD's and dressing of road surface drain clearance)			-	Months	"C&D"



				==0/	Two	Calss
	R/R Damages to various road under Chirgaon Sub Division	495000/-	10000/-	350/	Months	"C&D"
	(Chirgaon Section) (SH:- Removal of slip by ICB at various				Monree	
1	RD's and dressing of road surface drain clearance)	(Calss
	KIK Damages to various road under Chiragon Sub Division	495000/-	10000/-	350/	Two	"C&D"
	(Seellia Section) (SH:- Removal of slip by ICD at various	1			Months	
	s and diessing of road surface drain clearance)	[Calss
10	NR Damages to Various road under Chiragon Sub Division	495000/-	10000/-	350/	Two	"C&D"
	(Seema Section) (SH:- Removal of clip by ICD of surricus				Months	ו"נאט"
	s and diessing of road surface drain clearence)				(ļ
11	NK Damages to Various road under Chirgson Sub Division	495000/-	10000/-	350/	Two	Calss
}	Diamwall Section) (SH:- hiring of nock lane i/c rock breaker to	(Months	"C&D"
42	oreak boulder in various reaches)					
12	R/R Damages to various road under Chirgaon Sub Division	495000/-	10000/-	350/	Two	Calss
,	(Dilainwari Section) (SH:- Removal of slip, by ICP of versions	. 1	(Months	"C&D"
13	The stand dressing of road surface drain clearance)					<u></u>
15	R/R Damages to various road under Chirgagn Sub Division	420000/-	8400/-	350/	Two	Calss
	(Dhamwari Section) (SH:- Hiring of Tipper for carriage of		1		Months	"C&D"
14	muck/stone in various reaches) R/R Damages to various reaches					<u> </u>
1.4	R/R Damages to various road under Chirgaon Sub Division (Dhamwari Section) (SH: Wiring of Times of Tim	420000/-	8400/-	, ,	Two	Calss
I	(Dhamwari Section) (SH:- Hiring of Tipper for carriage of muck/stone in various reaches)		10/45		Months	"C&D"
15	R/R Damages to various road under Chirgaon Sub Division	-			ACCUPATION OF THE PARTY OF THE	<u> </u>
10	(Dhamwari Section) (SH:- Hiring of Tractor for carriage of	270000/-	5400/-	· · ·	Two	Calss
	muck/stone)			· -]	Months	"C&D"
16	R/R Damages to various road under Chirgaon Sub Division	270000/-	5400/-	250/		2.1
	(Dhamwari Section) (SH:- Hiring of Tractor for carriage of	2/00007-	5400/-	350/	Two	Calss
	muck/stone)		1	()	Months	"C&D"
17	R/R Damages to various road under Chirgaon Sub Division	270000/-	5400/-	350/	Two	Calss
	(Dhamwari Section) (SH:- Hiring of Tractor for carriage of		3,00,	1-	Months	"C&D"
	muck/stone)				Month	COL
18		302100/-	6100/-	350/	Two	Calss
1	(Badiyara Section) (SH:- Hiring of Tipper for carriage of	.,	,	1 - 1	Months	"C&D"
10	muck/stone in various reaches)		<u> </u>	11		
19		497000/-	10000/-	350/	Two	Calss
	(Badiyara Section) (SH:- Hiring of Tipper for carriage of			- ,	Months	"C&D"
20	muck/stone in various reaches) R/R Damages to various road under Chirggon Sub Division	2260001	7120/		<u> </u>	1
20	R/R Damages to various road under Chirgaon Sub Division (Badiyara Section) (SH:- Hiring of Tractor for carriage of	306000/-	6100/-	350/	Two	Calss
	muck/stone) (SH:- Hiring of Tractor for carriage of	· , -		-	Months	"C&D"
21		499400/-	- 10000/-	250/	+'	1
	(Badiyara Section) (SH:- Removal of slip by JCB at various	4777007	10000/-	350/	Two	Calss
	RD's and dressing of road surface drain clearance)			-	Months	"C&D"
22	Ţ	499400/-	- 10000/-	350/	Two	- C-170
	(Badiyara Section) (SH:- Removal of slip by JCB at various	4771007	10000,	550/	. I .	Calss
	RD's and dressing of road surface drain clearance)			-	Months	"C&D"
23	*	499400/-	'- 10000/-	350/	Two	Calss
	(Badiyara Section) (SH:- Removal of slip by JCB at various	,	10000,	1.	Months	"C&D"
	RD's and dressing of road surface drain clearance)	·			WIGHT	CGD
24		499400/	/- 10000/-	- 350/	Two	Calss
	(Badiyara Section) (SH:- Removal of slip by JCB at various			-	Months	"C&D"
	RD's and dressing of road surface drain clearance)					
2	5 R/R Damages to various road under Chirgaon Sub Division	499400/	/- 10000/-	- 350/	Two	Calss
\	(Badiyara Section) (SH:- Removal of slip by JCB at various	,		-	Months	"C&D"
	RD's and dressing of road surface drain clearance)					
2	R/R Damages to various road under Chirgaon Sub Division	499400/	/- 10000/-	- 350/	/ Two	Calss

	1	(Badiyara Section) (SH:- Removal of slip by JCB at various RD's and dressing of road surface drain clearance)			-	Months	"C&D"
	1	C/o Bailey bridge over River Andhra to connect Rausi village km 0/530 in chirgaon Sub Division chirgaon Section(SH:-Hiring of Pock lane for removal of muck below bridge from river way)	495000/-	10000/-	350/	Two Months	Calss "C&D"
1	28	R/R Damage to Badiyara Tikkar Diswani road km 0/00 to 8/500 (SH:- P/L G-III for repair and maintenance road surface damages due to heavy rain fall in essential reaches km 3/00 to 5/00)	498578/-	10000/-	350/	Two Months	Calss "C&D"
	29	R/R Damage to Badiyara Tikkar Diswani road km 0/00 to 8/500 (SH:- P/L G-III for repair and maintenance road surface damages due to heavy rain fall in essential reaches km 5/00 to 7/00)	498578/-	10000/-	350/	Two Months	Calss "C&D"
	30	R/R Damage to link road to Dhakgaon to jakhi km 0/00 to 7/800in Chirgaon Sub Division (Chirgaon Section)(SH:- Hiring of Pock lane i/c Rock breaker to remove slips and break boulder in various reaches)	495000/-	9900/-	350/	One Month	Class C & D

<u>Certified that the tender mentioned in the notice is exigencies/emergency are urgent nature and in public interest</u>

<u>TERMS AND CONDITIONS:-1.</u>The Earnest money for the above works should be submitted with the application for the application for the purchase of the tender-documents.

- 1. The Contractors should quoted the rates of the items in the tenders both in figures and words.
- 2. The contractor/firms shall accompany his enlistment/renewal & EPF submit before the award of tender.
- 3. The Contractors should apply for two works only at a time for tenders.
- 4. Work should be completed by the contractor within stipulated period.
- 5. The Executive Engineer reserves the right to accept/rejected any tender/application or all tenders without assigning any reason.

Executive Engineer B&R Division HP.PWD, Rohru

NO:- PW-RD-CB-Tender/2024-25 :- \ くっいっこう Copy forwarded for information and wide publicity to:-

- 6. The Chief Engineer (S) HPPWD Shimla-2
- 7. The S.E 14th Circle HPPWD Rohru
- 8. All the EE's under 14th Circle HPPWD Rohru
- 9. All the A.E's working under this Division (B&R)
- 10. The Sub Divisional Magistrate ROHRU
- 11. The BDO Rohru.
- 18. The Naib tehsildhar Dodra Kawar
- 19.A/B and D/B in this office
- 20.Notice Board

Dated 4/12/24

Name of Work:-R/R Damage to Link road to village rausi km 0/00 to 4/015 in chrgaon sub Division section(SH:-Hiring of JCB removal of slips and dressing of road surface drain clerance) Sr. No shifting charge and other anciliary equipments as required at site as per instructions of the Engineer-In-charge including all leads and lifts. Total Hiring of J.C.B (Excavator-cum-Loader) having bucket capacity .45 cum including P.O.L charges, Description of items. 450 Qty Unit Per Hour ESTIMATED COST EARNEST MONEY TIME LIMIT: -:OB BOL Rate In Fig. 1100 Rupces One Thousand One Hundred Only In Words 9900 495000 Three Month Amount. 495000 495000

1 The rates Should be quoted for all heights including all lead and lifts.

The Contractor shall procure all the materials confirming to the specification of MORTH at his own risk and

Quoted rate Figure (+/-)

Quoted rate Words (+/-)

Signature of the Contractor with full address:-

					(Quoted rate in Words) (+/-)	
	%)	%)			(Quoted rate in figure) (+/-)	
495000					Total	
495000	Per hours	Rupees One Thousand One Hundred Only	1100.00	450.00	Hiring of JCB (Excactor cum loader) front end loader 45 cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechnacial transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	
				?	No. Description	Sr. No.
					SH:- Removal of slips by JCB at various RDs and dressing of road surface Drain clearence)	SH:-
						T
	Two Month	TIME:-			Pofwerk. Do	Name
	9900	EARNEST				
	495000	ESTIMATED				
no.	Job no.				SCHEDULE OF QUANTITY	
					COURTIN TO STATE OF THE PARTY O	

- $_{\mbox{\scriptsize I}}$ The rates Should be quoted for all heights including all lead and lifts
- 2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost,

	SCHEDULE OF QUANTITY				Jo	ь по.
	SCHEDULE OF QUANTITY			ESTIMATED	495000	
				EARNEST	9900	
				TIME:-	Two Month	
Name of	work:- R/R Damages to various road under Chirgaon Sub - (Division Dhamwari-section)					
SH:- Rer	moval of slips by JCB at various RDs and dressing of road surface Drain clearence)					
Sr. No.	Description	Qty.	Rate	Rate In words	Unit	Amount
	Hiring of JCB (Excactor cum loader)front end loader 45cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechnacial transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	450.00	1100.00	Rupees One Thousand One Hundred Only	Per hours	495000
	Total					495000
	(Quoted rate in figure) (+/-)			(%)	
\neg	(Quoted rate in Words) (+/-)					

2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

 $_{\mbox{\scriptsize I}}$ The rates Should be quoted for all heights including all lead and lifts

					i j	ob no.
	SCHEDULE OF QUANTITY		· · ·	ESTIMATED	495000	
				EARNEST	9900	
			·	TIME:-	Two Mont	1
Name of v	work:- R/R Damages to various road under Chirgaon Sub -(Division Dhamwari-section)					
SH:- Rem	noval of slips by JCB at various RDs and dressing of road surface Drain clearence)					
Sr. No.	Description	Qty.	Rate	Rate In words	Unit	Amount
1	Hiring of JCB (Excactor cum loader) front end loader 45cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechnacial transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	450.00	1100.00	Rupees One Thousand One Hundred Only	Per bours	495000
	Total					495000
	(Quoted rate in figure) (+/-)			(%)	
	(Quoted rate in Words) (+/-)			<u> </u>		

 $_{\mbox{\scriptsize 1}}$ The rates Should be quoted for all heights including all lead and lifts

2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

	SCHEDULE OF QUANTITY		`		J	ob no.
				ESTIMATED	495000	
				EARNEST	9900	
				TIME:-	Two Month	
Name of	work:- R/R Damages to various road under Chirgaon Sub - Division (Dhamwari-section)					
H:- Ren	noval of slips by JCB at various RDs and dressing of road surface Drain clearence)					
Sr. No.	Description	Qty.	Rate	Rate In words	Unit	Amount
1	Hiring of JCB (Excactor cum loader) front end loader 45cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechanical transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	450.00	1100.00	Rupees One Thousand One Hundred Only	Per hours	495000
	Total					495000
	(Quoted rate in figure) (+/-)			(%)	
	(Quoted rate in Words) (+/-)					_

 $_{
m 1}$ The rates Should be quoted for all heights including all lead and lifts

2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

	COMPANY TO DOWN A STREET				J	ob no.
	SCHEDULE OF QUANTITY			ESTIMATED COST	. 495000	
				EARNEST MONEY:	9900	
				TIME:-	Two Month	
Name of	work:- R/R Damages to various road under Chirgaon Sub - Division (Seema section)			11/1/2		Ţ .
SH:- Ren	noval of slips by JCB at various RDs and dressing of road surface Drain clearence)					
	Drain clearence)			T ·		
Sr. No.	Description	Qty.	Rate	Rate In words	Unit	Amount
1	Hiring of JCB (Excactor cum loader) front end loader 45cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechnacial transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	450.00	1100.00	Rupees One Thousand One Hundred Only	Per hours	495000
	Total					495000
	(Quoted rate in figure) (+/-)			(%)	
	(Quoted rate in Words) (+/-)					

The rates Should be quoted for all heights including all lead and lifts

2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

Executive Engineer

B&R Division HPPWD

Rohru

	SCHEDULE OF QUANTITY				Jo	b no.
<u> </u>	ochbodb of Qomitical			ESTIMATED	495000	
				EARNEST	9900	
				TIME:-	Two Month	
ame of	work:- R/R Damages to various road under Chirgaon Sub - Division (Chirgaon-section)					
	noval of slips by JCB at various RDs and dressing of road surface Drain clearence)					
Sr. No.	Description	Qty.	Rate	Rate In words	Unit	Amoun
•	Hiring of JCB (Excactor cum loader)front end loader 45cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechnacial transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall helong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	450.00	1100.00	Rupees One Thousand One Hundred Only	Per hours	495000
	Total					495000
	(Quoted rate in figure) (+/-)			(%)	
	(Quoted rate in Words) (+/-)			<u>.</u>		

- 1 The rates Should be quoted for all heights including all lead and lifts
- 2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

	SCHEDULE OF QUANTITY				Jo	b no.
				ESTIMATED	495000	
				EARNEST	9900	
				TIME:-	Two Month	
ame of v	vork:- R/R Damages to various road under Chirgaon Sub - Division (Chirgaon-section)					1
H:- Rem	oval of slips by JCB at various RDs and dressing of road surface Drain clearence)					
Sr. No.	Description	Qty.	Rate	Rate In words	Unit	Amount
	Hiring of JCB (Excactor cum loader) front end loader 45cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechnacial transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	450.00	1100.00	Rupees One Thousand One Hundred Only	Per hours	495000
	Total	· ·				495000
	(Quoted rate in figure) (+/-)			(%)	
	(Quoted rate in Words) (+/-)					

 $_{\mbox{\scriptsize 1}}$ The rates Should be quoted for all heights including all lead and lifts

2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

	SCHEDULE OF QUANTITY				Jo	b no.
	Sensor Oriviti			ESTIMATED	495000	
				EARNEST	9900	
				TIME:-	Two Month	
Name of	work:- R/R Damages to various road under Chirgaon Sub - Division (Seema section)					1
SH:- Ren	noval of slips by JCB at various RDs and dressing of road surface Drain clearence)				<u>-</u>	
Sr. No.	Description	Qty.	Rate	Rate In words	Unit	Amount
•	Hiring of JCB (Excactor cum loader) front end loader 45cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechnacial transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	450.00	1100.00	Rupees One Thousand One Hundred Only	Per hours	495000
	Total			<u>.</u>		495000
	(Quoted rate in figure) (+/-)			<u>(</u>	%)	
	(Quoted rate in Words) (+/-)			· ·		

 $_{
m 1}$ The rates Should be quoted for all heights including all lead and lifts

2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

	SCHEDULE OF QUANTITY		,	-	Jo	b no.
				ESTIMATED	495000	
	•			EARNEST	9900	
				TIME:-	Two Month	
ame of v	work:- R/R Damages to various road under Chirgaon Sub - Division (Seema section)					1
H:- Ren	noval of slips by JCB at various RDs and dressing of road surface Drain clearence)		•			
Sr. No.	Description	Qty.	Rate	Rate In words	Unit	Amount
	Hiring of JCB (Excactor cum loader) front end loader 45cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechnacial transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its .All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	450.00	1100.00	Rupees One Thousand One Hundred Only	Per hours	495000
	Total					495000
	(Quoted rate in figure) (+/-)			(%)	
	(Quoted rate in Words) (+/-)					

- 1 The rates Should be quoted for all heights including all lead and lifts
- 2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

	SCHEDULE OF QUANTITY					
				ESTIMATED	495000	
				EARNEST	9900	
				TIME:-	One months	·
Name of v	work:- R/R Damages toDhamwari to Goakswari road km 0/00 to 5/300 under Chirgaon Su	b - Division (Dhamwari s	ection)		
SH:- Hiri	ng of Pock lane i/c Rock breaker to break boulder in various reraches)					
Sr. No.	Description	Qty	Rate	Rate In words	Unit	Amount
1	Hiring of JCB (Excavator cum Loader Pock lane having bucket capacity 5000 kmgs including P.O.L charges and shifing changes and other ancliary aquipments as requird at site of work for removal of slips in all heights in all kinds of soil such as kankar, moorum shingle boulders decomposed or soft variety of soil such as spade work, pick work jumper work, soft rock hard rock including their intermediate classification of soil including machinical transportation of necessary. The disposal of this up-serviceable material has to be done in the required width of the road to aviod damage to the properties of the people or in case any damage took place the contractor is lible for it, all salvaged material such as quarried stone shall belong to the department and meximum useful quantity of stones from removal of slips shall have to be neatly stacked along road side on shall be done by machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instruction of the Engineer in Changer including	110.00	4500.00	Rupees Four Thousand Five Hundred Only	Per hour	495000
	Total					495000

- 1 The rates Should be quoted for all heights including all lead and lifts
- 2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

Quoted rate in figure	%	
Quoted rate in Words	%	

	SCHEDULE OF QUANTITY				Job	no.
				ESTIMATED	495000	
				EARNEST	9900	
				TIME:-	Two Month	
ame of	work:- R/R Damages to various road under Chirgaon Sub - Division (Dhamwari section)	_			-	
	noval of slips by JCB at various RDs and dressing of road surface Drain clearence)					
Sr. No.	Description	Qty.	Rate	Rate In words	Unit	Amoun
1	Hiring of JCB (Excactor cum loader)front end loader 45cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate elassification of soil including mechanical transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	450.00	1100.00	Rupees One Thousand One Hundred Only	Per hours	49500(
	Total					495000
	(Quoted rate in figure) (+/-)	(%)				
	(Quoted rate in Words) (+/-)					

 $_{\mbox{\scriptsize 1}}$ The rates Should be quoted for all heights including all lead and lifts

2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

	SCHEDULE OF QUANTITY					
				ESTIMATED	420000	
				EARNEST	<u>8400</u>	
	· ·			TIME:-	Two month	
ame of v	work:- R/R Damages to various road under Chirgaon Sub - Division (Dhamwari-section)					
	ng of Tipper for Carriage of muck /stone in variuos recaches.)		_			
Sr. No.	Description	Oty	Rate	Rate In words	Unit	Amount
1	Hiring of Tipper for carriage of material having capacity 400cft including P.O.L charges shifting changesand other ancillary aquipment at site of work. The work shall have to carriage out as per ministry of transport specification of Eigineer-in-Charge with in all leads and lift.	60.00	7000.00	Rupees Seven Thousand Only	Per Day	420000

- 1 The rates Should be quoted for all heights including all lead and lifts
- 2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

Quoted rate in figure		%	
Quoted rate in Words	·	%	

	SCHEDULE OF QUANTITY					
				ESTIMATED	420000 8400	
				EARNEST TIME:-	Two month	
Name of v	vork:- R/R Damages to various road under Chirgaon Sub - Division (Dhamwari-section)					
SH:- Hiri	ng of Tipper for Carriage of muck /stone in variuos recaches.)					
Sr. No.	Description	Qty	Rate	Rate In words	Unit	Amount
1	Hiring of Tipper for carriage of material having capacity 400cft including P.O.L charges shifting changesand other ancillary aquipment at site of work. The work shall have to carriage out as per ministry of transport specification of Eigineer-in-Charge with in all leads and lift.	60.00	7000.00	Rupees Seven Thousand Only	Per Day	420000

- 1 The rates Should be quoted for all heights including all lead and lifts
- 2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

Quoted rate in figure	%	
Quoted rate in Words	%	

	SCHEDULE OF QUANTITY			ESTIMATED	270000	
				EARNEST	5400 Three month	
	work:- R/R Damages to various road under Chirgaon Sub - Division (Dhamwari-section) ing of Tractor for Carriage of muck /stone.)					
Sr. No.		Oty:	Rate	Rate In words	Unit	Amount
1	Hiring of Tractor for carriage of material having capacity 90cft including P.O.L charges shifting changesand other ancillary aquipment at site of work. The work shall have to carriage out as per ministry of transport specification of Eigineer-in-Charge with in all leads	60.00	4500.00	Rupees Four Thousand Five Hundred Only	Per Day	270000
	and lift.		1	1		

- 1 The rates Should be quoted for all heights including all lead and lifts
- 2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

Quoted rate in figure	 %	•	
Quoted rate in Words	%		

	SCHEDULE OF QUANTITY					
		_		ESTIMATED EARNEST	270000 5400	
				TIME:-	Three month	
H:- Hiri	work:- R/R Damages to various road under Chirgaon Sub - Division (Dhamwari-section) ing of Tractor for Carriage of muck /stone.)					
Sr. No.		Qty	Rate	Rate In words	Unit	Amour
1	Hiring of Tractor for carriage of material having capacity 90cft including P.O.L charges shifting changesand other ancillary aquipment at site of work. The work shall have to carriage out as per ministry of transport specification of Eigineer-in-Charge with in all leads and lift.	60.00	4500.00	Rupees Four Thousand Five Hundred Only	Per Day	27000
	Total					27000

- 1 The rates Should be quoted for all heights including all lead and lifts
- 2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

Quoted rate in figure	%
Quoted rate in Words	%

	SCHEDULE OF QUANTITY					
				ESTIMATED	270000	
				EARNEST	5400	
Nome of			-	TIME:-	Three month	
SH:- Hiri	work:- R/R Damages to various road under Chirgaon Sub - Division (Dhamwari-section) ing of Tractor for Carriage of muck /stone.)					
	Hiring of Tractor Course in Co.	Qty	Rate	Rate In words	Unit	Amount
	Hiring of Tractor for carriage of material having capacity 90cft including P.O.L charges shifting changesand other ancillary aquipment at site of work. The work shall have to carriage out as per ministry of transport specification of Eigineer-in-Charge with in all leads and lift.	60.00	4500.00	Rupees Four Thousand Five Hundred Only	Per Day	270000
	Total					270000

- 1 The rates Should be quoted for all heights including all lead and lifts
- 2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

Quoted rate in figure	%
Quoted rate in Words	%

		•				
	SCHEDULE OF QUANTITY	·			-	
				ESTIMATED	302100	
				EARNEST	2000	
Jame of v	North D/D D			TIME:-	60 Days	
- CALLED OF V	work:- R/R Damages to various road under Chirgaon Sub - Division (Badiyara-section)					
SH:- Hiri	ing of Tipper for Carriage of muck /debris.)	_				
Sr. No.	Description	Qty	Rate	Rate In words	Unit	Amount
	Hiring of Tipper for carriage of material having capacity 5.5/10ft including P.O.L charges shifting changesand other ancillary aquipment at site of work. The work shall have to carriage out as per ministry of transport specification of Eigineer-in-Charge with in all leads and lift.		5300.00	Rupees Five Thousand Three Hundred Only	Per Day	302100
	Total			 		302100

- 1 The rates Should be quoted for all heights including all lead and lifts
- 2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

Quoted rate in figure	%	
Quoted rate in Words	%	

	SCHEDULE OF QUANTITY					<u></u>
				ESTIMATED	497000	
	•			EARNEST	9940	
				TIME:	75 Da <u>ys</u>	
Name of v	work:- R/R Damages to various road under Chirgaon Sub - Division (Badiyara-section)					
SH:- Hiri	ng of Tipper for Carriage of muck/debris.)					
Sr. No.	Description	Oty	Rate	Rate In words	Unit	Amount
Sr. No.	Hiring of Tipper for carriage of material having capacity 400 cft including P.O.L charges	Qty	Rate		Unit	Amount
Sr. No.	Hiring of Tipper for carriage of material having eapacity 400 cft including P.O.L charges shifting changesand other ancillary aquipment at site of work. The work shall have to	7		Rupees Seven	Unit Per Day	497000
Sr. No.	Hiring of Tipper for carriage of material having capacity 400 cft including P.O.L charges	Qty 71.00	7000.00			

- 1 The rates Should be quoted for all heights including all lead and lifts
- 2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

Quoted rate in figure	%	
Quoted rate in Words	%	

	SCHEDULE OF QUANTITY	PM, 7 W - 10	gud ar iv			
	·			ESTIMATED EARNEST TIME:-	306000 6120 Three month	
Name of	work:- R/R Damages on various road under Chirgaon Sub - Division.					
SH:- Hiri	ing of Tractor for Carriage of muck /stone.)		-			
Sr. No.	Description	Qty	Rate	Rate In words	Unit	Amount
1	Hiring of Tractor for carriage of material having capacity 90cft including P.O.L charges shifting changesand other ancillary aquipment at site of work. The work shall have to carriage out as per ministry of transport specification of Eigineer-in-Charge with in all leads and lift.	90.00	3400.00	Rupees Three Thousand Four Hundred Only	Per Day	306000
	Total					306000

- 1 The rates Should be quoted for all heights including all lead and lifts
- 2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

Quoted rate in figure	%	
Quoted rate in Words	%	

	SCHEDULE OF QUANTITY				Job	по.
				ESTIMATED	499400	
				EARNEST	9988	
				TIME:-	60 Days.	
ame of w	ork:- R/R Damages to various road under Chirgaon Sub - Division (Badiyara section)					
H:- Hirin	g of JCB for removal of slips and maintenance of road surface)					
Sr. No.	Description	Qty.	Rate	Rate In words	Unit	Amount
1	Hiring of JCB (Excactor cum loader) front end loader 50 cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechanical transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubics metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	454.00	1100.00	Rupees One Thousand One Hundred Only	Per hours	499400
	Total					499400
	(Quoted rate in figure) (+/-)			(%)	
	(Quoted rate in Words) (+/-)					

 $_{\mbox{\scriptsize 1}}$ The rates Should be quoted for all heights including all lead and lifts

2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

	SCHEDULE OF QUANTITY				Job	no.
				ESTIMATED EARNEST	<u>499400</u> 9988	
				TIME:-	60 Days.	
ame of v	work:- R/R Damages to various road under Chirgaon Sub - Division (Badiyara section)					
H:- Hiri	ng of JCB for removal of slips and maintenance of road surface)					
Sr. No.	Description	Qty.	Rate	Rate In words	Unit	Amount
	Hiring of JCB (Excactor cum loader) front end loader 50 cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechnacial transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	454.00	1100.00	Rupees One Thousand One Hundred Only	Per hours	499400
	Total					499400
	(Quoted rate in figure) (+/-)		9	(%)	
	(Quoted rate in Words) (+/-)					

- $_{\mbox{\scriptsize 1}}$ The rates Should be quoted for all heights including all lead and lifts
- 2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

SCHEDULE OF QUANTITY		-		Joh	по.
SCHEDUED OF COMMITTEE			ESTIMATED COST:-	<u>499400</u>	
			EARNEST MONEY:-	9988	
			TIME:-	60 Days.	
ame of work:- R/R Damages to various road under Chirgaon Sub - Division (Badiyara section)		-			
n:- Hiring of JCB for removal of slips and maintenance of road surface)				77-14	Amount
1 Hiring of JCB (Excactor cum loader) front end loader 50 cum/ hour including POL charges	Qty.	Rate	Rate In words	· Unit	Amount
shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechnacial transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	454.00	1100.00	Rupees One Thousand One Hundred Only	Per hours	499400
Total					499400
(Quoted rate in figure) (+/-)			<u>(</u>	%)	

The rates Should be quoted for all heights including all lead and lifts
 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

	SCHEDULE OF QUANTITY			,	J	ob no.
				ESTIMATED	499400	
				EARNEST	9988	
				TIME:-	60 Days.	
Name of w	vork:- R/R Damages to various road under Chirgaon Sub - Division (Badiyara section)					
SH:- Hiri	ng of JCB for removal of slips and maintenance of road surface)					
Sr. No.	Description	Qty.	Rate	Rate In words	Unit	Amount
	Hiring of JCB (Excactor cum loader) front end loader 50 cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechanical transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	454.00	1100.00	Rupees One Thousand One Hundred Only	Per hours	499400
	Total					499400
	· (Quoted rate in figure) (+/-)			(%)	-
	(Quoted rate in Words) (+/-)			_		

- 1 The rates Should be quoted for all heights including all lead and lifts
- 2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

B&R Division HPPWD Rohru

_	COMPRIME OF QUANTITY				Jol	no.
	SCHEDULE OF QUANTITY			ESTIMATED	499400	
				EARNEST	9988	
	•			TIME:-	60 Days.	
Name of	work:- R/R Damages to various road under Chirgaon Sub - Division (Badiyara section)					
SH:- Hir	ring of JCB for removal of slips and maintenance of road surface)		_		1	
Sr. No.	Description	Qty.	Rate	Rate In words	Unit	Amount
	Hiring of JCB (Excactor cum loader)front end loader 50 cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechnacial transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	454.00	1100.00	Rupees One Thousand One Hundred Only	Per hours	499400
	Total					499400
	(Quoted rate in figure) (+/-)					
	(Quoted rate in Words) (+/-)				70)	

1 The rates Should be quoted for all heights including all lead and lifts

2 The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

	SCHEDULE OF QUANTITY				Job	no.
	000000			ESTIMATED	499400	
				EARNEST	9988	
				TIME:-	60 Davs.	
ame of v	vork:- R/R Damages to various road under Chirgaon Sub - Division (Badiyara section)					
H:- Hiri	ng of JCB for removal of slips and maintenance of road surface)					
Sr. No.	Description	Qty.	Rate	Rate In words	Unit	Amount
1	Hiring of JCB (Excactor cum loader) front end loader 50 cum/ hour including POL charges shifting charge and other ancillay equipments as required at site of work for removal of slips in all hegiths and all kinds of soils such as kankar moorum shingle boulders decomposed or soft variety of soil such a spade work pick work jumer work soft rock hard rock including their intermediate classification of soil including mechnacial transportion of necessary. The disposal of this undervecable materials has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place the contractor shall be liable for its. All salvaged materils such as qurried stone shall belong to the department and manikumum useful quantity of stones from removal of slips shall be to be neatly stacked along road side on road berms minium 30.00 cubice metre of earth work shall be done by the machine in one hours ans 200 cum of snow shell be removed from the road surface in one hour other wise number of hours shall be reduced accordingly. The work shall have to be carried out as per ministry of transport and as per instruction of the Engineer in charge including all leads and lifts.	454.00	1100.00	Rupees One Thousand One Hundred Only	Per hours	499400
	Total					499400
	(Quoted rate in figure) (+/-)			(%)	
_	(Quoted rate in Words) (+/-)					

 $_{
m 1}$ The rates Should be quoted for all heights including all lead and lifts

The contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.



Schedule of Qty Section) (SH:- Hiring of Pock lane for removal of muck below bridge from river way) Description of Items. Qty Unit Rate I Qty Unit Rate In Fig. In Words Amount. All Salvaged materials in all leads and lifts including mathanical of including mathanical in freeze or in faces any damage took place the contractor is liable for it. All salvaged materials such as quarried stone shall belong to the department and maximum useful quantity of stones from cutting work shall blave to be nearly stacked along the road side on road burns. The work involves widening from existing width to IRC single lane standard width formation width 5 meters in straight and 7 meter in curve as per their radius. Minimum 40cm of earth work shall be done by the Machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instruction of the Engineer-lane Charge including all leads and lifts, with rock breaker.					JOB NO:-		
Section) (SH:- Hiring of Pock lane for removal of muck below bridge from river way) EARNEST MONEY 9900		Schedule of	í Qty				
Section SH:- Hiring of Pock lane for removal of muck below bridge from river way)	Name o	f Work :- C/o Bailey bridge over river Andhra to connect Rausi village RD 0/530 in chirgae	on sub divisior	Chirgaon	ESTIMATED CO	ST	495000
Sr. No Description of items. One Months In Fig. In Words Amount. I litring of Excavator-Cum-Loader (POCK LANE/L&T) with 90 H.P. Engine and lifting capacity of minimum 5000 Kmgs with rock breaker including P.O.L charge, shifting charges and other anciliary equipments as required at site of work for cutting in earth work in all heights in all kinds of soil such as sheaker, morning shingle boulders decomposed or soft variety of soil such as spade work, pick work, Jumper work, soft rock, hard rock including their intermediate classification of soil including chieselling/veedging out of rock etc. where blasting is prohibited including saturated soils including filling in embankments where including consolidating with sheep foot rollers and disposal of this unserviceable materials in all leads and lifts including machanical transportation if necessary. The disposal of this unserviceable materials has to be done in the accquired width of the road to avoid damage to the properties of the people or in case any damage took place the contractor is liable for it. All salvaged materials such as quarried stone shall belong to the department and maximum useful quantity of stones from cutting work shall have to be neathy stacked along the road side on road burms. The work involves widening from existing width to IRC single lane standered width formation width 5 meters in straight and 7 meter in curve as per their radius. Minimum 40cm of earth work shall be done by the Macbine in one hour, other wise number of hour shall be reduced accordingly. The work shall bave to be carried out as per Ministry of Transport as per instruction of the Engineer-In Charge including all leads and lifts, with rock breaker.	Secctio	n)(SH:- Hiring of Pock lane for removal of muck below bridge from river way)		(EARNEST MONE	εγ	9900
1 litring of Excavator-Cum-Loader (POCK LANE/L&T) with 90 H.P. Engine and lifting capacity of minimum 5000 Kmgs with rock breaker including P.O.L charge,shifting charges and other anciliary equipments as required at site of work for cutting in earth work in all heights in all kinds of soil such as saked work,pick work,Jumper work,soft rock,hard rock including their intermediate classification of soil including chieselling/wedging out of rock etc.where blasting is prohibited including saturated soils including filling in embankments where including consolidating with sheep foot rollers and disposal of this unserviceable materials in all leads and lifts including machanical transportation if necessary. The disposal of this unserviceable materials has to be done in the accquired width of the road to avoid damage to the properties of the people or in case any damage took place the contractor is liable for it. All salvaged materials such as quarried stone shall belong to the department and maximum useful quantity of stones from cutting work shall have to be nearly stacked along the road side on road burms. The work involves widening from existing width to IRC single lane standerd width formation width 5 meters in straight and 7 meter in curve as per their radius, Minimum 40cm of earth work shall be done by the Macbine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be earried out as per Ministry of Transport as per instruction of the Engineer-In Charge including all leads and lifts, with rock breaker.							One Months
Iliring of Excavator-Cum-Loader (POCK LANE/L&T) with 90 H.P. Engine and lifting capacity of minimum 5000 Kmgs with rock breaker including P.O.L charge.shifting charges and other anciliary equipments as required at site of work for cutting in earth work in all heights in all kinds of soil such as space work, pick work, Jumper work, 50ft rock, hard rock including their intermediate classification of soil including chieselling/wedging out of rock etc. where blasting is prohibited including saturated soils including filling in embankments where including consolidating with sheep foot rollers and disposal of this unserviceable materials has to be done in the accquired width of the road to avoid damage to the properties of the people or in case any damage took place the contractor is liable for it. All salvaged materials such as quarried stone shall belong to the department and maximum useful quantity of stones from cutting work shall have to be nearly stacked along the road slong the ro	Sr. No	Description of Items.	Qty	Unit	Rate		
Illiring of Excavator-Cum-Loader (POCK LANE/L&T) with 90 H.P. Engine and lifting capacity of minimum 5000 Kmgs with rock breaker including P.O.L charge, shifting charges and other anciliary equipments as required at site of work for cutting in earth work in all heights in all kinds of soil such as Kankar, moorum shingle boulders decomposed or soft variety of soil such as soil variety as off variety of soil such as soil variety of soil such as soil variety of soil such as soil wards specification of soil lincluding chieselling/wedging out of rock etc., where blasting is prohibited including saturated soils including filling in embankments where including machanical transportation if necessary. The disposal of this unserviceable materials has to be done in the accquired width of the road to avoid damage to the properties of the people or in case any damage took place the contractor is liable for it. All salvaged materials such as quarried stone shall belong to the department and maximum useful quantity of stones from cutting work shall have to be neatly stacked along the road side on road burms. The work involves widening from existing width to IRC single lane standerd width formation width 5 meters in straight and 7 meter in curve as per their radius. Minimum 40m of earth work shall be done by the Macbine in one hour, other wise number of hour shall be reduced accordingly. The work shall bave to be carried out as per Ministry of Transport as per instruction of the Engineer-In Charge including all leads and lifts. with rock breaker.	'				In Fig.	In Words	Amount.
minimum 5000 Kmgs with rock breaker including P.O.L charge,shifting charges and other anciliary equipments as required at site of work for cutting in earth work in all heights in all kinds of soil such as as Kankar,moorum shingle boulders decomposed or soft variety of soil such as pale work, pick work, Jumper work, soft rock, hard rock including their intermediate classification of soil including chieselling/wedging out of rock etc. where blasting is prohibited including saturated soils including filling in embankments where including consolidating with sheep foot rollers and disposal of this unserviceable materials in all leads and lifts including machanical transportation if necessary. The disposal of this unserviceable materials has to be done in the accquired width of the road to avoid damage to the properties of the people or in case any damage took place the contractor is liable for it. All salvaged materials such as quarried stone shall belong to the department and maximum useful quantity of stones from cutting work shall have to be neatly stacked along the road side on road burms. The work involves widening from existing width to IRC single lane standred width formation width 5 meters in straight and 7 meter in curve as per their radius. Minimum the work shall be done by the Machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instruction of the Engineer-In Charge including all leads and lifts, with rock breaker.	1	2	3	4		6	7
10tal 495000	1	minimum 5000 Kmgs with rock breaker including P.O.L charge, shifting charges and other anciliary equipments as required at site of work for cutting in earth work in all heights in all kinds of soil such as Kankar, moorum shingle boulders decomposed or soft variety of soil such as spade work, pick work, Jumper work, soft rock, hard rock including their intermediate classification of soil including chieselling/wedging out of rock etc. where blasting is prohibited including saturated soils including filling in embankments where including consolidating with sheep foot rollers and disposal of this unserviceable materials in all leads and lifts including machanical transportation if necessary. The disposal of this unserviceable materials has to be done in the accquired width of the road to avoid damage to the properties of the people or in case any damage took place the contractor is liable for it. All salvaged materials such as quarried stone shall belong to the department and maximum useful quantity of stones from cutting work shall have to be nearly stacked along the road side on road burms. The work involves widening from existing width to IRC single lane standred width formation width 5 meters in straight and 7 meter in curve as per their radius. Minimum 40cm of earth work shall be done by the Machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instruction of the Engineer-In Charge including all leads and lifts, with rock breaker.	110	Per Hours	4500		

The rates Should be quoted for all heights including all lead and lifts.
The Contractor shall procure all the materials confirming to the specification of MORTH at his own risk and 2 cost.

Quoted rate Figure (+/-)
Quoted rate Words (+/-)

Signature of the Contractor with full address:

	Schedule o	fΩtv				
Name o road su	f Work :-R/R Damage to badiyara Tikkar Diswani road km 0/00 to 8/500(SH:- P/L G-III fo rface damaged due to heavy rain fall in essentail reaches km 5/00 to 7/00)	or repair and m	aintenance	ESTIMATED COS		497178 9944
Sr. No	Description of items.	Oty	Unit	TIME LIMIT:		Two Month
1	2	3	4	In Fig.	In Words	Amount.
1	Providing laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405.	177.5	Cum	2801	Rupees Two Thousand Eight Hundred & One Only	497178
	Total					407170

1 The rates Should be quoted for all heights including all lead and lifts.
The Contractor shall procure all the materials confirming to the specification of MORTH at his own risk and cost.

Quoted rate Figure (+/-)

Quoted rate Words (+/-)

Signature of the Contractor with full address:-

	Schedule o	f Otv				
Name (of Work :-R/R Damage to badiyara Tikkar Diswani road km 0/00 to 8/500(SH:-P/L G-III fo	or repair and m	aintenance	ESTIMATED COS	ST.	497178
oad st	urface damaged due to heavy rain fall in essentail reaches km 3/00 to 5/00)	or repair and in	umtemanee	EARNEST MONE	Y	9944
				TIME LIMIT:		Two Month
Sr. No	Description of items.	Oty	Unit	Rate		
				In Fig.	In Words	Amount.
1	2	3	4	5	6	7
1	Providing laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405.		Cum	2801	Rupees Two Thousand Eight Hundred & One Only	497178
	Total		-	 		497178

شد

The rates Should be quoted for all heights including all lead and lifts.
The Contractor shall procure all the materials confirming to the specification of MORTH at his own risk and 2 cost.

Quoted rate Figure (+/-)
Quoted rate Words (+/-)
Signature of the Contractor with full address:-

Schedule of Qty e I/c Rock breaker to remove slips and break boulder in various reaches) Description of items. Description of items. Qty Unit Rate In Fig. In Words Amount. Itiring of Excavator-Cum-Loader (POCK LANEL&T) with 90 II.P Engine and lifting capacity of minimum 5000 Kmgs with rock breaker including p.C. Large, shifting charges and other anciliary equipments as required at site of work for cutting in earth work in all heights in all kinds of soil such as Skankar, moorum shingle boulders decomposed or soft variety of soil such as spade work, pick work, Jumper work, soft rock, hard rock including their intermediate classification of soil including chieselling/wedging out of rock etc. where blasting is prohibited including saturated soils lockuling filling in embankments where including consolidating with sheep foot rollers and disposal of this unserviceable materials has to be done in the accquired width of the road to avoid damage to the properties of the people or in case any damage took place the contractor is liable for it. All salvaged materials such as quarried stone shall belong to the department and maximum useful quantity of stones from cutting work shall have to be neatly stacked along the road side on road burms. The work involves widening from existing width to IRC single lane standerd width formation width 5 meters in straight and 7 meter in curve as per their radius. Minimum 40cm of carth work shall be done by the Machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Mioistry of Transport as per instruction of the Engineer-In Charge including all leads and lifts. with rock breaker.	me o	f Work :-R/R Damage to link road to Dhagagn to Jobbil 100 Con Total	Qty				
Description of items. Description of items. Qty Unit Rate In Fig. In Words Amount. In Words Amount. In Fig. In Words	ie i/	c Rock breaker to remove slips and break bould be a remove slips and break bould be	ivision(SH:- I	Hiring of Pock	ESTIMATED COS	T	495000
Description of items. Qty Unit Rate In Fig. In Words Amount. Itiring of Excavator-Cum-Loader (POCK LANE/L&T) with 90 H.P. Engine and lifting capacity of minimum 5000 Kmgs with rock breaker including P.O.L charge,shifting charges and other anciliary equipments as required at site of work for cutting in earth work in all heights in all kinds of soil such as Skankar, moorum shingle boulders decomposed or soft variety of soil such as spade work, pick work, Jumper work, soft rock, hard rock including their intermediate classification of soil including chieselling/wedging out of rock etc. where blasting is prohibited including saturated soils lochuding filling in embankments where including consolidating with sheep foot rollers and disposal of this unserviceable materials in all leads and lifts including machanical transportation if necessary. The disposal of this unserviceable materials has to be done in the accquired width of the road to avoid damage to the properties of the people or in case any damage took place the contractor is liable for it. All slashwaged materials such as quarried stone shall belong to the department and maximum useful quantity of stones from cutting work shall have to be neatly stacked along the road side on road burns. The work involves wideoing from existing width to IRC single lane standerd width formation width 5 meters in straight and 7 meter in curve as per their radius. Minimum 40em of earth work shall have to be carried out as per Mioistry of Transport as per instruction of the Engineer-In Charge including all leads and lifts, with rock breaker.					EARNEST MONE	Υ	9900
Iliring of Excavator-Cum-Loader (POCK LANE/L&T) with 90 H.P. Engine and lifting capacity of minimum 5000 Kmgs with rock breaker including P.O.L charge, shifting charges and other anciliary equipments as required at site of work for cutting in earth work in all heights in all kinds of soil such as Spade work, pick work, Jumper work, soft rock, hard rock including their intermediate classification of soil including chieselling/wedging out of rock et.c.where blasting is prohibited including saturated soils including lilling in embankments where including consolidating with sheep foot rollers and disposal of this unserviceable materials has to be done in the accquired width of the road to avoid damage to the properties of the people or in case any damage took place the contractor is liable for it. All salvaged materials such as quarried stone shall belong to the department and maximum useful quantity of stones from cutting work shall have to be neatly stacked along the road side on road burns. The work involves widening from existing width to IRC single lane standard of earth work shall be done by the Machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Mioistry of Transport as per instruction of the Engineer-In Charge including all leads and lifts, with rock breaker.	. No	Description of them.			TIME LIMIT:		One Months
Illiring of Excavator-Cum-Loader (POCK LANE/L&T) with 90 H.P Engine and lifting capacity of minimum 5000 Kmgs with rock breaker including P.O.L charge, shifting charges and other anciliary equipments as required at site of work for cutting in earth work in all heights in all kinds of soil such as Kankar, moorum shingle boulders decomposed or soft variety of soil such as spade work, pick work, Jumper work, soft rock, hard rock including their intermediate classification of soil including chieselling/wedging out of rock etc. where blasting is prohibited including saturated soils including filling in embankments where including consolidating with sheep foot rollers and disposal of this unserviceable materials has to be done in the accquired width of the road to avoid damage to the properties of the people or in case any damage took place the contractor is liable for it. All salvaged materials such as quarried stone shall belong to the department and maximum useful quantity of stones from cutting work shall have to be neatly stacked along the road side on road burms. The work involves widening from existing width to IRC single lane standred width formation width 5 meters in straight and 7 meter in curve as per their radius. Minimum 40cm of earth work shall have to be carried out as per Mioistry of Transport as per instruction of the Engineer-In Charge including all leads and lifts. with rock breaker.		best: publi of items.	Qty	Unit	Rate		
minimum 5000 Kmgs with rock breaker including P.O.L charge,shifting charges and other anciliary equipments as required at site of work for cutting in earth work in all heights in all kinds of soil such as as Kankar, moorum shingle boulders decomposed or soft variety of soil such as spade work, pick work, Jumper work, soft rock including their intermediate classification of soil including chieselling/wedging out of rock etc. where blasting is prohibited including saturated soils including filling in embankments where including consolidating with sheep foot rollers and disposal of this unserviceable materials in all leads and lifts including machanical transportation if necessary. The disposal of this unserviceable materials has to be done in the accquired width of the road to avoid damage to the properties of the people or in case any damage took place the contractor is liable for it. All salvaged materials such as quarried stone shall belong to the department and maximum useful quantity of stones from cutting work shall have to be neatly stacked along the road side on road burms. The work involves widening from existing width to IRC single lane standred width formation width 5 meters in straight and 7 meter in curve as per their radius. Minimum 40cm of earth work shall be done by the Machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Mioistry of Transport as per instruction of the Engineer-In Charge including all leads and lifts, with rock breaker.	1	2				In Words	Amount.
equipments as required at site of work for cutting in earth work in all heights in all kinds of soil such as Kankar, moorum shingle boulders decomposed or soft variety of soil such as spade work, pick work, Jumper work, soft rock, hard rock including their intermediate classification of soil including chieselling/wedging out of rock etc. where blasting is prohibited including saturated soils is cludding filling in embankments where including consolidating with sheep foot rollers and disposal of this unserviceable materials in all leads and lifts including machanical transportation if necessary. The disposal of this unserviceable materials has to be done in the accquired width of the road to avoid damage to the properties of the people or in case any damage took place the contractor is liable for it. All salvaged materials such as quarried stone shall belong to the department and maximum useful quantity of stones from cutting work shall have to be neatly stacked along the road side on road burms. The work involves widening from existing width to IRC single lane standered width formation width 5 meters in straight and 7 meter in curve as per their radius. Minimum 40cm of earth work shall be done by the Machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Mioistry of Transport as per instruction of the Engineer-In Charge including all leads and lifts, with rock breaker.		Hiring of Excavator-Cum-Loader (POCK LANEA & T) with 90 H P. Faring 1985	3	4	5	6	7
Total 495000	1	as Kankar, moorum shingle boulders decomposed or soft variety of soil such as spade work, pick work, Jumper work, soft rock, hard rock including their intermediate classification of soil including chieselling/wedging out of rock etc. where blasting is prohibited including saturated soils including chieselling/wedging out of rock etc. where blasting is prohibited including saturated soils including filling in embankments where including consolidating with sheep foot rollers and disposal of this unserviceable materials has to be done in the acequired width of the road to avoid damage to the properties of the people or in case any damage took place the contractor is liable for it. All salvaged materials such as quarried stone shall belong to the department and maximum useful quantity of stones from cutting work shall have to be neatly stacked along the road side on road burms. The work involves widening from existing width to IRC single lane standerd width formation width 5 meters in straight and 7 meter in curve as per their radius. Minimum 40cm of earth work shall be done by the Machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instruction of the Engineer-In Charge including all leads and lifts, with rock breaker.	110	Per Hours	4500		495000

1 The rates Should be quoted for all heights including all lead and lifts.
The Contractor shall procure all the materials confirming to the specification of MORTH at his own risk and 2 cost.

Quoted rate Figure (**/-)
Quoted rate Words (**/-)
Signature of the Contractor with full address:-