



**Office of**  
**Executive Engineer Baijnath Division HP.PWD, Baijnath**  
**Himachal Pradesh Public works Department Baijnath-176125**  
**Phone No. 01894-263035 Fax 262704 e-mail:-ee-baij-hp@nic.in**

NO: PWD/BN/TA/NIT/2025-26/-  
To

4764-69

Dated:-17.07.2025

**The Executive Engineer, (IT Cell),**  
**Nirman Bhawan Nigam Vihar,**  
**Shimla-2.**

Subject:- Publication of Tender Notice on the Departmental website.

Dear Sir,

Enclosed herewith is the Tender Notice for the work specified in the Notice Inviting tender (NIT). You are kindly requested to upload the same on the official website of the department in accordance with Notification No.PBW(B)A(3)1/2024 dated 03.01.2024, issued by the Secretary (PW) to the Government of Himachal Pradesh.

The works mentioned in the Notice Inviting Tender are urgent/emergent nature of works in public interest. Kindly ensure the prompt publication of the same on the website.

Encl: Notice Inviting Tender  
& Schedule of Quantity.

Yours faithfully,

**Executive Engineer**  
**Baijnath Division**  
**HP.PWD..Baijnath**

**Copy forwarded for information to:-**

1. The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar.
2. All the Assistant Engineers working under this Division.
3. The Drawing Branch of this office.
4. Notice Board.

Executive Engineer,  
Baijnath Division.,  
H.P.PWD..Baijnath.





**Office of**  
**Executive Engineer Baijnath Division HP.PWD, Baijnath**  
**Himachal Pradesh Public works Department Baijnath-176125**  
**Phone No. 01894-263035 Fax 262704 e-mail:-[ee-baij-hp@nic.in](mailto:ee-baij-hp@nic.in)**

**"NOTICE INVITING TENDER"**

Sealed percentage rate on tender form No. 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.P.W.D., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before **29.07.2025** up to **11.30 A.M** and will be opened on the same day at **12.00 Noon** in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on **28.07.2025** between **2.00 PM up to 4.30 P.M** and the application for issue of tender forms shall be received on **26.07.2025** up to **12.00 Noon**.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.P.W.D., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.


Sr. No.	Name of Works	Amount put to tender/Estimated cost.	Earnest Money	Cost of tender form	Time limit
1	Reconstruction/Restoration of Barot to Nalhota Road km 0/00 to 15/500 (SH: Construction of R/wall in wire crate at km 3/270 to 3/285.50)	99,520/-	2000/-	Rs.350/-	Two Months
2	<del>R/O</del> upper Padhiarkhar to Purani Palam km 0/00 to 1/400 (SH: C/O B/wall at km 0/730 to 0/738) <del>Under</del> <del>OFC</del>	97,948/-	2000/-	Rs.350/-	One Month
3	Reconstruction/Restoration on Baijnath Chobin Balandar Road km 0/00 to 14/200 (SH: C/O R/wall at km 1/695 to 1/702.20) Under OFC	99,459/-	2000/-	Rs.350/-	One Month
4	Repair of Rain Shed Paprola Andretta Road at Majherna (SH: Repair of Rain Shed) Under OFC	80,509/-	1700/-	Rs.350/-	One Month
5	C/O Link road from Uper Thehad to Kudang km 0/00 to 1/00 (SH: C/O E/wall at RD 0/825 to 0/842) Under SCA	85,350/-	1800/-	Rs.350/-	One Month
6	C/O Link road from Upper Thehad to Kudang km 0/00 to 1/00 (SH: C/O R/wall at RD 0/374 to 0/382) Under SCA	91,778/-	1900/-	Rs.350/-	One Month
7	C/O Link road from Upper Thehad to Kudang km 0/00 to 1/00 (SH: C/O R/wall at RD 0/367 to 0/374) Under SCA	80,270/-	1700/-	Rs.350/-	One Month
8	Reconstruction/Restoration on Kangoo Da Paroh Salehra Road km 0/00 to 6/00 (SCA Deposit) (SH: Construction of R/wall in wire crate at km 1/130 to 1/136)	95,927/-	2000/-	Rs.350/-	Two Months
9	Re-C/O Baijnath Deol Phatar Road km 0/00 to 8/00 (SH: C/O R/wall at RD 5/450 to 5/459.60)	98,769/-	2000/-	Rs.350/-	One Month
10	C/O Gaziabad to Kholi km 0/00 to 0/520 (SH: P/L G-II & C.C. Pavement at km 0/27.50 to 0/055) VKV120251372	99,866/-	2000/-	Rs.350/-	Two Months
11	C/O Sansai to Dhandole road km 0/00 to 10/00 (Portion Dhandol to Jamthala) Under SCA (SH: C/O R/wall at RD 9/915 to 9/920.20)	85,670/-	1800/-	Rs.350/-	One Month
12	Restoration/Rain Damage on Pihar to Kuni Road (SH: C/O B/wall at RD 0/090 to 0/100)	98,079/-	2000/-	Rs.350/-	One Month
13	Restoration/Rain Damage on Dhanag Bolu Hari road km 0/00 to 2/500 (SH: C/O R/wall at RD 2/272 to 2/280.60)	97,845/-	2000/-	Rs.350/-	One Month

1. The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.
2. The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.

**E.E.**



3. In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.
4. Only two tenders form will be issued to the contractor/firm which may be noted.
5. Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.
6. The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
7. The contractor shall have all required machinery such as Truck/Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.
8. The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
9. All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-10A.
10. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit.

  
Executive Engineer  
Bainath Division  
H.P.W.D. Bainath  
For & On behalf of the Governor of H.P.



# **DNIT/DRAFT SCHEDULE OF QUANTITY**

Name of work: Reconstruction / Restoration of Barot to Nalhota Road km 0/00 to 15/500  
(SH : Construction of R/wall in wire crate at km 3/270 to 3/285.50 )

Estimate Cost: 99,520.00/-  
Earnest Money: 2,000.00/-  
Time Limit : Two Month

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D. technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.	11.16	Per Cubic metre	290.00	Rupees Two Hundred Ninety Only	3,236.00
2	laying of boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS 280 and IS 4826 in 100mm x 100 mm mesh (woven diagonally) including 10 per extra for laps and joints laid with stone boulders weighing not less than 25kg each as per drawing and technical specifications clause 1301 Including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. <b>(Labour Rate)</b>	44.93	Per Cubic metre	2000.00	Rupees Two Thousand Only	89,860.00
3	Back filling with granular material behind abutments, wing walls, return walls complete as per drawing and M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-In-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	6.36	Per Cubic metre	1010.00	Rupees One Thousand Ten Only	6,424.00
						99,520.00

Estimate Checked and approved for Rs. 99,520.00 only  
Rupees Ninety Nine Thousand Five Hundred Twenty Only

Executive Engineer  
Bajnath Division  
HPPWD Bajnath



# DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work: C/O upper Padharthar to Purani Palam km 0/00 to 1/400  
( Sh:- C/O B/Wall at km 0/730 TO 0/738 ) Under OFC

Estimate Cost: 97,948.00/-  
Earnest Money: 2,000.00/-  
Time Limit : One Month

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks ( Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In - Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm ( one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	5.76	Per Cum	290.00	Rupees Two Hundred & Ninety Only	1,670.00
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone age 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	19.04	Per Cum	4960.00	Rupees Four Thousand Nine Hundred & Fifty Only	94,248.00
3	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204 3.7, including entire carriage of materials within all leads and lifts and other incidentals; the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	7.00	Each	290.00	Rupees Two Hundred & Ninety Only	2,030.00
Total						97,948.00
Quoted rates Percentage in figures						
Quoted rates Percentage in words						

D.N.I.T. Checked and approved for Rs. 97,948.00 only  
Rupees Ninety Seven Thousand Nine Hundred Forty Eight Only

Executive Engineer  
Bajnath Division  
HPPWD Bajnath



**Good DNT/DRAFT SCHEDULE OF QUANTITY**

Name of work: Reconstruction/ Restoration on Bajinath Chobin Balandar km 0/00 to 14/200  
( Sh:- C/O R/W all at km 1/695 to 1/702.20 ) Under OFC

Estimate Cost: 99,459.00/-  
Earnest Money: 2,000.00/-  
Time Limit: One Month

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks ( Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing, removal of stumps, and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm ( one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering, as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	3.74	Per Cum	290.00	Rupees Two Hundred & Ninety Only	1,085.00
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone age, 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	18.50	Per Cum	4950.00	Rupees Four Thousand Nine Hundred & Fifty Only	91,575.00
3	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	5.11	Per Cum	990.00	Rupees Nine Hundred & Ninety Only	5,059.00
4	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7, including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	6.00	Each	290.00	Rupees Two Hundred & Ninety Only	1,740.00
<b>Total</b>						<b>99,459.00</b>

D.N.I.T. Checked and approved for Rs. 99,459.00 only  
Rupees Ninety Nine Thousand Four Hundred Fifty Nine Only

Executive Engineer  
Bajinath Division  
HPPWD Bajinath

(3)



**DNT/DRAFT SCHEDULE OF QUANTITY**

Name of Work : Repair of Rain Shed Paprola Andretta Road at Majherna  
( Sh:-Repair of Rain Shed ) Under OFC

Estimate Cost: 80,509.00  
Earnest Money: 1,700.00  
Time Limit : One Month

Sr.n	Description of work	No.or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in-charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	2.61	Cum.	1,465.35	Rupees One Thousand Four Hundred & Sixty Five - Paise Thirty Five Only	3,825.00
2	Providing and fixing 0.60mm thick prepainted steel sheet in roofing with hot dipped metallic zinc coated sheet with top coat of regular modified polyester (RNP) organic coating of 20 microns over 5 microns primer coating to back coat of polyester of 5 microns over 5 microns primer coating i/c fixing with complete with all accessories as required as per the direction of Engineer-in-charge. including carriage of material with in all leads and lifts and other incidental. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	20.88	Per Square metre	1,750.00	Rupees One Thousand Seven Hundred & Fifty Only	36,540.00
3	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	313.20	Per Kilogram	98.00	Rupees Ninety Eight Only	30,694.00
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:2:4 (one Cement : two coarse sand : four graded stone aggregate 40 mm nominal size). The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	1.35	Cum.	7,000.00	Rupees Seven Thousand Only	9,450.00
Quoted rates Percentage in figures						80,509.00
Quoted rates Percentage in words						

D.N.I.T. Checked and approved for Rs.

80,509.00 only

Rupees Eighty Thousand Five Hundred Nine Only

Executive Engineer  
Bajinath Division  
HPPWD Bajinath

4



# **DNT/DRAFT SCHEDULE OF QUANTITY**

Name of work: C/O Link Road from Upper Thadad to Kudang km 0/00 to 1/00  
( Sh- C/O E/wall at RD 0/825 to 0/842 ) ( Under SCA )

Estimate Cost: 85,350.00/-  
Earnest Money: 1,800.00/-  
Time Limit: One Month

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling (wedging out rocks ( Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm ( one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	6.46	Per Cum	290.00	Rupees Two Hundred & Ninety Only	1,873.00
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone age, 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	16.32	Per Cum	4950.00	Rupees Four Thousand Nine Hundred & Fifty Only	80,784.00
3	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals, including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	2.72	Per Cum	990.00	Rupees Nine Hundred & Ninety Only	2,693.00
<b>Quoted rates Percentage in figures</b>				<b>Total</b>		
<b>Quoted rates Percentage in words</b>						<b>85,350.00</b>

D.N.I.T. Checked and approved for Rs. 85,350.00 only  
Rupees Eighty Five Thousand Three Hundred Fifty Only

Executive Engineer  
Bajinath Division  
HPPWD Bajinath



# **DNIT/DRAFT SCHEDULE OF QUANTITY**

Name of work :- C/O Link Road from Upper Thehad to Kudang km 0/00 to 1/00 .  
(SH-C/O R/wall at RD 0/374 to 0/382 ) under SCA .

Estimate Cost: 91,778.00/-  
Earnest Money: 1,900.00/-  
Time Limit : One Month

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs.
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks ( Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D technical specification clause 305.1 and as per direction of the Engineer-In - Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm ( one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	3.60	Per Cum	290.00	Rupees Two Hundred & Ninety	1,044.00
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone age 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government	17.60	Per Cum	4950.00	Rupees Four Thousand Nine Hundred & Fifty Only	87,120.00
3	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals, including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government	1.60	Per Cum	990.00	Rupees Nine Hundred & Ninety Only	1,584.00
4	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7, including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government	7.00	Each	290.00	Rupees Two Hundred & Ninety Only	2,030.00
<b>Total</b>						<b>91,778.00</b>
<b>Quoted rates Percentage in figures</b>						
<b>Quoted rates Percentage in words</b>						

D.N.T. Checked and approved for Rs. 91,778.00 only  
Rupees Ninety One Thousand Seven Hundred Seventy Eight Only

Executive Engineer  
Bajnath Division  
HPPWD Bajnath

(6)



# **DNIT/DRAFT SCHEDULE OF QUANTITY**

Name of work :- C/O Link Road from Upper Thehad to Kudang km 0/00 to 1/00 .  
(SH:-C/O R/wall at RD 0/367 to 0/374 ) under SCA .

Sr. No.	Description of work	No. or Qty.	Unit	Estimate Cost: 80,270.00/- Earnest Money: 1,700.00/- Time Limit : One Month		AMOUNT Rs. p
				Figures	Rate Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks ( Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing , removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm ( one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	3.15	Per Cum	290.00	Rupees Two Hundred & Ninety Only	914.00
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone age, 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	15.40	Per Cum	4950.00	Rupees Four Thousand Nine Hundred & Fifty Only	76,230.00
3	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals, the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	1.40	Per Cum	990.00	Rupees Nine Hundred & Ninety Only	1,386.00
4	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7, including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	6.00	Each	290.00	Rupees Two Hundred & Ninety Only	1,740.00
<b>Quoted rates Percentage in figures</b>				<b>Total</b>		<b>80,270.00</b>
<b>Quoted rates Percentage in words</b>						

D.N.I.T. Checked and approved for Rs. 80,270.00 only  
Rupees Eighty Thousand Two Hundred Seventy Only

Executive Engineer  
Bainnath Division  
HPPWD Bainnath



# **DNT/DRAFT SCHEDULE OF QUANTITY**

Name of work: Reconstruction / Restoration on Kangoo Da Paroh Salehra Road km 0/00 to 6/00 (SCA Deposit)  
(SH : Construction of R/wall in wire crate at km 1/130 to 1/136)

Estimate Cost: 95,927.00/-  
Earnest Money: 2,000.00/-  
Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.	9.00	Per Cubic metre	290.00	Rupees Two Hundred Ninety Only	2,610.00
2	Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS 280 and IS 4826 in 100mm x 100 mm mesh (woven diagonally) including 10 per extra for laps and joints laid with stone boulders weighing not less than 25kg each as per drawing and technical specifications clause 1301 including carriage of materials within all leads and lifts and other incidental The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	31.68	Per Cubic metre	2850.00	Rupees Two Thousand Eight Hundred Fifty Only	90,288.00
3	Back filling with granular material behind abutments, wing walls, return walls complete as per drawing and M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-in-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	3.06	Per Cubic metre	990.00	Rupees Nine Hundred Ninety Only	3,029.00
<b>Quoted rates Percentage in figures</b>						<b>95,927.00</b>
<b>Quoted rates Percentage in words</b>						

Estimate Checked and approved for Rs. 95,927.00 only  
Rupees Ninety Five Thousand Nine Hundred Twenty Seven Only

Executive Engineer  
Bainath Division  
HPPVU Bainath



# **DNIT/DRAFT SCHEDULE OF QUANTITY**

Name of work :- Re-C/O Baijnath Deol Phatar road km 0/00 to 8/00  
(SH:-C/O R/wall at RD 5/450 to 5/459.60 )

Estimate Cost: 98,769.00/-  
Earnest Money: 2,000.00/-  
Time Limit : One Month

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hand rock, chiseling /wedging out rocks ( Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm ( one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	2.88	Per Cum	290.00	Rupees Two Hundred & Ninety Only	835.00
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	18.72	Per Cum	4950.00	Rupees Four Thousand Nine Hundred & Fifty Only	92,664.00
3	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals, including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	2.98	Per Cum	990.00	Rupees Nine Hundred & Ninety Only	2,950.00
4	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7, including entire carriage of materials within all leads and lifts and other incidentals, the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	8.00	Each	290.00	Rupees Two Hundred & Ninety Only	2,320.00
<b>Total</b>						<b>98,769.00</b>
<b>Quoted rates Percentage in figures</b>						
<b>Quoted rates Percentage in words</b>						

D.N.L.T. Checked and approved for Rs. 98,769.00 only  
Rupees Ninety Eight Thousand Seven Hundred Sixty Nine Only

Executive Engineer  
Baijnath Division  
HPPWD Baijnath



**DNT/DRAFT SCHEDULE OF QUANTITY**

Name of work :- C/O Gaziabad to Khoi km 0/00 to 0/520  
(SH:-P/L G-II & C.C Pavement at km 0/27.50 to 0/055 ) **✓ 120251372.**

Estimate Cost: 99,866.00/-  
Earnest Money: 2,000.00/-  
Time Limit : Two Months

**SCHEDULE OF WORKS**

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Words	Only	
1	Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre) nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six) cubic metre per ten square metre to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and to the entire satisfaction and direction of Engineer - in-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	5.98	Per Cubic Metre	2,800.00	Rupees Two Thousand Eight Hundred Only	16,744.00
2	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilograms) per cubic meter with 20 mm (Twenty Millimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORC technical specifications Clause 802, 803, 1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	11.96	Per Cubic metre	6,950.00	Rupees Six Thousand Nine Hundred & Fifty Only	83,122.00
Quoted rates Percentage in figures		Total				99,866.00
Quoted rates Percentage in words						

Condition :-

1. Rate should be quoted for all heights including all leads and lifts
2. Sample of all material to be used on work shall be got approved from Engineer - in - Charge in advance before actual use on work and any or all material which are available as per Indian standard in market should confirm to bureau of Indian standards

D.N.I.T. Checked and approved for Rs.

Rupees Ninety Nine Thousand Eight Hundred Sixty Six Only

Executive Engineer  
Bajinath Division  
HPPWD, Bajinath

10



# **DNIT/DRAFT SCHEDULE OF QUANTITY**

Name of work :- C/O Sansai to Dhandole Road km 0/00 to 10/00 ( Portion Dhandol to Jamthala ) under SCA.  
(SIH-C/O Rwall at RD 9/915 to 9/920.20 )

Estimate Cost: 85,670.00/-  
Earnest Money: 1,800.00/-  
Time Limit: One Month

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks ( Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm ( one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering, as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government	8.37	Per Cum	290.00	Rupess Two Hundred & Ninety Only	2,427.00
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government	15.60	Per Cum	4950.00	Rupess Four Thousand Nine Hundred & Fifty Only	77,220.00
3	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals, the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government	3.74	Per Cum	990.00	Rupess Nine Hundred & Ninety Only	3,703.00
4	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7, including entire carriage of materials within all leads and lifts and other incidentals, the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	8.00	Each	290.00	Rupess Two Hundred & Ninety Only	2,320.00
Quoted rates Percentage in figures		Total				85,670.00
Quoted rates Percentage in words						

D.N.I.T. Checked and approved for Rs. 85,670.00 only  
Rupess Eighty Five Thousand Six Hundred Seventy Only

Executive Engineer  
Bainnath Division  
HPPWD Bainnath



# DNIT/DRAFT SCHEDULE OF QUANTITY

(12)

Name of work: Rain Damage on Pihar to Kuni Road  
(~~St~~ C/O B&A at RD 0/090 TO 0/100 )

Estimate Cost: 98,079.00/-  
Earnest Money: 2,000.00/-  
Time Limit: One Month

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. p
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks ( Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-in-Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm ( one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including cartage of materials within all leads and lifts and other incidental, the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	6.60	Per Cum	290.00 Ninety Only	Rupees Two Hundred & Ninety Only	1,914.00
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone age, 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling cartage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	18.90	Per Cum	4950.00 Only	Rupees Four Thousand Nine Hundred & Fifty Only	93,555.00
3	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V)/20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7, including entire cartage of materials within all leads and lifts and other incidentals, the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	9.00	Each	290.00 Only	Rupees Two Hundred & Ninety Only	2,610.00
Quoted rates Percentage in figures		Total				98,079.00
Quoted rates Percentage in words						

D.N.I.T. Checked and approved for Rs. 98,079.00 only  
Rupees Ninety Eight Thousand Seventy Nine Only

Executive Engineer  
Bajinath Division  
HPPWD Bajinath



# DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work :- Rain Damage on Dhanang Boli hari road Km 0/00 to 2/500 .  
(SI:-C/O R/wall at RD 2/272 to 2/280.60)

Estimate Cost: 97,845.00/-  
Earnest Money: 2,000.00/-  
Time Limit : One Month

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks ( Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-in-Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm ( one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	6.45	Per Cum	290.00	Rupees Two Hundred & Ninety Only	1,871.00
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement, five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	18.92	Per Cum	4950.00	Rupees Four Thousand Nine Hundred & Fifty Only	93,654.00
3	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	8.00	Each	290.00	Rupees Two Hundred & Ninety Only	2,320.00
Total						97,845.00
Quoted rates Percentage in figures						
Quoted rates Percentage in words						

D.N.I.T. Checked and approved for Rs. 97,845.00 only  
Rupees Ninety Seven Thousand Eight Hundred Forty Five Only

Executive Engineer  
Bajinath Division  
HPPWD, Bajinath