

Office of Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:-<u>ee-baij-hp@nic.in</u>

NO: PWD/BN/TA/NIT/2025-26/- 4576-80 To

Dated:-14.07.2025

The Executive Engineer, (IT Cell), Nirman Bhawan Nigam Vihar, Shimla-2.

Subject:-

Publication of Tender Notice on the Departmental website.

Dear Sir,

Enclosed herewith is the Tender Notice for the work specified in the Notice Inviting tender (NIT). You are kindly requested to upload the same on the official website of the department in accordance with Notification No.PBW(B)A(3)1/2024 dated 03.01.2024, issued by the Secretary (PW) to the Government of Himachal Pradesh.

The works mentioned in the Notice Inviting Tender are urgent/emergent nature of works in public interest. Kindly ensure the prompt publication of the same on the website.

Encl: Notice Inviting Tender & Schedule of Quantity.

Yours faithfully,

Executive Engineer, Baijnath Division, HPWD, Baijnath.

Copy forwarded for information to:-

- 1. The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar.
- 2. All the Assistant Engineers working under this Division.
- 3. The Drawing Branch of this office.
- 4. Notice Board.

Executive Engineer,

Baijnath Division., H.P.PWD..Baijnath.



Office of Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:-ee-baij-hp@nic.in

"NOTICE INVITING TENDER"

Sealed percentage rate on tender form No. 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before 24.07.2025 up to 11.30 A.M and will be opened on the same day at 12.00 Noon in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on 23.07.2025 between 2.00 PM up to 4.30 P.M and the application for issue of tender forms shall be received on 22.07.2025 up to 12.00 Noon.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr. No.	Name of Works	Amount put to tender/Estimated cost.	Earnest Money	Cost of tender form	Time limit
1	C/O Baijnath Dhanag Road (SH: C/O R/wall at km 2/594 to 2/598.20) Under OFC/SCA	98,186/-	2,000/-	Rs.350/-	One Month
2	C/O Rain Shelter Dhandera (SH: Formation cutting at RD 0/00 to 0/007, C/O Edge wall at RD 0/00 to 0/007 & Steel work etc.) (Deposit work VKV/2025/153)	95,048/-	1,900/-	Rs.350/-	Two Months
3	C/O Manglota to Pantehar Road Km 0/00 to 4/00 (SH: P/L C.C. Pavement & Kharnja Stone Soling 2/075 to 2/090) Under SCA	99,001/-	2,000/-	Rs.350/-	Two Months
4	Re-construction/Restoration on Barot to Nalhota Road Km 0/00 to 15/500 (SH: C/O R/wall in wire crate at km 0/077 to 0/080) SCA	88,615/-	1,800/-	Rs.350/-	Two Months
5	Reconstruction/Restoration on Sangrehar to Dharman Road Km 0/00 to 2/200 (SH: C/O PCC R/Wall at Km 1/278 to 1/283)	93,709/-	1,900/-	Rs.350/-	Two Months
6	Reconstruction/Restoration on Sangrehar to Dharman Road Km 0/00 to 2/200 (SH: C/O PCC R/Wall at Km 1/273 to 1/278)	93,709/-	1,900/-	Rs.350/-	Two Months
7	C/O Link Road from Upper Thehad to Kudang km 0/00 to 1/00 (SH: C/O R/Wall at Km 0/440 to 0/447 & E/Wall at RD 0/450 to 0/455) (Under SCA)	67,484/-	1,400/-	Rs.350/-	One Month
8	C/O Link Road from Upper Thehad to Kudang km 0/00 to 1/00 (SH: C/O R/Wall at RD 0/360 to 0/367) Under SCA	80,270/-	1,700/-	Rs.350/-	One Month
9	R/D on Various Roads under Baijnath sub-Division (Chadhiar Section) (SH: Hiring of Hydraulic Excavator/JCB)	99,000/-	2,000/-	Rs.350/-	One Month
10	R/D on Uttrala to Surahi Pass Road Km 0/00 to 32/00 (SH: Hiring of Hydraulic Excavator/JCB)	99,000/-	2,000/-	Rs.350/-	One Month
11	R/D on Uttrala to Surahi Pass Road Km 0/00 to 32/00 (SH: Hiring of Hydraulic Excavator/JCB)	99,000/-	2,000/-	Rs.350/-	One Month
12	C/O Gaziabad to Kholi Km 0/00 to 0/520 (SH: P/L G- II & C.C. Pavement at Km 0/00 to 0/027.50) (VKV/2025/372)	99,866/-	2,000/-	Rs.350/-	One Month

1. The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.

2. The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.

3. In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.

4. Only two tenders form will be issued to the contractor/firm which may be noted.

- 5. Tender not received on prescribed form and manner shall not be considered and will be liable for rejection
- 6. The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
- The contractor shall have all required machinery such as Truck/Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.
- The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
- 9. All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-
- The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit.

Representation Exceler sion BRAND Raileath H.P. For & On bel

Executive Engineer Baijnath Division HPPWD Baijnath

D.N.I.T. Checked and approved for Rs. 98,186.00 only Rupees Ninety Eight Thousand One Hundred Eighty Six Only

		T	4	دى س	2	– <mark>No</mark> .	(SI	1
Quated rates retentage in hybres	Onstad rates Derentsus in Faures I via	Maikalia, joitta, ot ottet taxes inflused by the government.		Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals, the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1.5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including claiming of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental, the rate including of octroi, royality, Malkana, tolitax, or other taxes imposed by the government.	e of work: C/O Baijnath Dhanag Road C/O R/Wall at km 2/594 to 2/598.20) Unc	DNI1/DRAFT SCHEDULE OF QUANTITY
			400	4.03	18.48	5.38 5.38		JE QUAN
			Each	Per Cum	Per Cum	Per Cum		LLLY
		A COLUMN TO A COLUMN	290.00	990.00	4950.00	5 Figures	Estimate Cost: 98,186.00/- Earnest Money: 2,000.00/- Time Limit :One Month	
			Rupees Two Hundred & Ninety Only	Rupees Nine Hundred & Ninety Only	Rupees Four Thousand Nine Hundred & Fifty Only	Rate Words Rupees Two Hundred & Ninety Only	,186.00/- 2,000.00/- Month	
	20,100.00	00 10/ 00	1,160.00	00.000	91,476.00	AMOUNT Rs. P 1,560.00		

P

Executive Sugmeer Baijnath Division HPPWD Baijnath

ts. 95,048.00 only Rupees Ninety Five Thousand Forty Eight Only

D.N.I.T. Checked and approved for Rs.

			4	ω	· N		No.	Name (Sh:-
Oustad ratas Parsantana in warde	Quated rates Percentage in figures	Total	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1-5:10 (one cement : five stand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimmling of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and tifs in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures, shall be effected from the contractor bill on pro-rata basis for the quality of cutting in earth work executed. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost.	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock clisseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcelera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto/any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including cleaning of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Description of work	Name of work: C/O Rain shelter Dhandera (Sh:- Formation cutting at RD 0/00 to 0/007, C/O Edge wall at RD 0/00 to 0/007 & Steel work etc.) (Deposit work VKV/2025/153)
			394.00	9.17	2.10	42.63	No. or Otv.	* VKV/2025/
	and have		394.00 Per Kilogram	Per Cum	Per Cubic metre	Per Cum	Unit	153)
			n 93.00 Rupees Ninety Three Only	4950.00 Rupces Four Thousand Nine Hundred & Fifty Only	310 00 Rupees Three Hundred & Ten Only	Rupées T- Ninety O	Figures Words	Estimate Cost: 95,048.00/-* Earnest Money: 1,900.00/* Time Limit :Two Months
<	101040102	05 048 0	36,642.00	45,392.00	651.00	12,363.00	AMOUNT Rs P	

Estimate Cost SCHEDULE OF WORKS Description of work No. or Unit Earnest Mon SCHEDULE OF WORKS Description of work Unit Time Limit :: Description of work Unit Unit Farnest Mon SCHEDULE OF WORKS Description of work Unit Time Limit :: SCHEDULE OF WORKS Description of work Unit Farnest Mon Soling properly hand packed intersects with kharanja statone Unit Figures Soling morrum or earth etc complete as per thePPWD II 125 Per Cubic 1,850,00 trace of Grade M-20 (M-Twenty) designed mix with minimum II 125 Per Cubic 6,950,00 metre 6,950,00 metre 6,950,00 metre 6,950,00 metre 6,950,00 metre 6,950,00 Metre				Quated rates Percentage in words	
Estimate Cost Earnest Mon Earnest Mon Time Limit :7 CHEDULE OF WORKS CHEDULE OF WORKS Unit Time Limit :7 Time Limit :7 Oty. Unit rincluding er HPPWD d labour as per the ads and lifts and e Tax or other 11.25 oncrete in open nix with minimum nd curing RD technical meer-in-Charge 11.25 Per Cubic er with 20 mm nd curing RD technical meer-in-Charge 11.25 The rate ad by the 11.25				Ouated rates Percentage in figures Total	T
Estimate Cost Entropy of the cost CHEDULE OF WORKS CHEDULE OF WORKS Unit Figures No. or Unit Otype Per Cubic 11.25 Per Cubic r including 11.25 er HPPWD 11.25 d labour as per the 11.25 d labour as per the metre ads and lifts and and e Tax or other Image: Cubic and and and and and and and lifts and lifts and and lifts and and lifts and lifts and lifts an			S ^{11.25}	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilogramms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803,1202 & 1203 and as per the direction of Engineer-in-Charge including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	N
CHEDULE OF WORKS No. or Otv.	00 Rupees One Thousand Eight Hundred Fifty Only		1 125	Providing and laying hard stone Soilng properly hand packed intersects with kharanja statone and consolidating with power / hand roller to requested gradient and camber including spreading watering and rolling of binding morrum or earth etc complete as per HPPWD specification 100 nm spread thickness finished work including materials and labour as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	
CHEDULE OF WORKS	Rate		No. or Oty.		No.
			RKS		
	Cost: 99,001.00/- Money: 2,000.00/- iit :Two months	Estimate (Earnest M Time Lim		re of work :-C/O Manglota to Pantehar Road km 0/00 to 4/00 . -P/L C. C Pavement & Kharnja Stone Soling 2/075 to 2/090) under Gea	(SH:-

Condition :-

 Rate should be quoted for all heights including all leads and lifts
Sample of all material to be used on work shall be got approved from Engineer - in - Charge in advance before actual use on work and any or all material which are available as per indian standard in market should confirm to bureau of indian standards

Executive Engineer BaijnathDivision HPPWD Baijnath

D.N.I.T. Checked and approved for Rs.

99,001.00 only Rupees Ninety Nine Thousand One Only

(Sh:- C/O R/Wall in wire crate at km 0/077 to 0/080). USen Name of work: Re construction / Restoration on Barot to Nalhota Road km 0/00 to 15/500 . No. 4 -N Providing back filling with granular material behind abutment wing wall and return wall complete as as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one by the government. comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is Earth work in excavation for all type of road structure and in all type of classification of soil all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other per drawing and technical specification clause 1204.3.8 granular material including entire carriage of including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government clause 1301 Including carriage of materials within all leads and lifts and other incidental. The rate is and IS 4826 in 100mm x 100 mm mesh (woven diagonally) including 10 per exra for laps and joints Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire confirming to IS 280 taxes imposed by the government other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other equipments and materials to various location through all modes of transportation in all leads, lifts and cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and any depth and any quantum of water including cleaning of slush which may arrise out during including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In Quated rates Percentage in words materials within all leads and lifts and other incidentals, including entire carriage of materials within laid with stone boulders weighing not less than 25kg each as per drawing and technical specifications surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness sides and bottom and back filling in trenches with excavated suitable approved material to the original deleterious materials and disposal of materials upto any lead and upto any lift including dressing of prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per Quated rates Percentage in figures taxes imposed by the government. - Charge, including setting out, construction of shoring and bracing , removal of stumps and other Description of work DNIT/DRAFT SCHEDULE OF QUANTITY Total No. or 23.44 2.70 0tv. 7.20 7.4 D.N.I.T. Checked and approved for Rs. Per Cum Per Cubic Per Cum Per Cum metre Unit Estimate Cost: 88,615.00/-Time Limit : Two Months Earnest Money: 1,800.00/-2800.00 5000.00 290.00 990.00 Rupees Eighty Eight Thousand Six Hundred Fifteen Only Figures Eight Hundred Only Rupees Five Thousand Only Ninety Only Rate Ninety Only Rupees Two Hundred & Rupees Nine Hundred & Rupees Two Thousand Words 88,615.00 only AMOUNT Rs. -88,615.00 65,632.00 13,500.00 7,395.00 2,088.00

Executive Engineer Baijnath Division HPPWD Baijnath 3

Name of work: Reconstruction/ Restoration on Sangrehar to Dharman Road km 0/00 to 2/200 (Sh:- C/O PCC R/Wall at km 1/278 to 1/283) No. N w 4 Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement : five Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per taxes imposed by the government within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other with excavated suitable approved material to the original surface in layers not exceeding 150mm (one materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3 7 including wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts Providing back filling with granular material behind abutment wing wall and return wall complete as per rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. location through all modes of transportation in all leads, lifts and other incidental complete in all respect the Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out Quated rates Percentage in words Quated rates Percentage in figures Malkana, tolltax, or other taxes imposed by the government < Description of work DNIT/DRAFT SCHEDULE OF QUANTITY Total No. or 6.35 16.72 Oty 6.30 7.00 Per Cum Per Cum Per Cum Unit Each ١ Earnest Money: 1,900.00/-Estimate Cost: 93,709.00/-Time Limit : Two Months 990.00 5000.00 290.00 290.00 1 1 Figures Rupees Five Thousand Only Ninety Only-Rupees Two Hundred & Rate Ninety Only Rupees Two Hundred & Ninety Only Rupees Nine Hundred & Words AMOUNT Rs. P 93,709.00 83,600.00 6,237.00 1,842.00 2,030.00

Executive Engineer Baijnath Division HPPWD Baijnath

Nupers Numery III or Investor

D.N.I.T. Checked and approved for Rs. 93,709.00 only Rupees Ninety Three Thousand Seven Hundred Nine Only

TU

			p-t-
Description of work	No. or Unit Oty.	Figures	Words
; of	6.35 Per Cum	290,00	Rupees I wo Hundred & Ninety Only
ordinary son, ordinary look, hand look chock or ensure in the Engineer In – Charge, including setting out, retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials may arrise out during difference of the incidental the rate including of octroi, royality, Malkana, tolltax, or other within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other			
-		00 000	Rupees Five Thousand
2 Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per lo drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	16.72 ret Cum		Only
plete as per se of materials I leads and lifts posed by the	6.30 Per Cum	990.00	Rupees Nine Hundred & Ninety Only
return	7.00 Each	290.00	Rupees Two Hundred &
II width of the structures with slope of I(V):20(H) I width of the structures with slope of I(V):20(H) I specification clause 614, 709, 1204.3.7. including her incidentals the rate including of octroi, royality,	X	1	Ninety Only
Malkana, tolltax, or other taxes imposed by the sovernment. Total			

OFOLIANTITY

0

Executive Engineer Baijnath Division HPPWD Baijnath (

1

HPPWD Baijnath Baijnath Division Executive Engineer

Rupees Sixty Seven Thousand Four Hundred Eighty Four Only

D.N.I.T. Checked and approved for Rs. 67,484.00 only

(Sh:- C/O R/Wall at km 0/440 to 0/447 & E/wall at RD 0/450 to 0/455) (Under SCA) Name of work: C/O Link Road from Upper Thehad to Kudang km 0/00 to 1/00 No. 4 w N Quated rates Percentage in words Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per Quated rates Percentage in figures entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement : five Malkana, tolltax, or other taxes imposed by the government towards drawing face complete as per drawing and technical specification clause 614, 709, 1204 3.7. including wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the within all leads and lifts and other incidentals, including entire carriage of materials within all leads and lifts and including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of government lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated **Description of work** DNIT/DRAFT SCHEDULE OF QUANTITY Total No. or Oty. 12.57 4.00 3.73 3.05 Per Cum Per Cum Per Cum Each Unit Estimate Cost: 67,484.00/-* Time Limit : One Month Earnest Money: 1,400.00/> 290.00 4950.00 990.00 290.00 Figures Ninety Only Only Ninety Only Rupees Two Hundred & Rupees Nine Hundred & Nine Hundred & Fifty Rupees Four Thousand Ninety Only Rupees Two Hundred & Rate Words AMOUNT Rs. 67,484.00 p 62,222.00 1,160.00 3,020.00 1,082.00

F

Executive Engineer Baijnath Division HPPWD Baijnath

d for Rs. 80,270.00 only Rupees Eighty Thousand Two Hundred Seventy Only

Qua	Qua	4 Pro wall towa entin Mal			Sr. No. Sr. Sr. Sr. Sr. Sr. Sr. Sr. Sr. Sr. Sr
Quated rates Percentage in words	Quated rates Percentage in figures	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality. Malkana, tolltax, or other taxes imposed by the government	rroviung back fuling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals.the rate including of octroi, royality, Malkana. tolltax, or other taxes imposed by the government.	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five - sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Sr. Description of work No. Description of work 1 Earth work in excavation for all type of road structure and in all type of classification of soil comprising of walls, breast walls, culvers, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and suitable approved thickness including quantum of water including cleaning of slush which may arrise out lifts and other incidental. the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the
		6.00	1.40	15,40	No. or 3.15
		Each	Per Cum	Per Cum	Per Cum
		290.00	90.066	4950.00	Estimate Cost: 80,270.00/- Earnest Money: 1,700.00/- Time Limit :One Month Rate 290.00 Rupees Two Ninety Onl
		Rupees Two Hundred & Ninety Only	Rupees Nine Hundred & Ninety Only	Rupees Four Thousand Nine Hundred & Fifty Only	60,270.00/- : 1.700.00/- Rate Rupees Two Hundred & Ninety Only
	80,270.00	L:740.00	1,386.00	76,230.00	AMOUNT Rs. P 914.00

aiinath	
enh	
Division	D.N.I.T/
bailmoth such Division (Chadhiar Section)	D.N.I.T/ SCHEDULE OF QUANTITY

(SH:Hiring of Hydraulic Excavator/JCB .) Name of Work:-R/D on Various Roads under Baijnath

90.00 Qty. Per hour Unit Earnest Money:- Rs 2,000.00 Estimated Cost:- Rs 99,000.00 Time:-In Figure 1100.00 Rate One Month hundred only Rupees Eleven Figures

D

No. -Hiring of Hydraulic Excavator/JCB cum loader having capacity of 0.9 Cum (zero point nine cubic meter surface upto any height, depth and lead including slips, boulders in all kind and classification of soil Quated rates Percentage in words Engineer in charge. The rates are inclusive all taxes levy by the govt time to time including GST. contractor/ owner. The daily log book will be maintained at site which should be duly verified by the compensated by the contractor in all cases.it should be ensure that the output of machine should not be shall be the absolute responsibility of the JCB/ Excavator owner which shall have to be fully the public/ private property or any accident etc. happened during the course of hiring period/ execution including rocky portion and saturated soil due to non-availability of departmental machinery any loss to Quated rates Percentage in figures less than 20 cum per hour The fuel and operational staff for JCB/ Excavator shall be borne by the) in working condition urgently required for removal of snow , slips Boulder and debris etc from road Description of work Total:-AMOUNT 99000.00 * 99000.00 Rs. P

D.N.I.T. Checked and approved for Rs. **Rupees Ninety Nine Thousand Only** 99,000.00 only ~

Baijnath Division HPPWD Baijnath Executive ingineer

before actual use on work and any or all material which are available as per indian standard in market 2. Sample of all material to be used on work shall be got approved from Engineer - in - Charge in advance 1. Rate should be quoted for all heights including all leads and lifts

Condition :-

6 %

should confirm to bureau of indian standards

D.N.I.T/ SCHEDULE OF QUANTITY

Description of work No.or Unit Hiring of Hydraulic Excavator/JCB cum loader having capacity of 0.9 Cum (zero point nine cubic meter) in working condition urgently required for removal of snow , slips Boulder and debris etc from road surface upto any height , depth and lead including slips, boulders in all kind and classification of soil including rocky portion and saturated soil due to non-availability of departmental machinery any loss to the public/ private property or any accident etc. happened during the course of hiring period/ execution shall be the absolute responsibility of the JCB/ Excavator owner which shall have to be fully compensated by the contractor in all cases it should be ensure that the output of machine should not be less than 20 cum per hour. The fuel and operational staff for JCB/ Excavator shall be borne by the contractor/ owner. The daily log book will be maintained at site which should be duly verified by the contractor in charge. The rates are inclusive all taxes levy by the govt time to time including GST . Total:-
90.00 90.00
No.or Qty.
No.or

100

Condition :-

Quated rates Percentage in words

1. Rate should be quoted for all heights including all leads and lifts

2. Sample of all material to be used on work shall be got approved from Engineer - in - Charge in advance before actual use on work and any or all material which are available as per indian standard in market should confirm to bureau of indian standards

> D.N.I.T. Checked and approved for Rs. **Rupees Ninety Nine Thousand Only** 99,000.00 only

Executive Ingineer Baijnath Division HPPWD Paijnath

D.N.I.T/ SCHEDULE OF QUANTITY

			ц	No.	SR.	(SH:
Quated rates Percentage in words	Quated rates Percentage in figures	Total:-	Hiring of Hydraulic Excavator/JCB cum loader having capacity of 0.9 Cum (zero point nine cubic meter) in working condition urgently required for removal of snow , slips Boulder and debris etc from road surface upto any height , depth and lead including slips, boulders in all kind and classification of soil including rocky portion and saturated soil due to non-availability of departmental machinery any loss to the public/ private property or any accident etc. happened during the course of hiring period/ execution shall be the absolute responsibility of the JCB/ Excavator owner which shall have to be fully compensated by the contractor in all cases it should be ensure that the output of machine should not be less than 20 cum per hour. The fuel and operational staff for JCB/ Excavator shall be borne by the contractor/ owner. The daily log book will be maintained at site which should be duly verified by the Engineer in charge. The rates are inclusive all taxes levy by the govt time to time including GST .		Description of work	Name of Work:-R/D on Uttrala to Surahi Pass Road km 0/00 to 32/00 (SH:Hiring of Hydraulic Excavator/JCB .)
	11. 10 and 1	and the state	√ ⁰⁰	Qty.	No.or	
			Per hour		Unit	
		Same B. P. Mile	1100.00	In Figure	I	Estimated Cost:- Rs 99,000.00 Earnest Money:- Rs 2,000.00
			Rupees Eleven hundred only	Figures	Rate	Rs 99,000.00 Rs 2,000.00 One Month
		99000.00	00.00066	Rs. P	AMOUNT	13

5

D.N.I.T. Checked and approved for Rs.

99,000.00 only Rupees Ninety Nine Thousand Only

Baijnath Division HPPWIP Baijnath Execut Engineer

Condition :-

 Rate should be quoted for all heights including all leads and lifts
Sample of all material to be used on work shall be got approved from Engineer - in - Charge in advance before actual use on work and any or all material which are available as per indian standard in market should confirm to bureau of indian standards

					Quated rates Percentage in words	0
00 998 66					Quated rates Percentage in figures Total	0
83,122.00	00 Rupees Six Thousand Nine Hundred & Fifty Only	6,950.00	Per Cubic metre	, 🤇 11.96	foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilogramms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803, 1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of maternal within all leads and lifts and other incidentals .The rate government.	Se in it se o o o tr
Rs. P 16,744.00	Words 100 Rupees Two Thousand Eight Hundred Only	2,800	Per Cubic Metre	5.98	Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre) metre and binding material at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M O.R.D. technical specifications clause No. 405 and to the materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax providing and laving machanethy the government.	2 P
AMOUNT	Rate	Π	Unit	No. or	Description of work	No.
	Estimate Cost: 99,866.00/- Earnest Money: 2,000.00/- Time Limit :Two Months	Estimate Earnest Time Li		ORKS	(SH:-P/L G-II & C. C Pavement at km 0/00 to 0/027.50) ソエーレ 1ン-ンディ・コテン	(SH:-P
0			TITY	OF QUANT	Name of work :- C/O Gaziabad to kholi km 0/00 to 0/520 DNIT/DRAFT SCHEDULE OF QUANTITY	Name

ie.

Condition :-

Rate should be quoted for all heights including all leads and lifts
Sample of all material to be used on work shall be got approved from Engineer - in - Charge in advance before actual use on work and any or all material which are available as per indian standard in market should confirm to bureau of indian standars

D.N.I.T. Checked and approved for Rs. 99,866.00 only Rupees Ninety Nine Thousand Eight Hundred Sixty Six Only Executive Engineer Baijnath Division HPPWID Saijnath