

#### Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:-ee-baij-hp@nic.in

NO: PWD/BN/TA/NIT/2025-26/- 6539-44

Dated:-11.08.2025

To

The Executive Engineer, (IT Cell), Nirman Bhawan Nigam Vihar, Shimla-2.

Subject:-

Publication of Tender Notice on the Departmental website.

Dear Sir,

Enclosed herewith is the Tender Notice for the work specified in the Notice Inviting tender (NIT). You are kindly requested to upload the same on the official website of the department in accordance with Notification No.PBW(B)A(3)1/2024 dated 03.01.2024, issued by the Secretary (PW) to the Government of Himachal Pradesh.

The works mentioned in the Notice Inviting Tender are urgent/emergent nature of works in public interest. Kindly ensure the prompt publication of the same on the website.

Encl: Notice Inviting Tender & Schedule of Quantity.

Yours faithfully,

Executive Engineer Bainath Division on HH. HWD, Baijnainath

## Copy forwarded for information to:-

- 1. The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar.
- 2. All the Assistant Engineers working under this Division.
- The Drawing Branch of this office.
- 4. Notice Board.

Exaguiyaginegineer Baijhatht Division H.P.P.W.D. Bain Hath

### Office of



# Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:-ee-baij-hp@nic.in

"NOTICE INVITING TENDER"

Sealed percentage rate on tender form No. 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before 30.08.2025 up to 11.30 A.M and will be opened on the same day at 12.00 Noon in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on 29.08.2025 between 2.00 PM up to 4.30 P.M and the application for issue of tender forms shall be received on 28.08.2025 up to 12.00 Noon.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr. No.	Name of Works	Amount put to tender/Estimat ed cost.	Earnest Money	Cost of tender form	Time limit
1	Restoration/Re-construction of Bir Barot Road km 0/00 to 48/00 (SH: C/O Catch pits of HP culverts at various RD 14/465, 16/885 and 20/120, 20/195)	86,993/-	1800/-	Rs.350/-	Two Months
2	Re-C/O Baijnath Deol Phatar road km 0/00 to 8/00 (SH: C/O Kuhal crossing at RD 7/060 to 7/067 along with granting & U/S, D/S Toe wall of culvert	99,463/-	2000/-	Rs.350/-	Two Months
3	at RD 3/250)  Restoration/Re-construction of Bir Barot Road km 0/00 to 48/00 (SH: C/O Catch pits of HP culverts at various RD 13/345, 14/075 and 14/405 and 14/965)	75,009/-	1500/-	Rs.350/-	Two Months
4	Reconstruction/Restoration on Barot to Nalhota Road km 0/00 to 15/500 (SCA Deposit) (SH: Construction of R/wall in wire crate at km 2/861 to	99,574/-	2000/-	Rs.350/-	Two Months
5	2/866)  Reconstruction/Restoration on Sanghrehar to Dharman Road km 0/00 to 2/200 (SH: Removal of slips between km 0/380 to 0/435)		2000/-	Rs.350/-	One Month

The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.

The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.

In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.

Only two tenders form will be issued to the contractor/firm which may be noted.

Tender not received on prescribed form and manner shall not be considered and will be liable for rejection

The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.

The contractor shall have all required machinery such as Truck/Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.

The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.

All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-

10. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/permit.

DNIT/DRAFT SCHEDULE OF QUANTITY

Name (SH:-0	Name of work :- Restoration / Re-construction of Bir Barot Road km 0/00 to 48/00 (SH:-C/O Catch pits of HP culverts at Various RD 14/465 , 16/885 and 20/120 ,20/195 )			Estimate Cost: 86,993.00/- Earnest Money: 1,800.00/- Time Limit:Two Months	993.00/- (1,800.00/- Months	
ç	Description of work	No. or	Unit		Rate	AMOUNT
2 .	7	Otv.		Figure	2S Words	Rs. P
	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of	7.41	Per Cum	290.00	Rupees Two Hundred &	2,149.0
	ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks ( Where blasting is prohibited) for retaining			1	Ninety Only	\

Г			(		7 w	<u>S</u>
Q	0		Str. Str. Str. Str. Str. Str. Str. Str.	2 Pr dr sa lo ra	Sr.  1 Each of the second seco	H:-C/C
Quated rates Percentage in words	Quated rates Percentage in figures	Total	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm( forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 200 and to the entire satisfaction and direction of Engineer - in-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:4:8 (one cement : four sand :Eight graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling/wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 30.5 I and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	(SH:-C/O Catch pits of HP culverts at Various RD 14/465, 16/885 and 20/120,20/195)
			13.36	1.80	No. or Oty. 7.41	
			Per Cum	Per Cum	Per Cum	
			5650.00	5200.00	Figures 290.00	Time Limit :Two Months
			Rupees Five Thousand Six Hundred & Fifty Only	Rupees Five Thousand Two Hundred Only	Rate Words Rupees Two Hundred & Ninety Only	Wonths
		86,993.00	75,484.00	9,360.00	Rs. P 2,149.00	

D.N.I.T. Checked and approved for Rs. 86,993.00 only Rupees Eighty Six Thousand Nine Hundred Ninety Three Only

Executive Engineer
Baijnath Division
HPPWD Baijnath

DNIT/DRAFT SCHEDULE OF QUANTITY

			υ ·	2	_	No.	Name (SH:-0
Quated rates Percentage in words	Quated rates Percentage in figures	Total	Steel work welded in built up sections,trusses and framed work,including cutting ,hoisting ,fixing in position in beams joists channels, angles, tee, flats with connecting plates or angle cleats as in main and cross beams,hip and jack rafters,purlins connected to common rafters and the like work including cutting hoisting fixing in position & applying a priming coat of red lead paint complete including entire carriage of materials within all leads and lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm( forty millimetre) nominal size) in or under water and curing complete including pumping or balling out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling 'wedging out rocks' (Where blasting is prohibited for retaining walls, breast walls, culverts, bridges, drains and paraptes effective as per drawings and M.O.R.D technical specification clause 305.1 and as per direction of the Engineer-In - Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub-soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental, the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Description of work	Name of work :- Re- C/O Baijnath Deof Phatar road km 0/00 to 8/00 (SH:-C/O Kuhal crossing at RD 7/060 to 7/067 along with grating & U/S , D/S Toe wall of culvert at RD 3/250-)
			150.00	15.00	4.70	No. or Oty.	
			, / <u>(</u> 8	Per cubic metre	Per Cun	Unit	
			98.00	5560.00	290.00	Figures	Estimate Cost:99,463.702 Earnest Money: 2,000 90 Time Limit :Two Months
			98.00 Rupees Ninety Eight Only	Rupees Five Thousand Five Hundred & Sixty Only	Rupees Two Hundred & Ninety Only	Rate Words	63:100 000 M Months
		99,463.00	14700.00	83,400,00	1,363.00	AMOUNT Rs. P	

Condition :-

1. Rate should be quoted for all heights including all leads and lifts
2. Sample of all material to be used on work shall be got approved from Engineer - in - Charge in advance before actual use on work and any or all material which are available as per indian standard in market should confirm to bureau of indian standards

Baijnath Division HPPWD Baijnath **Executive Engineer**  D.N.I.T. Checked and approved for Rs. 99,463.00 only

Rupees Ninety Nine Thousand Four Hundred Sixty Three Only

Name of work: Restoration / Re-construction of Bir Barot Road km 0/00 to 48/00
(SH:-C/O Catch pits of HP culverts at Various RD 13/245 14/075 Estimate Cost: 75,009.00/-Earnest Money: 1,500.00/-

					υ		12		- N	Sr.	SH:-C
Quated rates Percentage in words	Quated rates Percentage in figures	10181	4	and curing complete including pumping or bailing out water, dewatering removal of slush as required at site and curing complete including pumping or bailing out water complete for all heights/ depths including the cost of form which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all various location through all modes of transportation in all leads, lifts and other incidental complete in all	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one structure complete using plain cement concrete in open foundation for all type of providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one structure complete using plain cement concrete grade mixed plain cement ceme	drawing and Morth technical speculication for the drawing and materials to various sand. Eight graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various forces. The location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per	walls, breast walls, culverts, bringes, ciralins and parapers occurrenced.  walls, breast walls, culverts, bringes, orialins and parapers occurrenced.  Specification clause 305.1 and as per direction of the Engineer-In-Charge, including setting out, construction specification clause 305.1 and as per direction of the deleterious materials and disposal of materials upto any of shoring and upto any lift including dressing of sides and bottom and back filling in trenches with excavated lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated lead and upto any lift including surface in layers not exceeding 150mm (one hundred fifty suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty suitable approved materials to the original surface in layers not exceeding 150mm (one hundred fifty suitable approved materials out water (surface millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface materials within all leads and during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining	Description of work	Name of Work: Restoration / Re-Construction of Prince (SH:-C/O Catch pits of HP culverts at Various RD 13/345, 14/075 and 14/405 and 14/965)
					10.56	\	2.40		9.88	No. or Oty.	
					Per Cum	^	Per Cum		Per Cum	Unit	
					5650.00		5200.00		290.00	Figures	Time Limit: Two Months
					Rupees Five Thousand Six Hundred & Fifty Only		Rupees Five Thousand Two Hundred Only		Ninety Only	_	Aonths
<			75,009.00		3,004		12,480.00		Y	Rs. P 2.865.00	

D.N.I.T. Checked and approved for Rs.

75,009.00 only Rupees Seventy Five Thousand Nine Only

Executive Engineer
Baijnath Division
HPPWD Baijnath

Name of work: Reconstruction / Restoration on Barot to Nalhota Road km 0/00 to 15/500 (SCA Deposit) (SH: Construction of R/wall in wire crate at language to Nalhota Road km 0/00 to 15/500 (SCA Deposit)

		C	2		No.	(SH
Quated rates recentage in tigures  Quated rates Percentage in words	Hated rates Personature in E	M.Ó.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-In-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	laying of boulder apron laid in wire crates with 4 mm dia GI wire confirming to IS 280 and IS 4826 in 100mm x 100 mm mesh (woven diagonally) including 10 per exra for laps and joints laid with stone boulders weighing not less than 25kg each as per drawing and technical specifications clause 1301 Including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in Enginer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with out or pumping as directed and the area of the foundation or embankment shall be removed by suitable diversion, bailing public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.	Description of work	(SH: Construction of R/wall in wire crate at km 2/861 to 2/866)
		8.21	44.93	Otv. 5.47	No. or	
		Per Cubic metre	Per Cubic metre	Per Cubic metre	Unit	
		990.00	2000.00	Figures 290.00	l'ime Lii	Estimate Earnest
		Rupees Nine Hundred Ninety Only	Rupees Two Thousand Only	Rupees Two Hundred Ninety Only	Time Limit: Two Months	Estimate Cost: 99,574.00/- Earnest Money: 2,000.00/-
99,574.00	1	8,128.00	89,860.00	Rs. P 1.586.00		

Estimate Checked and approved for Rs. 99,574.00 only-Rupees Ninety Nine Thousand Five Hundred Seventy Four Only

HPPWD Baijnath Baijnath Division Executive Engineer

D.N.I.T/SCHEDULE OF QUANTITY	TITY		
Name of Work:-Reconstruction / Restoration on Sanghrehar to Dharman Road km 0/00 to 2/200	/200		Estimated Cost: 97, \$14.00
SH:- Removal of slips between km 0/380 to 0/435 .)			Earnest Money:- 2,000.00
			Time:- One Month
SR. Description of work	No.or	Unit	Rate
	Qty.		
Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical 8	805.90	Per cum	121.00 One Hundred
upto 1.50 mtr. And less than 100 mtr. As per technical specification 302.3.5 and 1611. Including carriage of materials within leads and lifts and other incidental. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the			rupees only .
government. Total:-			
Quated rates Percentage in figures			
Ouated rates Percentage in words			

D.N.I.T. Checked and approved for Rs. 97,514.00 only 
Rupees Ninety Seven Thousand Five Hundred Fourteen

Executive Engineer Baijnath Division HPPWD Baijnath