



OFFICE OF THE EXECUTIVE ENGINEER

B & R DIVISION, HPPWD, SOLAN-173212

TEL.NO:- 01792-223811 E-MAIL:- cc-sol-lp@nic.com

No.PW-SD/CB-Tender/-2025-26-

9268-72

Dated:- 25-4-25


To

The Executive Engineer (IT Cell),
Nigam Vihar, Nirman Bhawan,
HPPWD, Shimla-2,
Email ID:cc-pwd-lp@nic.in

Subject: - Publication of e-Tender Notice.


Enclosed please find herewith the Tender Notice of the works as given in the Notice inviting Tender for uploading on departmental website as per Notification Pr. Secy(PW) to the Govt. of HP letter NO.PBW(B)A(3)1/2020 dated: 19th June, 2021 as the work mentioned in the tender notice are urgent in nature and in public interest.

Encl: - Schedule of quantities.


Executive Engineer,
B&R Division,
HP.PWD, Solan

Copy along with tender notice forwarded for information and necessary action please to:-

1. The Chief Engineer (S.Z), HP.PWD, Nirman Bhawan, Nigam Vihar, Shimla.
2. The Superintending Engineer, 3rd HP.PWD, Solan.
3. The Drawing Branch & Accounts Branch of this office.
4. Notice Board.


Executive Engineer,
B&R Division,
HP.PWD, Solan

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
NOTICE INVITING TENDER**

Exigency

Scaled item rate tenders are hereby invited on Form No.6 &8 by the Executive Engineer, Solan B&R Division, H.P. PWD. Solan (H.P.) on behalf of the Governor of Himachal Pradesh for the following works from the registered contractors of appropriate class enlisted in H.P.PWD, whose registrations stood renewed as per revised instructions and also registered dealers under the Himachal Pradesh, General Sales Tax Act.1968. The important dates of tender are as under:


Sr.No.	Tender Schedule	Dates	Time
1	The last date for receipt of application for tender form.	29.09.2025	Upto 3.00 P.M.
2	The last date sale of tender forms.	30.09.2025	Upto 4.00 P.M.
3	The date for receipt of tender forms.	01.10.2025	Upto 10.30 P.M.
4	The date of opening of tender	01.10.2025	At 11.00 A.M.

The tender shall be received upto 10.30 A.M. on 01.10.2025 and will be opened on the same day at 11.00 AM in the presence of office against cash payment as shown below (Non-refundable) during the working hours. The earnest money in the shape of National Saving Certificate, FDRs/Account/Saving account in any of the Post Office/ Nationalized Bank in H.P. duly intending contractors or their authorized representatives who may like to be present. The tender form can be had from this pledged in favour of the Executive Engineer, (B&R) Division, H.P.PWD, Solan must accompany with each tender, conditional tenders and the tenders received without earnest money will simultaneously be rejected. The offer of the tender shall be kept open for 120 days. The Executive Engineer reserves the right to reject the tender without assigning any reason.

Sr. No	Name of work	Estimated Cost (Rs.)	Earnest Money (Rs.)	Time	Cost of Form
1	Restoration of rain damages on Rajgarh bye pass road km 0/0 to 5/410 under PDNA (SH: Providing and laying GSB, Gr-II, G-III and tarring at RD 1/450 to 1/550 and C/o U shaped drain at RD 1/450 to 1/550)	3387121/-	68000/-	Two Month	Rs.2000/-
2	Restoration of rain damages on Rajgarh bye pass road km 0/0 to 5/410 under PDNA (SH: C/o wire crate wall at RD 3/840 to 3/925 and P/L GSB, Gr-II, Gr-III and tarring at RD 3/840 to 4/035)	7498763/-	150000/-	Two Month	Rs.2000/-

TERMS & CONDITIONS:-

1. The tender form will not be issued to those contractors whose performance has been found unsatisfactory.
2. The contractor should have submitted the proof of registration, EPF No. & GST No. at the time of tender application. Failure should not be issued tender forms.
3. Application without earnest money will not be entertained.
4. Executive Engineer reserves the right to reject or cancel any or all the tenders without assigning any reasons.



 Executive Engineer
 B&R Division
 HPPWD, Solan

Exigency Certificate

It is certified that the tenders which were invited vide this office NIT No.PW-SD/CB-Tender/20025-26-928-72 Dated: 25/9/21 are of emergent nature of work and in public interest the as per the provision at Sr. No. 5(I to IV) of Govt. Notification No PBW(B) A(3)1/2020 dated 27.05.2021.

Dated:- 25/9/21

Place:- Solan


Executive Engineer
B&R Division
HPPWD, Solan

Draft Schedule of Quantity

Sr. No.	Description of work	Qty.	Unit	Rate in		Amount
				Figures	words	
Job No. :- ① Name of Work :- Restoration of rain damages on Rajaghar Bye Pass road Km.0/00 to 5/410 under PDNA (SH;- Providing and laying GSB, G-II, G-III and tarring at Rd.1/450 to 1/550 and C/O U Shape Drain at Rd.1/450 to 1/550)						
					Estimated Cost: -	3387121.00
					Earnest Money: -	68000.00
					Time limit :-	Two months
1	Demolishing Nominal concrete 1:3:6 or richer mix (1/c equivalent design mix) cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in-charge.	66.00	Per Cubic Meter	1505.58	Rupees One Thousand Five Hundred Five and Paise Fifty Eight Only	99368.00
2	Earthwork in excavation for all type of road structures such as retaining wall, breast wall, culvert, drain and parapets etc. in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiefling / wedging out rocks (where blasting is prohibited). Dimesions and other particulars as per drawing and Technical Specification Clause 305.1(Three hundred Five point One) including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and its disposal including dressing of sides and bottom and backfilling in trenches with excavated suitable material, trimming, filling of unevenness blindages and finishing of the road to specified dimensions. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side, water pollutions etc., and to protect stability of hill side rock. Stacking of materials useful for construction at suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site (to be arranged by the contractor) or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.	339.75	Per Cubic Meter	392.00	Three Hundred Ninety Two Only	133182.00
3	Providing and laying cement concrete 1:2:4 (1 Cement : 2 coarse sand) : 4 graded stone aggregate 20 mm nominal size) in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing as per H.P. PWD. specification including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads and lifts, including all incidental charges.	30.00	Per Cubic Meter	6115.00	Rupees Six Thousand One Hundred Fifteen Only	183450.00
4	Construction of granular sub-base by providing close graded with material conforming to Grade-I (size range 75 mm to 0.075 mm) having CBR Value-30 conforming to specifications, mixing in a mechanical mix plant at OMC, carriage of mixed material by tippers to work site, for all leads & lifts, spreading in uniform layers of specified thickness with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge.	340.78	Per Cubic Meter	2232.00	Rupees Two Thousand Two Hundred Thirty Two Only	760621.00

5	Providing and laying, spreading by mechanical means and compacting stone aggregates of WBM Grading- II i.e.63mm to 45mm (sixty three millimeters to forty five millimeters) size @ 0.91cum (point nine one cubic meters) per 10 (ten) square meters upto compacted thickness of 75mm (seventy five millimeters) including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 (eighty to hundred) kN static roller in stages to proper grade and camber, applying and brooming, stone screening of type B of size 11.2mm (eleven point two millimeters) @ 0.20 (point two) cubic meters per ten square meters and binding materials @ 0.060cum (point zero six cubic meter) per 10 (ten) square meters to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading II as per MORD Technical Specification Clause 405 (Four hundred five) upto entire satisfaction of Engineer-in-Charge, including carriage of all labour, equipments and materials to various locations through all modes of transportation in all lead & lifts and all incidental charges.	127.77	Per Cubic Meter	2335.00	Rupees Thousand Hundred Thirty Five Only	Two Three	2983443.00
6	Providing and laying, spreading by Mechanical means and compacting to 75mm (seventy five millimeters) compacted thickness stone aggregates of Grading- III, 53mm to 22.5 mm (fifty three millimeters) to twenty two point five millimeters) size @ 0.91cum (point nine one cubic meters) per 10 (ten) square meters to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 (eighty to hundred) kN static roller in stages to proper grade and camber, applying and brooming, stone screening of type B of size 11.2mm (eleven point two millimeters) @ 0.20 (point two zero) cubic meters per ten square meters to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading III as per MORD Technical Specification Clause 405 (Four hundred five) and entire satisfaction & direction of Engineer-in-Charge, including carriage of all labour, equipments and materials to various locations through all modes of transportation in all lead & lifts and all incidental charges.	127.77	Per Cubic Meter	2311.00	Rupees Thousand Hundred Only	Two Three Eleven	295276.00
7	Providing and applying primer coat of low porosity with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.85 Kg.(point eight five kilogramme) per square meter using mechanical means as per Technical Specification Clause 502 (Five hundred Two) upto entire satisfaction & direction of Engineer-in-Charge, including carriage of all labour, equipments and materials to various locations through all modes of transportation in all lead & lifts and other incidental charges.	1703.63	Per Square meter	66.00	Rupees Only	Six	112440.00
8	Providing and applying tack coat with rapid setting (RS-1) bitumen emulsion using emulsion distributor at the rate of 0.275 kg (point two seven five kilogramme) per square meter on the prepared dry and hungry granular bituminous surface treated with primer cleaned with Hydraulic broom as per Technical Specification Clause 503 (five zero three) and as per direction of Engineer in charge including carriage of all labour, equipments and materials to various locations through all modes of transportation in all lead & lift and other incidental charges.	3407.25	Per Square meter	21.50	Rupees Twenty One and Paise Fifty Only	One	73256.00
9	Providing and laying 50mm (fifty) millimeter dense graded bituminous macadam with 100-120 (one hundred twenty) TPH batch type HMP producing an average output of 75(seventy five) tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 4.0 to 4.5 (four point zero to four point five) per cent by weight of total mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per specification clause No.507 (five hundred seven) complete in all respects including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads lifts and all incidental charges.	85.18	Per Cubic Meter	9310.60	Rupees Nine Thousand Three Hundred Ten and Paise Sixty Only	Three	793077.00

10	<p>Providing and laying bituminous concrete 30mm (Thirty millimetres) thick with 100-120 (one hundred to one hundred twenty) TPH batch type hot mix plant producing an average output of 75 (seventy five) tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 5.5 (five point five) per cent of total weight of mix, aggregate Grading II (thirteen millimetres nominal size) i.e. 13.2 - 10 mm thirty per cent, 10 - 5 mm twenty five per cent, 5 mm and below forty three per cent of volume of aggregate and filler @ 2 per cent of weight of aggregates, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification clause No. 509 (five zero nine) complete in all respects and as per direction of Engineer in charge including carriage of all labour, equipments and materials to various locations through all modes of transportation in all lead & lifts and all incidental charges.</p>	51.11	Per Cubic Meter	12485.00	Rupees Twelve Thousand Four Hundred Eighty Five Only	
Total:-						3387121.00
Rupees Thirty Three Lakhs Eighty Seven Thousand One Hundred Twenty One Only						

T/S No. ~~15~~ for the 2025-26
 Sr. No. ~~293~~ for the year 2025-26

Draft Schedule of Quantity approved for Rs. 3387121.00 only.

Executive Engineer
 B&R Division, HP.PWD. Solan.

Draft Schedule of Quantity

Sr. No.	Description of work	Qty.	Unit	Rate in		Amount
				Figures	words	
Job No. :- 9						
				Estimated Cost: -		749876
				Earnest Money: -		15000
				Time limit: -		Two mon

Name of Work :- Restoration of rain damages on Rajghar Bye Pass road Km.0/00 to 5/410 under PDNA (SH);- Construction of wire crate wa at Rd.3/840 to 3/925 & P/L GSB, G-II, G-III and Tarring at RD.3/840 to 4/035)

1	Demolishing Nominal concrete 1:4:8 or leaner mix (1/2 equivalent design mix) cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in charge.	663.40	Per Cubic Meter	977.12	Rupees Hundred Seven and Twelve Only	Nine Seventy and Paise	648221
2	Earthwork in excavation for all type of road structures such as retaining wall, breast wall, culvert, drain and parapets etc. in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiesling / wedging out rocks (where blasting is prohibited). Dimesions and other particulars as per drawing and Technical Specification Clause 305.1(Three hundred Five point One) including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and its disposal including dressing of sides and bottom and backfilling in trenches with excavated suitable material, trimming, filling of unevenness blindages and finishing of the road to specified dimensions. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side, water pollutions etc., and to protect stability of hill side rock. Stacking of materials useful for construction at suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site (to be arranged by the contractor) or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.	532.80	Per Cubic Meter	392.00	Rupees Hundred Ninety Two Only	Three Hundred Ninety Two	208858.
3	Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS:280 and IS:4826 in 100 mm x 100 mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 as directed by the Engineer-in-Charge including carriage of materials with in all lead and lift and other incidentals.	1175.78	Per Cubic Meter	3536.00	Rupees Thousand Hundred Thirty Six Only	Three Five Hundred Thirty Six	4157558.00
4	Backfilling behind abutment, wing wall and return wall, breast walls, retaining walls and parapets up to all heights, depths and levels complete as per HP.PWD. Specification clause 1204.3.8 (one thousand two hundred four point three point eight) Granular material, including carriage of all labour equipment and material to various locations through all modes of transportation in all lead and lift and all incidental charges.	192.00	Per Cubic Meter	1098.00	Rupees Thousand Eight Only	One Ninety	210816.00
5	Construction of granular sub-base by providing close graded with material conforming to Grade-I (size range 75 mm to 0.075 mm) having CBR Value-30 conforming to specifications, mixing in a mechanical mix plant at OMC, carriage of mixed material by tippers to work site, for all leads & lifts, spreading in uniform layers of specified thickness with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge.	260.70	Per Cubic Meter	2232.00	Rupees Thousand Hundred Thirty Two Only	Two Two Hundred Thirty Two	581882.00

6	Providing and laying, spreading by mechanical means and compacting stone aggregates of WBM Grading- II i.e.63mm to 45mm (sixty three millimeters to forty five millimeters) size @ 0.91cum (point nine one cubic meters) per 10 (ten) square meters upto compacted thickness of 75mm (seventy five millimeters) including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 (eighty to hundred) kN static roller in stages to proper grade and camber, applying and brooming, stone screening of type B of size 11.2mm (eleven point two millimeters) @ 0.20 (point two) cubic meters per ten square meters and binding materials @ 0.060cum (point zero six cubic meter) per 10 (ten) square meters to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading II as per MORD Technical Specification Clause 405 (Four hundred five) upto entire satisfaction of Engineer-in-Charge, including carriage of all labour, equipments and materials to various locations through all modes of transportation in all lead & lifts and all incidental charges.	97.76	Per Cubic Meter	2335.00	Rupees Thousand Hundred Thirty Five Only	Two Three Thousand Thirty Five	228270.00
7	Providing and laying, spreading by Mechanical means and compacting to 75mm (seventy five millimeters) compacted thickness stone aggregates of Grading- III, 53mm to 22.5 mm (fifty three millimeters to twenty two point five millimeters) size @ 0.91cum (point nine one cubic meters) per 10 (ten) square meters to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 (eighty to hundred) kN static roller in stages to proper grade and camber, applying and brooming, stone screening of type B of size 11.2mm (eleven point two millimeters) @ 0.20 (point two zero) cubic meters per ten square meters to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading III as per MORD Technical Specification Clause 405 (Four hundred five) and entire satisfaction & direction of Engineer-in-Charge, including carriage of all labour, equipments and materials to various locations through all modes of transportation in all lead & lifts and all incidental charges.	97.76	Per Cubic Meter	2311.00	Rupees Thousand Hundred Only	Two Three Eleven	225923.00
8	Providing and applying primer coat of low porosity with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.85 Kg.(point eight five kilogramme) per square meter using mechanical means as per Technical Specification Clause 502 (Five hundred Two) upto entire satisfaction & direction of Engineer-in-Charge, including carriage of all labour, equipments and materials to various locations through all modes of transportation in all lead & lift and other incidental charges.	1303.50	Per Square meter	66.00	Rupees Sixty Only	Six	86031.00
9	Providing and applying tack coat with rapid setting (RS-1) bitumen emulsion using emulsion distributor at the rate of 0.275 kg (point two seven five kilogramme) per square meter on the prepared dry and hungry granular bituminous surface treated with primer cleaned with Hydraulic broom as per Technical Specification Clause 503 (five zero three) and as per direction of Engineer in charge including carriage of all labour, equipments and materials to various locations through all modes of transportation in all lead & lift and other incidental charges.	2607.00	Per Square meter	21.50	Rupees Twenty One and Paise Fifty Only	One	56051.00
10	Providing and laying 50mm (fifty) millimeter dense graded bituminous macadam with 100-120 (one hundred twenty) TPH batch type HMP producing an average output of 75(seventy five) tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 4.0 to 4.5 (four point zero to four point five) per cent by weight of total mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per specification clause No.507 (five hundred seven) complete in all respects including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads lifts and all incidental charges.	65.18	Per Cubic Meter	9310.60	Rupees Thousand Hundred Ten and Paise Sixty Only	Nine Three Ten and Paise Sixty Only	606865.00

<p>Providing and laying bituminous concrete 30mm (Thirty millimetres) thick with 100-120 (one hundred to one hundred twenty) TPH batch type hot mix plant producing an average output of 75 (seventy five) tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 5.5 (five point five) per cent of total weight of mix, aggregate Grading II (thirteen millimetres nominal size) i.e. 13.2 - 10 mm thirty per cent, 10 - 5 mm twenty five per cent, 5 mm and below forty three per cent of volume of aggregate and filler @ 2 per cent of weight of aggregates, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification clause No. 509 (five zero nine) complete in all respects and as per direction of Engineer in charge including carriage of all labour, equipments and materials to various locations through all modes of transportation in all lead & lifts and all incidental charges.</p>	39.11	Per Cubic Meter	12485.00 Rupees Thousand Hundred Eighty Five Only	Twelve Four Eighty Five	488268.00
Total:-					7498763.00

Rupees Seventy Four Lakhs Ninety Eight Thousand Seven Hundred Sixty Three Only

T/S No. ~~117~~ for the 2025-26
 Sr. No. ~~214~~ for the year 2025-26

Draft Schedule of Quantity approved for Rs. 7498763.00 only.

Executive Engineer
 B&R Division, HP.PWD. Solan.