

HIMACHAL PRADESH
PUBLIC WORK DEPARTMENT

No. PW/DT/TA/ NIT /2025-26-

6321

Dated:- 12-9-2025

To,


The Executive Engineer
IT Cell Nirman Bhawan Nigam Vihar
HP PWD Shimla

Subject: _

Regarding NIT for uploading on HP PWD website .


Enclosed please find herewith the Notice inviting tender Notice along with schedule of quantity for uploading on HP PWD website. This is for your kind information and necessary action at your end please.

Encls:- NIT copy & 13 Nos copy of Schedule of quantity.


Executive Engineer
Tanda Division HP PWD
at Nagrota Bagwan

CERTIFICATE

Certified that the tenders of works, called vide this office letter No. PW-DT-NIT-2025-26- 6322-36 Dated:- 12-09-2025 are urgent nature.


Executive Engineer
Tanda Division HP PWD
at Nagrota Bagwan

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT**

Sealed item rate tender on form No. 6 & 8 are hereby invited by the **Executive Engineer, HP PWD Division Tanda at Nagrota Bagwan** on behalf of Governor of Himachal Pradesh for the following work from the approved and eligible contractors enlisted in HP PWD (B & R) whose registration stood renewed as per revised rules so as to reach in his office on or before on **29-09.2025** up to **11:00 A.M.** And the same shall be opened on the same day at **04:00 P.M.** in the presence of intending contractors or their authorized representatives. The tender form can be obtained from his office on cash payment (non refundable) on **27.09.2025** up to **4:00 P.M** and the application for issue of tender form shall be received on **26.09.2025** up to **12:00 noon**. The applications for issue of tender forms accompanied with enlistment letter or renewal letter and the earnest money in the shape of National Saving Certificates/Saving Account of the Post Office /Time Deposit account/FDR in Himachal Pradesh duly pledged in favour of Executive Engineer, HP PWD Division Tanda at Nagrota Bagwan.

The conditional tender and the tender received without earnest money will summarily be rejected. The offer of the tender shall be kept open for 120 days.

Sr. No.	Name of work	Estimated Cost	Earnest Money	Time limit
1	Restoration of road long with NH154 at Hatwas Tehsil Nagrota Bagwan District Kangra HP Deposit work (SH: Providing and laying cement concrete pavement at RD 0/735 to 0/763 & Drain bed at RD 0/735 to 0/769). SDF/2024/1664.	95684.00	1920.00	Two Months
2	Construction of Panchvati Park at G.P. Balol in District Kangra HP Deposit Work (SH: Earth filling for site development SDP/2023/572)	99600.00	2000.00	One Months
3	Restoration of rain damages on link roads to Tikka Samyara in District Kangra HP deposit work (SH: Construction of Breast wall at RD 0/220 to 0/229.80 SDF/2024/1624).	149694.00	3000.00	Two Months
4	Construction of Park in Gram Panchayat Balol in Tehsil Baroh, Distt. Kangra HP (SH: Providing and fixing Open GYM etc: Depsoit Work (SDP/2023/905).	299100.00	6000.00	Two Months
5	Construction of Additional one room for Govt. Senior Secondary School at Kharat in Tehsil Baroh, Distt. Kangra HP (SH: Construction of Civil work etc)MPR/2017/12).	199546.00	4000.00	Two months
6	Construction of road to Shamshan Ghat in Gram Panchayat at Mumta in Distt. Kangra HP Deposit work (SH: Providing and laying Grading-III and cement concrete pavement in km 0/060 to 0/090.30).	99862.00	2000.00	Two Months
7	Construction of Shamshan Ghat at Than Jhamaka in District Kangra HP Deposit work (SH: Construction of Civil work SDP/2024/1073).	249729.00	5000.00	Two months
8	Repair of Pucca Jeepable road from Main road to Jhorrian to Local Temple in Village Mualkar Gram Panchayat Ratiyar Mohal in Distt. Kangra HP (SH: Construction of 900mm dia Hume pipe culvert at Rd 0/100 and Cement Concrete pavement at Rd 0/00 to 0/34.70 SDF/2024/1437).	199358.00	4000.00	Two months
9	Annual repair & Maintenance of Dr. R.P. Govt. Medical college at Tanda in Distt. Kangra HP (SH: Flushing , cleannng PVC water tank 500, 1000, & 2000 & 5000 liters capacity in PG Hostel, Boys Hostel, New MBBS Hostel).	99000.00	2000.00	One Months
10	Construction of Sarai at Tikka Har in District Kangra HP Deposit work (SH: Construction of Civil Work VKV/2024/2201.).	99444.00	2000.00	One Month
11	Annual repair & Maintenance of Dr. R.P. Govt. Medical college at Tanda in Distt. Kangra HP (SH: Flushing , cleannng PVC water tank 500, 1000, & 2000 & 5000 liters capacity in Ravi Hostel, Satluj Hostel and Interns Hostel).	98423.00	2000.00	One Month
12	Construction of RCC slab culvert in Ward No. 6 Kajlet Gram Panchayat Danoa in Distt. Kangra HP (SH: Construction of 2.00 mtr. Span RCC slab culvert VKV/2019/2097) Deposit work	195146.00	3950.00	Two Months
13	Annual repair & Maintenance of Dr. R.P. Govt. Medical college at Tanda in Distt. Kangra HP (SH: Flushing , cleannng PVC water tank 500, 1000, & 2000 & 5000 liters capacity in GNM Nuerse Hostel, 1 st year Hostel, Vivekanand Hostel and T.B. Sanatorium).	98423.00	2000.00	One Months

Terms & Conditions:-)

1. The contractor/firm should be registered as or dealer GST No.
2. The intending contractor / firm have to produce the copy of latest enlistment and renewal enlisted in HPPWD
3. If any of the date mentioned above happened to be Gazetted Holidays the same shall be processed on next working day.
4. The Executive Engineer reserves the right to accept/reject any tender/application or all tenders without assigning any reason.
5. The Contractor will have to submit affidavit along with application for issue of tender form.
6. Next tender will be issued only after completion of previous works in hand.

Executive Engineer
H.P.P.W.D. Tanda Division
at Nagrota Bagwan

HIMSUCHANA AVAM & JAN SAMPARK

(On behalf of Governor of Himachal Pradesh)

No.PW/NBD/TA/Tender/NIT/2025-26-6322-36 Dated/ 12-09-2025
Copy to the following for information and necessary action:-

1. The Chief Engineer (KZ), HPPWD, Dharamshala.
2. The Director, Information & Publications Department, H.P. Shimla.
3. The Executive Engineer IT Cell Shimla HP PWD Shimla.
4. The Superintending Engineer, 5th Circle, HPPWD, Palampur.
5. The Deputy Commissioner, Kangra at Dharamshala.
6. All the S.E.s/E.E.s under North Zone
7. The Sub-Divisional Officer(C) Nagrota Bagwan.
8. All the Assistant Engineer under this Division.
9. The Drawing /Accounts Branch in this office.
10. Notice Board.


Executive Engineer
H.P.P.W.D. Tanda Division
at Nagrota Bagwan

SCHEDULE OF QUANTITY

ESTIMATED COST: - Rs. 95684.00
EARNEST MONEY :- Rs. 1920.00
TIME LIMIT : TWO MONTHS

NAME OF WORK :- Restoration of road along with NH-154 at Hatwas Tehsil Nagrota Bagwan District Kangra, (H.P.). **Deposit Work**
SUB-HEAD :- Providing and laying cement concrete pavement at RD 0/735 to 0/763 & Drain bed at RD 0/735 to 0/769. **SDE/2024/1664.**

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:3:6 (One cement; three sand; six graded broken/crushed stone aggregate 40mm (Forty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	4.59			Per cubic metre	7
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:2:4 (One cement; two sand; four graded broken/crushed stone aggregate 20mm (Twenty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	12.60			Per cubic metre	
TOTAL :-						


Executive Engineer,
H.P.P. W.D. Division,
Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

NAME OF WORK :- Construction of Panchvati Park at G.P. Balol, in District Kangra, (H.P.) Deposit Work
SUB-HEAD :- Earth filling for site Development. (SDP/2023/572)

ESTIMATED COST :- Rs. 99600.00
 EARNEST MONEY :- Rs. 2000.00
 TIME LIMIT : ONE MONTH

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etcetra in layers not exceeding 20cm (Twenty centimetre) in depth, consolidating each deposited layer by ramming and watering, upto any lead and lift complete as directed by the Engineer-in-charge, within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	498.00	4	5	6 Per cubic metre	7
TOTAL :-						


H.P.P.W.D. Engineer,
 H.P.P.W.D. Division,
 Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

NAME OF WORK :- Restoration of Rain Damages on Link road to Tikka Samyara in District Kangra, (H.P.). Deposit work.
SUB-HEAD :- Construction of Breast wall at RD 0/220 to 0/229.80 (SDF/2024/1624)

ESTIMATED COST :- Rs. 149694.00
 EARNEST MONEY :- Rs. 3000.00
 TIME LIMIT : TWO MONTHS

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within a any lead as directed by the Engineer-in-charge, within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	3 14.12	4	5	6 Per cubic metre	7
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:5:10 (One cement; five sand; ten graded broken/crushed stone aggregate 40mm (Forty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	36.43			Per cubic metre	
3	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7 complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	11.00 Running metre			Per running metre	
TOTAL :-						


 Executive Engineer,
 H.P.P. W.D. Division,
 Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY


ESTIMATED COST: - ₹ 299100.00
 EARNEST MONEY :- ₹ 6000.00
 TIME LIMIT :- TWO MONTHS

NAME OF WORK:- Construction of Park in Gram Panchayat Balol in Tehsil Baroh, Distt. Kangra (H.P.).
 SUB HEAD:- *Providing and fixing Open GYM etc. DEPOSIT WORK SDP/2023/905*

Sr. No.	Description	Quantity	In fig.	Rate		Unit	Amount
				in words			
1	Providing and installation Health Walker (Air Walker) add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals.The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	3	4	5		6	7
2	Providing and installation Double Air Walker add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals.The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1				Each	
9	Providing and installation Double Cross Trainer add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals.The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1				Each	
2	Providing and installation Double Leg Press add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals.The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1				Each	
10	Providing and installation Shoulder Press Machine Dual add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals.The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1				Each	
3	Providing and installation Pull Up and Chin Up Bars add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals.The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1				Each	
4	Providing and installation Monkey Bars add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals.The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1				Each	
5	Providing and installation Arm and Pedal Bicycle (Hand & Foot)add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals.The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1				Each	

9

6	Providing and installation Rowing Machine add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each	
7	Providing and installation Stepper Machine add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each	
8	Providing and installation Waist Twister add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each	
TOTAL: -						


 Executive Engineer,
 H.P.P. W.J.D. Division,
 Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

NAME OF WORK :- Construction of Additional One Room for Govt. Senior Secondary School at Kharat in Tehsil Baroh, Distt. Kangra (Jhimachal Pradesh).


SUB-HEAD :- Construction of Civil work etc; (MPR/2017/12)

ESTIMATED COST:- ₹ 199546.00
EARNEST MONEY:- ₹ 4000.00
TIME LIMIT TWO MONTHS

S. No	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	Providing form work with steel plates of 3.15mm (Three decimal fifteen millimeters)thick, welded with angle iron in frames of 30x30x5mm(Thirty into Thirty into Five millimeters),so as to give a fair finish including centring, shuttering strutting and propping etc, with wooden battens and ballies for all heights and removal of the same for in-situ reinforced concrete and plain concrete work in columns, pillars, posts and struts. square, rectangular, polygonal in plan, including carriage of material within all leads, lifts and other incidentals as per approved drawing, design, specifications entire satisfaction and as directed by the Engineer-Incharge.	3	9.94		Per square metre	7
2	Providing form work with steel plates of 3.15mm (Three decimal one five millimeters) thick, welded with angle iron in frames of 30x30x5mm (Thirty into Thirty into Five millimeters), so as to give a fair finish including centring, shuttering strutting and propping etcetera, with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in beams cantilevers girders lintels window sills, cornices, arches corbelling including curved surfaces where ever required sides and soffits of beams haunchings cantilevers bressumers and lintels upto all depths including carriage of material within all leads, lifts and other incidentals as per approved drawing, design, specifications entire satisfaction and as directed by the Engineer-Incharge.	30.24			Per square metre.	
3	Providing form work with steel plates of 3.15mm (Three decimal one five millimeters) thick, welded with angle iron in frames of 30x30x5mm (Thirty into Thirty into Five millimeters), so as to give a fair finish including centring, shuttering strutting and propping etcetera, with wooden battens and ballies for all heights/depth of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in flat surfaces such as soffits of suspended floors roofs, landings windows sills, cornices, arches, moulding, corbelling including curved surfaces where ever required including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	52.58			Per square metre	
4	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level cement concrete 1:1.5:3 (One cement; one point five sand; three graded broken/crushed stone aggregate 20mm (Twenty millimetres) nominal size, excluding cost of centering, shuttering, finishing and reinforcement complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	0.57			Per cubic metre	

5

1	2	3	4	5	6	7
5	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with cement concrete 1:1.5:3 (One cement; one point five sand; three graded broken/crushed stone aggregate 20mm (Twenty millimetres) nominal size complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	9.24 Cubic metres			Per cubic metre	
6	Providing Tor steel reinforcement of Thermo Mechanically Treated bars of grade Fe-500D of Tata Tiscon/Sail for reinforced cement concrete work including bending, binding, cutting, straightening and placing in position complete including cost of binding wires complete upto all floor levels as per approved specifications, drawing, design, as per entire satisfaction of the Engineer-in-charge including carriage of material within all leads, lifts and other incidentals.	950.00 Kilograms			Per kilogram	
TOTAL :-						



 Executive Engineer,
 HP PWD, Division,
 Tanda at Nagrota Bagwan.

Schedule of Quantity

ESTIMATED COST :- ₹ 99882.00
 EARNEST MONEY :- ₹ 2000.00
 TIME LIMIT : TWO MONTHS

NAME OF WORK :- Construction of road to Shamsan Ghat in Gram Panachayat at Munita in Distt. Kangra (H.P.). Deposit work.
 SUB HEAD :- Providing and laying Grading-II and cement concrete pavement in Km 0/060 to 0/090.30

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	1	3	4	5	6	7
1	Providing, laying, spreading and compacting stone aggregate of size 53mm to 22.4mm (Fifty three millimeter to Twenty two point four millimeter) Grading-III size [75mm (seventy five millimeters) compacted thickness] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber applying and brooming, stone screening type-A of size 13.2mm (thirteen point two millimeters) nominal size at the rate of 0.22 cum (zero point twenty two) cubic metres per 10 sqm (per ten square metres) and binding material at the rate of 0.06 cum (zero point zero six cubic metre) to fill up the interstices of coarse aggregate, watering and compacting to the required density as per technical specifications clause No. 405 and as per drawing and HP.PWD technical specifications, as directed by the Engineer-In-charge including carriage of materials within all leads, lifts and other incidentals.	7.16			Per cubic metre	
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimeters) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	14.32			Per cubic metre	
TOTAL :-						


 Executive Engineer,
 H.P.P.W.D., Division,
 Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

ESTIMATED COST: - Rs. 249729.00
 EARNEST MONEY: - Rs. 5000.00
 TIME LIMIT : TWO MONTHS

NAME OF WORK :- Construction of Shamsan Chat at Than Jhamaka in District Kangra, (H.P.). Deposit work.

SUB-HEAD :- Construction of Civil work. (SDP/2024/1073).


Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within a any lead as directed by the Engineer-in-charge, within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	3	4	5	6	7
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:3:6 (One cement; three sand; six graded broken/crushed stone aggregate 40mm (Forty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	0.40			Per cubic metre	
3	Providing form work with steel plates of 3.15mm (Three decimal one five millimetres) thick, welded with angle iron in frames of 30x30x5mm (Thirty into Thirty into Five millimetres), so as to give a fair finish including centring, shuttering strutting and propping etcetera, with wooden battens and ballies for all heights/depth of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in Foundation footings, bases of columns and mass concrete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, entire satisfaction and as directed by the Engineer-in-charge.	10.32			Per square metre	
4	Providing form work with steel plates of 3.15mm (Three decimal one five millimetres) thick, welded with angle iron in frames of 30x30x5mm (Thirty into Thirty into Five millimetres), so as to give a fair finish including centring, shuttering strutting and propping etcetera, with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in columns, pillar, piers, abutments, post and struts including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	25.60			Per square metre.	

3

<p>5 Providing form work with steel plates of 3.15mm (Three decimal one five millimetres) thick, welded with angle iron in frames of 30x30x5mm (Thirty into Thirty into Five millimetres), so as to give a fair finish including centring, shuttering strutting and propping etcetera, with wooden battens and ballies for all heights/depth of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in flat surfaces such as soffits of suspended floors, roofs, landings balconies and access platform including carriage of material within all leads, lifts and other incidentals and as directed by the Engineer-in-charge.</p>	21.36	Square metres	Per square metre	
<p>6 Providing form work with steel plates of 3.15mm (Three decimal one five millimetres) thick, welded with angle iron in frames of 30x30x5mm (Thirty into Thirty into Five millimetres), so as to give a fair finish including centring, shuttering strutting and propping etcetera; with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in Lintals beams, plinth beams, cantilevers, girders, including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications, entire satisfaction and as directed by the Engineer-in-charge.</p>	18.72	Square metres	Per square metre	
<p>7 Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:2:4 (One cement; two sand; four graded broken/crushed stone aggregate 20mm (Twenty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.</p>	1.30	Cubic metres	Per cubic metre	
<p>8 Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, filets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level cement concrete 1:1.5:3 (One cement; one point five sand; three graded broken/crushed stone aggregate 20mm (Twenty millimetres) nominal size, excluding cost of centering, shuttering, finishing and reinforcement complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.</p>	2.56	Cubic metres	Per cubic metre	
<p>9 Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with cement concrete 1:1.5:3 (One cement; one point five sand; three graded broken/crushed stone aggregate 20mm (Twenty millimetres) nominal size complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.</p>	5.61	Cubic metres	Per cubic metre	
<p>10 Providing Tor steel reinforcement of Thermo Mechanically Treated bars of grade Fe-500D of Tata Tiscor/Sail for reinforced cement concrete work including bending, binding, cutting, straightening and placing in position complete including cost of binding wires complete upto all floor levels as per approved specifications, drawing, design, as per entire satisfaction of the Engineer-in-charge including carriage of material within all leads, lifts and other incidentals.</p>	1520.10	Kilograms	Per kilogram	

5

<p>11 Structural steel work of Tata / Sail / Reliance / Jindal riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.</p>	40.20 Kilograms		Per kilo-gram
<p>12 Providing and fixing precasted galvanized iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.</p>	1.44 Square metres		Per Square metre
<p>13 Brick on edge flooring with bricks of class designation 7.5 on a bed of 12mm cement mortar, including filling the joints with same mortar, with common burnt clay non modular bricks complete including carriage of material within all leads, lifts and other incidentals as per approved specifications, drawings, design and as directed by the Engineer-in-charge.</p>	11.20 Cubic metres		Per cubic metre
<p>14 6mm (Six millimetres) thick cement plaster to ceiling in cement mortar 1:3 (One cement : Three sand) upto all floor levels complete including carriage of material within all leads, lifts and other incidentals as per approved specifications, drawing, design and as directed by the Engineer-in-charge.</p>	21.36 Square metres		Per square metre
<p>15 12mm (Twelve millimetre) thick cement plasters of brick/concrete/stone walls for interior plastering upto all floor level including arrises, internal rounded angles, chamfers and rounded angles not exceeding 80mm (Eighty millimetres) in girth and finished even and smooth with cement mortar 1:6 (One cement: Six sand) above plinth level to floor all level complete including carriage of material within all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge.</p>	6.40 Square metres		Per square metre
TOTAL :-			


 Executive Engineer,
 H.P.P.W.D. Division,
 Tanda at Nagrota Bagwan.

Schedule of Quantity

ESTIMATED COST: - ₹ 199358.00
 EARNEST MONEY :- ₹ 4000.00
 TIME LIMIT :- TWO MONTHS

NAME OF WORK :- Repair of Pucca Jeepable road from Main road to Jhorrian to Local Temple in village Mualkar Gram Panchayat Ratiyar Mohal in Distt. Kangra (H.P.).
 SUB-HEAD :- Construction of 900mm dia Hume Pipe culvert at RD 0/100 and Cement Concrete pavement at RD 0/000 to 0/340.70 (SDF/2024/1437).

S. No.	Description of items	Quantity	Rate		Unit	Amount	
			In fig.	In words			
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead complete as per drawing and HP.PWD technical specifications and as directed by Engineer-In-charge including carriage of material within all leads, lifts and other incidentals.	30.12 Cubic metres	4	5	6 Per cubic metre	7	
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:3:6 (One Cement : Three coarse sand) Six graded stone aggregate 40 mm (Forty millimetre) nominal size) complete etc as directed by the Engineer-In-charge including carriage of materials within all leads, lifts and other incidentals.	1.30 Cubic metres			6 Per cubic metre		
3	Providing, laying, spreading and compacting stone aggregate of size 53mm to 22.4mm (Fifty three millimeter to Twenty two point four millimeter) Grating-III size [75mm (seventy five millimeters) compacted thickness] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber applying and brooming, stone screening type-A of size 13.2mm (thirteen point two millimeters) nominal size at the rate of 0.22 cum (zero point Twenty two) cubic metres per 10 sqm (per ten square metres) and binding material at the rate 0.06 cum (zero point zero six cubic metre) to fill up the interstices of coarse aggregate, watering and compacting to the required density as per technical specifications clause No. 405 and as per drawing and HP.PWD technical specifications, as directed by the Engineer-In-charge including carriage of materials within all leads, lifts and other incidentals.	3.90 Cubic metres			6 Per cubic metre		
4	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimeters) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	25.05 Cubic metres			6 Per cubic metre		
5	Providing and laying non-pressure NP2 class R.C.C. hume pipes 900mm (Nine hundred millimetre) dia with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (One cement : Two fine sand) including testing of joints etc; complete as per drawing and HP.PWD technical specifications and as directed by Engineer-In-charge including carriage of material within all leads, lifts and other incidentals.	5.00 Running metre			6 Per running metre		
6	Construction of embankment with approved materials obtained from borrow pits with a lift upto 1.5m (One point five meters) transport to sill spreading grading to required slope and compacted to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000m (One thousand meters) as per drawing and HP.PWD technical specifications and as directed by Engineer-In-charge including carriage of material within all leads, lifts and other incidentals.	16.40 Cubic metres			6 Per cubic metre		
TOTAL :-							

Executive Engineer,
 H.P.W.D. Division,
 Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

ESTIMATED COST :- Rs. 99444.00
 EARNEST MONEY :- Rs. 2000.00
 TIME LIMIT : ONE MONTH

NAME OF WORK :- Construction of Sarai at Tikka Har in District Kangra, (H.P.). **Deposit work.**

SUB-HEAD :- Construction of Civil work. (VKV/2024/2201).

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within a any lead as directed by the Engineer-in-charge, within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	3	4	5	6	7
2	Stone Filling in plinth with approved stone under floors including watering, ramming, consolidating and dressing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	1.80			Per cubic metre	
3	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:2:4 (One cement; two sand; four graded broken/crushed stone aggregate 20mm (Twenty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	2.16			Per cubic metre	
4	Structural steel work of Tata / Sail / Reliance / Jindal riveted, bolted or welded in built up sections, tusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	451.98			Per kilogram	
5	Structural steel work of Tata / Sail / Reliance / Jindal riveted, bolted or welded in built up tubular (round, square or rectangular hollow tubes trusses etcetra including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	233.10			Per kilogram	


9

6 Providing and fixing precasted galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.

27.30
Square metres

Per
Square
metre

TOTAL :-


Executive Engineer,
H.P.P. W.D. Division,
Tanda at Nagrota Bagwan.

Schedule of Quantity


ESTIMATED COST:- ₹ 195146.00
 EARNEST MONEY :- ₹ 3950.00
 TIME LIMIT :- TWO MONTHS

NAME OF WORK :- Construction of RCC slab culvert in Ward No-6 Kajlet Gram Panchayat Danoa in Distt. Kangra (H.P.).
 SUB-HEAD :- Construction of 2.00 mtrs span RCC slab culvert (TK/2019/2097). Deposit work.

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead complete as per drawing and HP PWD technical specifications and as directed by Engineer-In-charge including carriage of material within all leads, lifts and other incidentals.	25.34 Cubic meters	4	5	6 Per cubic metre	7
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:4:8 (One Cement : Four coarse sand) : Eight graded stone aggregate 40 mm (Forty millimetres) nominal size as directed by the Engineer-In-charge including carriage of materials within all leads, lifts and other incidentals.	1.41 Cubic metres			6 Per cubic metre	
3	Providing concrete for plain/reinforced concrete in substructure complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 in 1:2:5:5 (One cement : Two and half sand : five graded) broken/crushed stone aggregate 20mm (Twenty millimeters) nominal size PCC grade M-15 (M-Fifteen), as directed by the Engineer-In-charge including carriage of materials within all leads, lifts and other incidentals.	18.79 Cubic metres			6 Per cubic metre	
4	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7 as directed by the Engineer-In-charge including carriage of materials within all leads, lifts and other incidentals.	10.00 Running metre			6 Per running metre	
5	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	1.73 Cubic metres			6 Per cubic metre	
6	Providing and laying reinforced cement concrete in superstructure as per drawing and technical specifications Clauses 800, 1205.4 and 1205.5 - (m-25) All work up to plinth level : - 1:1:5:3 (One cement : One and Half coarse sand): Three graded stone aggregate 20mm (Twenty millimetres nominal size complete as per drawing and HP PWD technical specifications and as directed by Engineer-In-charge including carriage of material within all leads, lifts and other incidentals.	2.50 Cubic metres			6 Per cubic metre	

3

7	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more complete as per drawing and HP.P.W/D technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	549.12	Kilo-grams			Per kilo gram		
8	Providing and laying cement concrete wearing course M-30 grade including reinforcement complete as per drawing and technical specifications Clauses 800 and 1206.3 with cement mortar 1:1:2 (One Cement: One Sand: Two graded /crushed stone aggregate 20mm (Twenty millimeters) nominal size), as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	0.77	Cubic meters			Per cubic metre		
TOTAL :-								


 Executive Engineer,
 H.P.W.D. Division,
 Tanda at Nagrota Bagwan.