

HIMACHAL PRADESH  
PUBLIC WORK DEPARTMENT

No. PW/DT/TA/ NIT /2025-26-

6284

Dated:- 11-9-2025

To,


The Executive Engineer  
IT Cell Nirman Bhawan Nigam Vihar  
HP PWD Shimla

Subject: \_

Regarding NIT for uploading on HP PWD website .


Enclosed please find herewith the Notice inviting tender Notice along with schedule of quantity for uploading on HP PWD website. This is for your kind information and necessary action at your end please.

Encls:- NIT copy & 23 Nos copy of Schedule of quantity.

  
Executive Engineer  
Tanda Division HP PWD  
at Nagrota Bagwan

CERTIFICATE

Certified that the tenders of works, called vide this office letter No. PW-DT-NIT-2025-26-6285-97 Dated:- 11-09-2025 are urgent nature.

  
Executive Engineer  
Tanda Division HP PWD  
at Nagrota Bagwan

**HIMACHAL PRADESH  
PUBLIC WORKS DEPARTMENT**

Sealed item rate tender on form No. 6 & 8 are hereby invited by the **Executive Engineer, HP PWD Division Tanda at Nagrota Bagwan** on behalf of Governor of Himachal Pradesh for the following work from the approved and eligible contractors enlisted in HP PWD (B & R) whose registration stood renewed as per revised rules so as to reach in his office on or before on **24-09.2025** up to **11:00 A.M.** And the same shall be opened on the same day at **04:00 P.M.** in the presence of intending contractors or their authorized representatives. The tender form can be obtained from his office on cash payment (non refundable) on **23.09.2025** up to **4:00 P.M** and the application for issue of tender form shall be received on **22.09.2025** up to **12:00 noon**. The applications for issue of tender forms accompanied with enlistment letter or renewal letter and the earnest money in the shape of National Saving Certificates/Saving Account of the Post Office /Time Deposit account/FDR in Himachal Pradesh duly pledged in favour of Executive Engineer, HP PWD Division Tanda at Nagrota Bagwan.

The conditional tender and the tender received without earnest money will summarily be rejected. The offer of the tender shall be kept open for 120 days.

Sr. No.	Name of work	Estimated Cost	Earnest Money	Time limit
1	Restoration of road long with NH154 at Hatwas Tehsil Nagrota Bagwan District Kangra HP Deposit work (SH: Providing and laying cement concrete pavement at RD 0/650 to 0/687). SDF/2024/1664.	98235.00	1970.00	Two Months
2	Construction of Children Activies at village Thamba in Tehsil Baroh, Distt. Kangra HP (SH: Providing and fixing outdoor GYM equipment etc; (VKV/2024/2109) Deposit Work.	99450.00	2000.00	Two Months
3	Construction of Shamsan Ghat at Tikka Akrana Balh in Distt. Kangra HP (SH: Construction of Shed for Shamsan Ghat etc: Under Head SDP/2017/209).	98726.00	2000.00	Two Months
4	Construction of Panchvati Park at G.P. Balol in District Kangra HP Deposit Work (SH: Earth filling for site development. SDP/2023/572).	99200.00	2000.00	One Months
5	Completion of Community Bhawan Tika Kanda ward No. 4 at Sunhi in District Kangra HP Deposit work (SH: Balance work of Community Bhawan VKV/2022/2221).	89463.00	1790.00	Two Months
6	Construction of Mahila Mandal Bhawan at Khawa in Tehsil Baroh, Distt. Kangra HP Deposit Work SDF/2016/928). (SH: Construction of Building Portion only).	99999.00	2000.00	Two months
7	Construction of Hall for Mahila Mandal at Kandi in District Kangra HP deposit work (SH: Balance work of Hall SDP/2016/930).	94896.00	1900.00	Two Months
8	Restoration of Rain damages on various roads under HP PWD sub- division Nagrota Bagwan in distt. Kangra HP (SH: Repair of culvert at Rds0/270,2/390 and 4/150).	99680.00	2000.00	Two Months
9	Re- Construction of Maintenance of Part at Village Akrana in Tehsil Baroh Distt. Kangra HP (SH: Providing and fixing outdoor GYM etc: SDF/2024/1630) Deposit work.	199350.00	4000.00	Two months
10	Re- Construction of Maintenance of Park at Village jassai in Gram Panchayat Ratiyar in Tehsil Baroh, Distt.Kagra HP (SH: Providing and fixing outdoor GYM etc: SDF/2024/1436) Deposit Work.	199350.00	4000.00	Two Months
11	Construction of Panchvati Park in Gram Panchayat Balol in Tehsil Baroh Distt. Kangra HP (SH: Providing and fixing Open GYM, Edge wall and reiling etc: deposit Work SDP/2023/572).	197734.00	4000.00	Two Months
12	Construction of link road from NH-20A house of Sh. Ishwar Dass in Village Barehar in District Kangra HP Deposit work (SH: Construction of U-shape Drain at Rd 08/179 to 0/270, Providing and laying cement concrete pavement at RD 0/176.50 to 0/229.90 SDP/2021/1159).	297606.00	6000.00	Two Months
13	Completion of Shiv Shakti Mahila Mandal Bhawan at Balol in District Kangra HP Deposit Work (SH: Balance work of Bhawan. VKV/2022/2216).	149443.00	3000.00	Two Months
14	Repair of Dr. Bhim Rao Ambedkar Community Bhawan at Ustehar in District Kangra HP deposit work (SH: Balance work of Hall. VKV/2021/2408).	195898.00	3920.00	Two months
15	Annual repair & Maintenance of Dr. R.P. Govt. Medical college at Tanda in Distt. Kangra HP (SH: Flushing , cleaning PVC water tank 500, 1000, & 2000 & 5000 liters capacity in GNM nurse Hostel, 1 <sup>st</sup> year Hostel, Vivekanand Hostel and T.B. Sanatorium).	98703.00	2000.00	One Months
16	Construction of road to Shamsan Ghat in Gram Panchayat at Mumta in Distt. Kangra HP Deposit work (SH: Construction of Breast wall in km 0/065 to 0/075).	99792.00	2000.00	Two Months
17	Construction of road to Shamsan Ghat in Gram Panchayat at Mumta in Distt. Kangra HP Deposit work (SH: Providing and laying Grading-III and cement concrete pavement in km 0/090.30 to 0/120.60).	99862.00	2000.00	Two Months
18	Construction of R/wall near existing park on the name of Shahed Sh. Suresh Kumar GP Sunhi in District Kangra HP Deposit work (SH: Construction of Retaing wall SDF/2023/159).	198748.00	4000.00	Three Months
19	Construction of Mahila Mandal Bhawan at Tikka Gahana in Tehsil Baroh Distt. Kangra HP Deposit work (VKV/2024/1260). (SH: Construction of Building portion only).	199717	4000.00	Two Months
20	Annual Repair & Maintenance of Dr. R.P. Govt. Medical College at Tanda in Distt. Kanga HP (SH: Flushing, cleaning PVC water tank 500, 1000 & 2000& 5000 liters capacity and RCC tanks in SSB building & Hostel Building).	95931.00	1950.00	One Months
21	Annual repair & Maintenance of Dr. R.P. Govt. Medical College at Tanda in Distt. Kangra HP (SH: Flushing cleaning PVC water tank 500,1000&2000&5000 liters capacity in Senior Boys Hostel, Girls Hostel, OPD, Burn Unit and Principal Office).	99825.00	1950.00	One Months
22	Construction of Children Park at Chhirnaag in Tehsil Baroh, Distt. Kangra HP (SH: Providing and fixing outdoor GYM etc: SDF/2024/1070). Deposit Work	248150.00	5000.00	Two Months
23	Construction of Shed Over Sarai in village Housti in District Kangra HP deposit work (SH: Construction of Civil work VKV/2024/1014).	49943.00	1000.00	One months

**Terms & Conditions:-)**


1. The contractor/firm should be registered as or dealer GST No.
2. The intending contractor / firm have to produce the copy of latest enlistment and renewal enlisted in HPPWD.
3. If any of the date mentioned above happened to be Gazetted Holidays the same shall be processed on next working day.

**SCHEDULE OF QUANTITY**

ESTIMATED COST:- Rs. 98235.00  
 EARNEST MONEY :- Rs. 1970.00  
 TIME LIMIT : TWO MONTHS

**NAME OF WORK :-** Restoration of road along with NH-154 at Hatwas Tehsil Nagrota Bagwan District Kangra, (H.P.). **Deposit Work**  
**SUB-HEAD :-** Providing and laying cement concrete pavement at RD 0/650 to 0/687. **SDE/2024/1664.**

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	2	3	4	5	6	7
1	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:2:4 (One cement; two sand; four graded broken/crushed stone aggregate 20mm (Twenty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	16.65 Cubic metres			Per cubic metre	
<b>TOTAL :-</b>						


  
 Executive Engineer,  
 H.P.P.W.D. Division,  
 Tanda at Nagrota Bagwan.

**SCHEDULE OF QUANTITY**

ESTIMATED COST: - ₹ 99450.00  
 EARNEST MONEY :- ₹ 2000.00  
 TIME LIMIT :- TWO MONTHS

NAME OF WORK:- Construction of Children Activities at village Thamba in Tehsil Baroh, Distt. Kangra (H.P.).  
 SUB HEAD:- Providing and fixing outdoor GYM equipment etc; (VKV/2024/2109) DEPOSIT WORK.

Sr. No.	Description	Quantity	In fig.	Rate		Unit	Amount
				in words			
1	Providing and fixing Health Walker (Air Walker) add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	3	4	5		6	7
2	Providing and fixing Double Leg Press add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number				Each	
3	Providing and fixing Pull Up and Chin Up Bars add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number				Each	
4	Providing and fixing Monkey Bars add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number				Each	
<b>TOTAL:-</b>							


  
 Executive Engineer,  
 H.P.W.D Division,  
 Tanda at Nagrota Bagwan.

**SCHEDULE OF QUANTITY**

ESTIMATED COST :- ₹ 98726.00  
 EARNEST MONEY :- ₹ 2000.00  
 TIME LIMIT :- TWO MONTHS

NAME OF WORK:- Construction of Shamshan Ghat at Tikka Akrana Bath in Distt. Kangra (H.P.).  
 SUB HEAD:- Construction of Shed for Shamshan Ghat etc;(Under Head SDP/2017/209).

Sl. No.	Description	Quantity	In fig.	Rate		Unit	Amount	
				in words				
1	2	3	4	5	6	7		
1	Excavation work by mechanical means (Hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead including entire carriage of materials within all leads, lifts and other incidentals.	0.36 Cubic metres			Per cubic metre			
2	Supplying, filling, spreading & leveling stone boulders of size range 5 cm to 20 cm (Five centimetre to twenty centimetre) nominal size in recharge pit, in the required thickness and as directed by the Engineer-in-charge including carriage of materials within all leads, lifts and other incidentals.	1.80 Cubic metres			Per cubic metre			
3	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	2.16 Cubic metres			Per cubic metre			
4	Steel work welded in built up tubular (Round, square or rectangular hollow tubes etc; including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works complete and as per approved drawing, design including carriage of materials within all leads, lifts and other incidentals and as directed by the Engineer-in-Charge.	238.08 Kilo grams			Per kilo gram			
5	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete including entire carriage of materials within all leads, lifts and other incidentals	491.40 Kilogram			Per Kilo-gram			
6	Providing and fixing pre-coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 .mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	27.30 Square metres			Per square metre			
<b>TOTAL:-</b>								




**SCHEDULE OF QUANTITY**

ESTIMATED COST :- Rs. 99200.00  
 EARNEST MONEY :- Rs. 2000.00  
 TIME LIMIT : ONE MONTH

**NAME OF WORK :-** Construction of Panchvati Park at G.P. Balol, in District Kangra, (H.P.). Deposit Work  
**SUB-HEAD :-** Earth filling for site Development. (SDP/2023/572)

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	2	3	4	5	6	7
1	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etcetra in layers not exceeding 20cm (Twenty centimetre) in depth, consolidating each deposited layer by ramming and watering, upto any lead and lift complete as directed by the Engineer-in-charge, within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	496.00 Cubic meters			Per cubic metre	
<b>TOTAL :-</b>						

  
 Executive Engineer,  
 H.P.P.W.D. Division,  
 Tanda at Nagrota Bagwan.

**SCHEDULE OF QUANTITY**


ESTIMATED COST: - Rs. 89463.00  
 EARNEST MONEY :- Rs. 1790.00  
 TIME LIMIT : TWO MONTHS

**NAME OF WORK :-** Completion of Community Bhawan Tika Kanda Ward No. 4 at Sunhi in District Kangra, (H.P.). **Deposit work.**  
**SUB-HEAD :-** Balance work of Community Bhawan. (VKV/2022/2221).

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	2	3	4	5	6	7
1	6mm (Six millimetres) thick cement plaster to ceiling in cement mortar 1:3 (One cement : Three sand) upto all floor levels complete including carriage of material within all leads, lifts and other incidentals as per approved specifications, drawing, design and as directed by the Engineer-in-charge.	38.61 Square metres			Per square metre	
2	15mm (Fifteen millimetre) thick cement plasters in single coat on rough side of single or half brick/concrete/stone walls for interior plastering upto all floor level including arrises, internal rounded angles, chamfers or rounded angles not exceeding 80mm (Eighty millimetres) in girth and finished even and smooth with cement mortar 1:4 (One cement : four sand) above plinth level to floor all level complete including carriage of material with in all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge.	47.34 Square metres			Per square metre	
3	15mm (Fifteen millimetre) thick cement plasters in single coat on fair side of brick/concrete/stone walls for interior plastering upto all floor level including arrises, internal rounded angles, chamfers and rounded angles not exceeding 80mm (Eighty millimetres) in girth and finished even and smooth with cement mortar 1:6 (One cement: Six sand) above plinth level to floor all level complete including carriage of material with in all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge.	67.45 Square metres			Per square metre	
4	Providing and laying 600x600 mm (Six hundred into six hundred millimetre) size antiskid vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% (Zero point zero eight percent) and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm (Twenty millimetre) thick cement mortar 1:4 (One cement : four coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm (Three point three kilogramme per square metre) including grouting the joints with white cement and matching pigments etcetra complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	16.79 Square metres			Per square metre	
5	Providing and fixing M.S. grills fixed to steel windows by welding of required pattern in frames of windows etc. with M.S. flats, square or round bars fixed to openings/wooden frames with rawl plugs screws etcetra including priming coat with approved steel primer complete as per architectural drawings including carriage of material within all leads, lifts and other incidentals, as per approved specifications drawing, design and as directed by the Engineer-in-charge.	42.21 Kilograms			Per kilo-gram	

<p>Providing and fixing 35 mm (Thirty five millimetre) thick Kiln seasoned selected planks of 2nd (Second) class deodar wood panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately. (Note:- Butt hinges and necessary screws shall be paid separately) complete as per architectural drawings including carriage of material within all leads, lifts and other incidentals, as per approved specifications drawing, design and as directed by the Engineer-in-charge.</p>	<p>0.70 Square metres</p>		<p>Per Square metre</p>
<p>7 Providing and fixing 12mm (Twelve millimetres) thick prelaminated board both side bwp phenol bonded exterior/ interior grade panelled shutters including bright finished/ black enamelled iron butt hinges with necessary screws complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.</p>	<p>1.19 Square meters</p>		<p>Per square metre</p>
<p>8 Providing and fixing Second class teak wood 35 mm (Thirty five millimetre) thick glazed shutters for doors, windows and clerestory windows using 4 mm (Four millimetre) thick float glass panes, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.</p>	<p>1.32 Square meters</p>		<p>Per square metre</p>
<p>9 Providing and fixing 250x16mm (Two hundred fifty into Sixteen millimetres) size aluminium Pilot/sheel sliding door bolts anodized transparent or dyed to required colour and shade with necessary screws etcetera including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.</p>	<p>1 Numbers</p>		<p>Each</p>
<p>10 Providing and fixing 150x10mm (One hundred fifty into ten millimetres) size aluminium Pilot/sheel tower bolts anodized transparent or dyed to required colour and shade with necessary screws etcetera including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.</p>	<p>8 Numbers</p>		<p>Each</p>
<p>11 Providing and fixing 125mm (One hundred twenty five millimetres) nominal size aluminium Pilot/sheel handles to required colour or shade with necessary screws etcetra complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.</p>	<p>14 Numbers</p>		<p>Each</p>
<p>12 Providing and fixing bright finished brass hard drawn 200 mm (Two hundred millimetres) size hooks and eyes complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.</p>	<p>12 Numbers</p>		<p>Each</p>

<p>Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etcetra complete including carriage of material within all leads, lifts and other. incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.</p>	<p>1</p> <p>Numbers</p>		<p>Each</p>	
<p>14 Providing and applying white cement based putty of Birla / JK average thickness 1mm (One millimetres) thick, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete upto all floor level complete including carriage of material with in all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge.</p>	<p>153.40</p> <p>Square metres</p>		<p>Per square metre</p>	
<p>15 Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : One or more coats on new work complete and as per direction of Engineer-In-Charge including entire carriage of materials within all leads, lifts and other incidentals.</p>	<p>85.95</p> <p>Square metres</p>		<p>Per Square metre</p>	
<p><b>TOTAL :-</b></p>				

  
 Executive Engineer,  
 H.P. W.D. Division,  
 Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY


ESTIMATED COST :- ₹ 99999.00  
 EARNEST MONEY :- ₹ 2000.00  
 TIME LIMIT : TWO MONTHS

NAME OF WORK :- Construction of Mahila Mandal Bhawan at Khawa in Tehsil Baroh, Distt. Kangra (H.P.) DEPOSIT WORK. (SDF/2016/928).

SUB-HEAD :- Construction of Building portion only.

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig	In words		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within a any lead complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	3 6.91 Cubic metres	4	5	6 Per cubic metre	7
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering plain cement concrete 1:3:6 (One Cement : Three coarse sand : Ten graded stone aggregate 20 mm (Twenty millimetres) nominal size complete as per drawing and HP-PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	0.58 Cubic metres			Per cubic metre	
3	Providing form work with steel plates of 3.15mm (Three decimal one five millimeters) thick, welded with angle iron in frames of 30x30x5mm (Thirty into Thirty into Five millimeters), so as to give a fair finish including centering, shuttering strutting and propping etc, with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in foundation footings, bases of columns and mass concrete complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	7.12 Cubic metres			Per cubic metre	
4	Providing form work with steel plates of 3.15mm (Three decimal one five millimeters) thick, welded with angle iron in frames of 30x30x5mm (Thirty into Thirty into Five millimeters), so as to give a fair finish including centering, shuttering strutting and propping etcetera with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in columns pillar posts and struts square rectangular polygonal in plan complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	13.44 Square metres			Per square metre.	
5	Providing form work with steel plates of 3.15mm (Three decimal one five millimeters) thick, welded with angle iron in frames of 30x30x5mm (Thirty into Thirty into Five millimeters), so as to give a fair finish including centering, shuttering strutting and propping etc, with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in beams cantilevers girders lintels sides and soffits of beams haunchings cantilevers bressumers and lintels upto all depths complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	15.36 Square metres			Per square metre.	

S. No.	Description of Items	Quantity		Rate		Unit	Amount	
		In fig	In words	In fig	In words			
1	2	3		4	5	6	7	
6	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per drawing and HP.PWD technical specifications and as directed by Engineer-In-charge including carriage of material within all leads, lifts and other incidentals and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	1.00 Cubic metres				Per cubic metre		
7	Providing Tor steel reinforcement for reinforced cement concrete work including bending, binding, cutting, straightening and placing in position complete including cost of binding wires complete upto all floor levels complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	440.07 Kilo grams				Per kilo-gram		
8	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement 1:1.5:3 (One cement : One and half coarse sand : Three graded stone aggregate 20 mm (Twenty millimetres) nominal size including carriage of material within all leads, lifts and other incidentals as per approved drawing, design, specifications and as directed by the Engineer-In-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	1.01 Cubic metres				Per cubic metre		
9	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with cement concrete 1:1.5:3 (One cement; one point five sand; three graded broken/crushed stone aggregate 20mm (Twenty millimetres) nominal size complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	3.79 Cubic metres				Per cubic metre		
<b>TOTAL :-</b>								

  
 Executive Engineer,  
 H.P.P.W.D. Division,  
 Tanda at Nagrota Bagwan.

**SCHEDULE OF QUANTITY**


ESTIMATED COST :- Rs. 94896.00  
 EARNEST MONEY :- Rs. 1900.00  
 TIME LIMIT : TWO MONTHS

**NAME OF WORK :-** Construction of Hall for Mahila Mandal at Kandi in District Kangra, (H.P.). Deposit work.  
**SUB-HEAD :-** Balance work of Hall. (SDP/2016/930).

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	2	3	4	5	6	7
1	6mm (Six millimetres) thick cement plaster to ceiling in cement mortar 1:3 (One cement : Three sand) upto all floor levels complete including carriage of material within all leads, lifts and other incidentals as per approved specifications, drawing, design and as directed by the Engineer-in-charge.	42.48 Square metres			Per square metre	
2	1.5mm (Fifteen millimetre) thick cement plasters in single coat on rough side of single or half brick/concrete/stone walls for interior plastering upto all floor level including arrises, internal rounded angles, chamfers or rounded angles not exceeding 80mm (Eighty millimetres) in girth and finished even and smooth with cement mortar 1:4 (One cement : four sand) above plinth level to floor all level complete including carriage of material with in all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge.	69.48 Square metres			Per square metre	
3	15mm (Fifteen millimetre) thick cement plasters in single coat on fair side of brick/concrete/stone walls for interior plastering upto all floor level including arrises, internal rounded angles, chamfers and rounded angles not exceeding 80mm (Eighty millimetres) in girth and finished even and smooth with cement mortar 1:6 (One cement: Six sand) above plinth level to floor all level complete including carriage of material with in all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge.	79.24 Square metres			Per square metre	
4	Providing and fixing M.S. grills fixed to steel windows by welding of required pattern in frames of windows etc. with M.S. flats, square or round bars fixed to openings/wooden frames with rawl plugs screws etcetra including priming coat with approved steel primer complete as per architectural drawings including carriage of material within all leads, lifts and other incidentals, as per approved specifications drawing, design and as directed by the Engineer-in-charge.	44.27 Kilograms			Per kilo-gram	
5	Providing and fixing 35 mm (Thirty five millimetre) thick Kiln seasoned selected planks of 2nd (Second) class deodar wood panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately. (Note:- Butt hinges and necessary screws shall be paid separately) complete as per architectural drawings including carriage of material within all leads, lifts and other incidentals, as per approved specifications drawing, design and as directed by the Engineer-in-charge.	0.70 Square metres			Per Square metre	
6	Providing and fixing 12mm (Twelve millimetres) thick prelaminated board both side bwp phenol bonded exterior/ interior grade panelled shutters including bright finished/ black enamelled iron butt hinges with necessary screws complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	1.19 Square metres			Per square metre	

7	Providing and fixing Second class teak wood 35 mm (Thirty five millimetre) thick glazed shutters for doors, windows and clerestory windows using 4 mm (Four millimetre) thick float glass panes, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	2.20 Square meters			Per square metre
8	Providing and fixing 2nd (Second) class deodar wood 35 mm (Thirty five millimetre) thick wire gauge shutters using galvanized M.S. wire gauge of average width of aperture 1.4 mm (One point four millimetre) in both directions with wire of dia 0.63 mm (Zero point sixty three millimetre), for doors, windows and clerestory windows with hinges and necessary screws with ISI marked M.S. pressed butt hinges bright finished of required size complete including carriage of material with in all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	2.20 Square metres			Per square metre
9	Providing and fixing 250x16mm (Two hundred fifty into Sixteen millimetres) size aluminium Pilot/sheel sliding door bolts anodized transparent or dyed to required colour and shade with necessary screws etcetera including carriage of material within all leads, lifts and other. incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	1 Numbers			Each
10	Providing and fixing 150x10mm (One hundred fifty into ten millimetres) size aluminium Pilot/sheel tower bolts anodized transparent or dyed to required colour and shade with necessary screws etcetera including carriage of material within all leads, lifts and other. incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	10 Numbers			Each
11	Providing and fixing 125mm (One hundred twenty five millimetres) nominal size aluminium Pilot/sheel handles to required colour or shade with necessary screws etcetra complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	10 Numbers			Each
12	Providing and fixing bright finished brass hard drawn 200 mm (Two hundred millimetres) size hooks and eyes complete including carriage of material within all leads, lifts and other. incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	5 Numbers			Each
13	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etcetra complete including carriage of material within all leads, lifts and other. incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	1 Numbers			Each

14	Providing and fixing 110 mm (One hundred ten millimetres) diameter on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10mm (Ten millimetres) gap for thermal expansion single stocked pipes complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	7.00 Running metre	Per Running metre	
15	Providing and fixing 110 mm (One hundred ten millimetres) diameter bend 87.5 degree on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10mm (Ten millimetres) gap for thermal expansion single stocked pipes complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	4.00 Numbers	Each	
16	Providing and fixing 110 mm (One hundred ten millimetres) diameter shoe on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10mm (Ten millimetres) gap for thermal expansion single stocked pipes complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	2.00 Numbers	Each	
17	Providing and fixing 110 mm (One hundred ten millimetres) unplasticised - PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50mm (Fifty into fifty into fifty millimetres) hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (One cement : four coarse sand) and making good the wall etcetra complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	8 Numbers	Each	
18	Providing and applying white cement based putty of Birla / JK average thickness 1mm (One millimetres) thick, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete upto all floor level complete including carriage of material with in all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge.	191.20 Square metres	Per square metre	
19	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : One or more coats on new work complete and as per direction of Engineer-In-Charge including entire carriage of materials within all leads, lifts and other incidentals.	69.48 Square metres	Per Square metre	
<b>TOTAL :-</b>				

  
 Executive Engineer,  
 H.P.P. W.D. Division,  
 Tanda at Nagrota Bagwan.


**SCHEDULE OF QUANTITY**

ESTIMATED COST :- ₹ 99680.00  
 EARNEST MONEY :- ₹ 2000.00  
 TIME LIMIT :- TWO MONTHS

NAME OF WORK:- Restoration of Rain Damages on various roads under H.P.P.W.D. Sub-Division, Nagrota Bagwan in Distt. Kangra (H.P.).

SUB HEAD:- Repair of culvert at RDs 0/270, 2/390 and 4/150

Sr. No.	Description	Quantity	In fig.	Rate		Unit	Amount
				in words			
1	2	3	4	5	6	7	
1	Demolishing cement concrete manually/ by mechanical means Nominal concrete 1:3:6 or richer mix (including equivalent design mix) including disposal of material upto any lead as directed by the Engineer-In-charge, including carriage of materials within all leads, lifts and other incidentals	1.47 Cubic metres			Per cubic metre		
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	5.88 Cubic metres			Per cubic metre		
3	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works complete as per drawing and HP.PWD technical specifications and as directed by Engineer-In-charge including carriage of material within all leads, lifts and other incidentals.	619.77 Kilogram			Per kilo-gram		
<b>TOTAL:-</b>							

  
 Executive Engineer,  
 H.P.P.W.D Division,  
 Tanda at Nagrota Bagwan.


**SCHEDULE OF QUANTITY**

ESTIMATED COST :- ₹ 199350.00  
 EARNEST MONEY :- ₹ 4000.00  
 TIME LIMIT :- TWO MONTHS

NAME OF WORK:- Re-Construction of Maintenance of Park at Village Akrana in Tehsil Baroh, Distt. Kangra (H.P.).  
 SUB HEAD:- Providing and fixing outdoor GYM etc; (SDF/2024/1630) DEPOSIT WORK.

Sr. No.	Description	Quantity	In fig.	Rate		Unit	Amount
					in words		
1	2	3	4	5	6	7	
1	Providing and fixing Health Walker (Air Walker) add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each		
2	Double Cross Trainer add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each		
3	Providing and fixing Double Leg Press add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each		
4	Providing and fixing Pull Up and Chin Up Bars add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each		
5	Providing and fixing Monkey Bars add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each		
6	Providing and fixing Arm and Pedal Bicycle (Hand & Foot) add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each		

7	Providing and fixing Rowing Machine add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number	Each	
8	Providing and fixing Waist Twister add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number	Each	
<b>TOTAL: -</b>				

  
 Executive Engineer,  
 H.P.P.W.D. Division,  
 Tanda at Nagrota Bagwan.


**SCHEDULE OF QUANTITY**

ESTIMATED COST: - ₹ 199350.00  
 EARNEST MONEY : - ₹ 4000.00  
 TIME LIMIT : - TWO MONTHS

NAME OF WORK:- Re-Construction of Maintenance of Park at Village Jassai in Gram Panchayat Ratiyar in Tehsil Baroh, Distt. Kangra (H.P.).  
 SUB HEAD: - Providing and fixing outdoor GYM etc; (SDF/2024/1436) DEPOSIT WORK.

Sr. No.	Description	Quantity	In fig.	Rate	Unit	Amount
				in words		
1	2	3	4	5	6	7
1	Providing and fixing Health Walker add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each	
2	Double Cross Trainer add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each	
3	Providing and fixing Double Leg Press add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each	
4	Providing and fixing Pull Up and Chin Up Bars add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each	
5	Providing and fixing Monkey Bars add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each	
6	Providing and fixing Arm and Pedal Bicycle (Hand & Foot) add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each	

7	Providing and fixing Rowing Machine add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number		Each	
8	Providing and fixing Waist Twister add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number		Each	
<b>TOTAL:-</b>					

  
 Executive Engineer,  
 H.P. W.D. Division,  
 Tanda at Nagrota Bagwan.


**SCHEDULE OF QUANTITY**

ESTIMATED COST: - ₹ 197734.00  
 EARNEST MONEY :- ₹ 4000.00  
 TIME LIMIT :- TWO MONTHS

NAME OF WORK:- Construction of Panchvati Park in Gram Panchayat Balol in Tehsil Baroh, Distt. Kangra (H.P.).  
 SUB HEAD: - Providing and fixing Open GYM, Edge wall and Railing etc; DEPOSIT WORK. SDP/2023/572

Sr. No.	Description	Quantity	In fig.	Rate		Unit	Amount
					in words		
1	2	3	4	5	6	7	
1	Providing and installation Health Walker (Air Walker) add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each		
2	Providing and installation Double Leg Press add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each		
3	Providing and installation Pull Up and Chin Up Bars add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each		
4	Providing and installation Monkey Bars add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1 Number			Each		
5	Excavation work by mechanical means (Hydraulic excavatory)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead including entire carriage of materials within all leads, lifts and other incidentals.	6.38 Cubic metres			Per cubic metre		
6	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering. Plain cement concrete 1:3:6 (One Cement : Three coarse sand : Ten graded stone aggregate 20 mm (Twenty millimetres) nominal size complete and as per drawing and HP.PWD technical specifications and as directed by Engineer-In-charge including carriage of material within all leads, lifts and other incidentals.	15.29 Cubic metres			Per cubic metre		
7	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7 as directed by the Engineer-In-charge including carriage of materials within all leads, lifts and other incidentals.	6.00 Running metres			Per running metre		

8	Backfilling with granular material behind abutment, wing wall and return wall complete as per drawings and technical specification Clause 1204.3.8, granular material as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	4.29 Cubic metres			Per cubic metre
9	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	198.00 Kilogram			Per kilo-gram
<b>TOTAL:-</b>					


  
 Executive Engineer,  
 H.P.P.W.D Division,  
 Tanda at Nagrota Bagwan.

**SCHEDULE OF QUANTITY**

ESTIMATED COST :- Rs. 297606.00  
 EARNEST MONEY :- Rs. 60000.00  
 TIME LIMIT : TWO MONTHS

**NAME OF WORK :-** Construction of Link road from NH-20A house of Sh. Ishwar Dass in village Barehar in District Kangra, (H.P.). **Deposit Work**  
**SUB-HEAD :-** Construction of U-Shape Drain at RD 0/179 to 0/270, Providing and laying cement concrete pavement at RD 0/176.50 to 0/229.90. **SDP/2021/1159**

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	2	3	4	5	6	7
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within a any lead as directed by the Engineer-in-charge, within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	35.04 Cubic metres			Per cubic metre	
2	Loosening of the ground upto a level of 300 mm (Three hundred millimetre) below the subgrade level, watered, graded and compacted in layers to meet requirement of Tables 300.1 and 300.2 for subgrade construction as per Technical Specification Clause 303.5.2, complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	30.28 Cubic metres			Per cubic metre	
3	Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III size [75mm( seventy five millimeters) compacted thickness] to water bound macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (Eighty-Hundred) K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point eighteen) cubic metres per 10 Sqm (per ten square metres) and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per technical specifications Clause No. 405 and as per direction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidental.	11.35 Cubic metres			Per cubic metre	
4	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:2:4 (One cement; two sand; four graded broken/crushed stone aggregate 20mm (Twenty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	22.71 Cubic metres			Per cubic metre	
5	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:3:6 (One cement; three sand; six graded broken/crushed stone aggregate 40mm (Forty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	27.41 Cubic metres			Per cubic metre	
<b>TOTAL :-</b>						

  
 Executive Engineer,  
 H.P.P.W.D. Division,  
 Tanda at Nagrota Bagwan.


**SCHEDULE OF QUANTITY**

ESTIMATED COST :- Rs. 149443.00  
 EARNEST MONEY :- Rs. 3000.00  
 TIME LIMIT : TWO MONTHS

**NAME OF WORK :-** Completion of Shiv Shakti Mahila Mandal Bhawan at Balol in District Kangra, (H.P.). Deposit work.  
**SUB-HEAD :-** Balance work of Bhawan. (VKV/2022/2216).

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	2	3	4	5	6	7
1	Providing and laying water proofing treatment on roofs of slabs by applying cement slurry mixed with water proofing cement compound consisting of applying (a) after surface preparation, first layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. (b) laying second layer of Fibre glass cloth when the first layer is still green. Overlaps of joints of fibre cloth should not be less than 10 cm (c) third layer of 1.5 mm thickness consisting of slurry of cement @ 1.289 kg/sqm mixed with water proofing cement compound @ 0.670 kg/sqm and coarse sand @ 1.289 kg/sqm. This will be allowed to air cure for 4 hours followed by water curing for 48 hours. The entire treatment will be taken upto 30 cm on parapet wall and tucked into groove in parapet all around. (d) fourth and final layer of brick tiling with cement mortar (which will be paid for separately. (For the purpose of measurement the entire treated surface will be measured complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	97.24 Square metres			Per square metre	
2	Providing and fixing 1mm (One millimetre) thick M.S. sheet door with frame of 40x40x6 mm (Forty into forty into six millimetre) angle iron for diagonal braces and 3 mm (Three millimetre) M.S. gusset plates at the junctions and corners, all necessary fittings complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	8.21 Square metres			Per square metre	
3	Structural steel work of Tata / Sail / Reliance / Jindal riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer in grating, frames, guard bar, ladder, railing, brackets, gates and similar works complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	535.72 Kilograms			Per kilo-gram	
4	Providing and fixing fly proof wire gauge to windows, clerestory windows & doors with M.S. Flat 15x3 mm (Fifteen into three millimetre) of average width of aperture 1.4 mm (One point four millimetre) in both directions with wire of dia 0.63 mm (Zero point sixty three millimetre), for doors, windows and clerestory windows with hinges and necessary screws complete including carriage of material with in all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge.	21.79 Square metres			Per square metre	

5	Providing and fixing 110 mm (One hundred ten millimetres) diameter on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm (Ten millimetres) gap for thermal expansion, Single socketed pipes complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	21.00 Running metre	Per Running metre	
6	Providing and fixing 110 mm (One hundred ten millimetre) bend 87.5° (Eighty seven point five degree) on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm (Ten millimetre) gap for thermal expansion complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	12 Numbers	Each	
7	Providing and fixing 110 mm (One hundred ten millimetres) diameter shoe on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10mm (Ten millimetres) gap for thermal expansion single socketed pipes complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	6.00 Numbers	Each	
8	Providing and fixing 150 mm (One hundred fifty millimetres) unplasticised - PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50mm (Fifty into fifty into fifty millimetres) hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (One cement : four coarse sand) and making good the wall etcetra complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	24 Numbers	Each	
<b>TOTAL :-</b>				

  
 Executive Engineer,  
 H.P.P.W.D. Division,  
 Tanda at Nagrota Bagwan.


**SCHEDULE OF QUANTITY**

ESTIMATED COST :- Rs. 195898.00  
 EARNEST MONEY :- Rs. 3920.00  
 TIME LIMIT : TWO MONTHS

**NAME OF WORK :-** Repair of Dr. Bhim Rao Ambedkar Community Bhawan at Ustehar in District Kangra, (H.P.). Deposit work.  
**SUB-HEAD :-** Balance work of Hall. (VKV/2021/2408).

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	2	3	4	5	6	7
1	Stone Filling in plinth with approved stone under floors including watering, ramming, consolidating and dressing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	13.35 Cubic metres			Per cubic metre	
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:2:4 (One cement; two sand; four graded broken/crushed stone aggregate 20mm (Twenty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	13.35 Cubic metres			Per cubic metre	
3	Brick work with common burnt clay F.P.S. (Non modular) building bricks of class designation 12.5 (Twelve point five) conforming to IS :2222 in super-structure upto all floor level in cement mortar 1:6 (One cement isto Six sand) and curing complete including carriage of material within all leads, lifts and other incidentals as per approved specifications, drawing, design and as directed by the Engineer-in-charge.	0.06 Cubic metres			Per cubic metre	
4	6mm (Six millimetres) thick cement plaster to ceiling in cement mortar 1:3 (One cement : Three sand) upto all floor levels complete including carriage of material within all leads, lifts and other incidentals as per approved specifications, drawing, design and as directed by the Engineer-in-charge.	93.01 Square metres			Per square metre	
5	15mm (Fifteen millimetre) thick cement plasters in single coat on rough side of brick/concrete/stone walls for interior plastering upto all floor level including arrises, internal rounded angles, chamfers or rounded angles not exceeding 80mm (Eighty millimetres) in girth and finished even and smooth with cement mortar 1:6 (One cement : Six sand) above plinth level to floor all level complete including carriage of material with in all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	87.91 Square metres			Per square metre	
6	15mm (Fifteen millimetre) thick cement plasters in single coat on fair side of brick/concrete/stone walls for interior plastering upto all floor level including arrises, internal rounded angles, chamfers and rounded angles not exceeding 80mm (Eighty millimetres) in girth and finished even and smooth with cement mortar 1:6 (One cement: Six sand) above plinth level to floor all level complete including carriage of material with in all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge.	123.24 Square metres			Per square metre	

<p>Structural steel work of Tata / Sail / Reliance / Jindal riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer in grating, frames, guard bar, ladder, railing, brackets, gates and similar works complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.</p>	<p>222.93 Kilograms</p>			<p>Per kilo-gram</p>
<p>8 Providing and fixing 1mm (One millimetre) thick M.S. sheet door with frame of 40x40x6 mm (Forty into forty into six millimetre) angle iron for diagonal braces and 3 mm (Three millimetre) M.S. gusset plates at the junctions and corners, all necessary fittings complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.</p>	<p>4.86 Square metres</p>			<p>Per square metre</p>
<p><b>TOTAL :-</b></p>				

  
 Executive Engineer,  
 H.P.P.W.D. Division,  
 Tanda at Nagrota Bagwan.