Himachal Pradesh Public Works Department

No PW/DD/CB/Tender/2025-26:-

6001-08

Dated: 15 10 2025

To

The Executive Engineer (I T Cell) O/o the Engineer-In- Chief Nigam Vihar HPPWD Shimla-2

Subject:-

Publication of Tender Notice .

Dear Sir,

Enclosed please fined herewith the Tender Notice of work as given in the Notice Inviting Tender for uploading on department website as per notification Pr. Sect.(PW) to the Govt. of Himachal Prsdesh letter No PBW(B)A(3)1/2024 dated Shimla-2 the 03.01.2024 as the work mentioned in the tender notice are urgent in nature and in public interest.

DA/ Notice Intviting Tender.

Executive Engineer, Dharamshala Division, HPPWD Dharamshala

Copy forwarded for information to:-

- The Superintending Engineer 5th Circle HPPWD Palampur.
- 2. All the Assistant Engineer working under this Division.
- 3. Copy to Ab/ DB of this Division.
- 4. Notice Board.

Executive Engineer, Dharamshala Division, HPPWD Dharamshala.



Office of Executive Engineer Dharamshala Division HPPWD Dharamshala Himachal Pradesh Public Works Department Dharamshala -176215 Phone No.01892-224946 Fax 222065 E-mail ee-dha-hp@nic.in

"NOTICE INVITING TENDERS"

Sealed percentage rate tenders on forms 6 & 8 are hereby invited by the Executive Engineer, Dharamshala Division, HPPWD Dharamshala on emergent basis for the below mentioned works from the approved and eligible contractors enlisted in HPPWD so as to reach in his office on or before 24.10,2025 upto 11:00 AM and the same shall be opened on the same day at 11:30 AM in the presence of the tender opening committee and intending contractors/firms or their authorized representatives. The tender documents can be had from this office against cash payment/Non refundable) on 23.10.2025 between 2:00 PM to 5:00 PM and the applications for issue of tender forms shall be received upto 12:30 PM on 23.10.2025.

The Earnest Money in the shape of NSC's / FDR's Deposit/Bank Guarantee at Call of any of the Post office/Bank duly pledged in favour of XEN HPPWD. Dharamshala must be accompanied with the tender documents. Please note that no exemption orders of earnest money will be entertained. Conditional tenders and the tenders received without earnest money as mentioned above will summarily be rejected. The offer of the tenders shall be kept open for 75 days. The Executive Engineer reserves the right to reject any tender or all tenders without assigning any reasons. The contractors should be registered as a dealer GST Tax Act.2018 and also produce the clearance certificate from the Excise and Taxation department and the contractor will also have to attach the labouar employer licence from the labour office with the application. The tender documents shall only be issued to those contractors/firms who will produce the photo copy of their enlistment/renewal, if happens to be a holiday on the day of opening of tenders the same will be opened on the next working day at the same time and venue:-

Sr. No.	Name of Work	Estimated cost in Rs.	Money Rs.	Time limit	Cost of Tender form
L	Repair of District Consumer Court office building at Dharamshala Distt, Kangra HP (SH:- Repair of Ground floor of the building)	30061/-	600/-	Two Months	350/-
2.	Annual repair & Maintenance of Sub Division office building at Dharamshala Ditt. Kangra HP(Sub Head:- Providing and installation computer system H.P ALL in One UPS in sub Division Office)	85000/-	1700/-	One month	350/-
3.	Restoration of rain damage on Various road in Sidhbari Section under HPPWD No II Dharamshala in Distt. Kangra H.P (SH:- Removal of Slips at various RDs)	98520/-	2000/-	One month	350/-
4,	Special repair to Judicial Court Complex at Dharamshala Distt. Kangra HP (SH;- Providing and fixing Aluminium work and other work etc.(Old Building, new Block front side)	93777/-	1900/-	Two Months	350/-
5.	Restoration of rain damage on Various road in Khaniyara Section Under HPPWD No I Sub Division Dharamshala Distt, Kangra HP (SH:- Removal of Slip at Various RDs)	98640/-	2000/-	One month	350/-
6.	Restoration of rain Damage on various Roads Under Chilgari Section in Sub Division No I in Tehsil Dharamshala Distt. Kangra HP (Sh:- Repair of damage drain)	99375/-	2000/-	Two Months	350/-
7.	Special repair of Type –II Quarter for the staff of Deputy Commissioner office at Dharamshala Distt. Kangra HP (DC Deposit) (Sh:- Replacement of old C.G.I roofing and providing and laying tile flooring and other minor repair work)	99988/-	2000/-	Two Months	350/-
8.	Restoration of rain damage on Various road in Mecleoganj Section Under HPPWD No I Sub Division Dharamshala in Distt. Kangra HP (SH:- Removal of slip at Various RDs)	99000/-	2000/-	One Months	350/-
9.	Repair of Jeepable road to Sudesh Kumar and other house G.P Rakkar in Tehsil Dharamshala Distt Kangra HP (Sh:- Providing and laying Interlocking paver block at RD 0/400 to 0/420) (Deposit work)	97630/-	2000/-	Two Months	350/-
10.	A/R & M/O Vidhan Sabha Main building at Tapovn in Tehsil Dharamshala Distt. Kangra HP (Sh:- Renovation of Toilet and Sanitary work etc.)	99947/-	2000/-	Two Months	350/-
11,	Restoration of rain damage on Various road in under Sub Division No I Dharamshala in Distt, Kangra H.P (Sh:- Removal of Slips at various roads)	99120	2000/-	One month	350/-
12.	Construction of Rajiv Gandhi Model Day Boarding School at Govt. (Boys) Senior Secondary School Dharamshala Distt. Kangra HP (Sh:- Geo Technical Investigation)	99750/-	2000/-	One Month	350/-
13.	Construction of Judiciary at Dharamshala Distt. Kangra HP (Deposit Work) (SH:- Providing and Fixing Transparent sheet ceiling in C.J.M Residence bathroom/ damaged portion roofing in new block, glass panes in old Block and steel work etc)	89631/-	1800	Two Months	350/-
14.	Construction of 50 Bedded Intergrated Ayush Hospital at Dharamshala Distt. Kangra HP (Deposite work) (SH:- Geo Technical Investigation)	99750/-	2000/-	One Month	350/-
15.	Annual repair and Maintenance Rirkumar Dal Lake road km 0/000 to 8/130(Portion Barnet to Ghera km 5/030 to 8/130) in Tehsil Dharamshal Distt. Kangra HP (Sh:-Providing and fixing roofing work for the construction of rain shelter at Rd 5/030)	99971/-	2000/-	Two Months	350/-

16.	Restoration of rain damage on approaches road to circuit House Building (New and old Block at Chilgari Dharamshala Distt, Kangra HP (SH:- Construction of damaged	98598/-	2000/-	Two Months	350/-
17.	Retaining wall with Pusta at RD 0/030 to 0/032,40) Construction of Health Sub Centre building at Thatri Dharamshala Distt. Kangra HP	98500/-	2000/-	Two Months	350/-
8.	(Deposit Work) (SH:- Construction of Boundary Wall) Additional Accommodation of Canteen in Zonal Hospital at Dharamshala Distt. Kanora HP (Deposit Work) (SH:- Providing and laying tile flooring and Aluminum	99341/-	2000/-	Two Months	350/-
9.	work etc. for the construction of Hall over New Canteen) Restoration of rain damage on approach road to Circuit House Building New and old Block) at ChilagariDharamshala Distt. Kangra HP (Sh:- Re- Construction of	99318/-	2000/-	Two Months	350/-
0.	damaged retaining wall with Pusta at Rd 0/033 to 0/035.40) Special Repair to Zonal/Hospital at Dharamshala Distt. Kangra HP (Deposit Work) (Sh:- Replacement/ Providing and Fixing of G.I Sheet in leackage Portion in roofing	77216/-	1600/-	Two Months	350/-
1.	Block-C) Repair and Maintenance Residence of Additional District Magistrate Kangra at Dharmeshala Distr. Kangra HP (Deposit Work) (SH:- Distempering and Painting	96924/-	2000/-	Two Months	350/-
2.	work etc. in Additional District Magistrate Residence at Chilgari) Repair of Link road Dal Satobari Barnet road Km 0/000 to 1/550 in Tehsil Dharamshala Distt. Kangra HP (Deposit work) (SH;- Construction of U-Shape drain	62064/-	1300/-	Two Months	350/-
3.	at RD 2/270 to 2/275) Repair of Dharamshala to Narghota road km 0/000 to 2/000 in Tehsil Dharamshala Distt. Kangra HP (Deposit Work) (Sh:- Construction of P.C.C Retaining wall	98915/-	2000/-	Two Months	350/-
14.	alongwith road between km 1/772 to 1/778) Restoration of rain damage on Dharamshala Khaniyara road at RD 0/000 to 8/000 in Tebsil Dharamshala Dista Kangra HP (SH:- Construction of P.C.C Retaining wall	97389/-	2000/-	Two Months	350/-
5.	Pusta and wire crate work at RD 3/425 to 3/433) Deposit work Repair of retaining wall near land of Sh Chota Ram Bhimsen and other ward No 3 G.P. Chetru in Tehsil Dharamshala Distt, Kangra HP (Deposit work) (SH:-	48596/-	1000/-	Two Months	350/-
26.	Construction of widening of retaining wall RD 0/427 to 0/429.30) Pastoration of rain damage on Chetru Sheela Dari road km 0/000 to 6/660 (SH:-C/o	99990/-	2000/-	Two Month	350/-
27,	Pusta Wall at RD 5/700 to 5/705.50 2 rd And 3 rd Steps) A/R &M/O Vidhan Sabha Main building at Tapovan in Tehsil Dharamshala Distt. Kungra HP (SH:-Interior Painting of Police Hall/ kitchen und exterior painting of	99721/-	2000/-	Two Month	350/-
28.	Restoration of rain damage on link road Chetru Sheela Dari in Tehsil Dharamshala	98700/-	2000/-	Two Month	350/-
29,	Restoration of rain damage on Chetru Sheeta Dari road kin 0000 to 6000 (SEL-CO	98475/-	2000/-	Two Month	350/-
30.	Restoration of rain Damage on link road from Jadrangai to Palota kill 000 to 11000 in Tehsil Dharamshala Distt. Kangra HP (SH;- Providing and fixing W-Metal Beam	99609/-	2000/-	Two Month	10000
31.	Crash Barrier at RD 0/480 to 0/550) Restoration of rain damage on link road from Khaniyara to Rakkar via Tillu Naddi road km 0/000 to 2/390 in Tehsil Dharamshala Distt Kangra HP (SH:- C/o Protection	98421/-	2000/-	Two Months	350/-
32.	work for abutment of Bridge at RD 1/200) Restoration of rain damage on Baroi to Paddar km 0/000 to 2/220 in Tehsil Dharamshala Distt Kangra HP (SH:- C/o U-Shape drain including M.S grating at RD	87513/-	1800/-	Two Months	350/-
33.	1/350 to 1/358) Repair of link road Tapovan to Breh road km 0/000 to 1/500 in Dharamshala Distt Kangra HP (Deposit work) (SH:- Repair of unlined drain surface and preparation	89500/-	1800/-	Two Months	350/-
34.	consolidation of sub grade at Rd 0/600 to 0/800) Repair of link road Bagiara to Old Himani Chamunda km 0/000 to 1/00 in Tehsil Dharumshala Distt Kangra HP (DC Deposit) (SH;- Repair of CC Pavement at	89316/-	1800/-	Two Months	350/-
35.	various RDs 0/660 to 0/275) Restoration of rain damage on Sidhpur to Khaniyara damaged caused due to laying of underground optical fiber cable km 0/000 to 4/000 in Tehsil Dharamshala Distr. Kangra HP (Against Telecom Deposit) (SH:- C/o Hume Pipe Culvert Culvert 600)	99023/-	2000/-	Two Months	350/-
36.	Mmm dia at RD 1/145) Restoration rain damage on link road from Yol Buchari to Balehar to link road Restoration rain damage on link road from Yol Buchari to Balehar to link road Dharamshala Yol Dadh Palampur road in Tehsil Dharamshala Distt Kangru HP (Sh:-	99312/-	2000/-	Two Months	350/-
37	C/o 1.00 mtrs span RCC Slab culvert at RD 0/440 (Sub Structure) Repair of road Bagiara to Old Chamunda to old Himani Chamunda km 0/000 to 1/000 in Tehsil Dharamshala Distt Kangra HP (DC Deposit) (SH:- Repair of CC	89598/-	1800/-	Two Months	350/-
38.	Repair of link road Chateher raod km 0/000 to 1/500 in Tehsil Dharamshala Distr Kanara HP (Deposit work) (SH;- Repair of C.C. Pavement House of Sh Pawara	89675/-	1800/-	Two Months	350/
39.	Bhatia to Rajesh Gurung ward No 6 G.P. Rakkar) A/R & M/O Residential building in HPPWD Colony near office of C.E. (KZ) HPPWD Dharamshala Distt. Kangra HP (SH:- Construction of Chamber and	99692/-	2000/-	Two Months	350/
40.	painting works in Type-III qtr. New Block) painting works in Type-III qtr. New Block) All A MAD Time. II Juvetter S-10 at PWD Coloney at Dharamshala Distr. Kangra		1400/-	Two Months	350/
41.	HP (SH:- Providing and laying Tile Flooring distempering and painting work etc) Repair of A.S.P Residence Police line at Dharamshala Distt. Kangra HP (SH:- Providing and Fixinf CGI Sheet roofing over toilet)		900/-	Two Months	350/

42.	C/o 4 Nos Type –III Quarters at Excises and Taxition Department Dharamshala Distt. Kangra (Sh- Geo Technical Investigation)	99750/-	2000/-	Two Months	350/-
43.	Construction of Play Ground at G.P Narwana in Tehsil Dharamshala Distt Kangra HP (Deposit work)(SH:- Construction of wire crate wall at RD 0/12.50 to 0/17.50 (5 ⁶ to 6 th layer and RD 0/18 to 0/25.20) Ist Layer	97800/-	2000/-	Two Months	350/-
44.	Restoration of rain damage on Sanoura to Jatchar road km 0/000 to 10/340 in Tehsil Dharamshala Distt Kangra HP (Sh;- Construction damaged P.C.C Retaining wall at RD 8/980 to 8/988)	99957/-	1900/-	Two Months	350/-
45.	Additional Accommodation of Canteen in Zonal Hospital at Dharumshal Distt, Kangru HP (Depsoit Work) (SH:- Painting and fixing Prepainted sheet roofing for the construction of Hall over New Canteen)	99505/-	2000/-	Two Months	350/-
46.	C/o Building Hall and one room at Top Floor at Govt Secondary School Jandrangal in Tebsil Dharamshala Distt Kangra HP (Deposit Work) (SH;- Painting work and minior work etc.)	62208/-	1200/-	Two Months	350/-
47.	Annual repair & Maintenance of Non-Residential building circuit House at Chilgari Dharamshala Distt. Kangra HP (Sh;- construction of Manhole Inspection Chamber and Cement Concrete work etc in old Block)	94051/-	1900	One Month	350/-
48.	Restoration of rain damage on Kotwali Bazar Ghandhi Park to Kala Pul upto by Pass Junction km 0/000 to 2/00 in Tehsil Dharamshala Distt. Kangra HP (SH:-Providing and laying Cement Concrete patch work at different locations)	77055/-	1600/-	One Month	350/-
49.	Annual Reapir & Maintenence of residential Type –III quarter No 7A (on 1st Floor and Quarter No 8 (on Ground floor) for PWD Staff at Chilgari Dharamshala Distt. Kangra HP (SH:- Providing and fixing wood work Tile flooring and other minor repair works etc.)	98007/-	2000/-	Two Months	350/-
50,	Special repair of type-II Quarter for the staff of Deputy Commissioner office at Dharamsghala Distt, Kangra HP (DC Deposit) (SH:- Providing and fixing wood work Santary work and other repair work etc.)	99936/-	2000/-	Two Months	350/-
51.	Repair of link road Bagiara to old Himani Chamunda km 0/00 to 1/00 in Tehsil Dharamshala Distt, Kangra HP (DC Deposit)(SH:- Repair of C.C work pavement at various at RD 0/880 to 0/923)	89268/-	1800	Two Months	350/-
52.	Construction of link road Kaned to Thamba km 0/000 to 1/000 in Tehsil Dharamshala Distt, Kangra HP (SH:- C/o P.C.C retaining wall at RD 0/200 to 0/210)	97355/-	1900	Two Months	350/-
53.	Restoration of rain damage on various roars in Khaniyara Section under HPPWD Sub Division No I Dharamshal in Distt. Kangra HP (Sh:- Removal of Slip at Various RDs)	98760/-	2000/-	One Month	350/-

Certified that above work for urgent nature and require immediate execution.

6009 70

Executive Engineer, Dharamshala Division,

HPPWD Dharamshale
On behalf of Governor of Himachal Pradesh.

Dated

15/10/2025

No. PWD-DD/CB/M-34/2025-26:-

Copy to the following for information and necessary action:-

The Chief Engineer (KZ) HP.PWD Dharamshala.

- The Superintending Engineer, 5th Circle HP.PWD, Palampur.
- The Deputy Commissioner Kangra at Dharamshala.
- 4. The Commissioner Dharamshala Municipal Corporation.
- 5. All the Executive Engineer, working under Kangra Zone.
- The SDM & Tehsildar Dharamshala.
- The BDO Dharamshala /Rait.
- All the Assistant Engineers working under this Division.
- All the Head of the Branches in this office.
- 10. All the Contractors working under this Division.

Notice Board.

Executive Engineer, Dharamshafa Division, HPPWD Dharamshafa

PROOFE OF COMMITTEE

ESTIMATED COST: EARNEST MONEY: TIME LIMIT :

30061.00 600.00 Two Months

8

NAME OF WORK: - Repair of District Consumer court office building at Dharamshala, Distr. Kangra H.P.,

SUB-HEAD: - Repair of Ground floor of the building:

ead 1.76 1150.00 Rupees One Thousand Per one Cubic One Hundred Fifty met the Metres Cubic Fifty Only The Metres froi. Square wed metre fing Running Ru		ds)	(Amount to be quoted by the contractor in words)	be quoted	Amount to	Quated Rate in Words (%)	
ead 1.76 1150.00 Rupees One Thousand Per Cubic One Cubic One Hundred Fifty Pretre Only One Hundred Fifty Pretre Cubic Pres Cubic Cubic Cubic Cubic Cubic Fifty Only Per Cubic Prot. Square wed metre fing Running Running Running Running Running Fifty Only Per Square Pete Square Square Square Square Running Runni		re)	by the contractor in Figu	be quoted i	Amount to	Quated Rate in Figure (%)	
ead 1.76 1150.00 Rupees One Thousand Per Cubic one Cubic One Hundred Fifty metre (Ith), (Ith) Only One Hundred Fifty metre (Ith), (Ith) Only Only Only Only Only Only Only Only	30061.00	OTAL :-					
ead 1.76 1150.00 Rupees One Thousand Per Cubic one Cubic One Hundred Fifty metre lity, 1150.00 Rupees Five Thousand Per Cubic Only Only Metres croi, 17.58 550.00 Rupees Five Hundred Per etc. Square wed metre fing fax, 16.80 55.00 Rupees Fifty Pive Only Per rege Running Running Metres	13000.00	Square metre		650,00	20.00 Square metres	5 Providing plinth protection 50mm (Fifty millimetres) thick cement concrete 1:3:6 (One cement isto Three sand isto Six graded crushed stone aggregate 20mm (Twenty millimetres) nominal size including finishing the top surfaces of concrete smooth, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.	Us.
lead 1.76 1150.00 Rupees One Thousand Per Cubic tone Cubic One Hundred Fifty metre only ality, ality, Cubic Cubic Cubic Chares Cubic Fifty Only Cubic Cubic Cubic Fifty Only Cubic C	924,00	Per Running Metre	Rupees Fifty Five Only	55.00	16.80 Running Metres	4 Fixing glass strips in joints of terrazzo floors: 40 mm (forty millimetres) wide and 4 mm (four millimetres) thickness, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, mailthana, tall tax, sale tax, GST or any other taxes imposed by the Government.	ž.
lead 1.76 1150.00 Rupees One Thousand Per Cubic tone Cubic One Hundred Fifty metre Only ality, -All 0.88 S050.00 Rupees Five Thousand Per Cubic tres) Cubic Fifty Only metre	9669.00	Per Square metre		550.00	17.58 Squire metre	3 Providing and laying Cement concrete flooring 1:2:4 (one cement isto two coarse sand isto four graded stone aggregate) finished with a floating coat of nest cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40 mm (forty milimetre) thick with 20 mm (twenty milimetre) nominal size stone aggregate, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of actroi, royality, maikhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	w
lead 1.76 1150.00 Rupees One Thousand Per Cubic tone Cubic One Hundred Fifty metre Only	4444,00	Per Cubic metre	Rupees Five Thousand Fifty Only	5050.00	0.88 Cubic Metres	the cost of centering and shuttering dstone aggregate 40mm (forty millime or directions and entire satisfaction of incidentals. The rate is inclusive of oc enment.	N
	2024,00	Per Cubic metre	Rupees One Thousand One Hundred Fifty Only	1150.00	1.76 Cubic metres	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 (filty) metres as per direction of Engineer - in - charge Nominal concrete 1:3:6 (one cement isto three sand isto six graded staggregate) or richer mix including equivalent design mix. as per directions and entire satisfaction of the Enginee Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royal malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	
in a	7	6	Úi.	da	Lu:	2	
In fig In words	100		in words	Infig	CAST NAME		No.
Description of items: Quantity RATES Unit Amount	Amount	Unit		RATES	Quantity	Description of items	'n

Executive Engineer,
Dharamship a Division,
HPPWQDHaramship

ESTIMATED COST: -85000.00

EARNEST MONEY:-1700.00 1700.00 One month

NAME OF WORK: Annual Repair and Maintenance of Sub Division Office building at Dharamshala , Distt. Kangra H.P.

SUB MEAD: Providing and installation computer system H.P. All, UPS in Division office

Total: 85000.00		(Amount to be puoted by the contractor in words)	Amount to	Quoted Rate in Words (%)	Que
	(Amount to be quoted by the contractor in Figure)	be quoted by	Amount to	Quated Rate in Figure (%)	Que
	Tot				
				imposed by the Government.	imp
				incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes	inco
				entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other	ent
	thousand and paise		Number	backup with three year warranty, as per approved drawing, design, specifications and as per directions and	bac
h 7000.00	Rupees seven Each	7000.00	1.00	2 Providing and installation HP UPS Dual Battery with Backup Legend 1000VA one thousand with Power	2 Pro
				sale tax, GST or any other taxes imposed by the Government.	sale
				material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royadty, malkhana, toll tax,	mad
*(1)				specifications and as per directions and entire satisfaction of the Engineer in Charge including carriage of	Spe.
	**			Cam & Mouse win 11 Pro and MS office with three year warranty, as per approved drawing, design,	Can
	and paise zero only		Number	512 SSD with 24 inch (twenty four inch) FHD screen WiFi Bluetooth Wireless Keyboard Mouse with Web	512
h 78000.0	Rupees seventy eight Each	78000.00	1.00	Providing and installation of Computer system HP ALI in One Destop Core 15 - II th 16 GB (sixteen Gigabyte)	7 Pro
6 7	5	ži.	lu	2	20
	in word	in fig			NO.
Unit Amount	Rate		Quantity	Description of items	Sr

Dharamshala Division,

Schedule of Quantity

ESTIMATED COST: -

98520.00

22

TIME LIMIT

EARNEST MONEY: -

One month 2000.00

NAME OF WORK :-Restoration of rain damages on various road in Sidhbari Section Under HPPWD Sub Division No. II, Dharamshala in Distt. Kangra H.P.

SUB HEAD :-

Removal of slips at various R.D.

	words)	(Amount to be quoted by the contractor in words)	be quote	(Amount to	Quated Rate in Words (%)	
	Figure)	(Amount to be quoted by the contractor in Figure)	be quote	(Amount to	Quated Rate in Figure (%)	
98520.00	Total :-					
98520.00	Per Cubic metre	hundred twenty and paise zero only	120.00	821.00 Cubic metres	I Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slips and disposal of cut materials within lift upto 1.50 mtrs. (One decimal fifty metres) and lead upto 1000 mtrs (One thousand metres) as per technical specification 3022.3.5 and 1611 complete, as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	h4
7	6	5	4	3	2	1
		words	In fig			No.
Amount	Unit	Rate		Quantity	Description of items	S

Dharamshala Division, HPPWD Dharamshala Executive Engineer,

ESTIMATED COST: - ₹

Two Months 93777.00 1900.00

EARNEST MONEY:- *

Speical Repair to Judicial Court Complex at Dharamshala, Distt. Kangra H.P. TIME LIMIT

					drawing, design and as directed by the tagained in the Government
	ro Kilogram	Rupees six hundred Per eighty and paise zero Kilogram only	680.00	8.82 Kilogramm s	inclusive, toll taxes, GST and any other taxes imposed by the Government. 2 providing and fixing aluminium work for shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required wherever required including the cost of EPDM rubber / neoprene gasket required or (Fittings shall be paid for separately) Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic roating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic roating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic roating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic roating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic roating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic roating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic roating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic roating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic roating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic roating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic roating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic roating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic roating of grade AC 15 dyed to required shade according to IS: 1868, Minimum anodic roating to IS: 1
101 Sees	X	Rupees six hundred fifty and paise zero only	650.00	15.63 jilogramm s	windows, sections/ to IS: 733 necessary red EPDM e, straight, Aluminium omplete as g, paneling (anodised dic coatin identals, a
	0	Ut	4	(io	
7		In words	In fig		Description of items
	COLUMN TO A COLUMN	TES		Quantity	

					royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.
					material within all leads, lifts and other incidentals. The rate is inclusive of octrol,
					directions and entire satisfaction of the Engineer-in-Charge including carriage of
				metres	smooth complete, as per approved drawing, design and specifications and as per
	square	three and paise fifty		Square	mm (one milimetre) over the plastered wall surface to prepare the surface even and
1771.00	Per		73.50	24.09	6 Providing and applying white cement based putty of Birla / JK average thickness 1
1623,00	Per square metre	Rupees ninety and paise zero only	90,00	18.03 Square metres	5 Painting with synthetic enamel paint Asian / Dulux / Berger / Nerolac Suraksha paints of approved brand and manufacture of required colour to give an even shade two or more coats on old work (wood & steel work) , as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
12025.00	Per Square metre	Rupees one hundred thirty and palse zero only	130.00	92.50 Square metres	A Finishing wall with Apex weather proof exterior grade emulsion of Asians Paints (Nerolac suraksha /Bergur paint Exterior Emulsion as per approved shade approved design (Apexultima) on undecorated wall surfaces (two coats) to give an even shade and final finish after throughly cleaning the surface to remove all dirt, dust and other foreign matter etc including sand paper smooth complete, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
* 55413,00	Per Square metre	Rupees one hundred fifteen and paise zero only	115.00	481.85 Square metres	If wall painting (two coat) with plastic emulsion paint of Nerolac/Asian paint/ Berger of approved brand and manufacture on decorated wall surface to give an even shade including thoroughly brushing the surface clean of all dirt grease, loose of scale and sand papered smooth, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toil tax, sale tax, GST or any other taxes imposed by the Government.
7	6	5	4	3	2

	vords)	(Amount to be quoted by the contractor in words)	o be quoted	(Amount t	Quated Rate in Words (%)	
	gure)	be quoted by the contractor in Figure	o be quoted	(Amount to	Quated Rate in Figure (%)	
1	TOTAL					
					taxes imposed by the Government.	
					The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other	-
-					in-Charge including carriage of material within all leads, lifts and other incidentals.	
	-	zero only		metres	approved drawing, design, as per the entire satisfaction and direction of the Engineer	
	metre	hundred and palse		Square	clips in steel door, windows, clerestory windows, all completed, as per specification,	
	Per	Rupees one	1100.00	6.17	Providing and fixing 4mm thick (four milimetres) glass panes with putty and glazing	
	Ġ	t)s	4	ш	2	

Executive Engineer, Dharamenata Division, HPPWO Bharamshala

Schedule of Quantity



ESTIMATED COST: - ₹ 98640.00

EARNEST MONEY: - ₹ 2000.00

TIME LIMIT : One month

NAME OF WORK :-Restoration of rain damages on various road in Khaniyara Section Under HPPWD Sub Division No. I, Dharamshala in Distt. Kangra

Removal of slips at various R.D.

SUB HEAD :-

quoted by t	he contracto	(Amount to be quoted by the contractor in words)
o be	be quoted by the contracto	(Amount to be quoted by the contractor in Figure)
		Total :-
0000	120.00 Rupees one hundred twenty and paise zero or	Pe enty n
	4 5	4 5 6
100	in Jig words	words
	Rate	Rate

Executive Engineer,
Dharamshala Division,
HPPWD DKaramshala



EARNEST MONEY: -ESTIMATED COST: -

SUB-HEAD :-NAME OF WORK :-Restoration of rain damages on various Roads Under Chilgari Section in Sub Division No. 1 in Tehsil Dharamshala, Distt. Kangra HP ... Repair of damaged drain TIME LIMIT RS. RS.

TWO MONTHS

99375.00 2000.00

	ure)	(Amount to be quoted by the contractor in Figure) (Amount to be quoted by the contractor in words)	be quoted	Amount to		
99375.00	TOTAL :-	7			Quoted Rate in Figure (%)	
80775.00	Per Square metre	Rupees forty five and paise zero only	45.00	1795,00 Square metres	2 Making up loss of material / irregularities on shoulders to the design level by adding fresh approved selected soil and compacting in with appropriate equipement at OMC upto a lead of 1000m as per technical specification clause 1903, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	N
18600.00	Per running metre	Rupees four and paise Per zero only mei	4.00	4650.00 Running metres	The maintenance of drains include erosion, repair, cleaning, reshaping, regarding, deepening of side drains as well as catch water drains as per technical specification Clause 1907, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	2
Amount	Unit	RATES	In fin	Quantity	peaciption of items	No.

Executive Engineer, Dharamshala Division, HPPWD Dharamshala



ESTIMATED COST: - 3

EARNEST MONEY: 3

TIMELIMIT

Two Months 2000.00

SUB-HEAD -NAME OF WORK :-Replacement of old C.S. L. roofing and providing and laying tile flooring and other minor repair work Special Repair of Type-II Quarter for the staff of Deputy Commissioner office at Dharamshala, Distr. Kangra H.P. (DC Deposit)

fing ridges, hips, valleys and gutters etc., and stacking the material within 50 (liftly metres) lead wed drawing, design and specifications and as per directions and entire satisfaction of the ring carriage of material within all seads, lifts and other incidentals. The rate is inclusive of octrol, it sale tax, GST or any other taxes imposed by the Government, and entire satisfaction of the materials within 50 mtr. (liftly metre) lead, as per directions and entire satisfaction of the materials within all leads, lifts and other incidentals. The rate is inclusive of octrol, case tax, GST or any other taxes imposed by the Government. Sold mm, I sak hundred into six hundred milimetre) vitrofied floor siles, of Restile/ Johnson/ Nicco/ upolo / Somany /Orient Bell as per approved shade and design of the office (thickness to be curred) with water absorption least than 0.08%. I zero decimal zero eight percentage and of approved make, in all colours and shades, lad on 20mm (swenty milimetre) thick cement store four coarse sand), pointing with grey cement sturry @ 3.3 kg/ som three decimal three including growthing tile points with white cement and matching pigments excettere occupied; as easily, specifications and as per directions and entire satisfaction of the Engineer-in-Clause in within all leads, lifts and other incidentals. The rate is including octrol, royality, Malkana, toll tax, GST or any other taxes other incidental. The rate is including octrol, royality, Malkana, toll tax, GST or any other taxes other incidental. The rate is including octrol, royality, Malkana, toll tax, GST or any other taxes other.	ne contractor in v	Amount to be graced by the contractor in words	
Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 (fifty metres) lead 6.5. Sheet, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer in Charge including carriage of material within all seads. lifts and other ancidentals. The rate is inclusive of octroi, royality, malkhana, itoli fas, sale tax, 657 or any other taxes imposed by the Government. Dismantling cereon asbestos or other hard board celling or partition walls including stacking of serviceable materials within 50 mtr. (fifty metre) lead, as per directions and entire satisfaction of the Engineer in Charge including carriage of material within all leads, lifts and other includentals. The rate is inclusive of octroi, royality, malkhana, toli tax, sale tax, 657 or any other taxes imposed by the Government. Providing and laying 600x600 mm; (ax hundred into six hundred milimetre) withfield floor tiles of Restile/ Johnson/ Nicro/ royality, malkhana, 145 (an experience) with water absorption leas than 0.08% (a zero decimal zero eight percentage) and conforming to 15: 15622, of approved make, in all colours and shades, late on 20mm (a twenty milimetre) thick coment mortar 1.4 (one cement sto four coarse sand), pointing with grey cement sturry (a) 3.3 kg/ sqm. (three decimal three langiage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toli tax, sale tax, 655 or any other (taxes imposed by the Government. Providing and fixing 10mm (ten millimetres) thick verified wall tiles Nitco or equivalent 600x600mm (5k hundred into so hundred millimetres) manufactured of approved shade and colour in bosing, treads of steps and landings laid over 12mm (tweke millimetres) manufactured of approved shade and colour in bosing, treads of steps and landings laid over 12mm (tweke millimetres) take cement accomplete as per direction of Engineer-in-Charge including carnage of materials with pigment or ma	and to be greated by the contractor in		Quated Rate in Words (%)
Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 (lifty metres) lead 6.5. Sheet, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer in-Charge including carriage of material within all sads, lifts and other incidentals. The rate is inclusive of octroit, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government. Dismantling cement askestos or other hard board ceiling or partition walls including stacking of serviceable materials within 50 mtr. (lifty metre) lead, as per directions and entire satisfaction of the Engineer in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroit royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government. Providing and laying 600x600 mm [six hundred into six hundred milimetre] vitrified floor tiles of Restlie/ Johnson/ Nicco/ Rox / Kajaria / AGL / Simpolo / Sonawy /Othert Bell as per approved stade and design of the office (thickness to be specified by the manufacture) with water absorption less than 0.08% zero decimal zero eight percentage) and conforming to 15: 15622, of approved drawing the joints with white cement slurry @ 3.3 kg/ sgm three decimal three biogram per squaremeters including granding the joints with white cement and matching pigments etcetora complete, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is including other media and colour in flooring, treads of steps and landings laid over 12mm (Twelve millimetres) manufactured of approved shade and colour in flooring, treads of steps and landings laid over 12mm (Twelve millimetres) manufactured of approved shade and colour in flooring, treads of steps and landings laid over 12mm (Twelve millimetres) thick cement into	TOTAL : (Amount to be quoted by the contractor in Figure)	3	
Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 [lifty metres] lead 6.5. Sheet, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all seads, lifts and other incidentials. The rate is inclusive of other incidentials in the rate is inclusive of other land disposal of unserviceable materials within 50 mtr. (fifty metre) lead, as per directions and entire satisfaction of the Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate is inclusive of otrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government. Providing and laying 600x600 mm [six hundred into six hundred millimetre] vitrified floor tiles of Restile/ Johnson/ Nicco/ Rak / Rajara / AGL / Simposio / Somany /Orient Reji as per approved shade and design of the office (thickness to be specified by the manufacturer) with water absorption less than 0.08% [zero decimal zero eight percentage) and conforming to its: 15622, of approved make, in all colours and shades, late on 20mm (twenty millimetre) thick degram per squaremetre) including growing growing shades, late on 20mm (twenty millimetre) three decimal three kidogram per squaremeter) including shades, late on 20mm (twenty millimetre) three decimal three kidogram per squaremeter) including shades, late on 20mm (twenty millimetre) three decimal three kidogram per squaremeter) including shades, late on the growing and shades of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, per sale tax, GST or any other taxes imposed by the Government.	4.00 1350.00 Rupees One Square Thousand Three metres Hundred Fifty Only	3 6	
Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 (fifty metres) lead G.S. Sheet, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all sads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government. Dismantling cement assessos or other hard board ceiling or partition walls including stacking of serviceable materials and disposal of unserviceable materials within 50 mtr. (fifty metre) lead, as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government:	5quare Thousand Four square metres Only Per Only	- 10 C	3 Providing and laying 600x600 mm (six hundred into six hundred millimetre) vitrified floor tiles of Restile/ Johnson/ Naco/ Raic / Kojana / AGL / Simpolo / Somany / Others Bell as per approved shade and design of the office (thickness to be specified by the manufacturer) with water absorption less than 0.08% zero decimal zero eight percentage) and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm (! swenty millimetre] thick cement montar 1.4 (one cement isto four coarse sand), sointing with grey cement slurry @ 3.3 kg/ sgm three decimal three kilogram per squaremetre) including growting the joints with white cement and matching pigments escenter complete, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 (fifty metres) lead G.S. Sheet, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all seads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government,	33.65 95.00 Rupees Ninety Five Per Square Only Square metres	Territor 100 (1974) 1111	Dismantling cement asbestos or other hard board ceiling or partition walls including stacking of serviceable materials and disposal of unserviceable materials within 50 mtr. (fifty metre) lead, as per directions and entire satisfaction of the Engineer in Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
2	201.88 125.00 Rupers One Per Square Hundred Twenty Square metre	20 100 63	
	3 4 5		
	In Fig. In words	4 7	

Executive I Timeer, Dharamshala Division, HPPWP Dharamshala

Schedule of Quantity

NAME OF WORK :-Restoration of rain damages on various road in Mcleodganj Section Under HPPWD Sub Division No. 1, Dharamshala in Distt. Kangra

SUB HEAD :- Removal of slips at various R.D.

Quated Rate in Words (%)	Quated Rate in Figure (%)		I Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slips and disposal of cut materials within lift upto 1.50 mtrs. (One decimal fifty metres) and lead upto 1000 mtrs (One thousand metres) as per technical specification 3022.3.5 and 1611 complete, as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	1 2		Description of items
(Amoun	(Amoun		uiring blasting by 825.00 d disposal of cut Cubic es) and lead upto metres ion 3022.3.5 and the Engineer-inother incidentals. e tax, GST or any	(3)	1	Quantity
t to be quot	t to be quot			4	In fig	Y
(Amount to be quoted by the contractor in words)	(Amount to be quoted by the contractor in Figure)		120.00 Rupees one hundred twenty and paise zero only	5	words	Kate
in words)	in Figure)	10101 :-	Per Cubic metre	6		OIII
		99000.00	99000.00	7		MINUME

Executive Engineer, Oharamshala Division, HPPWD Onaramshala





		-	20		No.	-HS	Name	
Quoted rate in figure (%)	inclusive of octroi, royality, malkana and all type of taxes imposs.	including carriage of material within all leads, line and controlled by the Government.	Government. Government Government Froviding and laying 60mm Sixty millimetres) thick inter locking paver blocks heavy duty precast cement concrete of NTC or as approved by the HPPWD inter locking paver blocks precast cement concrete of NTC or as approved by the HPPWD inter locking paver blocks precast cement concrete of NTC or as approved by the HPPWD inter locking paver blocks or coloured with occupant upto M-50 (M-Fifty) grade including border or kurb block Grey or coloured over sub-base of concrete withn 25mm (Twenty five millimetres) thick average thickness of cement mortar 1:4 (One cement: Four sand) laid over and jointed with neat cement slurry complete (sub-base concrete floor to be paid for separately) as per specification, approved drawing, design, as per the entire satisfaction and direction of the Engineer-In-Charge drawing, design, as per the entire satisfaction and direction findentals. The rate is	aggregate) 40 mm (forty millimetre) nominal size in all type of structure and retaining aggregate) 40 mm (forty millimetre) nominal size in all type of structure and retaining aggregate) 40 mm (forty millimetre) nominal size in all type of structure and reproved drawing aggregate) 40 mm (forty millimetre) nominal size including the cost of centering, shuttering and finishing complete as per directions and entire satisfaction of the Engineer-index design, specifications and as per directions and entire satisfaction in reveality. Malkhana, toll taxes, GST and any other taxes imposed by the	graded stone 1:4:8 (1 cement : 4 coarse sand : 8 graded stone	Providing and laying intervening percription of Item	Name of work:- Repair of Jeepable road link road to Sh. Sudesh Kumar and other house G.P. Rakkar in Tehsil Dharamshala, Distt. Kangra H.P. Rate in Unit Amount	
(Amount to be quoted by the contractor in words)			49.50 Square metre		6.10 Cubic metre	Quantity	G.P. Rakkar	
quoted by	guoted by		1350.00		5050.00	Figures	n Tehsil [65
the contracto	the contracto		One Thousand Three Hundred Fifty Only	71 =	Five	Words	Time Limit: Two Month. Dharamshala, Distt Kangra unit Amo	Bs 2000.00
ir in words	ir in figure		- (n	Per	Cubic	Per	Two Mor	- Rs 20
3	-	97,630.00		66,825.00		30,805.00	angra H.F.	00.00

Executive Exgrecer,
HPPWD (B&R) Division,
DHARAWISALA



NAME OF WORK :-Annual Repair and maintenance of Vidhan Sabha Main building at Tapovan in Tehail Dharamshala, Distt. Kangra H.P. Renovation of Toilet and Sanitary work etcetera

The second secon	n.			v		Α υ				4	No V
size/diameter P.V.C. floor trap ISI marked of Finolex , Relipipe (Reliance) , Vectus ISI marked Confirming to 8IS-14735- Numbers 99 of self-cleaning design including fixing with approved adhesive , cost of cutting and making good the wall and floor etcetera complete, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material, within all leads, lifts and other incidentals. The rate is inclusive of	The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.	-	Providing and fixing 75mm (seventy five millmetre) diametre Plain Tee of P.V.C. Polyvinyl Chloride (CPVC) ofof Finolex	fittings complete, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhama, toll tax, sale tax, GST or any other taxes imposed by the Government.	Orient/RAX/Kajaria/Somany/Johnson/ Bell in flooring on 12mm (twelve millimetre) thick cement mortar 1:3 (one cement isto three sand) laid over and jointed with neat cement sturry finished with flush pointing in white cement mixed with pigment of required shade to match the shade of tiles complete within all leads, lifts of materials and other incidentals, as per approved architectural drawing, design and specification as directed by the Engineer-in-Charge. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	to plinth lew s) naminal siz incidentals. by the Govern	as per direction of Engineer - in - charge Nominal concrete 1:3:6 (one coment isto three sand isto six graded stone aggregate) or richer mix including equivalent design mix, as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of actrol, royality, maikhana, toll tax, sale tax, GST or any other taxes imposed by the Government.			Description of Items
			Numbers	2.00	15 Running metres	3.88 Square metres	0.57 Cubic metres	0.57 Cubic metres	w		Quantity
500.00				250.00	280.00	1325.00	4850.00	1150.00	44	Infig	
Rupees Five Hundred Only			Hundred Fifty Only	Rupees Two	Rupees Two Hundred Eighty Only	Rupees One Thousand Three Hundred Twenty Five Only	Rupees Four Thousand Eight Hundred Fifty Only	Rupees One Thousand One Hundred Fifty Only	5	In words	RATES
Each		1		Each	Per running metre	Per Square metre	Per Cubic metre	Per Cubic metre	6		Unit
1500.00			3	500.00	4200.00	\$141.00	2765.00	656.00	7		Amount

ESTIMATED COST: - &
EARNEST MONEY: &

TIME LIMIT

148

Two Months 99947.00

5		12 11			0	00	~
(Forty five Centimetres) length of Finolex , Relpipe (Reliance) , Vectus as per approved drawing, design and N specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.		with S.S. triangular ngineer-in-Charge of octroi, royality,	-		pipes and fittings, as directed by Engineer-in-charge all kind of soil within all leads, lifts of materials and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive, toll taxes, GST and any other taxes imposed by the Government.	pattern, including painting of fittings and brackets, cutting and making good the walls wherever require White Vitreous China Flat back wash basin size 630x450mm(six hundred thirty into four hundred fifty milimetres)) of Cera / Hindware / Jaquar of star white/snow white shade with single 15 mm C.P. brass pillar tap , as directed by Engineer-in-charge all kind of soil within all leads, lifts of materials and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive, toll taxes, GST and any other taxes imposed by the Government. Providing and fixing white vitreous china backets! For each taxes imposed by the Government.	"Ovioing and fixing wash basin with Cit. brackets: 15 mm CP, brack nilling table 27
5 Numbers	3 Numbers	3.00 Number	3 Numbers	2.00 Numbers	3 Numbers	Numbers	
150.00	1150.00	500.00	190,00	\$250.00	2850.00	3850.00	
Rupees One Hundred Ninety Only	Rupees One Thousand One Hundred Fifty Only	Rupces Five Hundred Only	Rupees One Hundred Ninety Only	Rupees Five Thousand Two Hundred Fifty Only	Rupees Two Thousand Eight Hundred Fifty Only	Rupres Three Thousand Eight Hundred Fifty Önly	
Each	Each	Each	Each	Each	Each	Each	100
950.00	3450.00	1500.00	570.00	10500.00	8550.00	11550,00	

F	an	ap of	do	19 Pn	ot	W	10	P	20	0	18 Pr		m	2	plus	17 Pr	g- =	. 0	0		The Party of the P	16 P 9) 1	7 .0		15 P	-	0	d.	U	14 P
The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.	approved adhesive etc. complete complete, as per approved drawing, design and specifications and as per directions	door, insertion rubber washer 3 mm (three millimetre) thick bolts and nuts iSI marked complete including fixing with	Providing and fixing 110mm (One hundred ten milimetre) diametres PVC (polyvinyl chloride) door bend with oval access	other taxes imposed by the Government.	within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any	specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material	pipes & fittings with one step CPVC solvent cement and testing of joints complete , as per approved drawing, design and	& brass threaded fittings, including fixing the pipe with clamps at 1.00 m (one metre) spacing. This includes jointing of	775	Providing and fixing 15 mm (fifteen millimetre) nominal outer dia Pipes of Hindware/Cera/ Jaquar (Heavy Type)	octrol, royality, malkhana, toll tax, sale tux, GST or any other taxes imposed by the Government.	Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of	conforming to IS:8931 as approved by Engineer - in - charge and as per directions and entire satisfaction of the	series of Hindware /Ocean series of Cera / Vintage series of Kerovite & Hindon series of Jal of approved quality	Providing and fixing 15 mm (fifteen millimetres) nominal bore C.P. brass bib tap of Continental series of Japan / Contess	Government	directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other	cleats with C.P. brass screws and washers complete, as per approved drawing, design and specifications and as per	lal of superior glass (of approved quality) complete with 6 mm (six millimetre) thick hard board ground fixed to wooden	series of Jaquar / Contess plus series of Hindware /Ocean series of Cera / Vintage series of Kerovite & Hindon series of	Providing and fixing 600x450 mm (six hundred into four hundred fifty milimates) haveled edge mirror of Continents.	crigates and the country carriage of material within all leads, lifts and other incidentals. The rate is inclusive of	oved by Engineer - in - charge and as per directions and	are /Ocean series of Cera / Vintage se	nue 3	malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality,	trap , as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-In	plus series of Hindware /Ocean series of Cera / Vintage series of Kerovite & Hindon series of Jal for gully floor or Nahru	Providing and fixing 100mm (One hundred millimetre) diametres C.P. Grating of Continental series of Jaquar / Contess
			Numbers	ω					metres	Running	18.50				Numbers	2				The state of the s	Numbers	0			Numbers	w				Numbers	i.
				250.00			2				390.00				-	1150.00					OUTOCOT	1050.00				1350.00					100.00
			Hundred Fifty Only	Rupees Two					Only	Hundred Ninety	Rupees Three		1 0 0	Hundred Fifty Only	Thousand One	Brings One				Only	Thousand Effec			Hundred Fifty Only	Thousand Three	Rupees One			,	Hundred Only	Ruppes One
	4	ū.		Each					metre	running	Per				6000	Each				14	Each .					Each				The same	Fach
				750.00							7215.00				2000000	200.000					3150,00				2000	4050.00				Sept. sept.	200,000

23 4mm (four millimetre) thick First Class Indian teak ply wooden paneling upto 135mm (one hundred thirty five millimetres) height over 50x30mm (fifty into thirty millimetres) soft wood gird frame work at 600mm (six hundred millimetres) centre to centre and over 19mm (nineteen millimetres) thickness play board with decorative teak wood beading over teak ply of size 25x12mm (twenty five into twelve millimetres) having moulding on both side comice / edging on the top of paneling to be finished with 55x30mm (fifty five into thirty millimetres) teak wood beading as per detail planking tongued and grooved, as per specification, approved drawing, design, as per the entire satisfaction and direction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkana and all type of taxes imposed by the Government.
22 Providing and fixing 20mm (Twenty millimetres) diametre Nominal bore G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anti-corrosive bitumastic paint, cutting chases and making good the wall as per specification, approved drawing, design, as per the entire satisfaction and direction of the Engineer-In-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkana and all type of taxes imposed by the Government.
of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.
Jal/ESS ESS Towel ring with C.P. (Chromium plated) brass brackets fixed to wooden plugs with C.P.(Chromium plated) brass screws complete as per approved drawing, design and specifications and as per directions and entire satisfaction
of 37mm from wall face of C.P. (Chromium plated) ISI Marked IS No. 8934 (Fight thousand nine hundred thirty four) of
21 Providing and fixing 210mmx200mm (two hundred ten millimetre into Two hundred millimetres) with minimum di
20 Providing and tixing 75mm (seventy five millimetre) diametres P.V.C Plain bend of of Supreme/Finolex/Vectus/Relpipe (freliance) including fixing with approved adhesive complete, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material, within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, maikhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
2

Executive Engineer,
Dharamshala Division,
HPPWD Dharamshala

Schedule of Quantity

EARNEST MONEY: - ₹

TIME LIMIT :

₹ 99120.00 ₹ 2000.00

One month

Restoration of rain damages on various road under Sub Division No. 1 HPPWD Dharamshala in Distt. Kangra H.P.

SUB HEAD :- Removal of slips at various road

NAME OF WORK :-

	n Figure)	(Amount to be quoted by the contractor in Figure)	be quote	Amount to		
99120.00	Total :-				Ounted Bate in Figure (82)	
99120.00	Per Cubic metre	120.00 Rupees one hundred twenty and paise zero only	120.00	826.00 Cubic metres	I Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slips and disposal of cut materials within lift upto 1.50 mtrs. (One decimal fifty metres) and lead upto 1000 mtrs. (One thousand metres) as per technical specification 3022.3.5 and 1611 complete, as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	10.0
7	o,	5	4	G,	2	les
Amount	Oile	words	In fig	Contract of the Contract of th		No
Amount	100	Rate		Quantity	Description of items	v

Executive Engineer, Dharamshad Division, HPPWQ Draramshala

ESTIMATED COST : - ₹

TIME LIMIT EARNEST MONEY :- *

One Month 99750.00 2000.00

248

NAME OF WORK :-

Construction of Rajiv Gandhi. Model Day Boarding School at Govt. (Boys) Senior Secondary School Dharamshala, Distt. Kangra

SUB-HEAD :-

Geo- Technical Investigation

	tor in	Amount to be quoted by the contractor in	be quote	Amount to	Quated Rate in Words (%)	
	tor in	(Amount to be quoted by the contractor in	be quote	Amount to	Quated Rate in Figure (%)	
99750.00	Total:-					
99750.00	Per Running metre	6650.00 Rupees six thousand six hundred fifty and paise zero only	6650,00	15.00 Running metres	I Carryout Planning & Monitoring Geo. Technical Investigation and sub surface exploration at the proposed location of the Road by drilling bore hole as per IS 2800. Running 1979 using percussion/ Catyard RCODEX/ method required for drilling in collapsible metres strata conglomerate boulders, pebbles, sand, Graval, Silt caly etc. including cost of attachements extractable casing consumable stores, bits water POI Graval pack in Annular space etc. complete in all respect as per direction of Engineer - in - Charge within all leads and lifts and other incidentals. The rate including octroi, royality, Malkana, toil tax, sale tax or other taxes imposed by the Government	
7	6	Us	4	ů,	2	14
		In words	in fig	The state of the s		No.
Amount	Unit	RATES		Quantity	Description of items	y

Executive Engager,
Dharamshala Division,
HPPWD Dharamshala

ESTIMATED COST: - 3

TIME LIMIT :- T

89631,00 1800.00 Two Months

NAME OF WORK :- Co

Construction of Judiciary at Dharamshala, Distt. Kangra H.P. (Deposit work)

SUB-HEAD :-

block and steel work etc.

Providing and fixing Transparent sheet celling in C.J.M. Residence bathroom / damaged portion roofing in new block, glass panes in old

ctor in	(Amount to be quoted by the contractor in words)	Quated Rate in Words (%)	
the contractor in	(Amount to be quoted by the contractor in Figure)	Quated Rate in Figure (%)	
		by the Government.	
	<t imposed<="" or="" other="" p="" taxes=""></t>	including octroi, royality, Malkana, toll tax, sale tax, GST or other taxes imposed	
	v incidentals. The rate is	carriage of materials within all leads, lifts and other incidentals. The rate is	
	gineer-in-Charge, including	brackets, gates and similar works, as per direction of Engineer-in-Charge, including	
bound over A comp	guard bar, ladder, railings,	using structural steel etc. as required in gratings, frames, guard bar, ladder, railings,	
hundred five and	at of approved steel primer Kilograms	hoisting, fixing in position and applying a priming coat of approved steel primer	
	f Tata/ Sail including cutting, 258.45 105.00	Steel work welded in built up sections/ framed work, of Tata/ Sail including cutting.	4
5	35035		-

Executive Engineer,
Dharamshida Division,
HPPWD Dharamshala.

EARNEST MONEY :- 3 ESTIMATED COST : - 3

99750.00

348

One Month 2000.00

TIME LIMIT

Construction of 50 Bedded Integrated Ayush Hospital at Dharamshala, Distt. Kangra H.P. (Deposit work)

Geo-Technical Investigation

SUB-HEAD :-

NAME OF WORK :-

	or in	(Amount to be quoted by the contractor in	be quot	(Amount to	Quated Rate in Words (%)	
	or in	Amount to be quoted by the contractor in	be quot	Amount to	Quated Rate in Figure (%)	
99750.00	Total:-					+ 3
99750.00	Per Running metre	thousand six thousand six hundred fifty and paise zero only	6650.00	15.00 Running metres	I Carryout Planning & Monitoring Geo- Technical Investigation and sub surface exploration at the proposed location of the Road by drilling bore hole as per IS 2800. Running 1979 using percussion/ Catyard RCODEX/ method required for drilling in collapsible metres strata conglomerate boulders, pebbles, sand, Graval, Silt cally etc. including cost of attachements extractable casing consumable stores, bits water POI Graval pack in Annular space etc. complete in all respect as per direction of Engineer - in - Charge within all leads and lifts and other incidentals. The rate including octrol, royality, Malkana, toll tax, sale tax or other taxes imposed by the Government.	H
7	6	5	4	w	2	-
		in words	Infig			No
Amount	Unit	RATES		Quantity	Description of items	'n

Dharamshafa Division, HPPWO Dharamshafa Executive Engineer,

EARNEST MONEY :- T

99971.00 2000.00 Two Months

NAME OF WORK: -- Annual Repair and maintenance Birkumar Dal Lake road: Km. 0/000 to 8/130 (Portion Barnet to Ghera km 5/030 to 8/130) in Tehsil Dharamshala, Distt, Kangra H.P. Providing and fixing roofing work for the construction of Rain shelter at RD 5/030

2 8 10 0 11 3	tu	V		No.
	thick prepainted steel sheet ISI marked - Z 120 of approved make in ridges (Factory made) shall be having proper Gola/Shape of Steel sheet Tata/ Sakti or equivalent with hot dipped metallic Zinc coated sheet with top coat of regular modified polyester (RMP) organic coating of 20 (Twenty) microns over 5 (Five) microns primer coating of back coat of polyester of 5 (Five) microns over 5 (Five) microns primer coating of back coat of polyester of 5 (Five) microns over 5 (Five) microns primer coating including fixing with prepainted from J or L hooks, bolts and nuts 6mm (Six milimetres) diametres with prepainted G.L. limpet and bitumen washers complete with all accessories as required as per specification, approved drawing, design, as per the entire satisfaction and direction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkana and all type of taxes imposed by the Government. 3 Providing and fixing plain M.S. B.P. sheet of TATA/SALL/JINDAL coat 1 forms to 2000.	Tata Durashine/ Sail / Reliance / Jindal steel in roofing with hot dipped metalic zinc coated sheet iSI marked - Z 120 of regular modified polyster (RMP) organic coating of 20 (Twenty) microns over 5 (Five) microns primer coating to back coat of polyster of 5 (five) microns over 5 (Five) microns primer fixing with prepainted iron J or L hooks,bolts and nuts with prepainted limpet and rubber washers complete with all accessories as required within all leads, lifts of materials and other, incidentals, as per approved architectural drawing, design and specification and as directed by the Engineer-in-Charge. The rate is inclusive of octrol, royality, maikhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	Providing and fixing 0 60mm (Zero december 2	
Square metres	10.20 Running metres	25.94 Square metres	60	Luantity RATES
1500.000	750.00	1490.00	4	RATES
Rupees One Thousand Five Hundred Only	Rupees Seven Hundred Fifty Only	Rupees One Thousand Four Hundred Ninety Only	The second second	in words
Per square metre	Per running metre	per square metre	1	Unit
5370.00	7650.00	38651.0		Amount



	words)	(Amount to be quoted by the contractor in words)	be quoted	(Amount t	Quated Rate in Words (%)	Qu
	Figure)	(Amount to be quoted by the contractor in Figure)	be quoted	(Amount t	Quated Rate in Figure (%)	Qu
99971.00	Total:-					
					Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.	lo You
	Kilograms	Hundred Five Only		Kilograms	including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-	De loc
48300.00	Per	Rupees One	105.00	460.00	4 Structural steel work of Tata / Sail riveted, bolted or welded in built up sections, trusses and framed work,	4 Str
7	6	5	4	ш	2	I
		in words	Infig			No
Amount	Und		RATES	Quantity RATES	Description of items	S

haramshala Division, PPWD anaramshala

Ú,



ESTIMATED COST: - ₹

TIME LIMIT :

2000.00

: Two Months

SUB-HEAD :-NAME OF WORK :-Re-Construction of damaged Retaining wall with push at RD 0/030 to 0/032,40 Restoration of rain damages on approach road to Circuit House Building (New and Old Block) at Chilgari Dharamshala, Distt. Katgra H.P.

(A	Description of Items	Quantity RATES	RATES	SECTION
7	2	w	4	5
t-i	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) as per drawings and M.O.R.D. technical specification clause 305 & 1603 and as per direction of the Engineer- in — Charge including setting out, shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and lift including dressing of sides and bottom and back filling in trenches with excavated, suitable approved material to the original surface in layers not exceeding 150mm (one bundred fifty milimetres) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth, and any quantum of water including cleaning of slush which may arrise out during dewatering, as per approved drawing, design and specifications and as per directions and other incidentals. The rate is inclusive of octroi, royality, malkhana, toli tax, sale tax, increase incidentals are incidentals.	8.50 Cubic metres	360.00	Rupees Three Per cu Hundred Sixty Only metre
	2 Providing and laying mechanically mixed & vibrated plain cement concrete in open foundations complete as per drawings and technical specifications Clause 800, 900 and 1200 nomial mix 1;4-8 (One cement : Four sand : Eight graded/crushed stone aggregate): 40mm (Forty milimetres) nominal size) , as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	16.53 Cubic Metres	5050.00	Rupees Five Percu Thousand Fifty Only metre
	3 Providing and laying 100mm (Hundred millimeter) dia P.V.C pipe weep holes in brick masonry/stone masonry, plan reinforced concrete, Abutments, Wing walls, Return walls and retaining/breast walls extended through the full width of the structure with slope I(V):20[H)(One vertical: Twenty Horizontal) towards draining face complete as per drawing and MDRD technical specification Clause 1206.6 and as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-In-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	4,00 umbers	360.00	Rupees Three Hundred Sixty Only

4 Back filling behind abutment, wing wall and return wall complete as per drawing & Technical 11.18 950.00 Rupees Nine Per Specification Clause-1204.3,8 Granular material and as per approved drawing, design and Cubic of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, Quarted Rate in Figure (%) Quarted Rate in Figure (%) (Amount to be quoted by the contractor in Figure 98)		words)	Amount to be quoted by the contractor in words)	o be quote	Amount t	
3 4 5 6 11.18 950.00 Rupees Nine Per Cubic Hundred Fifty Only Cubic metre		Figure	d by the contractor in	o be quote	Amount t	
3 4 5 6 11.18 950.00 Rupees Nine Per Cubic Hundred Fifty Only cubic metres	98598.00)TAL :- "	ro	-		
4 Back filling behind abutment, wing wall and return wall complete 3 4 5	10621.00	Per cubic metre	V Only	950.00	9-10-10 O	Specification Clause-1204.3.8 Granular material and as per approved drawing & Technical specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
	7	D)	5	4	iu.	4 Back filling behind abutment, wing wall and return wall complete

Executive Engineer,
Dharamshala Division,
HPPWD Dharamshala.

u,

	SCHEDULE OF QUANTITY				D	00 200 00
Name	Name of work :- Construction of Health Sub Centre Building at Thatri Dharamshala, Distt. Kangra H.P. (Deposit Work)			Earnest M	Earnest Money Rs.	2,000.00
-:HS	SH:- Construction of Boundary wall.			Tin	Time Limits	Two Month
	Description of Irem	Quantity		Rate	Unit	Amount
Z M	Description of term	-	In Figures	In Word		WASHIN.
_	Excavation in foundation, trenches etc. In earth work in all classification of soil such as pick work, jumper blasting work, soft and hard blasting and saturated soil, de-watering, including wedging out socks where blasting work is prohibited, chiseling or any other mixed variety of soil, including shoring, shuttering and pumping out water upto any depth or any quontam of water including slush which may be arise during de-watering removal of slush and stacking the serviceable and un-serviceable material clear from the edge of excavation as direction of Engineer-In-Change and returning the stacked soil in 15cm (Fifteen centimeter) layers, when required into plinths, sides of foundation etc; consolidating each deposited layer by running, watering and then disposing of all excavated earth, as directed by the Engineer-in-Charge, within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-within all leads, lifts of other incidentals as per approved drawing, design and as directed by the Engineer-in-within all leads, lifts of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	1235	360.00	Rupees Three Hundred Sixty Only	metre "	440,00
10		1.45	4850,00	Rupees Four Thousand Eight Hundred Fifty Only	Per Cubic Metre	7033.00
724	3 Random rubble masonry/polygrani rubble masonry (uncoursed/brought to courses) with hard stone of approved quality in foundation and plinth including leveling up with cement concrete 1:6:12 (one cement : six sand : twelve graded stone aggregate 20mm (twenty) millimeter nominal size mechanical mixed in cement mortor 1:6 (one cement six sand) as per the entire satisfaction and direction of the Engineer-in-charge including carriage of material within all leaks, lifts and other incidentals. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	7.43	5850,00	Rupees Five Thousand Eight Hundred Fifty Only	Per Cubic Metre	43466.00
0/6	4 Second class beick work using common burnt clay building bricks in super-structure upto all floor level in cement mortar 1:6 (One cement isto Six sand) and curing complete, as directed by the Engineer-in-Charge, within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	0.79	7850.00	Rupees Seven Thousand Eight Hundred Fifty Only	Per cubic metre	6202.00
22	5 Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 (seven decimal five) in super structure: cement mortar 1:4 (one coment isto four coarse sand) including curing complete, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	12.98	1150,00	Rupees One Thousand One Hundred Fifty Only		14927.00
	6 Providing and applying 15mm (fifteen millimeters) thick cement plaster with convent mortar 1:6 (one cement isto six sand) in single coat on rough side of brick/concrete/ stone walls for interior plastering up to all floor level including arises, internal rounded angles, chamfers and/or rounded angles in all girth and finished even and smooth as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge. The rates inclusive of octori, royality, Malkhann, toll taxes, GST and any other taxes imposed by the Government.	21.72	290,00	Hundred Ninesy Only	Mene	0.775,000

					G. Total in Figures
	9.6			Less (-)	_
	2%			Excess (+)	affermants (Gringle on brone manner)
98500.00					Outled Rate in Figure 2
4940.00	Per Kilogram	Rupees One Hundred Five Only	105.00	47.05	10 Seed work welded in built up sections for Ruiling work including cutting hoisting and fixing in position and applying a paint in gratings framed guard bares ladders railings and similar work etc. including carriage of materials within all leads lifts and other incidentals and as per direction of the Engineer-in-charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.
4662.00	Per Square metre	Rupces One Hundred Thirty Only	130.00	35.86	9 [Finishing walls with Acrylic Smooth exterior paint of Asian / Dulax / Berger / Nerolac Suruksha paint of required shade old work (Two or more contapplied @ 1.67 ltr/10 sqm (one decimal sixty seven litre per ten squaremetre) over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm (two decimal twenty kilogram per ten squaremetre), as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including curriage of material within all leads. lifts and other incidentals. The rates inclusive of octori, royality, Malkhuna, toll taxes, GST and any other taxes imposed by the Government.
e 2636.00	Per Square Metre	Rupees Seventy Three And Paise Fifty Only	73.50	35,86	8 Applying Birla white wall care putty over plaster surface after thoroughly brushing the surface free from mortar drops, dust, loese materials and other foreign matters sand papered smooth to give final matter finish to the surface complete including carriage of material in all leads and lifts and other incidentals, complete and as per the entire satisfaction and direction of Engineer-in-Charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.
re 3889.00	Per square metre	Rupees Two Hundred Seventy Five Only	275.00	1- 1- 4-	plastering upto all floor levels including arises internal rounded angles, chamfers and or rounded angles not exceeding 80mm (Flighty millimetres) in girth and finished even and smooth with cement mortar 1:6 (One cement isto six sand) within all leads, lifths of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rates inclusive of octoel, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.

Executive Englast,
Dharamshald Division,
HP.PWD Cardanshala

Ц

ESTIMATED COST: - 3

EARNEST MONEY : - ₹

99341.00 2000,00

TIME LIMIT

Two Months

Providing and laying tile flooring and Aluminium work etcetera for the construction of Hall over New Canteen Additional Accommodation of Canteen in Zonal Hospital at Dharamshala, Distt. Kangra H.P. (Deposit work) Description of items

SUB-HEAD :-NAME OF WORK :-

	centering and si centering and si sand) isto eight approved drawin the Engineer-in- incidentals. The other taxes impo	excavator/ mai jumper work, b de-watering, in other mixed va depth or any or removal of slus edge of excavat (Fifteen centing consolidating e excavated earth and entire satis leads, lifts and of sale tax, GST or a	Excausting	No.	No.
designation 7.5 (seven decimal five) in super-structure above plinth level up to floor V level in all shapes and size in cement mortar 1:6 (One cement isto Six sand) and curing complete, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of certain covaling material within all leads, lifts and other incidentals. The rate is inclusive of certain covaling material within all leads.	centering and saying in position cement concrete of specified grade excluding the cost of centering and shuttering. All work up to plinth level 1:4:8 (one Cement isto four coarse sand) isto eight gradedstone aggregate 40mm (forty millimetres) nominal size) as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	excavator/ manual mean in all classification of soil such as pick work, jumper work, pick jumper work, blasting work, jumper blasting work, soft and hard blasting and saturated soil, de-watering, including wedging out rocks where blasting work is prohibited, chiseling or any other mixed variety of soil, including shoring, shuttering and pumping out water upto any depth or any quontam of water including slush which may be arise during de-watering removal of slush and stacking the serviceable and un-serviceable material clear from the edge of excavation as direction of Engineer-in-Charge and retuning the stacked soil in 15cm (Fifteen centimeter) layers, when required into plinths, sides of foundation etc; consolidating each deposited layer by ramming, watering and then disposing of all excavated earth as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.			Description of items
1.72 Cubic metres	0.86 Cubic Metres	0.86 Cubic metres	w		Quantity
7850.00	5050.00	360.00	4	In fig	
Rupees Seven Thousand Eight Hundred Fifty Only	Rupees Five Per Cu Thousand Fifty Only metre	Rupees Three Hundred Sixty Only	D	In words	DATEC
Per Cubic metre	Per Cubic metre		7)	Unit	
13502.00	4343.00	310.00	,	Amount	

	Son con thic slurr group appp Engin		
four hundred fifty) of Kajaria / Johnson / Nitco / Orient / Bell / Somany / AGL conforming to IS : 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer in Charge in skirting, risers of steps and dados over 12 mm (twelve milimetres) thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 (at the rate three decimal three) kilogram per square metres including pointing in white cement mixed with pigment of matching shade complete, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	Froviding and laying Ceramic antiskid floor tiles of Kajaria / Johnson / Nitco / Orient / Bell / Somany / AGL with one border matching contrast at top size 300x300 mm (three hundred into three hundred milimetre) (thickness to be specified by the manufacturer), of 1st quality conforming to IS: 15622, of approved make and shade, laid on 20 mm (twenty millimetre) thick cement mortar 1:4 (one Cement isto four Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm (three decimal three kilogram per square metres) including curing, grouting the joints with white cement and matching pigments etcetera complete, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	brick/concrete/stone walls for interior plastering upto all floor levels including arises internal rounded angles, chamfers and or rounded angles not exceeding 80mm (Eighty milimetres) in girth and finished even and smooth with cement mortar 1.6 (One cement isto six sand) as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.	2
1190 Square metres	2,70 Square metres	39 Squ me	w
1050.00	1325.00	250.00	4
Rupees One Per Sq Thousand Fifty Only metre	Rupees One Thousand Three Hundred Twenty Five Only	Rupees Two Hundred Fifty Only	
Per Square metre	Per Square metre	Per square metre	
12495.00	3578.00	9900.00	

	4		1
Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): , With float glass panes of 5 mm if five millimetres) thickness (weight not less than 12.50 kg/ sqm) (twelve decimal fifty kilogram per squre metres), as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	providing and fixing aluminium work for shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Anodised aluminium (anodised transparent or dyed to required shade according to 15: 1868, Minimum anodic coating of grade AC 15 (fifteen) within all leads, lifts of materials and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive, toll taxes, GST and any other taxes imposed by the Government.	other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-incharge. (Glazing, paneling and dash fasteners to be paid for separately Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15 (fifteen).) within all leads, lifts of materials and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive, toll taxes, GST and any other taxes.	and partitions with extended built and built and partitions with extended built.
0.58 Square metres	28.48 Kilogramms	d Kilogramms	
1200.00	680.00	N.G.	650,00
Rupees One Thousand Two Hundred Only	Rupces Six Hundred Per Eighty Only Kilo	Fifty Only	Rupees Six Hundred Per
Per square metre	d Per Kilogram	Kilogram	red Per
696.00	19366.00		13416.00

-	10 Providing and fixing 12mm thick Phenol bonded (both side) prelaminated BWP Grade
	partical board in matt finish flat pressed three layer or graded wood partical board conforming to IS: 12823 of Action Tesa / Greelam / Merinolam / Kitlam / Vista of approved shade Grade - I, Type II, in panelling fixed in aluminium doors, windows chatters and
	partition frames with C.P. brass/stainless steel screws etcetera complete as per architectural drawing and direction of Engineer- in- charge. Pre-laminated partical board with decorative
	lamination on one side and balancing lamination on other side, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer in Charge
	including carriage of material within all leads, lifts and other incidentals. The rate is inclusive
	of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
1.1	Providing and fixing 250x16 mm (two hundred fifty into sixteen milimetre) aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etcetera complete: as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
12	Providing and fixing 250x10mm (Two hundred fifty into ten millimetre) size aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etcetera complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material, within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
13 Pro	Providing and fixing 125mm (One hundred twenty five milimetre) size aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 (ten) as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etcetera complete, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.

(Amount to be quoted by the contractor in Figure)		Amount to	
TAL :-	the same of some or		
	e quoted by the re	Amount to b	Quated Rate in Words (2)
			Quated Rate in Figure (%)
			adie tax, GST or other taxes, imposed by the Government
			me and other incidentals. The rate is including octrol, royality, Malkana, toll tax,
			leads life and sales at the life and sales within all
			works, as per direction of Engineer-in-Charge including carries
T. C.			exc. as required in gratings, frames, guard bar, ladder, railings, brackets, gates and similar
Hundred Five Only Kilograms 18690.00		7	etr as secure and applying a priming coat of approved steel primer using structural steel
Ruppes One		1/8.00 105.00	fixing in security, noting, noting,
6 7	4	1	room weited in built up sections/ framed work, of Tata/ Sail including contract

Executive Engageer,
Dharamshad Division,
HPPWO Pharamshala.

ESTIMATED COST: - ₹

EARNEST MONEY: - 3

2000.00

99318.00

250

Two Months

TIME LIMIT

NAME OF WORK :-Restoration of rain damages on approach road to Circuit House Building (New and Old Block) at Chilgani Dharamshala, Distt. Kangra H.P. Re-construction of damaged Retaining wall with pusta at RD 0/033 to 0/035.40

SUB-HEAD :-

No.	Description of items	Caronty Kritics	In fig.	In words
7	20	u	à	5
	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock,	8,50 Cubic	360.00	Rupees Three Per cu Hundred Sixty Only metre
drains and polythere is technical spe setting out, a materials upit excavated as hundred fifty out water (sush which is all leads, lifts GST or any or 2. Providing an complete as complet	bard rock chiseling /wedging out rocks (Where blasting is prohibited) as per drawings and M.O.R.D. technical specification clause 305 & 1603 and as per direction of the Engineer in — Charge including setting out, shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty milimetres) compacted thickness including shoring and strutting and pumping and balling out water (surface and sub-soil water) upto any depth, and any quantum of water including cleaning of slush which may arrise out during dewatering, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government. 2. Providing and laying mechanically mixed stone aggregate) 40mm (forty milimetres) nominal size), as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Engineer-in-Charge including concrete. Abutments, Wing walls, Return walls and retaining/breast walls extended through the full width of the structure with slope I(V):20jH)(One vertical: Twenty Horizontal) towards draining face complete as per drawing and MORD technical specification Clause 1266.6 and as	metres 16:53 Cubic Metres Metres	360.00	Rupees Five Per cu Thousand Fifty Only metre Hundred Sixty Only
	Providing and laying 100mm (Hundred millimeter) dis P.V.C pipe weep holes in brick masonry/stone masonry, plain reinforced concrete, Abutments, Wing walls, Return walls and retaining/breast walls extended through the full width of the structure with slope I(V):20[H](One vertical: Twenty Horizontal) towards draining face complete as per drawing and MORD technical specification Clause 1206.6 and as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-In-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the	6.00 Numbers	360.00	Rupees Three Hundred Sixty Only

	words)	(Amount to be quoted by the contractor in words)	to be quot	Amount t	Quated Rate in Words (%)
	n Figure	(Amount to be quoted by the contractor in Figure	to be quot	Amount !	
99318.00	TOTAL :	77			
10621.00	Per cubic metre	Rupees Nine Per Hundred Fifty Only cubic	950.00	11.18 Cubic metres	Back filling behind abutment, wing wall and return wall complete as per drawing & Technical Specification Clause-1204.3.8 Granular material and as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
7	01	Un.	4	Ų,	2

Executive Engineer,
Dharamshafa Division,
HPPWD Openamshala.





ESTIMATED COST: - T EARNEST MOREY: - TIME LIMIT :

Two Months

77216.00 1600.00

NAME OF WORK: Special Repair to Zonal Hospital at Dharamshala, Distr. Kangra H.P. (Deposit work)

SUB-HEAD: Replacement / providing and fixing of G.L. Sheet in leakage portion in roofing Block -C

sat		60	20	ba	Ter.	60	100	4 Pro	in in	II.	25	Two	110	3 90	의 문 및 5		3	100			700	
	satisfaction and direction of the Engineer-in-Charge including carriage of material within all leads, lifts and other	complete with all accessories as required as per specification, approved drawing, design, as per the entire	or L hooks, bolts and nots 6mm (Six millimetres) diametres with prepainted G.I. limpet and bitumen washers	back coat of polyester of 5 (Five) microns over 5 (Five) microns, primer coating including fixing with prepainted from J	regular modified polyester (RMP) organic coating of 20 (Twenty) micrors over 5 (Five) microns primer coating of	Gola/Shape of steel sheet Tata/ Sakti or equivalent with hot dipped metallic Zinc coated sheet with top coat of	thick prepainted steel sheet ISI marked - 2 120 of approved make in ridges (Factory made) shall be having proper	Providing and fixing ridges or hips 60 cm (Sorty Centimetres) over all with 0.60cm (Zero decimal Sorty centimetres)	imposed by the Government.	lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes	as per the entire satisfaction and direction of the Engineer-In-Charge including carnage of material within all leads.	white lead complete excluding the cost of purlins refters and trusses—as per specification, approved drawing, design,	iron Lor L. hooks bolts and nuty 8 mm (leight millimetre), diameter with bitumen and G.I. limpet wasters filled with	3 Providing 0.43 mm. (Zero decimal Sa Zero millimetre) thick sheet corrugated G.I sheet rooting fixed with galvanised	and disposal of unserviceable materials within 50 mtr. (fifty metro) lead, as per directions and entire satisfaction of the Engineer-in-Charge including carriage of materials within all leads, lifts and other including the rate is inclusive of octro, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	of octroi, royality, malkhana, tell tax, sale tax, GST or any other taxes imposed by the Government.	the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive	lead G.S. Sheet, as per approved drawing, design and specifications and as per directions and entire satisfaction of	 Loss serving rooming including noges, hips, valleys and gutters etc., and stacking the material within 50 (fifty metres) 	2		Description of items
							Running	10.00				metres	Square	24,00	10.80 Square metres			Square	24.00	Li.		Quantity RATES
								750.00				Ī	100000	1200.00	95.00				125.00	4	til fig	RATES
							Hundred Fifty Only	Rupees Seven				Hundred Cray	Thousand Two	Rupers One	Rupees Ninety Five Only		7 000	Hundred Twenty Five Only	Rupees One	5	Spiron at	
			ū,				Burunna	Per				metre	square	per	Per Square metre			Square	Per	б		Unit
								7500.00					National States	28800.00	1026.00				3000.00	7		Amount

	rds)	Amount to be quoted by the contractor in Figure) Amount to be quoted by the contractor in words)	be quoted	Amount to	Quated Rate in Words (%)
77216.00	Total:-				Quested Boto in Figure (42)
8140.00	Per Kilogram	Rupees One Hundred Five Only	105.00	as per Kilograms Charge oyality,	2 Structural steel work of Tata / Sall riveted, bolted or welded in built up sections, trusses and framed work, including cutting, holsting, fixing in position and applying a priming coat of approved steel primer all complete, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of actrol, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.
12750.00	Per Square metre	Rupees Eight Hundred Fifty Only	850,00	15,00 Square metres	6 Providing and fixing 6mm (six millimetre) thick plain asbestos cement sheet ceiling of approved quality with butt jointing and wood screws (frame work and cover fillets to be measured and paid for separately, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
16000.00	Per running metre	Rupees Eight Hundred Only	00.008	20,00 Running metres	Si Providing and fixing valleys 90 cm (ninety centimetres) over all over all with 0.60mm (Zeto decimal Six zero millimetres) thick prepainted sheet is marked - Z 120 roofing with hot dipped metallic Zinc coated sheet with top coat of regular modified polyester (RMP) organic coating of 20 (Twenty) microns over 5 (five) micron primer coating, back coat of polyster of 5 (Five) microns including fixing with prepainted iron J or L hooks, bolts and nuts 6mm (Six millimetres) diametres with prepainted G.L. Impet and bitumen washers complete with all accessories as required as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
7	6	8	4	3	20

Executive Engineer,
Dharamshala Division,
HPPWD analymshala





EARNEST MONEY: - 3

96924.00 2000.00

TIME LIMIT

Two Months

SUB-HEAD :-MAME OF WORK :-Repair and Maintenance Residence of Additional District Magistrate Kangra at Dharamshala, Distt. Kangra H.P. (Deposit work) Distempering and painting work etcetera in Additional District Magistrate Residence at Chilgari

	words)	(Amount to be quoted by the contractor in words)	o be quote	Amount to	Quated Rate in Words (%)	
	Figure)	(Amount to be quoted by the contractor in Figure)	o be quote	Amount to	Quated Rate in Figure (%)	
96924.00	TOTAL :-	70				
2179.00	Square metre	Rupees Seventy Por Three And Paise Fifty square Only metre	73.50	29.64 Square metres	Providing and applying white cement based putty of Birla / JK average thickness 1 mm (one millimetre) over the plastered wall surface to prepare the surface even and smooth complete, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.	- 4
30342.00	Square metre	Rupees One Per Hundred Thirty Only Square metre	130.00	233.40 Square metres	Finishing walls with Acrylic Smooth exterior paint of Asian / Dulax / Berger / Nerolac Suraksha paint of required shade New work (Two or more coat applied @ 1.67 ltr/10 sqm (one decimal sixty seven litre per ten squaremetre) over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm (two decimal twenty kilogram per ten squaremetre), as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	<u>u</u>
26661.00	Per square metre	Rupees Ninety Five Only	95.00	280.64 Square metres	Painting with synthetic enamel paint. Asian / Dulux / Berger / Nerolac Suraksha paints of approved brand and manufacture of required colour to give an even shade two or more coats on old work (wood & steel work) , as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroit royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	N/
37742.00	Per square metre	Hundred Five Only	105.00	359.45 Square metres	Wall painting with premium acrylic emulsion paint of Asian / Dulux / Berger / Nerolac Suraksha paints of approved interior grade, having VOC (Volatile Organic Compound.) content less than 50 grams/ fitre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour two or more coats, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads. lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	1 = 0 2 = 0
7	6	ы	20	w	2	4
	T BACK		6y ar			No. 1
Amount	Unit	RATES		Quantity	S Description of herms	n

Dharamshan Division, HPPWD Pharagnshala Executive Engineer,

742

(SH:- Construction of U-Shape drain at RD 2/270 to 2/75) Name of work :- Repair of Link road Dal Satobari Barnet road &m 0/00 to 1/550 n Tehsil Dharamshala Distt. Kangra (H.P.) Deposit work 2 7 Providing and Laying mechanically mixed and obrated plain cement concrete as per drawings and MORD technical specifications section. Steel work welded in built up sections/ framed work, including outing, hoisting. Exing in position and applying a priming cost of approved Providing and laying mechanically mixed and whrated plain cement concrete in open foundation, for all type of structure complete using Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and pumpets etcetera in all type 800, 900, 1200 and 1600 nominal mix 1:4:8 (One cement isto Four sund isto Eight graded/crushed stone aggregate) 40mm (Forty other incidental. The rate is including octroi, royality, Malkann, toll tax, GST or any other taxes imposed by the Government rate is including octror, royality, Malkans, toll tax, GST or other taxes imposed by the Government in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping an of classification of soil, comprising of ordinary soil, ordinary rock , hard rock chiseling / wedging out rocks (where blasting is prohibited rate is including octroi, royality, Malkum, toll tax, GST and any other taxes imposed by the Government as per the direction of Engineer-in-charge including carriage of material, within all leads, lifts of materials and other incidentals. The steel primer using structural steel etc. as required in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works as per form work in toe wall etetera as per drawings and M.O.R.D. technical specification section/ clause 800,900 & 1200, and as per the as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out mismetres) nominal size). For all type of structure like retaining wall / Breast wall excetts including cost of form work and curing complete direction of Engineer-in-charge in cement mortar as per direction of Engineer-in-charge in cement mortar within all leads and lifts and The rate is including Royality, Malkana, Octroi, tell tax, GST or any other taxes imposed by the Government direction and entire satisfaction of Engineer-in-Charge complete, including carriage of materials with in all leads, lifts and other incidentals millimetre) nominal size on ground in, or under water including curing complete including pumping, or bailing out water, dewaterin plain cornent concrete grade M-10 (M-ten) nominal mix 1:3-6 (one cement isto three sand isto six: crushed stone aggregate 40 mm (forty during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The bading out water (surface and sub-soil water) upto any depth and any quantum of water including cleaning of stash which may arise ou left including dressing of sides and bottom and back filling is trenches with excavated suitable / approved materials to the original surface construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any conoval of slush as required at site which may arrise at the time of laying concrete complete for all heights/ depths including the cost of Quoted Rate(in Figures) Percentage Description of Item G. Total in Words G.Total in Figures Total Less (-) Excess (+) Quantity 289.30 3.20 2.65 3,01 in Fegures \$050.00 5450.00 360.00 105.00 Rate In Word Thousand Fifty Only Rupees One Hundred Hundred Sixty Only Hundred Fifty Only Thousand Four Rupees Three Rupees Five Rupots Five Five Only Earnest Money Rs. Estimated cost Rs. Time Limits 8 Per cubic Kilogram Per cubic Per cubic metre metre Unit metro 20 Two Month 62064.00 16160,00 30377.00 14443.00 1084,00 Amount 62,064.00 1,300.00



					G. Total in Words	
		12			G.Total in Figures	
	*	n de		Less(+)		
	*	96		Excess (+)	Quoted Rate(in Figures) Percentage	
98915.00					Total	
1045,00	Per cubic metre	Rupees Nine Hundred Fifty Only	950,00	1.10	Back filling with granular material behind absurents, wing walls, return walls and retaining walls complete as per drawing and M.O.R.D. technical specification section 1200, 1600 and as per the direction and entire satisfaction of Engancer-in-Charge complete, including carriage of materials with in all leads; lifts and other incidentals. The rate is including Royality, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.	04
2800.00	Each	Rupees Three Hundred Fifty Only	350.00	8,00	3 Providing and laying 100mm (one Hundred millimeter) dia P.V.C pipe weep holes in brick massony/stone massony, plain / reinforced concrete, Abutments, Wing walls, Return walls and retaining/breast walls extended through the full width of the structure with slope I(V)/20(H)(One vertical: Twenty Horizonial) towards drawing face complete as per drawing and MORD technical specification section 700 and 1200 and as per direction of Engineer-in- charge including carriage of materials within all leads, lifts and other incidentals. The rate is including oction, royality, Malkana, still tax, GST and any other taxes imposed by the Government.	G)
90210.00	Per cubic metre	Rupces Four Thousand Fight Hundred Fifty Only	4850.00	18.60	2 Providing and Laying mechanically mixed and vibrated plain centent concrete as per drawings and MORD technical specifications section 800, 900, 1200 and 1600 mominal mix 1:5:10 (One centent isto five stand isto ten graded/crushed stone aggregate) 40mm (Forty milimetres) nominal size) for all type of structure like retaining wall / Breast wall excert including cost of form work and curing complete as per the direction of Engineer-in-charge including carriage of material, within all leads, lifts of materials and other incidentals. The rate is including actroit, royality, Malkana, toll tax. GST and any other taxes imposed by the Government.	a
4860.00	Per cubio metre	Rapees Three Hundred Sixty Only	360.00	13.50	Earth work in excavation for all type of road structure such as retaining walls, brenst walls, culverts, drains and parapets etectera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock clusting / wedging out rocks (where blasting is problinged) as per thrawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shorting and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shorting and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may urise our during dewatering as per directions of Engineer-in-Charge including curriage of materials within all leads, lifts and other incidentals. The rate is including octroi, royality, Malkana, toll tax, GST or other taxes imposed by the Government.	4, _
		In Word	In Figures	100		No.
Amount	Unit	Rate		Quantity	Description of item	įvi
Two Month	Time Limits	Time Limits			COLLA COURT OF LICENS ACTAINING WAIT MODISMENT LOSG. DELWECH VIII. 19, 12 to 17710.	21.00
98,915,00	Estimated cost Rs.	Estimate	*	osit work	Name of work :- Repair of Dharamshala to Narghota Road. km 0/00 to 2/00 in Tehsil Dharamshala Distt. Kangra (H.P.) Deposit work	Name
0.00		1				

MANY OF WORK

SUB HEAD :-

Restoration of rain damages on Dharamshala libraryara road at 8D 0/000 to 8/000 in Tehol Dharamshala, Distt. Kangra H.P. (Deposit work) Construction of Retaining wall with Pusta wall and wire crate work at RD 3/425 to 3/433

ESTIMATED COST. EARNEST MONEY: TIME UMIT

97389.00 2000.00 Two Months

,	(Amount to be quoted by the contractor in words)	quoted by th	nount to be	(A)	6
TOTAL :-	70	Guntard hard	nount to be		
PerCube	Rupers Three Thousand Two Hundred Fefry Only	3250,00	JD.DO Cubs:	100mm v 100mm (one hundred millimeter into one hundred millimeter) mush (owner diagonally) including 10% (ten percent) and 5.4826 in for laps and joints laid with stone boolders weighing not less than 40 kgs (forly blogsamme) each as per trawing and technical including octor, royality, Maliana, foll tax, sale tax or other taxes imposed by the Government.	2 3859
Per cubic metre	Plupers Five Thousand Fifty Only	5050.00	11.78 Cubic Metres	2. Providing and saying mechanically mixed 5, subrated plan cement concrete in open foundations complete as per drawings and technical specifications chase 800, 900 and 1200 combines 1.4.8 [One cement four sand fight graded/crushed stone aggregate) and specifications and as per directions and entire satisfaction of the Engineer in Charge including carriage of material within all leads, afts and other incidentals. The rate is inclusive of entire carriage and specifications and entire outputs, mathhana, toff tax sale tax, GST or any other cases imposed by the Government.	W N
Per cubic metre	Suppose Three Humfred Staty Only	%ú.00	T5.00 Cuby.	hope of dissification of soil comprising of ordinary soil ordinary rock, haid rock chiseling /wedging out rocks (Where Election in all prohibited) as per drawings and M.O.R.D. restinical specification clause 305 & 1603 and as per direction of the frighteer. Electing is including setting out, shoring and brating removal of stumps and other deletionous materials and disposal of materials upto any lead surface in layers not exceeding 150mm (and handed fifty militariors) compacted shifthests including shoring and strating and surface and soil water) upto any depth and any quantum of water including cleaning and surface and soil water) upto any depth and any quantum of water including cleaning and strating and which may arrise out during dewatering, as per approved drawing, design and specifications and as per directions and entire substaction of the trigitieer-in-Charge including carriage of material within all leads, this and other incidentals. The rate is inclusive of octro, myslify, malihana, toll tax sale tax, 651 or any other taxes imposed by the Government.	0.628
	Ar words	507.00			1
Unite	RATES		American		4







Estimate Cost :- Rs. 48596.00 Earnest Money :- Rs. 1000.00

Time Limit :- Two Month.

Name of work:- Repair of retaining wall near land of Sh. Chota Ram Bhimsen and others Ward No. 3 G.P. Chetru in Tehsil Dharamshala Distt. Kangra HP(Deposit work) (SH:- C/o widening of Retaining wall RD. 0/427 to 0/429.50).

T	T	T	N		- NO	. 0	1
Quoted rate in Words (%)	Quoted rate in figure (%)	Total	Providing weep holes in brick masonry/stone masonry/plain reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimetres) diameters P.V.C. pipe extending through the full width of the structure with slope of 1(v):20(H) towards drawing face complete as per drawing and technical specifications Clause 614, 709, 1204.3.7. as per direction of Engineer-in-Charge including carriage of materials within all leads. Iffs and other incidental. The rate is including octroi, revallly, Malkana, toll tax, GST or any other taxes imposed by the Government.	imposed by the Government.	Providing and laying cement concrete 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate) 40 mm (forty millimetre) nominal size in retaining wall including the cost of centering, shuttering and finishing complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge Including carriage of material within all leads, lifts and other incidentals. The rates inclusive of octori, royality, Malkhana, toll taxes. GST and any other taxes	Description of Item	
(Amount to be	(Amount to be		11.00 Noncomo	and on Minches	8.19 Cubic metre	Quantity	0
e quoted by	e quoted by		200,000	3000	5450.00	Figures	
(Amount to be quoted by the contractor in words)	(Amount to be quoted by the contractor in figure)		Hundred Sixty Only	Dinner Three	Rupees Five Thousand Four Hundred Fifty Only	Words	District on
vords)	(gure)			Fach	Cubic metre	01111	-
		48,596.00		3960.00	44,636.00		Amount

Executive Linguists.
HPPWD (BER) Digision.
DHARAMSALA

8

SCHEDULE OF QUANTITY

Estimate Cost:-Rs. 99990.00

Earnest Money :-Rs.2000.00 Time Limit :- Two Month.

and 3rd steps). Name of work:- Restoration of rain damages on Chetru Sheela Dari road Km. 0/0 to 6/660 (SH:- C/o pusta wall at Rd. 5/700 to 5/705.50 (2nd

Q	۵		×	Ω	92	ar	0	8	70	7	 -P	No.	31.
Quoted rate in Words (%)	Quoted rate in figure (%)	Total	Malkana, toll tax GST or any other taxes imposed by the Government	carriage of materials within all leads, lifts and other incidentals. The rate is including Octrol, Royality,	800, 500, 1200 and 1600 as per entire satisfaction and directions of Engineer-in-charge, including	and curing complete for 14 (fourteen) days as per drawing and MORD Technical specification section	of slush which may arise at time of laying concrete for all heights/depths including cost of form work	complete including pumping or bailing out water, dewatering (surface/sub soil water)including removal	nominal size), on ground or under water for all type of structure, in R/wall / B/wall and the like etcetora	1.4.8 (One cement isto four sand isto eight graded crushed stone aggregate 40mm (Forty millimeter)	Providing and laying mechanically mixed and vibrated concrete for plain cement concrete nominal mix	moon proper or name	Description of Item
(Amount to be	(Amount to be	=								angui.	19.80 Cubic	Americany	Oriantity
quoted by	quoted by						ì				5050,00	Figures	
(Amount to be quoted by the contractor in words)	(Amount to be quoted by the contractor in figure)									Only	Rupees Five	Words	Kate in
vords)	(gure)									metre	Per	THE OWNER OF THE OWNER OWNER OF THE OWNER OWNE	IIni+
		99990.00									99990.00	Simouni	Amount

Executive Divincer, HP9WD (04R) Divince, DHARAMSALA







Earnest Money :- Rs. Estimate Cost :- Rs. 99721.00

2000.00

Time Limit: Two Months
Name of work:-A/R & M/O Vidhan Sabha at Tapovan in Dharamshala Distt. Kangra H.P. (SH:- Interior painting of Police hall/ Kitchen and exterior painting of main gate No.

1) •

	Quoted rate in figure (%)	Quoted rate in figure (%)	Quoted rate in figure (%)
The state of the s		The state of the s	Directed state in Court 1871
malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government			
carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality,	SALIBITIS, TOP LEX, SAIG	skriana, toe tax, said	skridina, cos tax, saie
as per directions and entire satisfaction of the Engineer-in-Charge including	of material within a toll tax, sale tax, C	of material within a	of material within a
	age of material within all leads	al within all leads	al within all leads
brand shade and manufacture to give an even shade: two or more coats as per approved drawing, design	er directions and leads, lifts and l	er directions and leads, lifts and i	er directions and leads, lifts and of for any other tax
o or more coats as per approved drawing design	ons and entire ts and other inc ther taxes impos	ons and entire ts and other inc ther taxes impos	ons and entire ts and other inc ther taxes impos
	e: two or more of thre satisfaction or incidentals. To reposed by the G	e: two or more of the satisfaction of incidentals. To incidentals. To incidentals the Grandosed by the Grand	e: two or more of the satisfaction of incidentals. To possed by the G
	The rate is in Government.	The rate is in Government.	The rate is in Government.
196	inclusive of o	inclusive of o	inclusive of c
metre	octroi, royality,	octroi, royality,	octroi, royality,
metre			
Two And Fifty Only			
Two And Palse Fifty Only		(Amount to be quoted by the contractor in farms)	IOTAL:
Two And Paise Square Fifty Only metre			_

Executive Defineer Dharamshala Division, HPPWD Dilaramshala



EARNEST MONEY : -ESTIMATED COST: -

RS.

98700.00

Rs. 2000.00

TWO MONTHS

NAME OF WORK :-Restoration of rain damages on link road Chetru Sheela Dari in Tehsil Dharamshala, Distt. Kangra H.P. TIME LIMIT

Dressir
0.39
-
berr
15
S
0
000
6
1
000

	ds)	be quoted by the contractor in words)	e quoted	(Amount to b	Quated Rate in Words (%)	
	re)	(Amount to be quoted by the contractor in Figure)	e quoted	(Amount to t	Quated Rate in Figure (%)	
98700.00	TOTAL :-					
98700.00	Square metre	Rupees forty seven and paise zero only	47.00	Square metres	1 Making up loss of material / irregularities on shoulders to the design level by adding fresh approved selected soil and compacting in with appropriate square equipement at OMC upto a lead of 1000m as per technical specification metres clause 1903, as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	
		In words	In fig			No.
Amount	Unit	RATES		Quantity	Description of items	S.

Dharamshala Division, HPPWD Dharamshala Executive E



Estimate Cost :- Rs.98475.00 Earnest Money :-Rs.2000.00

Name of work:- Restoration of rain damages on Chetru Sheela Dari road Km. 0/0 to 6/660 (SH:- C/o pusta wall at Rd. 5/705.60 to 5/711.10 (2nd and 3rd steps).

irds)	(Amount to be quoted by the contractor in words)	quoted by the	(Amount to be	Quoted rate in Words (%)	
ure)	(Amount to be quoted by the contractor in figure)	quoted by ti	(Amount to be	Quoted rate in rigure (%)	
				Total	
				Malkana, toll tax,GST or any other taxes imposed by the Government	
				carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royality,	
				800, 900, 1200 and 1600 as per entire satisfaction and directions of Engineer-in-charge, including	
				and curing complete for 14 (fourteen) days as per drawing and MORD Technical specification section	-
				of slush which may arise at time of laying concrete for all heights/depths including cost of form work	
				complete including pumping or balling out water, dewatering (surface/sub soil water)including removal	
11000	0.0			nominal size), on ground or under water for all type of structure, in R/wall / B/wall and the like etceteral	
Cubic	Thousand Fifty		metre	1:4:8 (One cement isto four sand isto eight graded crushed stone aggregate 40mm (Forty millimeter)	
Per	Rupees Five	5050.00	19.50 Cubic	Frioviding and raying inecretifically mixed and vibrated concrete for plain cement concrete nominal mix	2000
oin,	Words	Figures	· ·	Distriction and Parising Propher leads	
	Rate in		Quantity	Description of Item	2 5

Executive Hopping, HPPWD (B&R) Division, DHARAMSALA

ESTIMATED COST:- ₹
EARNEST MONEY:- ₹
TIME LIMIT :

99609.00 2000.00

Two Months

SUB-HEAD :-NAME OF WORK :-Restoration of rain damages on link road from Judgrangal to Patola km 0/000 to 1/000 in Telisii Dharamshala, Disti, Kangra H.P. Providing and fixing W-metal Beam Crash barrier at RD 0/480 to 0/550

3.56 350.00 Rupees three Metres S450.00 Rupees five palse zero only metre thousand four metre hundred fifty and metre such palse zero only palse zero only metre hundred fifty and palse zero only palse zero		ds)	(Amount to be quoted by the contractor in words)	be quoted by	umount to	Quated Rate in Words (%)	
3 4 5 6 7 3.56 360.00 Rupees three Per Cubic Metres paise zero only Metres Passon Rupees five hundred fifty and paise zero only 20.50 3850.00 Rupees three thousand eight hundred fifty and paise zero only Running metre paise zero only 20.50 3850.00 Rupees three thousand eight hundred fifty and paise zero only 20.50 3850.00 Rupees three thousand eight metre paise zero only 20.50 3850.00 Rupees three thousand eight metre paise zero only 20.50 3850.00 Rupees three thousand eight metre	-	76)	y the contractor in Figur	be quoted b	amount to	Quated Rate in Figure (%)	
3 4 5 6 7 3.56 350.00 Rupees three Per Cubic Metres paise zero only 3.56 S450.00 Rupees five paise zero only Authorities paise zero only 3.56 S450.00 Rupees five hundred fifty and paise zero only Metres hundred fifty and paise zero only 20.50 3850.00 Rupees three thousand eight hundred fifty and paise zero only 20.50 3850.00 Rupees three Running hundred fifty and paise zero only 20.50 metre	99609.00	707AL :-		00000			
3 4 5 6 8 3 50.00 Rupees three Per Cubic Hundred saxty and Retree Palse zero only Metres S450.00 Rupees five Per Cubic Cubic Cubic Hundred fifty and palse zero only	78925.00	Per Running metro	w and	3850.00	100000	Providing and precting a "V" metal beam crash barrier comprising of 3 mm (Three millimetres) thick corrugated sheet metal beam rail, 70 cm (Seventy centi metres) above road/ground level, fued on ISMC series channel vertical post, 150 x 75 x 5 mm (One hundred into seventy five into five millimetres) spaced 2 m (Two metre) centre to centre, 1.8 m (One point eight metre) high, 1.1 m (One point one metre) below ground/road level, all steel parts and fitments to be galvanized by hot dip process, all fittings to conform to IS:1367 and IS:1364, as amended upto date, metal beam rail to be fixed on the vertical post with a spacer of channel section 150 x 75 x 5 mm (One hundred into seventy five into five millimetres), 330 mm (Three hundred thirty millimetres) long complete as per clause 810 confirming to MORTH Specifications including all fitting required for errection at required size of materials complete, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-In-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octror, royality, malthana, toll tax, sale tax, GST or any other taxes imposed by the Government.	lu lu
3 4 5 6 7 3.56 360.00 Rupees three Per Cubic Cubic hundred saxty and metre paise zero only	19402.0	Per Cubic metre	6.	5450.00	3.56 Cubic Metres	2 Providing in laying mechanically mixed and virbrated coocrete for plain cement concrete in open foundations complete in road work as per drawings and MORD technical specifications Clause 802, 803, 1202 & 1203 using P.C.C. grade M-10 (M-Ten) nominal mix (1.3:6) (One cement : Three sand : Six graded crushed stone aggregate 20mm (twenty milimetres) nominal size) in or under water and curing complete including pumping or bailing out water complete for all heights/depths including the cost of form work, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	
In fig. In words 5 6 "	1282.0	Per Cupic metre	a.	360.00	3.56 Cubic Metres	Earth work in excevation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etceter all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blastin prohibited) as per direction of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blastin prohibited) as per direction of the Engineer. Charge including setting out, shoring and bracing, removal of stumps and other detectious materials and disposal of materials and lift including dressing of sides and bottom and back filling in trenches with excevated suitable approved materials by the original surface in layers not exceeding 150mm (one hundred fifty millimetres) compacted thickness including shoring structure and pumping and balling out water (surface and sub soil water) upto any depth and any quantam of water including of such which may arrise out during dewatering as per approved drawing, design and specifications and as directions and entire satisfaction of the Engineer-in Charge including carriage of material within all leads, lifts and other incident filterate is inclusive of octroi, royality, malibrana, toll tax, sale tax, GST or any other taxes imposed by the Government.	
In Jig I'm words	7	ľ		a.	w	2	-
Description of items Quantity RATES Tunit Amount	Amount	Unit		In fig		Description of items	8 1

Decutive Entiries, Dharamshalablyision, HPPWD Dharamshalla,



Estimate Cost :- Rs, 98241,00 2000.00

Earnest Money :- Rs.

Time Limit :-Two Months

Name of work:-Restoration of rain damages on link road from Khanyara to Rakker via Tillu Naddi road Km 0/000 to 2/390 in Tesil Dharamshala Distt. Kangra(SH :- C/o protection work for abutment of bridge at RD, 1/200)

0 0		9	2 Pro with thu disc dra dra	No. Text of the send of the se	Sr
Quoted rate in ligure (%) Quoted rate in Words (%)	Total	GST and any other taxes imposed by the Government	imposed by the Government imposed providing & making Government imposed providing & making Government imposed per IS 16014:2012, MORTH Clause 2500, (two thousand five Wire mesh Government is 2500, (two thousand five Wire mesh of required size, Mesh Type 10x12 (ten into twelve) (D=100 mm (one hundred milimetre) with tolerance of ± 2%) Zinc coated, Mesh wire diameter 5.0 mm (five decimal zero milimetre), with tolerance of ± 2%) Zinc coated, Mesh wire diameter 5.0 mm (five decimal zero milimetre), mechanically edged/selvedged with partitions at every 1m interval and shall have minimum 10 Nos. mechanically edged/selvedged with partitions at every 1m interval and shall have minimum 10 Nos. mechanically edged/selvedged with partitions at every 1m interval and shall have minimum 10 Nos. mechanically edged/selvedged with partitions at every 1m interval and shall have minimum 10 Nos. mechanically edged/selvedged with partitions at every 1m interval and shall have minimum 10 Nos. mechanically edged/selvedged with partitions at every 1m interval and shall have minimum 10 Nos. mechanically edged/selvedged with partitions at every 1m interval and shall have minimum 10 Nos. mechanically edged/selvedged with partitions at every 1m interval and shall have minimum 10 Nos. mechanically edged/selvedged with partitions at every 1m interval and shall have minimum 10 Nos. mechanically edged/selvedged with partitions at every 1m interval and shall have minimum 10 Nos. mechanically edged/selvedged with partitions at every 1m interval and shall have minimum 10 Nos. mechanically edged/selvedged with partitions at every 1m interval and shall have decimal five of control of the edged/selvedged with partitions at every 1m interval and shall have decimal five of control of the edged/selvedgedgedgedgedgedgedgedgedgedgedgedgedge	Excavation in foundation, trenches etc. by mechanical means (Hydraulic excavator)/ manual means in earth work in all classification of soil such as pick work, jumper work, pick jumper work, blasting work, jumper blasting work, soft and hard blasting and saturated soil, de-watering, blasting work, jumper blasting work is prohibited, chiseling or any other mixed variety including wedging out rocks where blasting work is prohibited, chiseling or any other mixed variety of soil, including shoring, shuttering and pumping out water upto any depth or any quontam of water including slush which may be arise during de-watering removal of slush and stacking the serviceable and un-serviceable material clear from the edge of excavation as direction of Engineer-In-Charge and retuning the stacked soil in 15cm (Fifteen centimeter) layers, when required into plinths, sides of foundation etc; consolidating each deposited layer by ramming, watering and then disposing of all excavated earth as directed by the Engineer-In-Charge, within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-In-Charge. The rates inclusive of octor, royality, Malkhana, toll taxes, GST and any other taxes.	Description of term
(Amount to be	(Amount to be		28.50 Cubic metre	15,60 Cubic metre	
quoted by t	(Amount to be quoted by the contractor in figure) (Amount to be quoted by the contractor in words)		3250.00	360.00	Figures Words
he contractor			Rupees Three Thousand Two Hundred Fifty Only	Rupees Three Hundred Sixty Only	Words
in words)	in figure)		Per Cubic metre	Cubic metre	
		98241.00	92625.00	9010.00	

Dharamskala Division, HPPWD Dharamshala





Estimate Cost :- Rs.87513.00 Earnest Money :-Rs.1800.00

Time Limit :- Two Month.

Name of work:- Restoration of rain damages on Barol to Paddar Km. 0/0 to 2/220 in Tehsil Dharamshala, Distt. Kangra H.P. (SH:- C/o U- Shape dfain including M.S. orating at Rd. 1/350 to 1/358).

	The state of Form	Quantity	Figures	Rate in Words
- No.	Excavation in foundation, trenches etc. in earth work in all classification of soil such as pick work, jumper work, pick jumper work, blasting work, jumper blasting work, soft and hard blasting and jumper work, pick jumper work, blasting work, jumper blasting work, soft and hard blasting and jumper work, pick jumper work, soft and hard blasting and jumper work is prohibited, chiseling or any other mixed variety of soil, including shoring, shuttering and pumping out water upto any depth or any quontam of water including slush which may be arise during de-watering removal of slush and stacking the serviceable and un-serviceable material clear from the edge of excavation as slush and stacking the serviceable and retuning the stacked soil in 15cm (Fifteen centimeter) layers, when required into plinths, sides of foundation etc. consolidating each deposited layer by ramming, watering and then disposing of all excavated earth as directed by the Engineer-in-Charge, within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the leads, lifts of materials and other incidentals as per approved drawing, toll taxes, GST and any other	7.45 Cubic metre	360.00	Rupees Three Hundred Sixty Only
N	taxes imposed by the Government. Providing and laying cement concrete 1:2:4 (1 cement:2 Sand:4 graded stone aggregate 20mm Providing and laying cement concrete 1:2:4 (1 cement:2 Sand:4 graded stone aggregate 20mm nominal size) and curing complete mechanically mixed and vibrated including cost of form work in foundation and plinth ,drain all works etcetra as,per approved specification, drawing and design foundation and plinth ,drain all leads, lifts of materials and other, incidentals and as per complete upto floor all level within all leads, lifts of materials and other, incidentals and as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive, toll taxes, approved any other taxes imposed by the Government.	4.51 Cubic metre	6750.00	Rupees Six Thousand Seven Hundred Fifty Only

	words)	contractor in	sted by the	(Amount to be quoted by the contractor in words	Quoted rate in Words (%)	
	figure)	contractor in	oted by the	(Amount to be quoted by the contractor in figure)	Quoted rate in figure (%)	
87513.00				3	Total	
					carriage of materials within all leads, lifts and other incidentals. The rate is including octrol, royality, Malkana, toll tax, sale tax or other taxes imposed by the Government.	0.0
		The second secon			brackets, gates and similar works, as per direction of Engineer-in-Charge, including	_
		Five Only			structural steel etc. as required in gratings, frames, guard bar, ladder, railings,	TO.
an an	Kilogra	Hundred		0	hoisting, fixing in position and applying a priming coat of approved steel primer using	-
54388.00	Per	00	105.00	517.98 Kilogram 105.00	Steel work welded in built up sections/ framed work, of Tata/ Sall including cutting,	3

Executive Engineer,
HPPWD HKR) Division,
DHARAMSALA





Earnest Money :-Rs.1800.00

Time Limit :- Two Months.

Name of work:- Repair of Link road Tapovan to Breh Km. 0/0 to 1/500 in Tehsil Dharamshala, Distt. Kangra H.P. Deposit work (SH:- Repair of unlined drain surfaces and preparation Consolidation of sub grade at Rd. 0/600-10/8 00).

words	contractor in	oted by the	(Amount to be quoted by the contractor in words)	Quoted rate in Words (%)	
1gu	contractor in	oted by the	(Amount to be quoted by the contractor in figure)	Quoted rate in figure (%)	
			100	Total	
Per Square metre	Rupees One Hundred Ten Only	110.00	650.00 Square metre	Preparation Consolidation of sub grade with power road roller of 8 to 12 tonne capacity 650.00 Square after excavating earth to average 22.5cm depth, drsssing to camber of consolidating with road roller including making good the undulation etc. with earth or quarry soil etc. and rerolling the sub-grade completed as per HP.PWD specifications as direction of Engineer-In-Charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government	N
Per Runnin metre	Rupees Per Forty Only Running metre	40.00	450.00 Running metre	Construction of unlined surface drain of average cross-sectional area 0.4 sqm in ordinary rock to specified lines, grades, levels and dimensions as per approved design and Technical Specification Clause 307, and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including Royality, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.	
Unit	Words	Figures	Quantity	Description of Item	No.
	Rate in	Ra		Paradian affin	or.

Executive Engineer, HPPWD (Bark) Dission, DHARAMSALA





Estimate Cost :- Rs.89316.00

Earnest Money :-Rs.1800.00
Time Limit :- Two Months.

Name of work:- Repair of Link road Bagiara to old Himani Chamunda Km. 0/0 to 1/00 in Tehsil Dharamshala, Distt. Kangra H.P.* (DC) Deposit work (SH:- Repair of CC pavement at various at Rds. 0/660 to 0/725).

	2	DE AS	< 0) T		Sr
aggregates or) nominal sizer) nominal sizer) nominal sizer) nominal sizer) nominal sizer) nominal sizer solution en point two en point two metre per 10 nt Zero six) or ggregate, was pecification sizer siz	Providing laying spreading by mechanically means and compacting to 75mm	and rerolling the sub-grade completed as per HP.PWD specifications as direction of Engineer-In-Charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST	Preparation Consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to average 22.5cm depth, drsssing to camber of consolidating with road roller including making good the undulation etc. with earth or quarry soil etc.	Description of Item	
metre	2.05 Cubic		90.00 Square metre	Quantity) lead of the control of
	2150 00		110.00	Figures	D
Two Thousand One Hundred Fifty Only	Ruppes		Hundred Ten Only	Words	Rate in
Cubic	Der -	15	Square metre	Unit	
	4 408 00		9900.00	Amount	

	words)	contractor in v	oted by the	(Amount to be quoted by the contractor in words)	Quoted rate in Words (%)
	igure)	contractor in f	oted by the	(Amount to be quoted by the contractor in figure)	Quoted rate in figure (%)
89316.00	10				Total
	Cubic	Thousand Eight Hundred Fifty Only		metre	pavement work Grade M-20 (Twenty) design mix to obtain the minimum compressive strength of 20 N/mm2 (twenty newton) per square millimeter) with cement contents not less than 320 kg (three hundredtwenty Killogramme) per cubic meter and curing complete excluding the cost of form work and cement concrete work in open foundation to give smooth surface mechanically mixed and vibrated including curring completel within all leads lifts and other incidentals as per approved specification drawing, design and as directed by the Engineer in charge within all leads lifts and other incidentals. The rate inclusive of Malkhana, Royality, Octroi, toil tax, sale tax, GST and any taxes imposed by the Government.

Executive Enganeer,
HPPWD (H&R) Division,
DHARAMSALA



Earnest Money :-Rs.2000.00 Estimate Cost :- Rs. 99023.00

SCHEDULE OF QUANTITY

Name of work:- Restoration of road damages on Sidhpur to Khanyara damaged caused due to laying of underground Optical Fiber Cable Km. 0/0 to 4/00 in Tehsil Dharamshala, Distt. Kangra H.P.(Against Telecom Deposit) (SH:- C/o Hume pipe culvert 600mm dia at RD. 1/145). Time Limit :- Two Month.

n work in all classification of soil such as pick work. 24.50 jumper blasting work, soft and hard blasting and	n work in all classification of soil such as pick work. 24.50 Cubic jumper blasting work, soft and hard blasting and metre	n work in all classification of soil such as pick work. 24.50 Cubic 360.00 jumper blasting work, soft and hard blasting and metre	Ungramshald, Disk, Northware, A. A. Samer, A. A.	COT.	1 Excavation in fo	saturated soil, do or any other medepth or any question of Enguired watering and the leads, lifts of medical m	saturated soil, do or any other m depth or any question of Engwhen required watering and the leads, lifts of me Engineer-in-Chataxes imposed 2 Providing and I 40 mm (forty minishing complication of incidentals. The
Quan 24 50 C		Figures 360.00		Description of Item	Excavation in foundation, trenches etc. in earth work in all classification of soil such as pick work, jumper work, pick jumper work, blasting work, jumper blasting work, soft and hard blasting and saturated soil, de-watering, including wedging out rocks where blasting work is prohibited, chiseling or any other mixed variety of soil, including shoring, shuttering and pumping out water upto any depth or any quontam of water including slush which may be arise during de-watering removal of slush and stacking the serviceable and un-serviceable material clear from the edge of excavation as slush and stacking the serviceable and returning the stacked soil in 15cm (Fifteen centimeter) layers, direction of Engineer-in-Charge and returning the stacked soil in 15cm (Fifteen centimeter) layers, when required into plinths, sides of foundation etc; consolidating each deposited layer by ramming, when required into plinths, sides of foundation etc; consolidating each deposited layer by ramming.	watering and then disposing of all excessions of per approved drawing, design and as directed by the leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other	watering and tren disposing of all coverage. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other Engineer-in-Charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government. Providing and laying cement concrete 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate) Providing and laying cement concrete 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate) 40 mm (forty millimetre) nominal size in retaining wall including the cost of centering, shuttering and finishing complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes
		Figures 360.00	2	- Cugin	24.50	by ramming, rge, within all rected by the and any other	by ramming, rge, within all rected by the and any other a aggregate) 2.41 Cubic metre thuttering and ons and entire iffs and other y other taxes
	Words Words Rupees Three Rundred Sixty Only		Unit		Cubic metre		Per Cubic melre
Rupees Three Hundred Sixty Only		Unit Per Cubic metre	Amount	0 0000	0,000,000		12,171.00

	**	(Amount to			(Amount to be quoted by the contractor in figure)
m -5 - 0	Excavating supplying and filling of lacal earth. (including royalty) by machenical transport up to of 10. km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc.complete in all respect with in all leads of material and incidentals. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	Excavating supplying and filling of lacal earth. (including royalty) by machenical transport up to a least of 10. Ikm also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc.complete in all respect with in all leads of material and other incidentals. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	metre	metre	metre Hundred Twenty Five Only
C 20 10 10 10 10 10 10 10	s LS class NP-3 for culverts on first ing and fixing collar with cement more ion, protection works, back filling, co- ets etcetera as per drawing and I and the entire satisfaction of Engin is, lifts and other incidentals. The ther taxes imposed by the Government	4		A75.00	
000	n, royality, maximize, son taxes	leads, lifts and other incidentals. The rates inclusive of octon, royality, maintaine, row leads, contained and any other taxes imposed by the Government. 7.50 Rmt	7.50 Rmt	7.50 Rmt 4650.00	7.50 Rmt 4650.00 Rupees Four
0 10	duding carriage of material with	shuttering and finishing complete as per approved change including carriage of material within all directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all	duding carriage of material within all	churing carriage of material within all	chuding carriage of material within all
ning v	design specifications and a				
1 : 5	coarse sand : 10 graded	-4	2.75 Copic	metre C12	Anyone +output C1.7







Estimate Cost :- Rs. Earnest Money :- Rs.

99312.00




H.P. (Sub Head:-C/o 1.00 mtr. Span RCC Slab culvert at RD 0/440(Sub structure). Name of work:-Restoration of rain damages on link road from Yol Buchari to Balehar to link road Dharamshala Yol Dad Palampur road in Tehsil Dharamshala, Distt. Kangra Time Limit :- Two Months

No.	excavation for all type of road structure such as retaining walls, breast walls	culverts, drains and	1872	1872	18.72 Cubic	18.72 Cubic 360.00
The state of the s	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) as per drawings and M.O.R.D. technical specification clause 305 and 1603.4 and as per direction of the Engineer- in - Charge including setting out, shoring and bracing, removal of stumps and other detectious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetres) compacted thickness including shoring and strutting and pumping and balling out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads, lifts and other incidental. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	if ock	18.72		18.72 Cubic 30 meter	18.72 Cubic 360.00 meter
Providing and laying mechanically in isto eight graded crushed stone ago under water, including pumping or bilaying under water complete excluding HPPWD specifications and as direct lifts and other incidentals. The rate is taxes imposed by the Government.	Providing and laying mechanically mixed and vibrated plain cement concrete 1:4:8 (one coment isto four sand isto eight graded crushed stone aggregate 40mm (Forty millimeter) nominal size) and curing complete, in or under water, including pumping or balling out water/dewatering, removal of slush which may arise at the time of laying under water complete excluding the cost of form work in foundation and plinth in all depths/heights as per HPPWD specifications and as directed by the Engineer-in-Charge including carriage of material within all leads. Itls and other incidentals. The rate is including Royality, Makhana, Octroi, Toll Tax, Sale Tax, GST and any other taxes imposed by the Government.	our sand ste, in or e time of ts as per all leads, any other	1.87	-	1.87	1.87 Cubic metre
Providin Providin plasters bed bloc centerin mm (for drawing	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached plasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, including the cost of centering, shuttering and finishing 1:5:10 (one cement also five coarse sand) isto ten graded stone aggregate 40 mm (forty millimetres) nominal size) within all leads, lifts of materials and other, incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive, toll taxes, GST and any other taxes imposed by the Covernment.	st of wed	0.38	0	0.38	0.38 Cubic metre
	Providing and laying cement concrete 1:2:4 (1 cement:2 Sand:4 graded stone aggregate 20mm nominal size) and curing complete mechanically mixed and vibrated including cost of form work in foundation and plinth as per approved specification, drawing and design complete upto floor all level within all leads, lifts of materials and other, incidentals and as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive, toil taxes, GST and any other taxes imposed by the Government.	size) h as rials	0.38		0.38	0.38 Cubic meter

5 Providing and laying medianically mixed early windows across acrossed 20mm (twenty millimeter) nominal size), on metre
The second of th

Executive Sharper
Dharamshala division,
HPPWD Dharamshala



188

Estimate Ccst :- Rs.89598.00 Earnest Money :- Rs.1800.00

Time Limit :- Two Months.

Name of work:- Repair of Link road Bagiara to old Himani Chamunda Km. 0/0 to 1/00 in Tehsil Dharamshala, Distt Kangra H.P. (DC) Deposit work (SH:- Repair of CC pavement at various at Rds. 0/767.10 to 0/783).

2	-1 NO.	Sr.	
taxes imposed by the Government. Preparation Consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to average 22 5cm depth, drsssing to camber of consolidating with road roller including making good the undulation etc. with earth or quarry soil etc. and rerolling the sub-grade completed as per HP.PWD specifications as direction of Engineer-In-Charge. The rates inclusive of octor, royality, Majkhana, toll taxes, GST and constructions as imposed by the Government.	Excavation in foundation, trenches etc in earth work in all classification of soil such as pick work, jumper work pick jumper work, blasting work, jumper blasting work, soft and hard blasting and saturated soil, de-watering, including wedging out rocks where blasting work is prohibited, chiseling or any other mixed variety of soil, including shuttering and pumping out water upto any depth or any quontam of water the serviceable and un-serviceable material clear from the edge of excavation as direction of Engineer-In-Charge and retuning the stacked soil in 15cm (Fifteen centimeter) layers, when required into plinths, sides of foundation etc, consolidating each deposited layer by ramming, watering and then disposing of all excavated earth as directed by the Engineer-in-Charge, within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge.	Description of Item	
65,00 Square metre	5.75 Cubic metre	Quantity	
110.00	360.00	Figures	Ra
Rupees One Hundred Ten Only	Rupees Three Hundred Sixty Only	Words	Rate in
Per Square metre	Per Cubic metre	Cint	1111
7150.00	2,070.00	2000	Amount

ds)	contractor in figure	oted by the co	(Amount to be quoted by the contractor in figure) (Amount to be quoted by the contractor in words)	Quoted rate in Words (%)	0 0
89598.00				Total	-
Per 71240.00 Cubic metre	Rupees Six F Thousand C Eight m Hundred Fifty Only	6850.00 F	10.40 Cubic metre	Providing and laying mechanically mixed and vibrated plain cement concrete pavement work Grade M-20 (Twenty) design mix to obtain the minimum compressive strength of 20 N/mm2 (twenty newton) per square millimeter) with cement contents not less than 320 kg (three hundredtwenty Killogramme) per cubic meter and curing complete excluding the cost of form work and cement concrete work in open foundation to give smooth surface mechanically mixed and vibrated including curring completel within all leads lifts and other incidentals as per approved specification drawing, design and as directed by the Engineer in charge within all leads lifts and other incidentals. The rate inclusive of Malkhana, Royality, Octroi, toll tax,sale tax, GST and any taxes imposed by the Government.	4
Per Cubic metre	Rupees Two C Thousand m One Hundred Fifty Only	2150.00	4,25 Cubic metre	(seventy five millimeter) compacted thickness, crushed stone aggregates of Grading-III, 63mm to 45mm (sixty three millimeter to forty five millimeter) nominal size to water bound macadam specification including spreading in uniform thickness using templates, hand packing rolling with three wheeled roller 80-100 (eighty - one hundred) kN static weight in stages to proper grade and camber including applying and brooming stone screening Type-B of size 11.2 mm (eleven point two millimetre) nominal size at the rate of 0.20 (zero point two zero) cubic metre per 10 Sqm. (ten square metre) and binding material at the rate 0.06(Zerro point Zero six)cubic metre per ten square metre to fill up the interstices of coarse aggregate, watering and compacting to the required density as per MORD Technical specification section 400 and as per direction and satisfaction of Engineer-in-Charge including Royality. Malkana. Octrol, toll tax, GST or any other taxes imposed by the Government.	







Estimate Cost :- Re.89675.00 Earnest Money :-Rs.1800.00

· Time Limit :- Two Months.

Name of work:- Repair of Link road Chatehr Km. 0/0 to 1/500 in Tehsil Dharamshala, Distt. Kangra H.P. (DC) Deposit work (SH:- Repair of CC pavement house of Sh. Pawan Bhatia to Rajesh Gurung Ward No.6 G.P. Rakkar).

	vords)	contractor in v	uoted by the	(Amount to be quoted by the contractor in words)	Quoted rate in Words (%)
	igure)	contractor in f	uoted by the	(Amount to be quoted by the contractor in figure)	Quoted rate in figure (%)
89675.00					Total
83570.00	Per Cubic metre	6850.00 Rupees Six Thousand Eight Hundred Fifty Only	6850.00	12.20 Cubic metre	Providing and laying mechanically mixed and vibrated plain cement concrete pavement work Grade M-20 (Twenty) design mix to obtain the minimum compressive strength of 20 N/mm2 (twenty newton) per square millimeter) with cement contents not less than 320 kg (three hundredtwenty Killogramme) per cubic meter and curing complete excluding the cost of form work and cement concrete work in open foundation to give smooth surface mechanically mixed and vibrated including curring completel within all leads lifts and other incidentals as per approved specification other incidentals. The rate inclusive of Malkhana, Royality, Octroi, toll tax, sale tax, GST and any taxes imposed by the Government.





Estimate Cost :- Rs. 99692.00
Earnest Money :- Rs. 2000.00
Earnest Money :- Rs. 2000.00
Time Limit :- Two Month.
works in Type -III Ort. New block).

On On						ω	2	_	No.	Sr.
Providing and fixing 20mm nominal bore C.P. brass valve (Horizontal plunger) type High pressure with polythene plastic floats of Continental series of Jaquar / Classik series of Findware / Floral Series of Cera / Hindon series of Jal of standard design and of approved make conforming to S.8931complete within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is contracted by the Conservation.	Engineer-incharge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of Octrol, Royality, Malkhana, Toll tax, Sale tax, GST or any other taxes imposed by the Government,	material (engineering plactic blend and brass inserts wherever required) e.g. elbows, tees, reducers, couplers & connectors etc., with clamps at 1.00 metre spacing. This includes testing of joints complete as per direction of the	cold water supply, capable to withstand temperature.up to 80°C, including all special fittings of composite	Pipes conforming to IS - 15450, 2004 of Kited U.V. stabilized with carbon black having thermal stability for hot &	Providing and Sking 1620 (15mm OD pipe) Polyethelene-Aluminium Polyethelene PE-AL - PE Composito Pressure	Providing and fixing 1620 (20mm OD pipe) Polyethelene-Aluminium Polyethelene PE-AL- PE Composite Pressure Pipes conforming to IS - 15450, 2004 of Kilec U.V. stabilized with carbon black having thermal stability for hot & cold water supply, capable to withstand temperature up to 80°C, including all special fittings of composite material (engineering plastic blend and brass inserts wherever required) e.g. elbows, toos, reducers, couplers & connectors etc., with clamps at 1.00 metre spacing. This includes testing of joints complete as per direction of the Engineer-Inchange, including carriage of material within all leads. Iffs and other incidentals. The rate is inclusive of Octrol, Royality, Makhana, Toll tax, Sale tax, GST or any other taxes imposed by the Government.	Providing and fixing glazing with glass panes of 4mm thickness (weight not less than 10.00 kg/sqm glazing in aluminium door, window, ventilator shutters and partition etc with PVC / neoprens gasket etc complete as per the architectural drawings and the directions of Engineer-In_charge (cost of aluminium snap beading shall be paid in basic item.) The rate is inclusive, tell taxes, GST and any other taxes imposed by the Government.	Steel work welded in built up sections, trussed and framed work; of Tata/ Sall including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required in single sanctions composed of rolled steel joids or Channels with caps base splices, angle brackets etc. as per direction of Engineer-in-Charge, including carriage of materials within all leads. Lifts and other incidentals. The rate is including octrol, royalty, Malkana, toll tax, sale tax, GST or other taxes, imposed by the Government.		Description of Item
2.00					78	6.00	0,54	175		0
Numbers					Running	Running	Square	50 Kilograme		Quantity
650.00				000.00	390.00	320.00	1100.00	112.00	Figures	
Rupees Six Hundred Fifty Only		H	Unity	Hundred Ninety	Rupees Three	Rupees Three Hundred Twenty Only	Rupees One Thousand One Hundred Only	Rupees One Hundred Twelve Only	Words	Rate in
Each	1		Higher	m	Per	Per Running metre	Per Square metre	Kilograme		Unit
1,300.00				1	2,730.00	1,920.00	594,00	19,656.00		Amount

o			-		- 3	1	
	5 8 3	8 3 7 5	(a)	0 3 0 2 5 4 0 5	0 2 2 2	3 0 0 D	12
Provision for water pump 1.00 HP (one horse power) within all leads, lifts of materials and other incidentals, as per approved architectural drawing, design and specification as directed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octro, royality, malkharts, toll tax, sale tax, GST or any other taxes imposed by the Government.	Providing and fixing 32 mm dia P.V.C. flexible, waste pipe of Findex. Relipipe (Reliance), Vectos for sink or wash basin including P.V.C. waste fittings complete within all leads, lifts, including carnage of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive of incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive of	toll taxes. GST and any other taxes imposed by the Government. P/F Exhaust fan of Usha' Bajaj / havel cutting holes of required size in brick masonry wall for fixing of exhaust fan including providing and fixing 300 mm dia PVC pipe conforming BIS-12818 and making good the same etc. complete as per direction of Engineerin- charge. The rate is inclusive of toll taxes. GST and any other taxes	impased by the Government. Constructing brick masonry chamber for underground C.I. inspection chamber and bends with bricks in cement mortar 1.4 (1 coment - 4 coarse sand) C.I. cover with frame (light duty) 455x810 mm internal dimensions, total weight of cover with frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg). R.C.C.	top slab with 11.5.3 mix (1 cement: 1.5 Fire sand: 3 graded stone aggregate 40 mm nominal size), inside plastering 12 min thick with cement mortar 1.3 (1 cement: 3 coarse sand), finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design Inside dimensions 455x810 min and 45 cm deed for single pipe line: 19.30.1.1 With common burnt day E.P.S. (non modular) bricks of class designation 7.5 as per direction of Engineer-in-charge including carriage of material within all leads, titts and other incidentals. The caste is inclusive of dotroi, myalify, materiana, tot tax, sale tax, GST or any other taxes imposed by the Government.	Providing and fixing 20 mm (twenty millimetres) dia stambas steel curtain rod having wall tillckness of 1.25mm with two chromium plated brass brackets fixed with C.P. brass screws and PVC sleeves etc., wherever necessary complete as per approved shade within all leads, tills of materials and other incidentals as per approved specification, drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive, toll approved specification, drawing, design and as directed by the Engineer-in-Charge.	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink of Diamond / Unik Kachen sink with drain board 610x510 mm bowl depth 200 mm with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required within all leads, lifts of malerials and other incidentals. The rate is inclusive, foll taxes, GST and any other taxes imposed by the Government.	Providing and applying white cement (Birla white/JK) /based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-In-Charge including camage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
1:00	1.00	1.00	2.00		21.60	1.00	. 56.96
Numbers	Numbers	Numbers	Numbers		Running	Number	Square
5850.00	290.00	2200.00	9585.00		350.00	5450.00	73.00
Thousand Eight Hundred Fifty Only	Rupees Two Hundred Ninety Only	Rupees Two Thousand Two Hundred Only	Rupees Nine Thousand Five Hundred Eighty	*	Rupees Three Hundred Fifty Only	Rupees Five Thousand Four Hundred Fifty Only	Rupees Seventy Per Three Only Squ
n naur	Each	Each	mags		Per Running mater	Each	y Per Square metre
0,000 00	290.00	2,200.00	19,170.00		7,560.00	5,450.00	4,158,00

			on on		. 4	10
Quoted rate in Words (%)	Quoted rate in figure (%)	Total	15 Painting two cost (excluding priming cost) of Asians Paints /Nerolac sureksha /Bergar paint on previously painted steel and other metal surfaces with enamet paint to give an even shade including cleaning the surface of all dirt.dust and other foreign matter and sand papering as required, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, rayalty, makhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	tax. GST or any other faxes imposed by the Government.	44 Painting two cost (excluding priming cost) of Asians Paints / Nerolac suraksha / Bergar paint on previously painted wood and wood based surfaces with enamel paint to give an even shade including cleaning the surface of all dirt dust and other foreign matter and sand papering as required , as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of matterial within all teads, lifts and other incidentals. The rate is inclusive of octror, royality, matkhana, toll tax, sale	
(Ar	(A		45.28		83.01	145.00
nount to be	mount to be		metre		Square	netre.
quoted by	quoted by		82.50		92.50	
(Amount to be quoted by the contractor in words)	(Amount to be quoted by the contractor in figure)		And Palse Fifty Only		And Paise Fifty Only	Hundred Twenty Only
words)	figure)		Square	T	Square	3 8 8
		00,000,0	000000000000000000000000000000000000000	2700 00	/6/8,00	1140000





PEZZ

SCHEDULE OF QUANTITY

EARNEST MONEY: - T

TIME LIMIT

65972.00 1400.00 Two Months

NAME OF WORK: Annual Repair and maintenance of Type-III quarters 5-10 at PWD Colony at Dharamshala, Distt. Kangra H.P.
SUB-HEAD - Providing and laying Tile flooring, distempering and painting work effecters

4 = 1	u 0 0 0 V	2 0 0 0 7		ы	N V	CAR-HEAD
4 Painting wood work with Deluse Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm (zero decimal ninety litre per test square metre) over an under coat of primer applied and the last coat of primer applied applied and the last coat of primer applied and the last coat of primer applied and the last coat of primer applied app	Wall painting with premium actylic emulsion paint of Asian / Dulux / Berger / Nerolac Suraksha paints of approved interior grade, having VOC (Volatile Organic Compound.) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour two or more coats, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of oction, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	Providing and applying white coment based putty of Birta / JK average thickness 1 mm (one millimetre) over the plastered wall surface to prepare the surface even and smooth complete, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroil royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.	Providing and laying 600x600 mm (six hundred into six hundred milimetre) vitrified floor tiles of Restile/ Johnson/ Nitco/ Rak / Kajaria / AGL/ Simpolo / Somany /Orient Bell as per approved shade and design of the office (thickness to be specified by the manufacturer) with water absorption less than 0.08% (zero decimal zero eight percentage) and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm (twenty milimetre) thick cement mortar 1:4 (one cement isto four coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm. (three decimal three kilogram per squaremetre) including grouting the joints with white cement and matching pigments etcetora complete, as per approved drawing design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	2	mescription of meno-	- Providing and laying I in
34.69 Square	212.75 Square metres	374.15 Square metres	12.25 Square metres	w	Popularion and	Chanto
115.00	105.00	73.50	1490,00	ų	Bif or	
Rupees One Hundred Efficen Only	Rupees One Hundred Five Only	Rupees Seventy Per Three And Paise Fifty square Only metre	Rupees One Per Thousand Four square Hundred Ninety Only metre	S	In words	RATES
Per Square metre	per square metre	Y square metre	Per square y metre	6		Unit
00.636	22339.00	12800.00	18253.00	7	Supplied S	Amount

	vords)	t to be quoted by the contractor in words)	o be quotes	(Amount t	Quated Rate in Words (%)
	igure)	t to be quoted by the contractor in Figure)	o be quoted	Amount t	Quated Rate in Figure (%)
65972.00	TOTAL :-	7			
1923.00	Square metre	Rupees One Per Thousand Fifty Only Square metre	00.0501	1,26 Square metres	6 Providing and fixing 1st quality ceremic glazed wall tiles 300x450mm (three hundred lists four hundred lifity) of Kajaria / Johnson / Nitco / Orient / Bell / Somany / AGL conforming to 15 : 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgurdy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm (twelve milimetres) thick bed of cement Mortar 1.3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 (at the rate three decimal three) kilogram per square metres including pointing in white cement mixed with pigment of matching shade complete, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, maskbana, toll tax, sale tax, GST or any other taxes imposed by the Government.
7268.00	Per square metre	Rupees Four Thousand Two Hundred Fifty Only	4250,00	1.71 Square metres	5 Providing & fixing ware gauge shutters using Galvanised M.S. Wire gauze with 0.63 mm (zero decimal sixty three millimetre) dia wire and 1.4 mm (one decimal four millimetre) aperture on both directions for door, windows and cierestory windows with hinges and necessary screws 40mm (forty millimetre) thick shutters with 151 marked M.S. pressed but thinges bright finished or required size second class doedar wood, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer in Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, matchana, toll tax, sale tax, 651 and any other taxes imposed by the Government.
7	6	5	4	ш	2

Executive Engineer,
Dharamshala Division,
HPPWD Dharamshala

Estimate Cost :- Rs.47055.00

Earnest Money :-Rs.900.00

Time Limit: Two Months.

Name of work:-Repair of A.S.P. residence Police line at Dharamshala in Distt. Kangra HP (SH :- Providing and fixing C.G.I. sheet roofing

ω	N	No.
Providing and fixing ridges or hips 60cm overall with 0.60mm thick preprinted steel sheets in roofing with hot dipped metallic zinc coated sheets with top coat of regular modified polyster organic coating of 20 microns over 5 microns primer coating + back coat of polyster of 5 microns over 5 microns primer coating lic fixing with preprinted iron J or L hooks, bolts &nuts 6mm dia & preprinted G.I. Impet and bitumen washers complete with all accessories as required as per the direction of Engineer in Charges. Including carriage of materials with in all leads, lifts and other incidentals. The rates including Royality, Makhana, Octroi, toil tax, sales tax GST or any other taxes imposed by the	Structural steel work of Tata/tiscon/Sail riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete as per specification, drawing, design and direction by the Engineer in charge, including carriage of materials within all leads, lifts and other incidentals. The rate inclusive of Malkhana, Octroi, Toll tax, GST or any other taxes imposed by the Government. Providing and fixing 0.60mm (zero point sixty millimeter) thick prepainted steel sheet ISI marked 2.120 (Z-one hundred twenty) prepainted steel sheet of TATA/durashine/ sail/ Relience/Jindal or equivalant in roofing over steel trusses with hot dip metalic zinc coated sheet with top coat of regular modified polyster (RMP) organic coating of 20 (TWENTY) milcrons over 5 (five) microns primer coating to back coat of polyster and 5 (five) microns over 5 (Five) microns primer coating including thing with prepainted iron J or L hooks, bolts and nuts 6mm (six millimeter) diameter with prepainted limpet and rubber washer complete with all accessories as required as per direction of Engineer-In-charge including carriage of materials within all leads and lifts. The rate inclusive of Octroi, Toll tax, GST or any taxes imposed by the Government	Description of Item
8.00	11.10	Q
Running	212.40 Kilogram me 11.10 Square meter	Quantity
750.00	1450.00	Figures
Rupees Seven Hundred Fifty Only	Rupees One Hundred Only Rupees One Thousand Four Hundred Fifty Only	Rate in Words
Per Running metre	Per Kliogramm e Per Square meter	Unit
6,000.00	16,095.00	Amount

	(Amount to be quoted by the contractor in words)	e quoted by th	(Amount to b		Quoted rate in Words (%)
	(Amount to be quoted by the contractor in figure)	e quoted by th	(Amount to b	2	Quoted rate in figure (%)
47055.0	mentioning printermination of any one property and a second of a s				Total
iquare	Thousand Five Square Hundred Fifty meter Only		meter		eaves board/facial/soffits/ceiling including cutting, fixing and welding to steel roof members and applying a cost of red lead primer complete as per the instruction of Engineer-Incharge (Base members of steel work shall be measured and paid separately) including fixing complete as per approved drawing, design as per the direction and entire satisfaction of Engineer-in-Charge. Rate is inclusive of sale tax, tall tax, GST and any other taxes imposed by the government.

Executive Engineer,
HPPWD (B&R) Division
DHARAMISALA

200

EARNEST MONEY :- * ESTIMATED COST : - ₹

One Month 99750.00 2000.00

TIME LIMIT

NAME OF WORK :-Construction of 4 Nos. Type- III quarters at Excies and Taxation Department Dharamshala, Distt. Kangra H.P.

SUB-HEAD :-

Geo-Technical Investigation

	r in words)	(Amount to be quoted by the contractor in words)	be quote	mount to	
	or in Figure)	e decice by the contractor in Figure)	arough sa		Quated Rate in Words (%)
		d have been and	be queto	mount to	to the state of the state (%)
99750.00	Total:-				Quotad Boto : F
99750.00	Per Running metre	650.00 Rupees six thousand six hundred fifty and paise zero only	6650.00	15.00 Running metres	exploration at the proposed location of the Road by drilling bore hole as per is 2800. flunning strate conglomerate boulders, pebbles, sand, Graval, Sift caly etc. including cost of attachements extractable casing consumable stores, bits water POI Graval pack in Annular space etc. complete in all respect as per direction of Engineer - in - Charge within all leads and lifts and other incidentals. The rate including octroi, royality, Malkana, toll tax, sale tax or other taxes imposed by the Government
7	O)	5	ž,	4	Carryout Planning & Monitoring Geo- Technical Investigation and cut 3
3000		In words	Infig		,
Amount	Unit	RATES		Quantity	No

Dharamshald Division,
HPPWD Dharamshald



Estimate Cost:-Rs.97800.00
Earnest Money:-Rs. 2000.00
Earnest Money:-Rs. 2000.00
Time Limit:- Two Month.
Name of work:- Construction of play ground at G.P. Narwana in Tehsil Dharamshala Distt. Kangra (Deposit work) (SH:- Construction of wire crate wall at Rd. 0/12.50

ted by the co	(Amount to be quoted by the contractor in words)	Quoted rate in figure (%)
5	(Amount to be quoted by the contractor in figure)	Total
		an ends, into the Government
	metre	Earth Filling in foundation, trenches as per "drawing and MORD technical specification Gause 2002,9 cannot faing as per the direction and the entire satisfaction of Engineer-in-Charge including carnage of materials with in at least of the and other incidentals. The rate is including Royalty, Malkana, Octroi, toll tax, GSTor any other
290.00	metre metre	Back filing behind abunitors, with was any con- 1204.3.8 Granular material and as per the entire satisfaction and direction of Engineer – in- Charge including carriage of materials within all leads, lifts and other incidental. The rate is including octroi, royality, Malkana, but tay sale tax or other taxes imposed by the Government.
950.00	13.75 cubic	tax sale tax ,GST and any taxes imposed by the Government.
	metre	Providing and laying of boulder apron laid in wire craftes with 5 mm dia 51 wire constituting to 10.00 cm. Providing and laying of boulder apron laid in wire craftes with 5 mm dia 51 wire constituting of lays and joints laid with stone in 100 mm x 100 mm mosh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg each as per drawing and technical specifications. Clause 1301 completel within all leads lifts and other incidentals as per approved specification drawing , design and as directed by the language within all leads lifts and other incidentals. The rate inclusive of Malkhana, Royality, Octroi, toll length of the control of the con
3250.00	23 44 Cubic	Covernment Service and IS-4826
360,00	5.50 Cubic metre	Excavation in foundation, trenches etc. in earth work in all classification of soil such as pick work, jumper work, pick jumper work, blasting work, jumper blasting work, soft and hard blasting and saturated soil, de-watering, including wedging out rocks where blasting work is prohibited, chiseling or any other mixed variety of soil, including shoring, shuttering and pumping out water upto any depth or any quontam of water including slush which may be arise during de-watering removal of slush and stacking the serviceable and un-serviceable material which may be arise during de-watering removal of slush and stacking the serviceable and un-serviceable material class from the edge of excavation as direction of Engineer-In-Charge and retuning the stacked soil in 15cm (Fritteen continued) layers, when required into panths, sides of foundation etc. consolidating each deposited layer by remning, watering and then disposing of all excavated earth as directed by the Engineer-In-leads, lifts of materials and other incidentials as per approved drawing, design and as directed by the Engineer-In-leads, inclusive of octor, royality, Maskhana, toll taxes, GST and any other taxes imposed by the
rigures		Description of term
	Quantity	O. C.

DHARAMSAL Bysion

ESTIMATED ₹ 99957.00
EARNEST MONEY ₹ 1900.00
TIME LIMIT Two Months

NAME OF WORK :-Restoration of rain damages on Sanoura to Jatehar road km 0/000 to 10/340 in Tehsil Dharamshala, Distt. Kangra H.P.

SUB-HEAD: :- Construction of damaged P.C.C. Retaining wall at RD 8/980 to 8/988

les .		<u>.</u>	14	No.	S
3 Providing and laying 100mm (Hundred millimeter) dia P.V.C pipe weep holes in brick masonry/stone masonry, plain reinforced concrete, Abutments, Wing walls, Return walls and retaining/breast walls extended through the full width of the structure with slope I(V)-20(H)(One vertical : Twenty Horizontal) towards draining face complete as per drawing and MORD technical specification Clause 1206.6 and as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	2 Providing and laying mechanically mixed and vibrated plain cornert concrete in foundation for all type of structure, plain concrete nominal mix 1:5:10 (one cement isto five sand isto Ten graded crushed/broken stone aggregate 40mm (forty milimetre) nominal size in or under water including curing complete and pumping or bailing out water, de-watering removal of slush as required at site which may airse at the time of laying un der water complete for all heights/depths including the cost of form work complete in all respect as per drawing and technical specification clause 802,803,1202,1203 and as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, 65T or any other taxes imposed by the Government.	and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) as per drawings and M.O.R.D. technical specification clause 305 & 1603 and as per direction of the Engineer- In – Charge including setting out, shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty milimetres) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	2		Description of items
9.00 Numbers	18.50 Cubic Metres	9.50 Cubic metres	3		Quantity
360.00	4850.00	360.00	4	to fig	
Rupees Three Hundred Sixty Only	Rupees Four Thousand Eight Hundred Fifty Only	Rupees Three Hundred Sixty Only	(A)	in words	RATES
Each	Per cubic metre	Per cubic metre	6		Unit
3240.00	89725.00	3420.00	7		Amount

	orin	(Amount to be quoted by the contractor in	o be quo	Amount I	
	tor in	Amount to be quoted by the contractor in	o be quo	Amount	
99957.00	TOTAL :-	70			Quated Rate in Figure (%)
3572.00	Per cubic metre	950.00 Rupees Nine Hundred Fifty Only	950.00	3.76 Cubic metres	
7	9	5	4	3	A Back filling behind abutment, wing wall and return wall complete as a second of the

Executive Engineer, Dharamshba Division, HPPWO Bharamshala.

NAME OF WORK :-

ESTIMATED COST: - ₹

EARNEST MONEY: - <

99505,00

Two Months

Additional Accommodation of Canteen in Zonal Hospital at Dharamshala, Distt. Kangra H.P. (Deposit work) TIME LIMIT 2000.00

Executive Engineer, Dharamsha a Division, HPPWD Dravamshala.

EARNEST MONEY:- < ESTIMATED COST: - ₹

TIME LIMIT

Two Months 1200.00

62208.00

Construction of Building Hall and one Room at Top Floor at Govt. Senior Secondary School Jadrangal in Tehsil Dharamshala, Distt. Kangra H.P.

SUB-HEAD :-

Painting work and other minor work etcetera

(Deposit work)

NAME OF WORK :-

V D D 0 × D = 10 ×		H	No.
Finishing walls with Acrylic Smooth exterior paint of Asian / Dulax / Berger / Nerolac Suraksha paint of required shade New work (Two or more coat applied @ 1,67 ltr/10 sgm (one decimal sixty seven litre per ten squaremetre) over and including priming coat of exterior primer applied @ 2,20 kg/10 sqm two decimal twenty kilogram per ten squaremetre), as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the	Painting with synthetic enamel paint. Asian / Dulux / Berger / Nerolac Suraksha paints of approved brand and manufacture of required colour to give an even shade two or more coats on New work, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within-all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Wall painting with premium acrylic emulsion paint of Asian / Dulux / Berger / Nerolac Suraksha paints of approved interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour two or more coats, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	2	
Square metres	247.95 Square metres 190.21 Square metres	S.	- Country
130.00	105.00	Ja	In fig
Rupees One Hundred Thirty Only	Rupees Ninety Five Only Rupees One Hundred Five Only	U)	In words
Per Square metre	Per square metre Per square metre	6	CHIL
7046.00	19972.00	7	Amour

8472.00	Each	Rupees One Thousand Four Hundred Twelve Only	1412.00	Numbers Numbers	Downlighter round shape with minimum, system lumen efficacy of 100 lm/W with Polycarbonate housing, pressure die cast heat sink and P.F.> 0.95 with THD < 10%. CRI 80. The LED shall be tested with LM80-80 standard with Useful lift of \$0000 Hrs at L70. THe LEDs used in the luminaire shall have CCT of ANSI Bin 5700 K with CRI of minium 80. The input Voltage range shall be 150V to 270 V , 50/60 HZ complete with accessories, including connections, testing and commissioning etcetera as required complete in all respect, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
250.00	Each	Rupees Two Hundred Fifty Only	250.00	1 Number	Providing and fixing 110mm (one hundred ten millmetre) of of Supreme/Finolex/Vectus /Relpipe (reliance) incluadhesive complete, as per approved drawing, design and directions and entire satisfaction of the Engineer-in-Chimaterial, within all leads, lifts and other incidentals. The royality, malkhana, toll tax, sale tax, GST or any oth Government.
1200.00	Each	Rupees Four Hundred Only	400.00	3.00 Numbers	5 Providing and fixing 110mm (one hundred ten millimetre) diametres P.V.C Pipe of Supreme/Finolex/Vectus /Relpipe (reliance) including fixing with approved adhesive complete, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material, within all leads, lifts and other incidentals. The rate is inclusive of octror, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
738.00	Per Squa <u>re</u> metre	Rupees One Hundred Fifteen Only	115.00	6.42 Square metres	4 Painting wood work with Deluxe Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm (zero decimal ninety litre per ten sqaure metre) over an under coat of primer applied @0.75 ltr/10 sqm (zero decimal seventy five litre per ten square metre) of approved brand and manufacture, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
7	6	55	4	Ça)	2

Rupees Ninety Seven Per And Paise Fifty Only Running metre

Dharamshala Division, HPPWD Dharamshala



24

SCHEDULE OF QUANTITY

SUB-HEAD :-NAME OF WORK :-Construction of Manhole, Inspection Chamber and Cement Concrete work etcetera in Old Block Annual Repair & Maintenance of Non-Residential building Circuit House at Chilgari at Dharamshala, Distt. Kangra H.P.

> ESTIMATED COST:-EARNEST MONEY:-TIME LIMIT :

94051.00 1900.00 One Month

115205111	w			4	
with 1.1.5.3 mix (one cement isto one docimal five coarse sand (zone- m) isto three graded stone aggregate 20 mm (twenty millimetre) nominal size), foundation coocrete 1.4.8 mix (one coment isto four coarse sand (zone aggregate 20 mm eight graded stone aggregate 40 mm (forty millimetre) nominal size), inside plastering 12 mm (twelve millimetre) thick with cement importar 1.3 (pine coment isto three coarse sand) finished with floating coat of near cement and making channels in cement concrete 1.2.4 (one cement isto two coarse sand) finished with floating coat of near cement and mix (twenty millimetre) normal size) linished with a floating coat of near cement complete as per standard design (inside size 1.20x90 cm) (one hundred twenty into monety centimetre) and 90 cm (innety contimetre) deep including C1. cover with frame (medium duty) 500 mm (five hundred millimetre) internal diameter, total weight of cover and frame to be not less than 115 kg (one hundred sixteen kilogram) (weight of cover 58 kg (lifty eight wilogram) and weight of frame 58 kg (lifty eight wilogram)	orruplete orruplete olf taxes,	Jumper work, blasting work, jumper flasting work, soft and hard blasting and saturated soil, de-watering, including wedging out rocks where blasting work is prohibited, chaseling or any other mixed variety of soil, including shoring shuttering and pumping out water upto any depth or any quoritant of water including shoring. Shuttering de-watering removal of slush and stacking the serviceable and un-serviceable material clear from the edge of excavation as direction of Engineer-in-Charge and returning the stacked soil in 15cm (Fifteen continueter) layers, when required into plinths, sides of foundation etc. consolidating each disposited layer by ramming, watering and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge, within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rates inclusive of other notions and favire content tracers of the other layers imposed by the Government.	Wheel the second		
₽	8.62 Cubir metres	5.06 Cubic metres	lui.		Quantity
16500.00	\$450.00	360.00		an fig	
Rupees Secteon Thousand Each Five Hundred Only	Rupees five Thousand Four Hundred Fifty Only	Rupees Three Hundred Sixty Only	4.5	In words	RATES
Each	Per cubic metre	Per cubic metro	6		Unit
16500.00	46979.0	1822	7		Amount

	(Amount to be quoted by the contractor in words)	Amount to b	
	(Amount to be quoted by the contractor in Figure)	Amount to b	Quated Rate in Words (%)
707AL 94051.00			Quoted Rate in Figure (%)
Each 28750	S250.00 Supres Five Thousand Seven Hundred Fifty Only	Numbers	mortar 1-4 (one cement isto four coarse sand) C.t. cover with frame (Fight duty) 455x610 mm (four hundred fifty five into six hundred ten milimetres) internal dimensions, total weight of cover with frame to be not less than 38 kg (thirty eight kilogram) (weight of cover 23 kg (twenty three kilogram) and weight of frame 15 kg (fifteen kilogram). 8.C.C. top slab with 1.1.5.3 mix (one cement isto one decimal five time sand isto three graded stone aggregate 20 mm (twenty milimetres) nominal size), foundation concrete 15:30 (one cement isto fivefine sand isto ten graded stone aggregate 40 mm (forty milimetres) nominal size), inside plastering 12 mm (twelve milimetres) thick with cement mortar 1.3 fone cement sto three coarse sand), finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design inside dimensions 455x610 mm (four hundred fifty live into sx hundred ten milimetres) and 45 cm (forty five centimetres) deep for single pipe line: 19:30.1.1 With common burnt clay E.F.S. (non-modular) bricks of class designation 7.5. (seven decimal five) as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, mailthand, toll fax, sale tax, GST and any other taxes imposed by the Government.
6 7	4.0		Constitution have accessed





ESTIMATED COST: -77055,00

EARNEST MONEY: Rs. 1600.00

TIME LIMIT One Month

Restoration of rain damages on Kotwali Bazar Gandhi Parki to Kala Pul upto by Pass Junction km 0/000 to 2/000 in Tehsil Dharamshala, Distt. Kangra H.P.

SUB-HEAD :-Providing and Laying Cement Concrete Pavement Patch work at different locations

NAME OF WORK :-

	Quated Rate in Words (%)	Quated Rate in Figure (%)	dowel bars, concrete sla grade as pe including en holes, patch within all lea or other tax	concrete pa cement or a conforming mixed in a appropriate channel, lay plates inclu- compacted	1 Construction concrete participated in a appropriate channel, lay plates inclusion of provision of
to annual (A)	n Words (%)	in Figure (%)	dowel bars, near approaches to bridge/culvert and construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound (where specified) and water finishing to lines and grade as per drawing and. Technical Specification Clause 1501 as directed by the Engineer-Incharge including entire carriage of materials within all leads, lifts and other incidentals, including repair of pot holes, patch required etc; as directed by the Engineer-In-charge including entire carriage of materials within all leads, lifts and other incidentals. The rate including octroi, royality, Malkana, toil tax, sale tax or other taxes imposed by the Government.	Construction of un-reinforced, dowel jointed at expansion and construction joint only, plain cement concrete pavement, thickness as per design, over a prepared sub-base, with 43 (Forty three) grade cement or any other type as per Clause 1501.2.2 M-30 (M-Thirty) (Grade), coarse and fine aggregates conforming to IS-383, maximum size of coarse aggregate not exceeding 25mm (Twenty five millimetres), mixed in a concrete mixer of not less than 0.2 cum (Zero point two cubic metre) capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron (One hundred twenty five) thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including	1 Construction of un-reinforced, dowel jointed at expansion and construction joint only, plain cement concrete pavement, thickness as per design, over a prepared sub-base, with 43 (Forty three) grade cement or any other type as per Clause 1501.2.2 M-30 (M-Thirty) (Grade), coarse and fine aggregates conforming to IS-383, maximum size of coarse aggregate not exceeding 25mm (Twenty five millimetres), mixed in a concrete mixer of not less than 0.2 cum (Zero point two cubic metre) capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron (One hundred twenty five) thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including
	(Amour		x * 0 6 d 2 7	ont 9.34 de Cubic tes metres s), metres and sel	
	nt to be q			82	82
	noted by		16	8250.00	In fig
Amount	Amount to be quoted by the contractor in Figure			ight d Two Fifty Only	
	ure)	TOTAL :-		Per Cubic metre	Per Cubic metre
		77055.00		77055.00	77055.00

Dharamshala Division, HPPWO Dharamshala Executive togibeer,





EARNEST MONEY:- *

2000,00

SUB-HEAD :-NAME OF WORK :- Annual Repair & Maintenance of residential Type-III quarter No. 7 A (on 1st floor) and quarter No. 8 (on ground floor) for P.W.D. Staff at Chilgari Dharamshala, Distt. Two Months

No Description of items 1 Dismanting doors, windows and clerestory windows, ventilators etc. (wood or steel) states.	2			Q.	Quantity in fi
	or ste	el) shutters including ch	8	4.00	4.00 260.00
(three) sq.m in area, as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	ig them w er-in-Chan yality, ma	ithin all leads Not exc ge including carriage of khana, toll tax, sale tax	enal grant	L OL NO	e 3 Numbers
2 Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead for thickness of tiles 10mm to 25mm (ten millimetres to twenty five millimetres), as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, safe tax, GST or any other taxes imposed by the Government.	acking mat), as per di and other is	erial within 50 metres rections and entire sat reidentals. The rate is i	erial within 50 metres lead for 1.80 rections and entire satisfaction Square reidentals. The rate is inclusive metres		1.80 Square metres
3 Providing 2nd class Deodar wood wood work in frames of doors, windows, clerestory, windows and other frames wrought, framed and fixed in position, within all leads, lifts of materials and other incidentals, as per approved specification, drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.	ws.clereston and other The rate is	windows and other incidentals, as per au inclusive of octrol, a	y.windows and other frames 0.253 incidentals, as per approved Cubic inclusive of octroi, royality, metres	0.253 Cubic metres	
for doors, windows and clerestory windows, including ist marked M.S. pressed butt hinges bright finished of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note:- Butt hinges and necessary screws shall be paid separately), as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	k shutters d butt hing rately, all o eparately), eads, lifts a simposed i	panelled and glazed a es bright finished of n complete as per direc- as per directions and nd other incidentals. To by the Government.	panelled and glazed shutters es bright finished of required complete as per direction of as per directions and entire ad other incidentals. The rate by the Government. 3.68 Square metres metres		3.68 Square metres
wine gauge of 15 gauge designation 85 G with wine of 0.56mm (Zero decimal five six millimetre) diameters using galvanized M.S. windows and clerestory windows including bright finished /black enameled iron hinges with screws, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including tax, sale tax, GST priany other taxes imposed by the Government.	ine gauge five six m on hinges ion of the	shutters using galvanize illimetre) diameters for with screws, as per app Engineer-in-Charge inc	5.28 Square metres	5.28 4250.00 Square metres	5.28 Square metres

material within GST or any oth GST or any oth sant Gobain I is and as per d lifts and other i oosed by the Go ant commercial and and as per HP letted as per HP letted as per HP letted as per HP letted and other taxe and shad binting with gre uting the joints fications and as lifeads, lifts and axes imposed by ettes) in patche ettes	as per as per the send gs and send send send send send send send se	1 metres 1 0.28 5 quare metres Square metres 1.27 Square metres 1.98 5 quare metres	1 metres 1 0.28 1200.00 Square metres Metres 3.32 1325.00 Square metres 1.98 290.00 Square metres 1.98 290.00	t metres 0.28 1200.00 Rupers One Square Thousand Two Hundred Only 2.27 1950.00 Rupers One Square Thousand Nine Thousand Nine Thousand Nine Hundred Twenty Five Only 1.98 290.00 Rupers Two Hundred Twenty Five Only Square Mundred Ninety Only Square Thousand Three Hundred Twenty Five Only Hundred Ninety Only Square	Hundred Fifty Only 1 0.28 1200.00 Rupers One Square Thousand Two Hundred Only 2.27 1950.00 Rupers One Square Thousand Nine Hundred Fifty Only 3.32 1325.00 Ropers One Square Thousand Three Hundred Twenty Five Only 1.98 290.00 Rupers Two Hundred Ninety Only Five Only 1.98 290.00 Rupers Two Hundred Ninety Only Five Only 1.98 290.00 Rupers Two Hundred Ninety Only Five Only 1.98 290.00 Rupers Two Hundred Ninety Only Five Only 1.98 290.00 Rupers Two
the peece en control of the pe	3 (4	Square metres 1 0.28 Square metres Square metres 1.98 Square metres 3.32 1.98 Square metres	Square metres 227 1950.00 Square metres metres metres 198 290.00	Square metres Hundred Fifty Only Hundred Fifty Only Muner Square metres Figure Flousand Two Hundred Only Muneres One Square Square Square Flousand Three Hundred Twenty Five Only Square metres Hundred Ninety Only Square Five Only Five Only Square Mundred Ninety Only Square Mundred Ninety Only Square Five Only	Square metres 0.28 1200.00 Rupers One Square Thousand Two metres 1227 1950.00 Rupers One Thousand Two Hundred Fifty Only Hundred Fifty Only Rupers One Square Thousand Three Hundred Twenty Five Only Five Only Square Rupees Two Hundred Ninety Only Square Rupees Two Hundred Ninety Only Square Rupees Two

98007.00	[Amount to be quoted by the contractor in Figure] [Amount to be quoted by the contractor in words]	e quoted by	mount to b	
	Rupees One Hundred Twenty Five Only	1000 R	Numbers	e, with Fentire he rate
7	Rupees One Each Hundred Twenty Only		3	
Per Kilogram	Hundred Ten Only Kilo	110.00		Screws etc., as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government. 23 Providing and fixing 250x10mm (Two hundred fits, lets).
6	. 5	4	ū	22 Providing and fixing M.S plain grills of required patterns in frames of windows etc. with M.S. Box.

Executive Engineer, Dharamshaw Division, HPPWD Pharamshala

NAME OF WORK :-SUB-HEAD -

Providing and fixing wood work. Sanitary work and other repair work etcetera

ESTIMATED COST: - 4

EARNEST MONEY : - 9

99936.00 2000.00

Two Months

Special Repair of Type-II Quarter for the staff of Deputy Commissioner office at Dharamshala, Distt. Kangra H.P. (DC Deposit) TIME LIMIT

No. 4 Providing and fixing Second class deodar wood 40mm (forty millimetres) thick shutters - panelled and glazed I Providing and fixing 18 mm (eighteeen milimetre) thick gang saw cut, mirror polished, premoulded and or any other taxes imposed by the Government Supplying and fixing Smm (four milimetre) glass panes (weight not less than 12.5 kg per sqm (twelve decimal within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toli tax, sale tax, GST separately), as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material complete as per direction of Engineer-in-charge. (Note:: Butt hinges and necessary screws shall be paid finished of required size with necessary screws, excluding panelling which will be paid for separately, all shutters for doors,windows and clerestory windows, including 151 marked M.S., pressed butt hinges bright Providing edge moulding to 18mm (eightneen milimetres) thick marble stone counters . Vanities etc. including or any other taxes imposed by the Government within all leads, lifts and other incidentals. The rute is inclusive of octrol, royality, malkhana, toll tax, sale tax, GSI five kilogram per squaremetres) with putty and nails including removal of broken glass panes wherever other taxes imposed by the Government necessary , as per directions and entire satisfaction of the Engineer in Charge including carriage of materia leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within al machine palishing to edge to give high gloss finish etc. complete, as per approved drawing, design, specifications toll tax, sale tax, GST or any other taxes imposed by the Government carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. Area of slab over 0.50 Sqm (zero decimal five zero squaremetre), las per approved mortar 1.4 (one cement isto four coarse sand), joints treated with white cement, mixed with matching pigment required size, approved shade, colour and texture laid over 20 mm (twenty milinatres) thick base cement prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of Description of items metres Running metres Square Square Quantity metres 3.98 0.29 4.30 nietres Square 2.12 5250,00 RATES 1200.00 310.00 5850.00 Rupees Five Infig Rupres One Rupees Five Hundred Fifty Only Imetre Hundred Only Thousand Two Thousand Two Hundred Ten Only Rupees Three in words Hundred Fifty Only Inousand Eight Running Square mintre Per square Per metre SASSALL SASSALL 195 Unit Square Per . Amount 20895,00 12402,00 1271.00 348.00

	3	4	5	6	7
S Providing and fixing 12mm thick Phenol banded (both side) prelaminated BWP Grade partical board in matter finish flat pressed three layer or graded wood partical board conforming to is: 12823 of Action Tesa / Greefam / Merinolam / Kitlam / Vista of approved shade Grade - I, Type II, in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. brass/stainless steel screws etcetera complete as per architectural drawing and direction of Engineer- in- charge: Pre-laminated partical board with decorative lamination on one side and balancing lamination on other side, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	4.00 Square metres	1250.00	Rupees One Thousand Two Hundred Fifty Only	Per Square metre	500,00
6 Providing and fixing 40mm (Forty milimetre) thick second class deodar wood wire gauge shutters using galvanized M.S. wire gauge of IS gauge designation 85 G with wire of 0.56mm (Zero decimal five six milimetre) diameters for doors, windows and clerestory windows including bright finished /black enameted iron hinges with	1.38 Square metres	4250.00	Rupees Four Thousand Two Hundred Fifty Only	Per square metre	5865,00
screws, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer in Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.				430	
7 Providing 40x3 mm (forty inot three millimetres) flat iron hold fast 40cm (forty centimetres) tong including fixing to frame with 10mm diameter bolts & nuts and wooden plugs and embeding in cement concrete block	20.00 Numbers	90.00	Rupees Ninety Only	Each	1800.00
20mm (twenty millimetres) nominal size as per specification, approved drawing, design, as per the entire satisfaction and direction of the Engineer-In-Charge including carriage of material within all leads lifts and other					
incidentals. The rate is inclusive of octroi, royality, malkana and all type of taxes imposed by the Government.					
8 Providing and fixing 19mm (ninteen millimetre) thick water proof termite resistant commercial board of Uniply/ Greenply its equivalent ISI marked is No. 1659 in Shutter & selves/box for cup board and all cut of board shall		1950,00	Rupees One Thousand Nine Hundred Fifty Only	Per Square	35100.00
have 6mm thick has wood edging with butt Joints and fixing with nails and screw completed as per HPPWD specifications and as directed by Engineer-in-Charge, including carriage of material within all leads, lifts and other	metres	4		-	
incidental Charges. The rate is including Royality, Malkhana, Octrol, Toll Tax, Sale Tax, GST or any other taxes					
imposed by the Government					
9 Providing and fixing aluminium sliding door bolts, 153 marked anodised (anodic coating not less than grade AC 10 as per 15 - 1868), transparent or dyed to required colour or shade, with nuts and screws etcetera complete; as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi.	3.00 Numbers	250.00	Rupees Two Hundred Fifty Only	Each	750.00

			ü							12						11	2							1
material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government	specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of		13 Providing and fixing 32 mm (thirty two milimetres) dia P.V.C. flexible -waste pipe of Findlex , Relipipe (Reliance) ,	tax, GST or any other taxes imposed by the Government,	material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale	specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of	and brackets, cutting and making good the walls wherever required , as per approved drawing, design and	(fity millimetres) with C.I. brackets and stainless steel plug 40 mm (forty millimetres), including painting of fittings	drain board 610x510 mm (sex hundred ten into five hundred ten millimetre) bowl depth 250 mm (two hundred	12 Providing and fixing Stainless Steel A ISI 304 (18/8) littener sink of Diamond / Unik double Kitchen sink with	by the Government.	ricidentals. The rate is inclusive of potrol, rowality math-bana toll tax sale to destruct an issue, into and other	and entire satisfaction of the Engineer-in-Charge including carriage of marodal within all loads life and actual	with necessary screws etcetera complete , as per approved drawing, design, specifications and as per directions	(anodic coating not less than grade AC 10 (ten) as per IS : 1868) transparent or dyed to required colour or shade,	Providing and fixing 125mm (One hundred twenty five milimetre) size aluminium handles, ISI marked, anodised	100x10mm (One Hundred Into ten millimetre) size.		150x10 mm (One hundred fifty into sixteen milimetre) Size	malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	including carriage of material, within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality,	approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge	per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etcetera complete as per	and several states and some significant tower boits, is marked, anodised (anodic coating not less than grade AC 10 as
		Number	-						Number	-					Numbers	13.00	14,00 Numbers	Numbers	6.00					
			190,00			9				5250.00		ī	Ī			125.00	70.00	- 20	90.00					
		Only Unety						And during any	Thousand Two	Rupees Five				Anna Anna		Rupees One	Rupees Seventy Only		Rupees Ninety Only			,		
	u.		Each						,	Each						Each	Each		Each					
			190.00						200000	5250.00						1625.00	980.00		540.00					

	words)	(Amount to be quoted by the contractor in Figure)	be quoted	Amount to	Quated Rate in Words (%)
99936.00	TOTAL :-	76	ho a manage	Amount to	
3650.00	esch	Rupees Three Ea Thousand Six Hundred Fifty Only	3650.00	.1 Number	approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required, as per specification, approved drawing, design, as per the entire satisfaction and direction of the Engineer-In-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
2300.00	Each	Rupees One Thousand One Hundred Fifty Only	1150.00	2 Numbers	Contess plus series of Hindware /Ocean series of Cera / Vintage series of Kerovite & Hindon series of Jaquar / approved quality conforming to IS 8931 as approved by Engineer - in - charge - and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
1350.00	Each	Rupees One Thousand Three Hundred Fifty Only	1350.00	1.00 Number	Capstan head. Continental series of Jaquar / Classik series of Hindware / Floral Series of Cera / Hindon series of Jaquar / Classik series of Hindware / Floral Series of Cera / Hindon series of jal as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer in Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
100.00	Each	Rupees One Hundred Only	100.00	Number	
520.00	Each	Rupees Five Hundred Twenty Only	520.00	Number	size/diameter P.V.C. floor trap ISI marked of Finolex , Relipipe (Relance) , Vectus ISI marked Confirming to BIS- 14735-99 of self-cleaning design including fixing with approved adhesive , cost of cutting and making good the wall and floor etcetera complete, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material, within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
7	6	и	4	3	14 Providing and fixing 110 x 90 mm (one handred ten into place.

Executive paineer,
Dharamshilla Division,
HPP/VDO stamshalla.





Earnest Money :-Rs.1800.00 Time Limit :- Two Months. Estimate Cost :- Rs.89268.00

Name of work:- Repair of Link road Bagiara to old Himani Chamunda Km, 0/0 to 1/00 in Tehsil Dharamshala, Distt. Kangra H.P. (DC) Deposit work (SH:- Repair of CC pavement at various at Rds. 0/880 to 0/923).

N		Sr.
Preparation Consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to average 22.5cm depth _ drsssing to camber of consolidating with road roller including making good the undulation etc. with earth or quarry soil etc. and rerolling the sub-grade completed as per HP.PWD specifications as direction of Engineer-In-Charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST	Excavation in foundation, trenches etc. in earth work in all classification of soil such as pick work, jumper work, pick jumper work, blasting work, jumper blasting work, soft and hard blasting and saturated soil, de-watering, including wedging out rocks where blasting work is prohibited, chiseling or any other mixed variety of soil, including shoring, shuttening and pumping out water upto any depth or any quontam of water including stush which may be arise during de-watering removal of slush and stacking the serviceable and un-serviceable material clear from the edge of excavation as direction of Engineer-In-Charge and retuning the stacked soil in 15cm (Fifteen centimeter) layers, when required into plinths, sides of foundation etc, consolidating each deposited layer by ramming, watering and then disposing of all excavated earth as directed by the Engineer-in-Charge, within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	Description of Item
62.00 Square metre	5.75 Cubic metre	Quantity
110.00	360,00	Figures
110.00 Rupees One Per Hundred Ten Square Only metre	Rupees Three Hundred Sixty Only	Rate in Words
Square metre	Cubic metre	Unit
6820.00	2,070.00	Amount

ords)	contractor in to	oted by the	(Amount to be quoted by the contractor in figure) (Amount to be quoted by the contractor in words)	and the second s	Quoted rate in Figure (%) Quoted rate in Words (%)	
				Total		
Per Cubic metre	Rupees Six Thousand Eight Hundred Fifty Only	6850.00	10.40 Cubic metre	Providing and laying mechanically mixed and vibrated plain cement concrete pavement work Grade M-20 (Twenty) design mix to obtain the minimum compressive strength of 20 N/mm2 (twenty newton) per square millimeter) with cement contents not less than 320 kg (three hundredtwenty Killogramme) per cubic meter and curing complete excluding the cost of form work and cement concrete work in open foundation to give smooth surface mechanically mixed and vibrated including curring completel within all leads lifts and other incidentals as per approved specification drawing, design and as directed by the Engineer in charge within all leads lifts and other incidentals. The rate inclusive of Malkhana, Royality, Octroi, toll tax, sale tax, GST and any taxes imposed by the Government.	Providing and laying pavement work Grade M strength of 20 N/mm2 (the not less than 320 kg (the complete excluding the foundation to give smooth completel within all lead drawing, design and as other incidentals. The not complete incidentals.	4
Cubic	Rupees Two Thousand One Hundred Fifty Only	2150.00	4.25 Cubic metre	Providing, laying, spreading by mechanically means and compacting to 75mm (seventy five millimeter) compacted thickness, crushed store aggregates of Grading-II, 63mm to 45mm (sixty three millimeter to forty five millimeter) nominal size to water bound macadam specification including spreading in uniform thickness using templates, hand packing rolling with three wheeled roller 80-100 (eighty - one hundred) kN static weight in stages to proper grade and camber including applying and brooming stone screening Type-B of size 11.2 mm (eleven point two millimetre) nominal size at the rate of 0.20 (zero point two zero) cubic metre per 10 Sqm. (ten square metre) and binding material at the rate 0.06(Zerro point Zero six)cubic metre per ten square metre to fill up the interstices of coarse aggregate, watering and compacting to the required density as per MORD Technical specification section 400 and as per direction and satisfaction of Engineer-in-Charge including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.	(seventy five millimeter) (seventy five millimeter) III, 63mm to 45mm (sixty bound macadam spectemplates, hand packin hundred) kN static weig and brooming stone scr nominal size at the rate square metre) and bindiper ten square metre compacting to the required and as per direction at materials with in all least Malkana, Octroi, toll tax.	ω.



Name of work:- Construction of Link road kaned to Thamba in Km.0/0 to 1/000 in Tehsil Dharamshala, Distt, Kangra H.P. (SH-- C/o PCC Retaining wall RD.0/200 Estimate Cost :- Rs. 97355.00 Earnest Moriey :- Rs. 1900.00

3 5 5 E	3 Do 2 0 0	N
width of the structure with slope of 1(v)-20(H) towards drawing face complete as per drawing and fechnical specifications. Clause 614, 709, 1204.3.7, as per direction of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidental. The rate is including octrol, Malkana, toll tax, GST or any other taxes imposed by the Government.	shuttering and finishing complete as per approved drawing, design, specifications and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rates inclusive of octori, royality, Malkhana, toll taxes, GST Providing weep holes in brick masonry/stone masonry/plain reinforced concrete abutment.	Excavation in foundation, trenches etc. in earth work in all classification of soil such as pick work, jumper work, pick jumper work, blasting work, jumper blasting work, soft and hard blasting and or any other mixed variety of soil, including shoring, shuttering and pumping out water upto any depth or any quontam of water including slush which may be arise during de-watering removal of slush and stacking the serviceable and un-serviceable material clear from the edge of excavation as when required into plinths, sides of foundation etc. consolidating each deposited layer by ramming, teads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rates inclusive of octor, royality, Malkhana, toll taxes, GST and any other layer gregate) 40 mm (forty millionated).
6.00 Numbers	metre metre	Quantity 10:00 Cubic metre
		कं त
6.00 Numbers 380.00 Rupees Three Hundred Sixty Only	metre 4850.00 Rupees Four Thousand Eight Hundred Fifty Only	Quantity Rate in 10.00 Cubic 360.00 Rupees Three Hundred Sixty Only
6.00 Numbers 360.00	4850.00	Figures R 360.00

	梦	(Amount to be quoted by the contractor in words)	quoted by	(Amount to be	Quoted rate in Words (%)
	re)	(Amount to be quoted by the contractor in figure)	quoted by	(Amount to be	Special control of the control of th
97,355.00					Total
					Government.
	metre				Engineer - in- Charge including carriage of materials within all leads, lifts and other incidental. The
	Cubic	Hundred Fifty Only		metre	Specification Clause-1204.3.8 Granular material and as per the entire satisfaction and direction of
3,325.00	Per	Rupees Nine	950.00	3.50 cubic	odcx illing behind abutrient, wing wall and return wall complete as per drawing & Technical

HPPWD (BSSK) Division, DHARAMSALA

Schedule of Quantity



(N) #

ESTIMATED COST; - ₹ 98760.00

EARNEST MONEY :- ₹ 2000.00

TIME LIMIT : One month

NAME OF WORK :-Restoration of rain damages on various road in Khaniyara Section Under HPPWD Sub Division No. 1, Dharamshala in Distt. Kangra

H.P.

Removal of slips at various R.D.

SUB HEAD :-

	n words)	(Amount to be quoted by the contractor in words)	be quote	Amount to	Quated Rate in Words (%)	
	n Figure)	be quoted by the contractor in Figure)	100	(Amount to	Quated Rate in Figure (%)	
98760.00	Total :-					
98760.00	Per Cubic metre	hundred twenty and paise zero only	120.00	823.00 Cubic metres	I Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slips and disposal of cut materials within lift upto 1.50 mtrs. (One decimal fifty metres) and lead upto 1000 mtrs. (One thousand metres) as per technical specification 3022.3.5 and 1611 complete, as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	14
7	6	5	44	3	2	1
		words	In fig	8		No.
Amount	Unit	Rate		Quantity	Description of items	Š

Executive Engineer,
Dharamshala Division,
HPPWD Dharamshala