

Himachal Pradesh
Public Works Department

No. PW-SD-I-CTR- Tender-NIT/2025-2026- 13528-29 Dated:- 18-10-2025

To


The Executive Engineer (IT Cell)
Nigam Vihar Shimla.

Subject :- Publication of Tender Notice.

Jai Hind


Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW (B)A(3)1/2024 dated Shimla-2 the 03-01-2024 and PWD-B-A0(3)/8/2025- 300858 dated 09-10-2025 as the works mentioned in the tender notice are urgent in nature and in public interest.

DA:- Notice Inviting Tender & Schedule of Quantity and Certificate.


Executive Engineer,
Shimla Division No-1.,
HPPWD, Shimla-3.

Copy forwarded to for further necessary action please.

1. The Superintending Engineer 4th Circle HPPWD Shimla .


Executive Engineer,
Shimla Division No-1.,
HPPWD., Shimla-3.

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
NOTICE INVITING TENDERS**

Executive Engineer B&R Division No-I HPPWD Shimla for the following works on behalf of the Government of Himachal Pradesh from the eligible contractors enlisted in HPPWD, so as to reach in the office as per time schedule given below:-

- | | |
|--|-----------------------------------|
| 1. Date of receipt of application for tender forms:- | 28-10-2025 10:00 AM upto 12:00 PM |
| 2. Dated of Issue /sale of tender forms:- | 28-10-2025 12:00 PM upto 4:00 PM |
| 3. Date of receipt of tender:- | 29-10-2025 .up to 10:30 AM |
| 4. Date of opening of tender:- | 29-10-2025 up to 11:00 AM |

Sr. No.	Name of Work	Estimated cost	EMD(Rs.)	Cost of Tender (Rs.)	Time Limit	Eligible class of Contractor
1	Restoration of Rain Damages on various Road under Fagu Section.(SH:-Hiring of excavator Cum loader for removal of Slips in Kawanti to Paddar road Km.0/00 to 2/720 and Junga to Bashashra road km 0/00 to 7/00).	84900/-	1700/-	350/-	30 days	Class-D
2	Restoration rain damages and maintenance of various roads under Shimla Division No.I(Restoration of road, cutting of grass, cleaning of culverts etc Navbahar Bhumia road, Khalini vihar road, IGMC phase-II).	80320/-	1700/-	350/-	30 days	Class-D
3	Restoration of Rain Damages on various Road under Mashobra Section.(SH:- Hiring of excavator Cum-Loader for removal of Slips in Various RDs at Mashobra to Seepur 0/00 to 2/700).	85500/-	1700/-	350/-	30 Days	Class-D
4	Restoration of Rain Damages on various Road under Mashobra Section.(SH:- Hiring of Excavator-Cum-Loader for removal of slips Kothi to Gorna 0/00 to 3/00).	85200/-	1700/-	350/-	30 Days	Class-D
5	Restoration of rain damages on various road under Mashobra Section.(SH:- Hiring of Excavator-Cum-Loader for removal of slips in Mashobra to Bhakhality road km.0/00 to 9/00).	84600/-	1700/-	350/-	30 days	Class-D
6	Restoration of rain damages on various road under Mashobra Section. (SH: - Hiring of Excavator-Cum-Loader for removal of slips in Dak Bangla to Gharech road km.0/00 to 6/700).	84900/-	1700/-	350/-	30 days	30 Days
7	Restoration of rain damages on various road under Mashobra Section. (SH:- Hiring of Excavator-Cum-Loader for removal of slips in Mashobra to Bhakhality road km. 9/00 to 18/00).	85200/-	1700/-	350/-	30 days	30 Days
8	Restoration of rain damages on Eversunny Golcha Lower Bhont road km. 0/00 to 6/270. (SH: - Construction of Missing CD work at Rd. 5/400 with wing walls and Brest wall at Rd. 5/330 to 5/335.)	477248/-	9600/-	350/-	30 Days	Class-D
9	Restoration of rain damages on Eversunny to Pagog road in km. 0/00 to 5/00. (SH: - C/O retaining wall at Rd. 3/255 to 3/263).	452144/-	9100/-	350/-	30 Days	Class-D
10	Restoration of rain damages link road Shyar to Kuffer 0/00 to 0/750. (SH: - C/O B/Wall at Rd. 0/180 to 0/190).	185694/-	3700/-	350/-	30 Days	Class-D
11	Restoration of rain damages on old Junga Bharandi road km. 0/000 to 2/225. (SH:- C/O R/Wall at Rd. 0/682 to 0/687).	207048/-	4200/-	350/-	30 Days	Class-D
12	Restoation of road Shyar to Kuffer 0/000 to 0/750. (SH: - C/O B/Wall at Rd. 0/090 to 0/115).	481409/-	9700/-	350/-	30 Days	Class-D
13	Restoration of rain damages on old Junga Bharandi road km. 0/000 to 2/225. (SH: - C/O R/Wall at Rd. 0/675 to 0/682).	289291/-	5800/-	350/-	30 Days	Class-D
14	Restoration of rain damages on link road Shyar to Kuffer 0/00 to 0/750. (SH: - C/O B/Wall at Rd. 0/250 to 0/260).	179333/-	3600/-	350/-	30 Days	Class-D
15	Restoration of rain damages on Shoghi Mehli Junga Sadhupul road km. 12/375 to 48/925. (SH: - Removal of slips between Rd. 13/525 to 15/925).	238625/-	4800/-	350/-	30 Days	Class-D
16	Restoration of Rain Damages on Shoghi Mehli Junga Sadhupul road km.12/375 to 48/925. (SH:- Removal of slips between Rd. 15/925 to 17/180).	243513/-	4900/-	350/-	30 Days	Class-D
17	Restoration of rain damages on Shoghi Mehli Junga Sadhupul road km. 12/375 to 48/925. (SH:- Removal of slips between Rd. 17/180 to 21/463).	233738/-	4700/-	350/-	30 Days	Class-D
18	Restoration of Rain damages on Shoghi Mehli Junga Sadhupul road km. 12/375 to 48/925. (SH:-Removal of slips between Rd. 28/675 to 34/250).	167038/-	3500/-	350/-	30 Days	Class-D
19	Restoration of Rain damages on Shoghi Mehli Junga Sadhupul road km. 12/375 to 48/925. (SH:-Removal of slips between Rd. 34/630 to 36/470).	169700/-	3400/-	350/-	30 Days	Class-D
20	Restoration of Rain damages on Shoghi Mehli Junga Sadhupul road km. 12/375 to 48/925. (SH:-Removal of slips between Rd. 21/00 to 24/485).	266800/-	5400/-	350/-	30 Days	Class-D
21	Restoration of rain damages on Shoghi Mehli Junga Sadhupul road km. 12/375 to 48/925. (SH:-Removal of slips between Rd. 24/850 to 28/675).	257888/-	5200/-	350/-	30 Days	Class-D
22	Restoration of rain damages on Shoghi Mehli Junga Sadhupul road km. 12/375 to 48/925. (SH:-Removal of slips between Rd. 36/500 to 38/040).	179300/-	3600/-	350/-	30 Days	Class-D
23	Restoration of rain damages on road Shyar to Kuffer 0/000 to 0/750. (SH: - C/O B/Wall at Rd. 0/090 to 0/115).	481409/-	9700/-	350/-	30 Days	Class-D

24	Restoration of Nav Bahar to Bhumia road in km. 0/00 to 2/185. (SH:- Repair of delepaited safety railing and providing safety on various Rd.0/00 to 0/550 (Balance work).	231125/-	4200/-	350/-	30 Days	Class-D
25	Restoration of rain damages on Tipra to Patgair road km. 6/885 to 14/930. (SH:- Removal of slips at Rd. 12/200 to 12/260, 12/400 to 12/450,13/635).	491700/-	9900/-	350/-	30 Days	Class-D
26	Restoration of rain damages on old Junga Bharandi road km. 0/000 to 2/225. (SH:- C/O R/Wall at Rd 0/682 to 0/687).	207048/-	4200/-	350/-	30 Days	Class-D
27	Restoration of rain damages on Old Junga Bharandi road km. 0/000 to 2/225. (SH:- C/O R/Wall at RD. 0/675 to 0/682).	289291/-	5800/-	350/-	30 Days	Class-D
28	Restoration of rain damages on Tipra to Jagroti road km.0/60 to 6/00. (SH:- Removal of slips at Rd. 0/300 to 0/340,2/105 to 2/130,3/345 to 3/360,4/900 to 4/960).	431100/-	8700/-	350/-	30 Days	Class-D
29	Restoration of rain damages on Koti to Satlai road km. 0/000 to 15/000. (SH: - C/O R/Wall at Rd.3/630 to 3/635.50).	477216/-	9600/-	350/-	30 Days	Class-D
30	Restoration of rain damages on Koti Junga road Km.0/000 to 12/405. (SH:-C/O B/Wall at Rd 1/325 to 1/345).	497830/-	10000/-	350/-	30 Days	Class-D
31	Restoration of rain damages on Baldeyan to Dhar road km. 0/000 to 2/500. (SH: - Construction of V-Shape drain at Rd. 0/00 to 1/125).	487620/-	9800/-	350/-	30 Days	Class-D
32	Restoration of rain damages on Old Junga Bharandi road km. 0/000 to 2/225. (SH: - C/O R/Wall at Rd. 0/682 to 0/687).	207048/-	4200/-	350/-	30 Days	Class-D
33	Restoration of rain damages on Koti to Satlai road km. 0/000 to 15/000. (SH:- C/O R/Wall at Rd. 5/275 to 5/281).	472994/-	9500/-	350/-	30 Days	Class-D

It is certified that the above works are required to be carried out immediately being emergent nature of work in public interest. The tender documents shall be issued only to those contractor/Firm who fulfill the following documents with the application.

1. The valid enlistment/Registration of contractor in Appropriate Class.
2. Permanent account No. (PAN NO).
3. G.S.T No.
4. Earnest Money in the shape of National saving certificate/time deposit account in the any of the post office in HP. F.D.R from any Nationalized Bank duly pleaded in favour of the Executive Engineer Shimla Division No-I HPPWD Shimla.
5. The earnest & cost of tender form for the above works should be submitted with the application for the purchase of the tender form. The application received without earnest money & cost of tender form shall summarily be rejected.
6. The officer of the tender shall remain valid up to 75 days after the opening of tender.
7. Ambiguous/telephonic /conditional tenders or tender by fax/E mail shall not be considered and will be summarily be rejected.
8. Executive Engineer reserve the right to reject or cancel any or all tenders without assigning any reasons.
9. If the date given above happens to be holiday the same shall be processed on next working day.
10. The Contractor/firms must quote their rates in words as well as in figures failing which EXN reserve the right to accept/reject any or all tenders.
11. The tender forms shall not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed the previous awarded works within the stipulated period of completion.
12. One contractor shall not have more than two major works in hand at a time.
13. Work should be completed by the contractor within stipulated period.


Executive Engineer,
Shimla Division No-I,
HPPWD, Shimla-3.

No.PW-SD-I/CB-Tender/2025-2026-
Copy forwarded to:-

13530-43

Dated :- 18-10-2025


5. Copy to the Deputy Commissioner Shimla Distt. Shimla.
6. Copy to the Executive Engineer Shimla Division No-III HPPWD Shimla.
7. Copy to the Sub Divisional Magistrate (U) Shimla.
8. Copy to the Sub Divisional Magistrate (R) Shimla.
9. Copy to Municipal committee Shimla Distt. Shimla.
10. Copy to Block Development officer Mashobra Dstt. Shimla.
11. All the Assistant Engineers under this Division, HPPWD Shimla-3.
12. Superintendent / HDM /DAO.
13. Notice Board.


Executive Engineer,
Shimla Division No-I,
HPPWD, Shimla.

SCHEDULE OF QUANTITY							
Name of Work :- Restoration of Rain Damages on various Road under Fagu Section. (SH :- Hiring of excavator Cum loader for removal of Slips in Kawanti to Paddar road Km 0/00 to 2/720 and Jungga to Bashashra road Km 0/00 to 7/00).						Estimated Cost :- 84900.00	
						Earnest Money :- 1700.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Hiring of JCB-CUM-loader for removal of slip Debris and dressing of berms including coat of fuel oil, lubricants wages of operational staffs any repair packages during operation will be carried out at his risk and cost at required location actual working will be accounted for payment and proper disposal of slips debris by the contractor will be insured and including all leads and lift work shall be executed as per the direction of Engineer-in-Charge.	283.00	Cum	300.00	Rupees Three Hundred Only	Per Cubic Metre	84900.00
						Total	84900.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from



 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost: .80,320.00	
Name of Work :--Restoration rain damages and maintenance of various roads under Shimla Division No.1(Restoration of road,cutting of grass,cleaing of culverts etc on Navbahar Bhumia road,Khalini vihar road,IGMC phase II)						Earnest Money :-1,700.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Maintence of Hume pipe culvert by way of cleaning, Erosion repair to cracks parapets wall and protection work as per drawing and technical specification Clause 1908 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	18.00	No	2278.00	Rupees Two Thousand Two Hundred Seventy Eight Only	Each	41004.00
2	Cutting of branches of trees shrubs and trimming of grass and weeds from the shoulders/ berms and disposing off the same to suitable locations as per technical specifications Clause 1914 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	7455.00	Sqm	3.00	Rupees Three Only	Per Square Metre	22365.00
3	The maintenance of drains include erosion, repair, clearing, reshaping, regarding, deepening of side drains as well as catch water drains as per technical specification Clause 1907 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	3685.00	Rmt	4.60	Rupees Four and Paise Sixty Only	Per Running Meter	16951.00
						Total	80320.00
Quated rates Percentage in figures							
Quoted rates Percentage in words							
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.



 Executive Engineer
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
						Estimated Cost :- 85500.00	
Name of Work :-Restoration of Rain Damages on various Road under Mashobra						Earnest Money :- 1700.00	
Section. (SH :- Hiring of excavator Cum loader for removal of Slips in Various RDs at Mashobra to Mashobra to Seepur 0/00 to 2/700).						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Hiring of JCB-CUM-loader for removal of slip Debris and dressing of berms including coat of fuel oil, lubricants wages of operational staffs any repair packages during operation will be carried out at his risk and cost at required location actual working will be accounted for payment and proper disposal of slips debris by the contractor will be insured and including all leads and lift work shall be executed as per the direction of Engineer-in-Charge.	285.00	Cum	300.00	Rupees Three Hundred Only	Per Cubic Metre	85500.00
						Total	85500.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from

Executive Engineer,
Shimla Division No.1




SCHEDULE OF QUANTITY

SCHEDULE OF QUANTITY							
Name of Work :- Restoration of Rain Damages on various Road under Mashobra Section. (SH:- Hiring of excavator Cum loader for removal of Slips Purani Kothi to Gorna 0/00 to 3/300).					Estimated Cost :- 85200.00		
					Earnest Money :- 1700.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Hiring of JCB-CUM-loader for removal of slip Debris and dressing of berms including coat of fuel oil, lubricants wages of operational staffs any repair packages during operation will be carried out at his risk and cost at required location actual working will be accounted for payment and proper disposal of slips debris by the contractor will be insured and including all leads and lift work shall be executed as per the direction of Engineer-in-Charge.	284.00	Cum	300.00	Rupees Three Hundred Only	Per Cubic Metre	85200.00
					Total		85200.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from



 Executive Engineer,
 Shimla Division No.I,

SCHEDULE OF QUANTITY							
						Estimated Cost :- 84600.00	
Name of Work :- Restoration of Rain Damages on various Road under Mashobra						Earnest Money :- 1700.00	
Section. (SH :- Hiring of excavator Cum loader for removal of Slips in Mashobra to Bhakhality road Km 0/00 to 9/00						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Hiring of JCB-CUM-loader for removal of slip Debris and dressing of berms including coat of fuel oil, lubricants wages of operational staffs any repair packages during operation will be carried out at his risk and cost at required location actual working will be accounted for payment and proper disposal of slips debris by the contractor will be insured and including all leads and lift work shall be executed as per the direction of Engineer-in-Charge.	282.00	Cum	300.00	Rupees Three Hundred Only	Per Cubic Metre	84600.00
					Total		84600.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from

Executive Engineer,
Shimla Division No.1,



SCHEDULE OF QUANTITY							
Name of Work :- Restoration of Rain Damages on various Road under Mashobra Section. (SH :- Hiring of excavator Cum loader for removal of Slips in Dak Bangla to Gharech road Km 0/00 to 6/700						Estimated Cost :- 84900.00	
						Earnest Money :- 1700.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Hiring of JCB-CUM-loader for removal of slip Debris and dressing of berras including coat of fuel oil, lubricants wages of operational staffs any repair packages during operation will be carried out at his risk and cost at required location actual working will be accounted for payment and proper disposal of slips debris by the contractor will be insured and including all leads and lift work shall be executed as per the direction of Engineer-in-Charge.	283.00	Cum	300.00	Rupees Three Hundred Only	Per Cubic Metre	84900.00
						Total	84900.00

CONDITION:-


1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from

Executive Engineer
 Shimla Division No.1
 HP, PWD, Sahala-2

SCHEDULE OF QUANTITY							
						Estimated Cost :- 85200.00	
Name of Work :- Restoration of Rain Damages on various Road under Mashobra						Earnest Money :- 1700.00	
Section: (SH :- Hiring of excavator Cum loader for removal of Slips in Mashobra to Bhakhality road Km 9/00 to 18/00						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Hiring of JCB-CUM-loader for removal of slip Debris and dressing of berms including coat of fuel oil, lubricants wages of operational staffs any repair packages during operation will be carried out at his risk and cost at required location actual working will be accounted for payment and proper disposal of slips debris by the contractor will be insured and including all leads and lift work shall be executed as per the direction of Engineer-in-Charge.	284.00	Cum	300.00	Rupees Three Hundred Only	Per Cubic Metre	85200.00
						Total	85200.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from


 Executive Engineer
 Shimla Division No. 1
 Shimla Division No. 1
 H.P. P.W.D. Shimla-3

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost: 4,77,248.00	
Name of Work :-Restoration of Rain damages on Eversunny Golcha Lower Bhont road km. 0/00 to 6/270. (SH:- Construction of Missing CD work at Rd. 5/400 with wing walls and Breast wall at Rd. 5/330 to 5/335)						Earnest Money :9600 .00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-1 (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	54.25	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	21700.00
2	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	8.21	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	27914.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	86.09	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	396014.00
4	providing and laying reinforced cement concrete pipe NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection work, back filling, concrete and masonry work in head walls and parapets clause 1108 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 900mm (Six hundred milimeter) dia	5.00	Rmt	4200.00	Rupees Four Thousand Two Hundred Only	Per Running Metre	21000.00

5	Providing weapholes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	24.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	4320.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	6.00	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	6300.00
						Total	477248.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words					G.Total	

D/NR NO. 511 TISNO. 11626-27 dt 3-10-25

Amt to Rs 4,91,565/-

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer
Shimla Division No.1.
HP PW D Shimla-3.

SCHEDULE OF QUANTITY


Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.						Estimated Cost: 4,52,144.00	
Name of Work :-Restoration of Rain damages on Everyruncy to Pagog road in km. 0/00 to 5/00. (SH:-						Earnest Money :-9100.00	
Construction of retaining wall at Rd. 3/255 to 3/263)						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Demolishing stone rubble masonry manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.(i)In cement mortar	21.36	Cum	1150.00	Rupees One Thousand One Hundred Fifty Only	Per Cubic Metre	24564.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious mater, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling line dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be	6.00	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	2400.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802.803.1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. a) Cement Mortar 1:6:12(1one cement: six sand: twelve graded stone agg.40mm nominal size).	6.00	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	20400.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802.803.1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty millimetre) nominal size).	86.00	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	395600.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment. wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	16.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	2880.00

6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	6.60	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	6300.00
						Total	452144.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

D/NR No. 485 T/S No. 11490-91 dt 30.9.25 Amt 4,65,708/-

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer
 Shimla Division No.1.
 HP PWD Shimla-3.


SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 1,85,694.00	
Name of Work :- Restoration of Rain damages Link Road Shyar to Kuffer 0/00 to 0/750. (SH:- C/O B/Wall at Rd 0/180 to 0/190).						Earnest Money :- 3,700.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	14.60	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	4745.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	10.60	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	4240.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	2.50	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	9500.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	34.00	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	156400.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	30.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	5400.00
						Total	180285.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.1,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 2,07,048.00

Name of Work :- Restoration Of Rain Damages on Old Junga Bharandi road Km 0/000 to 2/225 (SH:- C/O R/Wall at Rd 0/682 to 0/687).

Earnest Money :- 4,200.00


Time:- One Month.

Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	12.50	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	4063.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	10.95	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	4380.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	2.40	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	9120.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	39.05	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	179630.00
5	Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material. including hauling of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	6.30	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	6615.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	18.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	3240.00
						Total	207048.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.


SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 4,81,409.00	
Name of Work :- Construction of road Shyar to Kuffer 0/000 to 0/750 (SH:- C/O B/Wall at Rd 0/090 to 0/115).						Earnest Money :- 9,700.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	33.75	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	10969.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	31.50	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	12600.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	9.00	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	34200.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty millimetre) nominal size).	90.50	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	416300.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	40.78	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7340.00
						Total	481409.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.


SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 2,89,291.00	
Name of Work :- Restoration Of Rain Damages on Old Junga Bharandi road Km 0/000 to 2/225 (SH:- C/O R/Wall at Rd 0/675 to 0/682).						Earnest Money :- 5,800.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the .required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	17.50	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	5688.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	15.33	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	6132.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	3.36	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	12768.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	54.67	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	251482.00
5	Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material. including hauling of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	8.82	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	9261.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	22.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	3960.00
						Total	289291.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.1,
 HP PWD Shimla-3.


SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 1,79,333.00	
Name of Work :- Restoration of Rain damages Link Road Shyar to Kuffer 0/00 to 0/750. (SH:- C/O B/Wall at Rd 0/250 to 0/260).						Earnest Money :- 3,600.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	14.50	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	4713.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	10.60	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	4240.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	2.50	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	9500.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	33.80	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	155480.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	30.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	5400.00
						Total	179333.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

CONDITION:-


1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.1,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-					Estimated Cost:- 2,43,513.00		
Name of Work :- Restoration of Rain Damages on Shoghi Mehli Junga Sadhupul road Km 12/375 to 48/925 (SH:- SH:- Removal of slips between Rd 15/925 to 17/180).					Earnest Money :- 4,900.00		
					Time:- One Month		
Sr. No	Description of Work / Item (S)	No.of Qty:		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of land slides/slip clearance. Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with all leads & lift. The work shall be executed as per the direction of the Engineer-in-Charge.	423.50	Cum	575.00	Rupees Five Hundred Seventy Five Only	Per Cubic Meter	243513.00
						Total	243513.00

CONDITION:


1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.
5. Dumping site will be arranged by the contractor at his own risk and cost .


 Executive Engineer,
 Shimla Division No. 1,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA					Estimated Cost:- 2,33,738.00		
Name of Work :- Restoration of Rain Damages on Shoghi Mehli Junga Sadhupul road Km 12/375 to 48/925 (SH:- SH:- Removal of slips between Rd 17/180 to 21/463).					Earnest Money :- 4,700.00		
					Time:- One Month		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of land slides/slip clearance. Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with all leads & lift. The work shall be executed as per the direction of the Engineer-in-Charge.	406.50	Cum	575.00	Rupees Five Hundred Seventy Five Only	Per Cubic Meter	233738.00
						Total	233738.00

CONDITION:


1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be made good by the contractor.
5. Dumping site will be arranged by the contractor at his own risk and cost .


 Executive Engineer,
 Shimla Division No. I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-					Estimated Cost:- 1,67,038.00		
Name of Work :- Restoration of Rain Damages on Shoghi Mehli Junga Sadhupul road Km 12/375 to 48/925 (SH:- SH:- Removal of slips between Rd 28/675 to 34/250).					Earnest Money :- 3,500.00		
					Time:- One Month		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of land slides/slip clearance. Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with all leads & lift. The work shall be executed as per the direction of the Engineer-in-Charge.	290.50	Cum	575.00	Rupees Five Hundred Seventy Five Only	Per Cubic Meter	167038.00
						Total	167038.00

CONDITION:


1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.
5. Dumping site will be arranged by the contractor at his own risk and cost .


 Executive Engineer,
 Shimla Division No. I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-						Estimated Cost:- 1,69,700.00	
Name of Work :- Restoration of Rain Damages on Shoghi Mehli Junga Sadhupul road Km 12/375 to 48/925 (SH:- SH:- Removal of slips between Rd 34/630 to 36/470).						Earnest Money :- 3,400.00	
						Time:- One Month	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of land slides/slip clearance. Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with all leads & lift. The work shall be executed as per the direction of the Engineer-in-Charge.	848.50	Cum	200.00	Rupees Two Hundred Only	Per Cubic Meter	169700.00
						Total	169700.00

CONDITION:


1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.
5. Dumping site will be arranged by the contractor at his own risk and cost .


 Executive Engineer,
 Shimla Division No. I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-						Estimated Cost:- 2,66,800.00	
Name of Work :- Restoration of Rain Damages on Shoghi Mehli Junga Sadhupul road Km 12/375 to 48/925 (SH:- SH:- Removal of slips between Rd 21/00 to 24/485).						Earnest Money :- 5,400.00	
						Time:- One Month	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of land slides/slip clearance. Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with all leads & lift. The work shall be executed as per the direction of the Engineer-in-Charge.	464.00	Cum	575.00	Rupees Five Hundred Seventy Five Only	Per Cubic Meter	266800.00
						Total	266800.00

CONDITION:


1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.
5. Dumping site will be arranged by the contractor at his own risk and cost .


 Executive Engineer,
 Shimla Division No. I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-						Estimated Cost:- 2,57,888.00	
Name of Work :- Restoration of Rain Damages on Shoghi Mehli Junga Sadhupul road Km 12/375 to 48/925 (SH:- SH:- Removal of slips between Rd 24/850 to 28/675).						Earnest Money :- 5,200.00	
						Time:- One Month	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of land slides/slip clearance. Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with all leads & lift. The work shall be executed as per the direction of the Engineer-in-Charge.	448.50	Cum	575.00	Rupees Five Hundred Seventy Five Only	Per-Cubic Meter	257888.00
						Total	257888.00

CONDITION:


1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.
5. Dumping site will be arranged by the contractor at his own risk and cost .


 Executive Engineer,
 Shimla Division No. I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-						Estimated Cost:- 1,79,300.00	
Name of Work :- Restoration of Rain Damages on Shoghi Mehli Junga Sadhupul road Km 12/375 to 48/925 (SH:- SH:- Removal of slips between Rd 36/500 to 38/040).						Earnest Money :- 3,600.00	
						Time:- One Month	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of land slides/slip clearance. Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with all leads & lift. The work shall be executed as per the direction of the Engineer-in-Charge.	896.50	Cum	200.00	Rupees Two Hundred Only	Per Cubic Meter	179300.00
						Total	179300.00

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be made good by the contractor.
5. Dumping site will be arranged by the contractor at his own risk and cost.


 Executive Engineer,
 Shimla Division No. I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 4,81,409.00		
Name of Work :- Restoration of rain damages on road Shyar to Kuffer 0/000 to 0/750 (SH:- C/O B/Wall at Rd 0/090 to 0/115).					Earnest Money :- 9,700.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	33.75	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	10969.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	31.50	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	12600.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	9.00	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	34200.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	90.50	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	416300.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	40.78	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7340.00
						Total	481409.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

DNIT approved for Rs.4,81,409/- Only vide DNIT Register Sr.No. ⁵⁴⁶ the financial year 2025-26.T/S No. ¹²²⁸⁹⁻⁶⁰ Dt ¹³⁻¹⁰⁻²⁵ Amt to Rs.495851 /-only

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

DRAFT SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D.,				Estimated Cost:- 2,31,125.00			
Name of Work :- Restoration of Nav vihar to Bhumia road in Km 0/00 to 2/185 (Repair of delepaited safety railing and providing safety on various Rd 0/00 to 0/550 (Balance work)				Earnest Money :4200.00			
				Time:- One Month.			
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Demolition above G.L upto floor two level including disposal of unserviceable materials within 20 meters including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge (i) Un-reinforced cement concrete more than 15 cm thickness. Cement concrete 1:3:6 or richer mix (including equivalent design mix)	4.53	Cum	1150.00	Rupees One Thousand One Hundred Fifty Only	Per cubic metre	5209.50
2	Providing and laying in position cement concrete of specified grade including the cost of centering and Shuttering All work up to plinth level including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:2:4 (One cement :Two coarse sand): four graded stone aggregate 20mm (Twenty millimeter) nominal size).	4.53	Cum	6400.00	Rupees Six Thousand Four Hundred Only	Per cubic metre	28992.00
3	Steel work welded in built up sections, framed work including cutting hoisting fixing in position and applying a priming coat of red lead paint including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) In gratings, framed guards bars ladders, railing, brackets and similar work. ornamental work.	700	kg	105.00	Rupees One Hundred Five Only	Per Kilogram	73500.00

574


4	Painting steel work with Deluxe Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @0.75 ltr/10 sqm of approved brand and manufacture including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	32.36	Sqm	65.00	Rupees Sixty Five Only	Per square metre	2103.40
5	Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall : including carriage of materials upto all leads and lifts as per the direction of the Engineer-in-Charge. (i)40 mm dia nominal bore	144.00	Rmt	680.00	Rs Six hundred eighty only	Per Running meter	97920.00
6	Steel work welded in built up sections, framed work including cutting hoisting fixing in position and applying a priming coat of red lead paint including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) In gratings, framed guards bars ladders, railing, brackets and similar work. ornamental work. (Labour Rate)	600.00	kg	39.00	Rs thirty nine only	Per Kilogram	23400.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	231124.90

DNIT approved for Rs.231125/- Only vide DNIT Register Sr.No. **574** the financial year 2025-26

T/s No. **12996-97**dated **15-10-25**. Amounting to Rs.

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in



Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

DRAFT SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.						Estimated Cost: 4,91,700.00	
Name of Work :-- Restoration of Rain damages on Tipra to Patgair road km. 6/885 to 14/930.(SH:-						Earnest Money :-9900.00	
Removal of Slips at RD.12/200 to 12/260,12/400 to 12/450,13/600 to 13/635).						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No. of Qty.	Estimated Rate		Unit	Amount	
			In figures	In words			
1	Removal of land slides/slip clearance. Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with in a lift upto 1.5 meter and land upto 1000 meter as per technical specification 302.3.5 and 1611. The work shall be executed as per the direction of the Engineer-in-Charge.	1639.00	cum	300.00	Rupees Three Hundred Only	Per Cubic Metre	491700.00
						Total	491700.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words					G.Total	

DNIT approved for Rs.4,91,700/- Only (Rupees Four Lac ninety one thousand seven hundred only) vide DNIT Register Sr.No. 578 the financial year 2025-26.T/S No. Dated 15th 20 amounting to Rs.

1300203


 Executive Engineer,
 Shimla Division No.1,
 HP PWID Shimla-3.

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

978

DRAFT SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 2,07,048.00

Name of Work :- Restoration Of Rain Damages on Old Junga Bharandi road Km 0/000 to 2/225 (SH:- C/O R/Wall at Rd 0/682 to 0/687).

Earnest Money :- 4,200.00

Time:- One Month.

Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	12.50	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	4063.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	10.95	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	4380.00

8/13


352

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	2.40	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	9120.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	39.05	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	179630.00
5	Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material. including hauling of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	6.30	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	6615.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	18.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	3240.00
						Total	207048.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DNIT approved for Rs.2,07,048/- Only vide DNIT Register Sr.No. ⁵⁵² the financial year 2025-26.T/S No. Dt Amt to Rs.213259 /-only
1227172 dt 13-10-25


Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

DRAFT SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 2,89,291.00

Name of Work :- Restoration Of Rain Damages on Old Junga Bharandi road Km 0/000 to 2/225 (SH:- C/O R/Wall at Rd 0/675 to 0/682).

Earnest Money :- 5,800.00

Time:- One Month.

Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	17.50	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	5688.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	15.33	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	6132.00

554

10/13


3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	3.36	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	12768.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	54.67	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	251482.00
5	Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material. including hauling of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	8.82	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	9261.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	22.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	3960.00
						Total	289291.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standards.

DNIT approved for Rs.2,89,291/- Only vide DNIT Register Sr.No. ³⁵⁴ the financial year 2025-26.T/S No. Dt Amt to Rs.297970 /-only

~~12275~~ 12275-76 Dt. 13-10-25


Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.


DRAFT SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.					Estimated Cost: 4,31,100.00		
Name of Work :- Restoration of Rain damages on Tipta to Jagoti road km. 0/60 to 6/00. (SI:- Removal of Slips at RD. 0/300 to 0/340. 2/105 to 2/130. 3/345 to 3/360, 4/900 to 4/960).					Earnest Money :- 8700.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of land slides/slip clearance. Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with in a lift upto 1.5 meter and land upto 1000 meter as per technical specification 302.3.5 and 1611. The work shall be executed as per the direction of the Engineer-in-Charge.	1437.00	cum	300.00	Rupees Three Hundred Only	Per Cubic Metre	431100.00
						Total	431100.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

576

DNIT approved for Rs.4,91,700/- Only (Rupees Four Lac ninety one thousand seven hundred only) vide DNIT Register Sr.No. **876** the financial year 2025-26. T/S No. Dated ^{15/10} ₂₅ amounting to Rs.

13000-01



Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

CONDITIONS:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should conform to bureau of indian standards.


SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 4,77,216.00	
Name of Work :- Restoration Of Rain Damages on Koti to Satlai road Km 0/000 to 15/000 (SH:- C/O R/Wall at Rd 3/630 to 3/635.50).						Earnest Money :- 9,600.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	28.78	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	9354.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	28.54	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	11416.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	2.36	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	8968.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	94.16	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	433136.00
5	Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material. including hauling of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	10.23	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	10742.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	20.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	3600.00
						Total	477216.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.1,
 HP PWD Shimla-3.


SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 4,97,830.00	
Name of Work :- Restoration Of Rain Damages on Koti Junga road Km 0/000 to 12/405 (SH:- C/O B/Wall at Rd 1/325 to 1/345).						Earnest Money :- 10,000.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	110.00	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	35750.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	55.20	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	22080.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	27.20	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	103360.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	72.40	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	333040.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	20.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	3600.00
						Total	497830.00
	Quated rates Percentage in figures						
	Quated rates Percentage in words						
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.



 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 4,87,620.00	
Name of Work :- Restoration of Rain damages on Baldeyan to Dhar road in Km 0/00 to 2/500). (SH:-						Earnest Money :- 9,800.00	
Construction of V-Shape drain at RD 0/00 to 1/125).						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Earth work in excavation of foundation of structures as per drawing and technical specification. including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	198.45	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	79380.00
2	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802,803,1202 & 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Nominal mix 1:3:6 (one cement : three sand:six graded stone agg. 20mm (twenty millimeter).	75.60	Cum	5400.00	Rupees Five Thousand Four Hundred Only	Per Cubic Metre	408240.00
						Total	487620.00
Quated rates Percentage in figures							
Quoted rates Percentage in words							
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.I,
 HPPWD Shimla.


SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 2,07,048.00	
Name of Work :- Restoration Of Rain Damages on Old Junga Bharandi road Km 0/000 to 2/225 (SH:- C/O R/Wall at Rd 0/682 to 0/687).						Earnest Money :- 4,200.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	12.50	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	4063.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	10.95	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	4380.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	2.40	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	9120.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	39.05	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	179630.00
5	Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material. including hauling of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	6.30	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	6615.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	18.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	3240.00
						Total	207048.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.1,
 HP PWD Shimla-3.


SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 4,72,994.00	
Name of Work :- Restoration Of Rain Damages on Koti to Satlai road Km 0/000 to 15/000 (SH:- C/O R/Wall at Rd 5/275 to 5/281).						Earnest Money :- 9,500.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	25.65	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	8336.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	31.92	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	12768.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	2.58	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	9804.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	92.94	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	427524.00
5	Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material. including hauling of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	10.44	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	10962.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	20.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	3600.00
						Total	472994.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.1,
 HP PWD Shimla-3.