

Himachal Pradesh
Public Works Department

No. PW-SD-I-CTR- Tender-NIT/2025-2026-1454950 Dated:- 6/11/25

To


The Executive Engineer (IT Cell)
Nigam Vihar Shimla.

Subject :- Publication of Tender Notice.

Jai Hind


Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW (B)A(3)1/2024 dated Shimla-2 the 03-01-2024 and PWD-B-A0(3)/8/2025- 300858 dated 09-10-2025 as the works mentioned in the tender notice are urgent in nature and in public interest.

DA:- Notice Inviting Tender & Schedule of Quantity and Certificate.


Executive Engineer,
Shimla Division No-1.,
HPPWD, Shimla-3.

Copy forwarded to for further necessary action please.

1. The Superintending Engineer 4th Circle HPPWD Shimla .



Executive Engineer,
Shimla Division No-1.,
HPPWD, Shimla-3.

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
NOTICE INVITING TENDERS**

Executive Engineer B&R Division No-I HPPWD Shimla for the following works on behalf of the Government of Himachal Pradesh from the eligible contractors enlisted in HPPWD, so as to reach in the office as per time schedule given below:-

- | | |
|--|-----------------------------------|
| 1. Date of receipt of application for tender forms:- | 13-11-2025 10:00 AM upto 12:00 PM |
| 2. Dated of Issue /sale of tender forms:- | 13-11-2025 12:00 PM upto 4:00 PM |
| 3. Date of receipt of tender:- | 14-11-2025 .up to 10:30 AM |
| 4. Date of opening of tender:- | 14--2025 up to 11:00 AM |

Sr. No.	Name of Work	Estimated cost	EMD(R s.)	Cost of Tender (Rs.)	Time Limit	Eligible class of Contract or
1	Restoration of Rain Damages on Shoghi Mehli Junga Sadhupul road km. 12/375 to 48/925 (SH:- C/O R/Wall at RD. 32/118.50).	492259/-	10000/-	350/-	30 days	Class-D
2	Restoration of Rain damages on Old Kasumpti Junga road km.0/00 to 11/020 (SH:- C/O R/Wall at R0. 9/510.50 to 9/515.75).	496913/-	10000/-	350/-	30 days	Class-D
3	Restoration of rain damages on Fagu to Cheog road km. 0/000 to 5/600 (SH:- C/O B/Wall at R0. 2/810 to 2/830 (Under PDNA).	467155/-	9400/-	350/-	30 Days	Class-D
4	Restoration of Rain Damages on Old Kasumpti Junga road km. 0/00 to 11/020 (SH:- C/O R/Wall at RD. 9/500 to 9/505.25).	499013/-	10000/-	350/-	30 Days	Class-D
5	Restoration of rain damages on Shimla to Mandi road km. 6/000 to 22/000 (SH:- C/O B/Wall at R0 9/395 to 9/414.50) (Under PDNA).	497028/-	10000/-	350/-	30 days	Class-D
6	Restoration of rain damages on Talai to Dehna road km. 0/000 to 5/255 (SH:- C/O B/Wall at R0 0/200 to 0/222) (Under PDNA).	499940/-	10000/-	350/-	30 days	Class-D
7	A/R & M/O various residential Qtrs. under Division No.I Shimla-3 (SH:- White washing and distempering in Type -V Set No. 16 and other due sets on vacation under Kasumpti Sub-Division).	98829/-	2000/-	350/-	30 days	Class-D
8	A/R & M/O Jungal to Bashashra road km. 0/000 to 8/000 (SH:- Supplying and stacking pot seal bags cold mix).	98175/-	1900/-	350/-	30 Days	Class-D
9	A/R & M/O to Baldian Kiar Koti road /Shanel Shoual road km.0/00 to 4/750 (SH:- Supplying and Stacking Pot seal bags cold mix).	99000/-	2000/-	350/-	30 Days	Class-D
10	Restoration of rain damages on Woodrina to Shishu Kendra road km.0/00 to 1/300 (SH:- C/O B/Wall at RD 0/722.50 to 0/725 and U-Shape drain at RD 0/750 to 0/800).	499910/-	10000/-	350/-	30 Days	Class-D
11	Restoration of rain damages on Bhattakuffer to AIM55 at Chamyana km. 0/00 to 2/400(SH:- C/O Breast Wall Protection work on damaged portion in km. 0/790 to 0/796 near Jawala Mata Temple entry gate).	404037/-	8100/-	350/-	30 Days	Class-D
12	Restoration of rain damages on Baldeyan to Manner road in km. 0/00 to 12/600 (SH:- Hiring of JCB -Cum-Loader for Removal of slips RD. 0/210 to 0 / 230,1 / 105,1 / 250,2 / 500,2 /650,3 / 900,4 /200, 4/550,6/650 ,10/165,12/200).	252000/-	5000/-	350/-	30 Days	Class-D
13	Restoration of rain damages on Fagu to Cheog road in km. 0/000 to 5/600 (SH:- C/O B/O at RD. 3/910 to 3/930) (Under PDNA).	459555/-	9200/-	350/-	30 Days	Class-D
14	A/R & M/O various Type-III to Type IV GAD at Parimahahal, Kasumpti Shimla-9 (SH:- P.L tiles in Balcony, Covering of Balcony, P/F accessories and white washing Type-II set No. 29 Under Kasumpti Section).	96687/-	2000/-	350/-	30 Days	Class-D
15	A/R & M/O to Mehli to I.A.S. Colony road upto Rani Ground km. 0/000 to 0/950 (SH:- Supplying and Stacking Pot seal bags cold mix).	99825/-	1900/-	350/-	30 Days	Class-D
16	A/R & M/O Eversunny to Golcha Bhont road km. 0/000 to 6/270 (SH:- Supplying and Stacking Pot seal bags cold mix).	96525/-	1900/-	350/-	30 Days	Class-D
17	Restoration of rain damages on Challanda to Piran road km. 0/000 to 28/020 (SH:- Maintenance of surface drain, trimming of grass and removal of slips RD. 0/000 to 8/000).	467968/-	9400/-	350/-	30 Days	Class-D
18	Restoration of rain damages on Challanda to Piran road km. 0/000 to 28/020 (SH:- Maintenance of surface drain, trimming of grass and removal of slips RD. 16/000 to 28/020).	455524/-	9200/-	350/-	30 Days	Class-D
19	Restoration of Rain Damages on Challanda to piran road km. 0/00 to 28/020 (SH:- Maintenance of surface drain, Trimming of Grass and removal of Slips between RD. 8/00 to 16/00).	467908/-	9300/-	350/-	30 Days	Class-D
20	Restoration of rain damages on koti to Satlai road km. 0/00 to 15/000 (SH:- Maintenance of surface drain, trimming of grass and removal of slips between Rd. 7/000 to 15/000).	468424/-	9400/-	350/-	30 Days	Class-D
21	Restoration of Rain Damages on Wooderina to Shishu Kendra road km. 0/00 to 1/300 (SH:- C/O B/wall at RD. 0/720 to 0/722.50 and U-Shape drain at RD. 0/700 to 0/750).	499875/-	10000/-	350/-	30 Days	Class-D
22	A/R & M/O Tipra to Jagroti road km. 0/00 to 6/00 (SH:- Supplying and stacking pot seal bags cold mix .	99000/-	2000/-	350/-	30 Days	Class-D
23	Restoration of rain damages on Shimla to Mandi road km. 6/00 to 22/00 (SH:- C/O B/wall at RD. 6/947 to 6/975)(Under PDNA).	499930/-	10000/-	350/-	30 Days	Class-D



24	A/R & M/O Longwood to Barmu road via Kelti km. 0/00 to 3/300 (SH;- Supplying and stacking pot seal bags cold mix).	97350/-	1900/-	350/-	30 Days	Class-D
25	A/R & M/O to Sadhora Kiar koti road to Mohanpur km. 0/00 to 6/540 (SH;- Supplyign and stacking pot seal bags cold mix).	99825/-	2000/-	350/-	30 days	Class-D

It is certified that the above works are required to be carried out immediately being emergent nature of work in public interest.

The tender documents shall be issued only to those contractor/Firm who fulfill the following documents with the application.

1. The valid enlistment/Registration of contractor in Appropriate Class.
2. Permanent account No. (PAN NO).
3. G.S.T No.
4. Earnest Money in the shape of National saving certificate/time deposit account in the any of the post office in HP. F.D.R from any Nationalized Bank duly pleaded in favour of the Executive Engineer Shimla Division No-I HPPWD Shimla.
5. The earnest & cost of tender form for the above works should be submitted with the application for the purchase of the tender form. The application received without earnest money & cost of tender form shall summarily be rejected.
6. The officer of the tender shall remain valid up to 75 days after the opening of tender.
7. Ambiguous/telephonic /conditional tenders or tender by fax/E mail shall not be considered and will be summarily be rejected.
8. Executive Engineer reserve the right to reject or cancel any or all tenders without assigning any reasons.
9. If the date given above happens to be holiday the same shall be processed on next working day.
10. The Contractor/firms must quote their rates in words as well as in figures failing which EXN reserve the right to accept/reject any or all tenders.
11. The tender forms shall not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed the previous awarded works within the stipulated period of completion.
12. One contractor shall not have more than two major works in hand at a time.
13. Work should be completed by the contractor within stipulated period.

Executive Engineer,
Shimla Division No-I.,
HPPWD. Shimla-3.

Dated :-

6/11/25

No.PW-SD-I/CB-Tender/2025-2026-

Copy forwarded to:-

1. Copy to the Deputy Commissioner Shimla Distt. Shimla.
2. Copy to the Executive Engineer Shimla Division No-III HPPWD Shimla.
3. Copy to the Sub Divisional Magistrate (U) Shimla.
4. Copy to the Sub Divisional Magistrate (R) Shimla.
5. Copy to Municipal committee Shimla Distt. Shimla.
6. Copy to Block Development officer Mashobra Dsitt. Shimla.
7. All the Assistant Engineers under this Division, HPPWD Shimla-3.
8. Superintendent / HDM /DAO.
9. Notice Board.

Executive Engineer,
Shimla Division No-I.,
HPPWD. Shimla.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 492259.00

Name of Work :-Restoration of Rain damages on Shoghi Mehli Junga Sadhupul road Km 12/375 to 48/925
(SH:- C/O R/Wall at Rd 32/115 to 32/118.50).

Earnest Money :- 10000.00

Time:- One Month.

Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils. including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	36.22	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	11772.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical	29.40	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	11760.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	3.69	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	14022.00

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:3:6(one cement:Three sand:Six graded stone aggregate 20mm(Twenty milimetre) nominal size).	79.55	Cum	5300.00	Rupees Five Thousand Three Hundred Only	Per Cubic Meter	421615.00
5	Providing weep holes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	38.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running metre	6840.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	25.00	Cum	1050.00	Rupees One Thousand Fifty Only	Per Square Metre	26250.00
					Total		492259.00

DRR N 610 TUNO 14194-950A-3-10-25 Amt 507027/-

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 496913.00	
Name of Work :-Restoration of Rain damages on Old Kasumpti Junga road Km0/00 to 11/020 (SH:- C/O R/Wall at Rd 9/510.50 to 9/515.75).						Earnest Money :- 10000.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus exeavated earth to be dumped at dumping sitc(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	15.59	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	5067.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the uuuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical	35.17	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	14068.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	5.30	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	20140.00

10
31

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:4:8 (One cement:Four sand:Eight graded stone aggregate 20 mm (Twenty millimetre) nominal size).	95.28	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	438288.00
5	Providing weep holes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100 mm (One hundred millimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	20.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running metre	3600.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	15.00	Cum	1050.00	Rupees One Thousand Fifty Only	Per Square Metre	15750.00
					Total		496913.00

D/NR-611 TIS No. 14192-93 dt 31-10-25 Amt 5,11,820 only

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standards.

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:-467155.00

Name of Work :-Restoration of rain damages on Fagu to Cheog road Km 0/000 to 5/600 (SH:- C/O

Earnest Money :-9400.00

B/Wall at RD 2/810 to 2/830 (Under PDNA)

Time:- One Month.


Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting in earth work in all depths and heights in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load , animal load or mechanical means along with its leveling fine dressing and carriage of all labour , machinery , materials tools, equipments and safety measures and other incidental necessary to completes the work by meechanical means and /or labor (if any required the cost of all useful materials such as stones shingles aggregate and stats shall be slotedout and staeking along road side cum stone will be recovered @ 300 /- Cum Which shall be blasting work which shall be proportionately increase decreases as the quantity of the earth work increase decrease in all cases reecovered from the contractor at the ratc of per cubic meter shall be effected any loss to the public and private property during the eurse of execution shall be the absolute responsibility	55.00	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	17875.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical	13.00	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	5200.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	13.00	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	44200.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 40 mm(Forty milimetre) nominal size).	4.000	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	18400.00

5	Random rubble masonry/polygonal rubble masonry(un-coursed/brought to courses) with hard stone of approved quality in foundation and plinth including leveling up with cement conerete 1:6:12 (One cement:Six sand:twelve graded stone aggregate 20mm (twenty milimetre)nominal size) in cement mortar 1:6 (One cement: Six sand) in breast wall and retaining walls including earriage of materials in all leads and lifts as per direections of the Engineer-in-Charge.	75.00	Cum	5000.00	Rupees Five Thousand Only	Per Cubic Metre	375000.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specifeiation clauses 614, 709, 1204.3.7 including hauling of materials in all leads and lifts as per the same satisfaction and directions of the Engineer-in-Charge.	36.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running Meter	6480.00
					Total		467155.00

CONDITION:-

D/MR No. 612 TIS/No 14190-910431-10-25 Amt 48,1170/-

1. Rates should be quoted for all heights including all leads and lifts. Including head load
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars


Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 499013.00	
Name of Work :- Restoration of Rain damages on Old Kasumpti Junga road Km0/00 to 11/020 (SH:- C/O R/Wall at Rd 9/500 to 9/505.25).						Earnest Money :- 10000.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils. including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work hy mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	15.59	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	5067.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification. including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical	35.17	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	14068.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	5.30	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	20140.00

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:4:8 (One cement: Four sand: Eight graded stone aggregate 20 mm (Twenty millimetre) nominal size).	95.28	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	438288.00
5	Providing weep holes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100 mm (One hundred millimetre) dia PVC pipe extending through the full width of the structures with slope of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	20.00	Rm	180.00	Rupees One Hundred Eighty Only	Per Running metre	3600.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	17.00	Cum	1050.00	Rupees One Thousand Fifty Only	Per Square Metre	17850.00
					Total		499013.00

D/NR. No 815. T/S No 14186-87 dt 31-10-25 Amt 5,13,983/-

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.


Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:-497028.00	
Name of Work :-Restoration of rain damages on Shimla to Mandi road Km 6/000 to 22/000 (SH:-						Earnest Money :-10000.00	
C/O B/Wall at RD 9/395 to 9/414.50) (Under PDNA)						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting in earth work in all depths and heights in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and carriage of all labour , machinery , materials tools, equipments and safety measures and other incidental necessary to completes the work by mechanical means and /or labor (if any required the cost of all useful materials such as stones shingles aggregate and stats shall be slotedout and stacking along road side cum stone will be recovered @ 300 /- Cum Which shall be blasting work which shall be proportionately increase decreases as the quantity of the earth work increase decrease in all cases recovered from the contractor at the rate of per cubic meter shall be effected any loss to the public and private property during the curse of execution shall be the absolute responsibility	64.35	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	20914.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out uscful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machinerics, tools equipments and safety measurcs and incidentals necessary to complete the work by meechanical	8.58	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	3432.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	8.58	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	29172.00
4	Providing and laying concrete for plain/reinforced concrete in opcn foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Enginccr-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 40 mm(Forty milimetre) nominal size).	94.850	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Mctre	436310.00

5	Providing weapholes in briek masonry / stone masonry /plain reinforced conerete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the struetures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including hauling of materials in all leads and lifts as per the same satisfaction and directions of the Engineer-in-Charge.	40.00	Rmt.	180.00	Rupees One Hundred Eighty Only	Per Running Meter	7200.00
					Total		497028.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts. Including head load
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

D/NR No 616 TIS No 14182-83 dt 31-10-25

Amnt to Rs 5,11,939/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

2/3/21

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:-499940.00	
Name of Work :-Restoration of rain damages on Talai to Dehna road Km 0/000 to 5/255 (SH:- C/O						Earnest Money :-10000.00	
B/Wall at RD 0/200 to 0/222 (Under PDNA)						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting in earth work in all depths and heights in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and carriage of all labour , machinery , materials tools, equipments and safety measures and other incidental necessary to completes the work by mechanical means and /or labor (if any required the cost of all useful materials such as stones shingles aggregate and stats shall be slotedout and stacking along road side eum stone will be recovered @ 300 /- Cum Which shall be blasting work which shall be proportionately increase decreases as the quantity of the earth work increase deerease in all eases recovered from the contractor at the rate of per cubic meter shall be effected any loss to the publie and private property during the curse of execution shall be the absolute responsibility	60.00	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	19500.00
2	Earth work in excavation of foundation of struetures as per drawing and teechnical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate elassification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. speeification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical	11.80	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	4720.00
3	Providing and laying concrete for plain/reinforced conerete in open foundations complete as per drawing and technical specification elauses 802,803,1202 and 1203 including earriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	11.80	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	40120.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including earriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 40 mm(Forty milimetre) nominal size).	4.000	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubie Metre	18400.00

5	Random rubble masonry/polygonal rubble masonry(un-coursed/brought to courses) with hard stone of approved quality in foundation and plinth including leveling up with cement concrete 1:6:12 (One cement:Six sand:twelve graded stone aggregate 20mm (twenty millimetre)nominal size) in cement mortar 1:6 (One cement: Six sand) in breast wall and retaining walls including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	82.00	Cum	5000.00	Rupees Five Thousand Only	Per Cubic Metre	410000.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including hauling of materials in all leads and lifts as per the same satisfaction and directions of the Engineer-in-Charge.	40.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running Metcr	7200.00
					Total		499940.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts. Including head load
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

D/NR. 617 TUS No 14180-25 81 off 31-10-25

Amtd to Rs 5,14,938/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 98829.00

Name of Work :- A/R & M/O various residential Qtrs under Division No:- VIII, Kasumpti Shimla -3 (SH:- White washing and distempering in Type -V Set no -16 and other due sets on vacation under Kasumpti Sub-Division).

Earnest Money :- 2000.00

Time:- One Month.

Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Old work (one or more coats)	170.00	Sqm	50.00	Rupees Fifty Only	Per Square Metre	8500.00
2	Wall painting (One or more coat) with plastic emulsion paint of approved brand and manufacture on undecorated wall surfaces to give an even shade including thoroughly brushing the surface free from mortar droppings and other foreign matter and sand papered smooth including applying of putty as required for making the surface including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	500.00	Sqm	80.00	Rupees Eighty Only	Per Square Metre	40000.00
3	Removing dry or oil bound distemper, water proofing cement paint and the like by scraping and sand papering the wall surface smooth including necessary repairs to scratches complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	402.00	Sqm	12.00	Rupees Twelve Only	Per Square Metre	4824.00
4	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	218.00	Sqm	60.00	Rupees Sixty Only	Per Square Metre	13080.00
5	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade including carriage of materials in all leads as per directions of the Engineer-in-Charge. (i) One or more coats on old work	395.00	Sqm	65.00	Rupees Sixty Five Only	Per Square Metre	25675.00


6	Finishing wall with weather proof exterior grade emulsion of approved design Apexultima) or its equarled on undecorated wall surfaces (two coats) to give an even shade and final finish after thoroughly cleaning the surface to remove all dirt, dust and other foreign matter etc including sand paper smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	50.00	Sqm	75.00	Rupees Seventy Five Only	Per Square Metre	3750.00
7	Melamine polishing on wood work (one or more coat) including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	10.00	Sqm	300.00	Rupees Three Hundred Only	Per Square Metre	3000.00
					Total		98829.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

D/MRW 614 T/S No 14460-614-3-11-25

Amt to Rs 101794/-


Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

8
71

SCHEDULE OF QUANTITY						
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 98175.00		
Name of Work:- A/R & M/O Jugal to Bashashra road Km.0/000 to 8/000 (SH:- Supplying and Stacking Pot seal bags cold mix .				Earnest Money :-1900.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit
				In figures	In words	
1	Supplying and stacking pot seal beg of 25 kgs cold mix including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	119.00	Kgs.	825.00	RsEight hundred twenty five	Per Kilogram
	Quoted rates Percentage in figures					
	Quoted rates Percentage in words					
						G.Total
						98175.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DNTT approved for Rs 98175/- Only vide DNTT Register Sr.No. 620 the
T/s No 14468-89 dated 3-11-25 Amounting to Rs. 101120/-

Executive/Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

7
4

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 99000.00	
Name of Work:-A/R & M/O to Baldian Kiar Koti road/Shaneel Shoual road Km.0/00 to 4/750. (SH:- Supplying and Stacking Pot seal bags cold mix .						Earnest Money 2000.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Supplying and stacking pot seal beg of 25 kgs cold mix including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	120.00	Kgs.	825.00	RsEight hundred twenty five	Per Kilogram	99000.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	99000.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

T/s No 14466-67 dated 3-11-25 Amounting to Rs. 101970/-

Executive Engineer
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:4,99,910.00	
Name of Work :- Restoration of Rain damages on Woodrina to Shishu Kendra road Km 0/00 to 1/300 (SH : C/O B/wall at RD 0/722.50 to 0/725 and U-Shape drain at RD 0/750 to 0/800.)						Earnest Money :-10,000.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. --	6.16	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	2002.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	26.34	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	10536.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engincer-in-Charge. (a) Cement Mortar 1:6:12 (One cement: six sand: Twelve graded stone agg.40mm nominal size).	1.00	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	3400.00

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 20 mm(Twenty milimetre) nominal size).	9.52	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	43792.00
5	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) M 20 Cement Mortar 1:3:6 (one cement:Three sand:Six graded stone aggregate 20mm(Twenty milimetre) nominal size).	10.40	Cum	5400.00	Rupees Five Thousand Four Hundred Only	Per Cubic Metre	56160.00
6	B/filling with granuals as per specification to thickness size toward the soil and bigger size toward the wall , abutment, wing walls, return walls to the full length complete as per drawing and technical specification graded stone clause.	0.35	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	368.00
7	Providing weep holes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and MORD technical specification clauses 614. 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	12.50	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running Meter	2250.00
8	Steel work welded in built up sections, trusses and framed work including cutting hoisting fixing in position and applying a priming coat of red lead paint including carriage of materials in all leads and lifts :-	3632.40	kg	105.00	Rupees One Hundred Five Only	Per Cubic Metre	381402.00
						TOTAL	499910.00

DIVR-110 623 TIS No 14474 750/3-11-25

Amtd to Rs 5,14,871/-

1. Rates should be quoted for all heights including all leads and lifts.

2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standards.

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

4/11

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 4,04,037.00	
Name of Work:-Restoration of Rain damages to from Bhattakuffer to AIMSS at Chamyana km. 0/00 to 2/400. (SH:- Construction of Breast wall,Protection work on Damaged portion in km. 0/790 to 0/796 near Jawala Mata Temple entry gate.)						Earnest Money :- 8,100 .00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils. including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site.. according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	41.40	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	13455.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	9.00	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	3600.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:4:8 (One cement: Four sand: eight graded stone aggregate 20 mm (Twenty millimetre) nominal size).	2.07	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	9522.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:3:6 (one cement: Three sand: Six graded stone aggregate 20 mm (Twenty millimetre) nominal size).	39.60	Cum	5400.00	Rupees Five Thousand Four Hundred Only	Per Cubic Metre	213840.00
5	Supplying, fitting and placing HYSD bar reinforcement (Fe #15) in substructure complete as per drawing and technical specification clauses 1002, 1005, 1010 & 1202 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	990.00	Kgs.	100.00	Rupees One Hundred Only	Per Kilogram	99000.00
6	Providing weapholes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100 mm (One hundred millimetre) dia PVC pipe extending through the full width of the structures with slop of 1(V):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	30.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	5400.00
7	STONE MASONRY: Random rubble masonry/polygonal rubble masonry (un-coursed/brought to courses) with hard stone of approved quality in foundation and plinth including leveling up with cement concrete 1:6:12 (One cement: Six sand: twelve graded stone aggregate 20 mm (twenty millimetre) nominal size) in cement mortar 1:6 (One cement: Six sand) in breast wall and retaining walls including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	12.60	Cum	4700.00	Rupees Four Thousand Seven Hundred Only	Per Cubic Metre	59220.00
						Total	404037.00
	Quoted rates Percentage figures						
	Quoted rates Percentage in words						
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any of all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.

D/NR. No 624 TIS No 14462-63 dt 3-11-25 And 4, 16, 158/-

Executive Engineer
Shimla Division No.1.
HP PWID Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:-252000.00		
Name of Work :- Restoration of Rain damage on Baldeyan to Manner road in km 0/00 to 12/600 (SH:- Hiring of JCB - cum - loader for Removal of slips Rd 0/210 to 0/230,1/105,1/250,2/500,2/650,3/900,4/200, 4/550,6/650,10/165,12/200.					Earnest Money :- 5000.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Hiring of JCB - Cum- Loader for removal of slips debris and dressing of berms including coat of fuel oil, lubricants wages of operational staff any repair package during operation will be carried out at his risk and cost at requird location actual working will be accounted for payment and proper disposal slips/ snow debris by the contractor will be insured and including all leads and lift and lift shall be executed as per the directions of Engineer - in - Charge .	840.00	Cum	300.00	Rs Three hundred Only	Per cubic Metre	252000.00
						Total	252000.00
	Quated rates Percentage in figures						
	Quoted rates .Percentage in words						
						G.Total	

CONDITION:-

- 1 All the P.O.L Charges shall be borne by the Contractor .
- 2 All the repair /Maintenance of machineries shall be borne by the contractor .
- 3 For any minor / Major repair or any accident / damages shall be the whoile responsibility of the contractor .
- 4 For any Minor /Major repair or any accident / damage shall be the whole responsibility of contractor
- 5 Any damages or loos to Govt /Private Property during course of work shall have to be make good

DNIT approved for Rs 252000/- Only vide DNIT Register Sr.No. 625 the financial year 2024-

T/s No. 14456-57 dated 3-11-25 Amounting to Rs. 2,59,560

Executive Engineer,
Shimla Division No.I,
HP RWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:-459555.00	
Name of Work :-Restoration of rain damages on Fagu to Cheog road in Km 0/000 to 5/600 (SH:-						Earnest Money :-9200.00	
C/O B/Wall at RD 3/910 to 3/930) (Under PDNA)						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting in earth work in all depths and heights in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and carriage of all labour , machinery , materials tools, equipments and safety measures and other incidental necessary to completes the work by mechanical means and /or labor (if any required the cost of all useful materials such as stones shingles aggregate and stats shall be slotedout and stacking along road side 13.09 cum stone will be recovered @ 300 /- Cum Which shall he blasting work which shall be proportionately increase decreases as the quantity of the earth work increase decrease in all cases recovered from the contractor at the rate of per eubic meter shall be effected any loss to the puhlie and private property during the curse of execution shall he the absolute responsibility	55.00	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	~ 17875.00
2	Earth work in excavation of foundation of structures as per drawing and teechnical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand ninc hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, maehineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical	11.00	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	4400.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Enginecr-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	11.00	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	37400.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engincer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 40 mm(Forty milimetre) nominal size).	4.000	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	18400.00

5	Random rubble masonry/polygonal rubble masonry(un-coursed/brought to courses) with hard stone of approved quality in foundation and plinth including leveling up with cement concrete 1:6:12 (One cement:Six sand:twelve graded stone aggregate 20mm (twenty millimetre)nominal size) in cement mortar 1:6 (One cement: Six sand) in breast wall and retaining walls including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	75.00	Cum	5000.00	Rupees Five Thousand Only	Per Cubic Metre	375000.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including hauling of materials in all leads and lifts as per the same satisfaction and directions of the Engineer-in-Charge.	36.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running Meter	6480.00
						Total	459555.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts. Including head load
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DIV. No. 626 TIS No 14452.53 04/8/11-25

Amt to Rs 4,73,342/-

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 96687.00

Name of Work :- A/R & M/O various Type-III to Type-IV GAD at Parimahal , Kasumpti Shimla-171009.

Earnest Money :- 2000.00

(SH:-P/L tiles in Balcony , Covering of Balcony, P/F accessories and White washing in Type-II set no 29 under Kasumpti Section).

Time:- One Month.

Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Steel work welded in built up section/ framed work , including cutting hoisting fixing in position and applying a priming coat of approved steel primer using structural steel etc as required. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) In gratings, framed guards bars ladders, railing, brackets gates and similar work.	285.66	Kg	105.00	Rupees One Hundred Five Only	Per Kilogram Metre	29994.00
2	supplying and fixing welded mesh 25x25x3mm to wood or steel members in partitions etc including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	16.65	Sqm	600.00	Rupees Six Hundred Only	Per Square Metre	9990.00
3	Painting two coats (excluding priming coat) on new steel and other metal surfaces with enamel paint, brush in to give an even shade including cleaning the surface of all dirt, dust and other foreign matters (i) Enamel paint other than white.	70.80	Sqm	65.00	Rupees Sixty Five Only	Per Square Metre	4602.00
4	Providing and fixing Copper oxidised fitting (iron) (i) Butt hinges : 75x47x1.70mm	16.00	Nos.	100.00	Rupees One Hundred Only	Each	1600.00
5	Providing and fixing Copper oxidized M.S sliding door bolts with nuts and screws etc Complete . (i) 250x16 mm.	2.00	Nos.	150.00	Rupees One Hundred Fifty Only	Each	300.00
6	Providing and fixing oxidised M.S tower bolts (barrel type) with necessary screws etc. complete. (i) 150x10mm	4.00	Nos.	75.00	Rupees Seventy Five Only	Each	300.00
7	Providing and fixing polycarbonate sheet including carriage of materials in all leads and lifts as per direction of the Engineer -in-Charge.(i) 2mm thick	8.85	Sqm	2150.00	Rupees Two Thousand One Hundred Fifty Only	Per Square Metre	19028.00
8	Providing and fixing bright finished steel handles with screws etc. complete (i) 125 mm.	8.00	Nos	150.00	Rupees One Hundred Fifty Only	Each	1200.00
9	Repairs to plaster of thickness 12 mm to 20 mm in necessary including racking out the old putty Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm)	1.00	Sqm	900.00	Rupees Nine Hundred Only	Per Square Metre	900.00

	(ii)Frosted glass panes of nominal thickness 4 mm (weight not less than 10 kg/sqm)	1.00	Sqm	1050.00	Rupees One Thousand Fifty Only	Per Square Metre	1050.00
10	Providing and fixing plastic seat (Solid / Hollow type) and cover for wash down water closet with C.P. Brass hinges and rubber buffers including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) White plastic seat and cover. MAKE ESSCO or Equivalent	1.00	Nos	1050.00	Rupees One Thousand Fifty Only	Each	1050.00
11	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm (twenty milimetre) thick cement mortar 1:4 (One cement : four coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(i) Size of tile 600x600mm (six hundred into six hundred milimetre)	3.85	Sqm	1350.00	Rupees One Thousand Three Hundred Fifty Only	Per Square Metre	5198.00
12	Providing and fixing 15mm mixer for kitchen sink with top / bottom swinging spout. MAKE ESSCO or Equivalent	1.00	Nos	4000.00	Rupees Four Thousand Only	Each	4000.00
13	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Flexible pipe (a) 32 mm dia	1.00	Nos	200.00	Rupees Two Hundred Only	Each	200.00
14	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Old work (one or more coats)	150.00	Sqm	40.00	Rupees Forty Only	Per Square Metre	6000.00
15	Removing dry or oil bound distemper, water proofing cement paint and the like by scraping and sand papering the wall surface smooth including necessary repairs to scratches complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	75.00	Sqm	12.00	Rupees Twelve Only	Per Square Metre	900.00
16	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	75.00	Sqm	60.00	Rupees Sixty Only	Per Square Metre	4500.00

17	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade including carriage of materials in all leads as per directions of the Engineer-in-Charge. (i) One or more coats on old work	50.00	Sqm	65.00	Rupees Sixty Five Only	Per Square Metre	3250.00
18	Finishing wall with weather proof exterior grade emulsion of approved design Apexultima) or its equarlied on undecorated wall surfaces (two coats) to give an even shade and final finish after thoroughly cleaning the surface to remove all dirt, dust and other foreign matter etc including sand paper smooth including carriage of materials in all leads as per direetions of the Engineer-in-Charge.	20.00	Sqm	75.00	Rupees Seventy Five Only	Per Square Metre	1500.00
19	Repair to plaster in patches of 2.50 square meter under and upto 10 to 15mm thick including cutting the patch in proper shape and re-plastering the surface of wall including disposal to the dumping ground with a lead of 20 metres with including carriage of mateirals in all leads and lifts as per directions of the Engineer-in-Charge. (i) Cement Mortar 1:5(One cement: Five sand).	4.50	Sqm	250.00	Rupees Two Hundred Fifty Only	Per Square Metre	1125.00
						Total	96687.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

D/MR. No 628715 No 14484-85 of 3-11-25

And its as 99,588 /

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 99825.00	
Name of Work:- A/R & M/O to Mehli to I.A.S. Colony road upto Rani Ground Km.0/000 to 0/950. (SH:- Supplying and						Earnest Money :-1900.00	
Stacking Pot seal bags cold mix .						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Supplying and stacking pot seal beg of 25 kgs cold mix including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	121.00	Kgs.	825.00	RsEight hundred twenty five	Per Kilogram	99825.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	99825.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

T/s No 1445051 dated 3-11-25 Amounting to Rs. 1,02,820/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY								
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 96525.00		
Name of Work:- A/R & M/O Eversunny to Golcha Bhont road Km 0/000 to 6/270 (SH:- Supplying and Stacking Pot seal bags cold mix .						Earnest Money :-1900.00		
						Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount	
				In figures	In words			
1	Supplying and stacking pot seal beg of 25 kgs cold mix including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	117.00	Kgs.	825.00	RsEight hundred twenty five	Per Kilogram	96525.00	
	Quoted rates Percentage in figures							
	Quoted rates Percentage in words							
						G.Total	96525.00	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

T/s No 14448-49 dated 3-11-25 Amounting to Rs. 99,421/-


Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 467968.00	
Name of Work :-Restoration of rain damages on Challanda to Piran road Km 0/000 to 28/020 (SH:-						Earnest Money :- 9400.00	
Maintainance of surface drain,trimming of grass and removal of slips between RD 0/000 to 8/000)						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of landslides/slip clearnace. Removal od land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal od cut material with in a lift upto 1000 metre and land upto 1000 metre as per technical specification 302.35 and 1611.	1715.20	Cum	200.00	Rupees Two Hundred Only	Per Cubic Metre	343040.00
2	Maintenance of drain including erosion ,repair,cleaning reshaping,regarding,deepening of side drain as well as per Technical specification clause 1907.	8000.00	Rmt	4.60	Rupees Four and Paise Sixty Only	Per Running Meter	36800.00
3	Trimming of grass and weeds from the Shoulders/berms and disposing off the same to suitable location as per technical specifications clause 1914.	21600.00	Sqm	4.08	Rupees Four and Paise Eight Only	Per Square Metre	88128.00
					Total		467968.00

CONDITION:-

D/NR. No 631/15/NO 14482-830A3-11-25/19982007/.

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.



Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 455524.00	
Name of Work :-Restoration of rain damages on Challanda to Piran road Km 0/000 to 28/020 (SH:-						Earnest Money :- 9200.00	
Maintainance of surface drain,trimming of grass and removal of slips between RD16/000 to28/020)						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of landslides/slip-clearnace. Removal od land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal od cut material with in a lift upto 1000 metre and land upto 1000 metre as per technical specification 302.35 and 1611.	1414.10	Cum	200.00	Rupees Two Hundred Only	Per Cubic Metre	282820.00
2	Maintenance of drain including erosion ,repair,cleaning,reshaping,regarding,deepening of side drain as well as per Technical specification clause 1907.	12000.00	Rmt	4.60	Rupees Four and Paise Sixty Only	Per Running Meter	55200.00
3	Trimming of grass and weeds from the Shoulders/berms and disposing off the same to suitable location as per technical specifications clause 1914.	28800.00	Sqm	4.08	Rupees Four and Paise Eight Only	Per Square Metre	117504.00
					Total		455524.00

CONDITION:-

D/WR. No 6317IS No 14478-79CH-3-11-25 And 469, 192

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 467968.00

Name of Work :-Restoration of rain damages on Challanda to Piran road Km 0/000 to 28/020 (SH:-

Earnest Money :- 9400.00


Maintainance of surface drain, trimming of grass and removal of slips between RD 800/00 to 16/000)

Time:- One Month.

Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of landslides/slip clearnace. Removal od land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal od cut material with in a lift upto 1000 metre and land upto 1000 metre as per technical specification 302.35 and 1611.	1714.90	Cum	200.00	Rupees Two Hundred Only	Per Cubic Metre	342980.00
2	Maintenance of drain including erosion ,repair,cleaning reshaping,regarding,deepening of side drain as well as per Technical specification clause 1907.	8000.00	Rmt	4.60	Rupees Four and Paise Sixty Only	Per Running Meter	36800.00
3	Trimming of grass and weeds from the Shoulders/berms and disposing off the same to suitable location as per technical specifications clause 1914.	21600.00	Sqm	4.08	Rupees Four and Paise Eight Only	Per Square Metre	88128.00
					Total		467908.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standards.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

D/NR.No 633718 No 14480814+3-11-25 Amt 48,945/-

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 468424.00	
Name of Work :-Restoration of rain damages on Koti to Satlai road Km 0/000 to 15/000 (SH:-						Earnest Money :- 9400.00	
Maintainance of surface drain, trimming of grass and removal of slips between RD 7/000 to 15/000)						Time:- One Month.	
Sr. No	Description of Work/Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of landslides/slip clearnace. Removal od land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal od cut material with in a lift upto 1000 metre and land upto 1000 metre as per technical specification 302.35 and 1611.	1701.16	Cum	200.00	Rupees Two Hundred Only	Per Cubic Metre	340232.00
2	Maintenance of drain including erosion ,repair,cleaning reshaping,regarding,deepening of side drain as well as per Technical specification clause 1907.	8000.00	Rmt	4.60	Rupees Four and Paise Sixty Only	Per Running Meter	36800.00
3	Trimming of grass and weeds from the Shoulders/berms and disposing off the same to suitable location as per technical specifications clause 1914.	22400.00	Sqm	4.08	Rupees Four and Paise Eight Only	Per Square Metre	91392.00
					Total		468424.00

CONDITION:-

D/MR.NO. 635 TIS No 14476-77dt 3-11-25 Amt Rs 4,82/-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standards.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:4,99,875.00	
Name of Work :- Restoration of Rain damages on Woodrina to Shishu Kendra road Km 0/00 to 1/300 (SH : C/O B/wall at RD 0/720 to 0/722.50 and U-Shape drain at RD 0/700 to 0/750.)						Earnest Money :-10,000.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus exeavated earth to be dumped at dumping site(dumpiug sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of exeecution and disposal of servieeable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	6.17	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	2005.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of servieeable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	26.35	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	10540.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12 (One cement: six sand: Twelve graded stone agg.40mm nominal size).	1.00	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	3400.00

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 20 mm(Twenty milimetre) nominal size).	9.52	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	43792.00
5	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) M 20 Cement Mortar 1:3:6 (one cement:Three sand:Six graded stone aggregate 20mm(Twenty milimetre) nominal size).	10.40	Cum	5400.00	Rupees Five Thousand Four Hundred Only	Per Cubic Metre	56160.00
6	B/filling with granuals as per specification to thickness size toward the soil and bigger size toward the wall , abutment, wing walls, return walls to the full length complete as per drawing and technical specification graded stone elause.	0.35	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	368.00
7	Providing weep holes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and MORD technical specification clauses 614, 709, 1204.3.7 including earriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	12.50	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running Meter	2250.00
8	Steel work welded in built up sections, trusses and framed work including cutting hoisting fixing in position and applying a priming coat of red lead paint including carriage of materials in all leads and lifts :-	3632.00	kg	105.00	Rupees One Hundred Five Only	Per Kilogram me	381360.00
						TOTAL	499875.00

DINR No 636 TISNO 14454-55 dt 3-11-25

Amt do Rs 5,14,907/-

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars

5/11

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 99000.00	
Name of Work:- A/R & M/O Tipra to Jogroti road Km 0/00 to 6/00 (SH:- Supplying and Stacking Pot seal bags cold mix .						Earnest Money :-1900.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Supplying and stacking pot seal beg of 25 kgs cold mix including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	120.00	Kgs.	825.00	RsEight hundred twenty five	Per Kilogram	99000.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	99000.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should conform to bureau of indian standards.

T/s No 14464.65 dated 3-11-25 Amounting to Rs. 101,970/-

Executive Engineer
Shimla Division No.I,
HP PWD Shimla-3.

13
11

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.					Estimated Cost:-499930.00		
Name of Work :-Restoration of rain damages on Shimla to Mandi road Km 6/00 to 22/00 (SH:-					Earnest Money :-10000.00		
C/O B/Wall at RD 6/947 to 6/975) (under PDNA)					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting in earth work in all depths and heights in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and carriage of all labour , machinery , materials tools, equipments and safety measures and other incidental necessary to completes the work by mechanical means and /or labor (if any required the cost of all useful materials such as stones shingles aggregate and stats shall be slotedout and stacking along road side 13.09 cum stone will be recovered @ 300 /- Cum Which shall be blasting work which shall be proportionately increase decreases as the quantity of the earth work increase decrease in all cases recovered from the contractor at the rate	66.00	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	21450.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical	13.00	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	5200.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	13.00	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	44200.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 40 mm(Fortv milimetre) nominal size).	91.400	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	420440.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including hauling of materials in all leads and lifts as per the same satisfaction and directions of the Engineer-in-Charge.	48.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running Meter	8640.00
					Total		499930.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts. Including head load
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

D/P No. 638 TIS No 14472-7301-3-11-25 Amt 5,14,928/-

to Rs 5,14,928/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

9/11

SCHEDULE OF QUANTITY								
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 97350.00		
Name of Work:- A/R & M/O Longwood to Barmu road via kelti Km 0/00 to 3/300 (SH:- Supplying and Stacking Pot seal bags cold mix .						Earnest Money :-1900.00		
						Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount	
				In figures	In words			
1	Supplying and stacking pot seal beg of 25 kgs cold mix including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	118.00	Kgs.	825.00	RsEight hundred twenty five	Per Kilogram	97350.00	
	Quated rates Percentage in figures							
	Quoted rates Percentage in words							
						G.Total	97350.00	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

T/s No 14446.47 dated 3-11-25 Amounting to Rs. 100270/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

10
11

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 99825.00	
Name of Work:- A/R & M/O to Sadhora Kiar Koti road to Mohanpur Km.0/00 to 6/540 (SH:- Supplying and Stacking						Earnest Money :-2000.00	
Pot seal bags cold mix .						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Supplying and stacking pot seal beg of 25 kgs cold mix including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	121.00	Kgs.	825.00	RsEight hundred twenty five	Per Kilogram	99825.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	99825.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

T/s No 14470-71 dated 3-11-25 Amounting to Rs. 102819/-

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.