

HIMACHAL PRADESH  
PUBLIC WORK DEPARTMENT

No. PW/DT/TA/ NIT /2025-26-

7793

Dated:- 3-11-2025

To,


The Executive Engineer  
IT Celi Nirman Bhawan Nigam Vihar  
HP PWD Shimla

Subject: \_

Regarding NIT for uploading on HP PWD website .


Enclosed please find herewith the Notice inviting tender Notice along with schedule of quantity for uploading on HP PWD website. This is for your kind information and necessary action at your end please.

Encls:- 08 Nos copy of Schedule of quantity.

  
Executive Engineer  
Tanda Division HP PWD  
at Nagrota Bagwan

CERTIFICATE

Certified that the tenders of works, called vide this office letter No. PW-DT-NIT-2025-26-7793 Dated:-3-11-2025 are urgent nature.

  
Executive Engineer  
Tanda Division HP PWD  
at Nagrota Bagwan

**HIMACHAL PRADESH  
PUBLIC WORKS DEPARTMENT**

Sealed item rate tender on form No. 6 & 8 are hereby invited by the Executive Engineer, HP PWD Division Tanda at Nagrota Bagwan on behalf of Governor of Himachal Pradesh for the following work from the approved and eligible contractors enlisted in HP PWD (B & R) whose registration stood renewed as per revised rules so as to reach in his office on or before on 12.11.2025 up to 11:00 A.M. And the same shall be opened on the same day at 04:00 P.M. in the presence of intending contractors or their authorized representatives. The tender form can be obtained from his office on cash payment (non refundable) on 11.11.2025 up to 4:00 P.M and the application for issue of tender form shall be received on 10.11.2025 up to 12:00 noon. The applications for issue of tender forms accompanied with enlistment letter or renewal letter and the earnest money in the shape of National Saving Certificates/Saving Account of the Post Office /Time Deposit account/FDR in Himachal Pradesh duly pledged in favour of Executive Engineer, HP PWD Division Tanda at Nagrota Bagwan.

The conditional tender and the tender received without earnest money will summarily be rejected. The offer of the tender shall be kept open for 120 days.

Sr. No.	Name of work	Estimated Cost	Earnest Money	Time limit
1	Repair of Robotic Surgery Area in Dr. R.P. Govt. Medical College at Tanda in District Kangra HP Deposit Work (SH: Providing and fixing water supply and sanitary installation and other work etc).	99457.00	2000.00	Two Months
2	Repair of Robotic Surgery Area in Dr. R.P. Govt. Medical College at Tanda in District Kangra HP Deposit work (SH: Painting work etc).	99397.00	2000.00	Two Months
3	Repair of Robotic Surgery area in Dr. R.P. Govt. Medical College at Tanda in District Kangra HP Deposit work (SH: Providing and fixing tiles works etc).	99650.00	2000.00	Two Months
4	Construction of link roads from Lilly Amtrar Mundla Daulatpur road km 0/00 to 3/00 in Distt. Kangra H P MNP Head (SH: Providing and laying cement concrete pavement in km 2/275 to 2/305).	97488.00	2000.00	Two Months
5	A/R & M/O under HP PWD Sub- Division Nagrota Bagwan in Distt. Kangra HP (SH: Bush cutting at various roads ( Baldhar Section).	99720.00	2000.00	One Months
6	Restoration of rain damages on various roads under HP PWD Sub- Division Baroh in Distt. Kangra HP (SH: Backfilling with granular Material ( Kandi Section).	99975.00	2000.00	Two Months
7	Restortion of rain damages on link road Nihargalu to Jalot km 0/00 to 11/00 in Distt. Kangra HP (SH: Construction of Breast wall in km 7/066 to 7/072).	67433.00	1350.00	Two Months
8	Periodic Maintenance of Patch work under HP PWD Division Tanda at Nagrota Bagwan In Distt. Kangra HP Under MMSRY) 1. Samloti to Masandkar road in between km 0/00 to 1/800 (SH: Providing and laying patch work on various Rds between 0/650 to 1/800).	99871.00	2000.00	One Months
9	A/R & M/O under HP PWD Sub- Division Nagrota Bagwan in Distt. Kangra HP (SH: Bush cutting at various roads ( Dadh Section).	98820.00	2000.00	One Months
10	Construction of Community Hall in village Tanda Massal at Nagrota Bagwan in District Kangra HP Deposit work SDP/2013/310 (SH: Construction of wood work, tiles flooring, plastering and painting work etc).	190232.00	3850.00	Two Months

**Terms & Conditions:-**

- The contractor/firm should be registered as or dealer GST No.
- The intending contractor / firm have to produce the copy of latest enlistment and renewal enlisted in HPPWD.
- If any of the date mentioned above happened to be Gazetted Holidays the same shall be processed on next working day.
- The Executive Engineer reserves the right to accept/reject any tender/application or all tenders without assigning any reason.
- The Contractor will have to submit affidavit along with application for issue of tender form.
- Next tender will be issued only after completion of previous works in hand.

  
Executive Engineer  
H.P.P.W.D. Tanda Division  
at Nagrota Bagwan

**HIMSUCHANA AVAM & JAN SAMPARK**

(On behalf of Governor of Himachal Pradesh)

No.PW/NBD/TA/Tender/NIT/2025-26- 7794-7808 Dated/ 3-11-2025

Copy to the following for information and necessary action:-

- The Chief Engineer (KZ), HPPWD, Dharamshala.
- The Director, Information & Publications Department, H.P. Shimla.
- The Executive Engineer IT Cell Shimla HP PWD Shimla.
- The Superintending Engineer, 5<sup>th</sup> Circle, HPPWD, Palampur.
- The Deputy Commissioner, Kangra at Dharamshala.
- All the S.E.s/E.E.s under North Zone.
- The Sub-Divisional Officer(C) Nagrota Bagwan.
- All the Assistant Engineer under this Division.
- The Drawing /Accounts Branch in this office.
- Notice Board.

  
Executive Engineer  
H.P.P.W.D. Tanda Division  
at Nagrota Bagwan

**SCHEDULE OF QUANTITY**

ESTIMATED COST:- ₹ 99457.00  
 EARNEST MONEY:- ₹ 2000.00  
 TIME LIMIT : TWO MONTHS

**NAME OF WORK :-** Repair of Robotic Surgery Area in Dr. R.P. Govt. Medical College at Tanda in District Kangra (H.P.). **DEPOSIT WORK**  
**SUB-HEAD :-** Providing and fixing Water supply and sanitary installation and other work etc;


Sr. No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	Providing and fixing 12.5 mm (Twelve point five millimetre) thick square edge PVC Laminated Gypsum Tile of size 595x595 mm, made of Gypsum plasterboard, manufactured from natural gypsum as per IS 2095 part I and laminated with white 0.16mm thick fire retardant PVC film on the face side and 12micron metalized polyester on the back side with all edges sealed with the face side PVC film which goes around and wraps the edges and is bonded to the edges and the back side metalized polyester film so as to make the tile a completely sealed unit within all leads, lifts of materials and other incidentals. as per approved drawing, design and as directed by the Engineer-in-Charge.	26.50			Per square metre	
2	Providing 550x400mm (Five thousand fifty into four hundred millimetre) size wash basin with C.I. brackets, 15mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: complete as directed by the Engineer-in-charge including entire carriage of materials within all leads, lifts and other incidentals.	3			Each	
3	Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings complete as directed by the Engineer-in-charge including entire carriage of materials within all leads, lifts and other incidentals.	3			Each	
4	Providing and fixing stainless steel pillar cock of approved quality and colour. 15 mm nominal bore, 125 mm long foam flow, weighing not less than 120 gms complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	6			Each	
5	Providing and fixing 15mm (Fifteen millimetre) nominal size C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms complete and as per direction of Engineer- Incharge, including carriage of materials within all leads, lifts and other incidentals.	7			Each	
6	Providing and fixing 15 mm nominal bore C.P. brass bib cock of approved quality conforming to IS:8931 :complete as directed by the Engineer-in-charge including entire carriage of materials within all leads, lifts and other incidentals.	2			Each	
7	Providing and fixing 75mm (Seventy five millimetre) on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. (i) Single socketed pipes complete as directed by the Engineer-in-charge including entire carriage of materials within all leads, lifts and other incidentals.	13.30			Per running metre	

5

	1	2	3	4	5	6	7
8	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, complete as per drawing and HP.PWD technical specifications and as directed by Engineer-In-charge including carriage of material within all leads, lifts and other incidentals.		3	4	5	6	7
1	Bend (87.5°) (50mm Bend)	40				Each	
ii	Single Tee with door (50x50x50mm)	Numbers 6				Each	
9	Providing and fixing 50mm (Fifty millimetre) diam.S. holder bat clamps of approved design to C.I. or S.C.I. rain water pipes embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (One cement : Two coarse sand : Four graded stone aggregate 20 mm nominal size) and cost of cutting holes and making good the walls etc. : complete as directed by the Engineer-in-charge including entire carriage of materials within all leads, lifts and other incidentals.	10				Each	
10	Providing and fixing Stainless steel Waste Coupling for wash basin and sink, of approved quality and colour. Waste coupling 38 mm dia of 83 mm length and 77mm breadth, weighing not less than 60 gms complete as directed by the Engineer-in-charge including entire carriage of materials within all leads, lifts and other incidentals.	2				Each	
11	Providing 15mm nominal bore PVC connection with brass unions. 300/450mm length: complete as directed by the Engineer-in-charge including entire carriage of materials within all leads, lifts and other incidentals.	24				Each	
12	Providing and fixing PTMT soap Dish Holder having length of 138mm, breadth 102mm, height of 75mm with concealed fitting arrangements, weighing not less than 106 gms complete as directed by the Engineer-in-charge including entire carriage of materials within all leads, lifts and other incidentals.	6				Each	
13	Providing and fixing 100mm nominal size on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion complete as directed by the Engineer-in-charge including entire carriage of materials within all leads, lifts and other incidentals.	1				Each	
14	Providing and fixing Bend (87.5o) (90mm Bend) on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, complete as per drawing and HP.PWD technical specifications and as directed by Engineer-In-charge including carriage of material within all leads, lifts and other incidentals.	4				Each	
15	Providing and fixing 15 mm nominal C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 complete as directed by the Engineer-in-charge including entire carriage of materials within all leads, lifts and other incidentals.	11				Per running metre	

5

1	2	3	4	5	6	7
16	Providing and fixing PTMT 15 mm Urinal spreader size 95x69x100 mm with 1/2" BSP thread and shapes, weighing not less than 200 gms. complete as directed by the Engineer-in-charge including entire carriage of materials within all leads, lifts and other incidentals.	4 Running metres			Per running metre	
17	Providing and fixing stone slab work with table rubbed, edges rounded and polished, of size 75x50 cm deep and 1.8 cm thick, fixed in urinal partitions by cutting a chase of appropriate width with chase cutter and embedding the stone in the chase with epoxy grout or with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 6 mm nominal size) as per direction of Engineer-in-charge and finished smooth complete as per drawing and HP.PWD technical specifications and as directed by Engineer-In-charge including carriage of material within all leads, lifts and other incidentals.	0.75 Square metres			Per square metre	
18	Providing and fixing 15 mm nominal bore, weighing not less than 32 gms PTMT extension nipple for water tank pipe, fittings of approved quality and colour complete and as per direction of Engineer- Incharge, including carriage of materials within all leads, lifts and other incidentals.	12 Numbers			Each	
19	Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to European type W.C. of quality and make as approved by Engineer - in - charge. complete including entire carriage of materials within all leads, lifts and other incidentals.	3 Numbers			Each	
20	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors : Hubless centrifugally cast (spun) iron epoxy coated inside & outside as per IS:15905 complete as directed by the Engineer-in-charge including entire carriage of materials within all leads, lifts and other incidentals.	8 Numbers			Each	
21	Providing and fixing 600x450mm (Six hundred fifty millimetres) size bevelled edge mirror of superior glass mounted on 6mm thick A.C. Sheet or plywood sheet and fixed to wooden plugs with C.P. Brass screws and washers complete	3 Numbers			Each	
<b>TOTAL :-</b>						

  
 Executive Engineer,  
 H.P. W.D. Division,  
 Tanda at Nagrota Bagwan.

**SCHEDULE OF QUANTITY**

ESTIMATED COST:- ₹ 99397.00  
 EARNEST MONEY:- ₹ 2000.00  
 TIME LIMIT : TWO MONTHS

**NAME OF WORK :-** Repair of Robotic Surgery Area in Dr. R.P. Govt. Medical College at Tanda in District Kangra (H.P.), **DEPOSIT WORK**  
**SUB-HEAD :-** Painting work etc;

Sr. No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	Removing dry or oil bound distemper by washing and scraping and sand papering the wall surface smooth including necessary repairs to scratches complete, as directed by the Engineer- Incharge, including carriage of materials within all leads, lifts and other incidentals	3	4	5	6	7
		1509.59			Per square metre	
2	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete as directed by the Engineer-in-charge including entire carriage of materials within all leads, lifts and other incidentals.	767.02			Per square metre	
		Square metres				
3	Wall painting two coats with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour complete including carriage of material with in all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge.	470.00			Per square metre	
		Square metres				
<b>TOTAL :-</b>						


Executive Engineer,  
 H.P. P.D.D. Division,  
 Tanda at Nagrota Bagwan.

**SCHEDULE OF QUANTITY**

ESTIMATED COST:- ₹ 99650.00  
 EARNEST MONEY:- ₹ 2000.00  
 TIME LIMIT : TWO MONTHS

**NAME OF WORK :-** Repair of Robotic Surgery Area in Dr. R.P. Govt. Medical College at Tanda in District Kangra (H.P.). **DEPOSIT WORK**  
**SUB-HEAD :-** Providing and fixing tiles works etc;

Sr. No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	Providing and fixing 2mm (Two millimetres) thick homogeneous vinyl flooring (ROBUST) plain or coloured, carbed or mosaic/metalled finish laid with approved adhesive on sub-floor (damp proofing treatment to be paid for separately) complete as per directed by the Engineer-in-charge including entire carriage of materials within all leads, lifts and other incidentals.	22.50			Per square metre	
2	Providing and fixing 12.5 mm (Twelve point five millimetre) thick square edge PVC Laminated Gypsum Tile of size 595x595 mm, made of Gypsum plasterboard, manufactured from natural gypsum as per IS 2095 part I and laminated with white 0.16mm thick fire retardant PVC film on the face side and 12micron metalized polyester on the back side with all edges sealed with the face side PVC film which goes around and wraps the edges and is bonded to the edges and the back side metalized polyester film so as to make the tile a completely sealed unit. within all leads, lifts of materials and other incidentals. as per approved drawing, design and as directed by the Engineer-in-Charge.	24.50			Per square metre	
<b>TOTAL :-</b>						


  
 Executive Engineer,  
 H.P.W.D. Division,  
 Tanda at Nagrota Bagwan.

**Schedule of Quantity**

ESTIMATED COST :- ₹ 97488.00  
 EARNEST MONEY :- ₹ 2000.00  
 TIME LIMIT : TWO MONTHS

**NAME OF WORK :-** Construction of link road from Lilly Amtrar Mundla Daulatpur road Km 0/000 to 3/000 in Distt. Kangra (H.P.) (MNP Head).  
**SUB HEAD :-** Providing and laying cement concrete pavement in Km 2/275 to 2/305

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	Providing, laying, spreading and compacting stone aggregate of size 53mm to 22.4mm (Fifty three millimeter to Twenty two point four millimeter) Grading-III size [75mm (seventy five millimeters) compacted thickness] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber applying and brooming, stone screening type-A of size 13.2mm (thirteen point two millimetres) nominal size at the rate of 0.22 cum (zero point two cubic metre) to fill up the interstices of coarse aggregate, watering and compacting to the required density as per technical specifications clause No. 405 and as per drawing and HP.PWD technical specifications, as directed by the Engineer-In-charge including carriage of materials within all leads, lifts and other incidentals.	7.09			Per cubic metre	
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	14.18			Per cubic metre	
<b>TOTAL :-</b>						

  
 Executive Engineer,  
 H.P. W. I.P., Division,  
 Tanda at Nagrota Bagwan.

**SCHEDULE OF QUANTITY**

ESTIMATED COST: - ₹ 99720.00  
EARNEST MONEY :- ₹ 2000.00  
TIME LIMIT : ONE MONTH

**NAME OF WORK :- A/R & M/O M/O under H.P.W.D. Sub-Division Nagrota Bagwan in Distt. Kangra (Himachal Pradesh).**  
**SUB-HEAD :- Bush cutting at various roads (Baldhar Section).**

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30 cm (Thirty centimetres) measured at a height of 1 metre above ground and removal of rubbish upto any distance of outside the periphery of the area cleared: as directed by the Engineer-in-Charge including entire carriage of materials within all leads, lifts and other incidentals.	13850.00	3	4	6	7
		Square meters		5	Per square metre	
<b>TOTAL:-</b>						

  
Executive Engineer,  
H.P.P.W.D., Division,  
Tanda at Nagrota Bagwan.


Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on various roads under H.P.P.W.D. Sub-Division Baroh in Distt Kangra (H.P.).

SUB HEAD: - *Backfilling with granular material (Kandi Section).*

ESTIMATED COST: -Rs. 99975.00  
 EARNEST MONEY : -Rs. 2000.00  
 TIME LIMIT :- TWO MONTHS

Sr. No.	Description	Quantity	Rate		Unit	Amount
			In fig.	in words		
1	Backfilling with granular material behind abutment wing wall, return wall and slushy portion complete as per drawings and technical specification Clause 1204.3.8, granular material as per drawing and HP.P.W.D technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	133.30 Cubic metres	4	5	6 Per cubic metre	7
<b>TOTAL: -</b>						

  
 Executive Engineer,  
 H.P.P.W.D. Division,  
 Tanda at Nagrola Bagwan.


**Schedule of Quantity**

**NAME OF WORK :-** Restoration of rain damages on link road Nihargalu to Jalot Km 0/000 to 11/000 in Distt. Kangra (H.P.).

**SUB-HEAD :-** Construction of Breast wall in Km 7/066 to 7/072

**ESTIMATED COST :-** ₹ 67433.00  
**EARNEST MONEY :-** ₹ 1350.00  
**TIME LIMIT :-** TWO MONTHS

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	Excavation work by mechanical means (Hydraulic excavatory) manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ranning of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	3	6.73	Per cubic metre	20.19	
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (One cement : Five coarse sand : Ten graded stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	15.74		Per cubic metre	103.11	
3	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7 as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	5.00		Per running metre	25.00	
<b>TOTAL :-</b>						148.30

  
 Executive Engineer  
 H.P.P. W.D., Division,  
 Tanda at Nagrota Bagwan.

**SCHEDULE OF QUANTITY**


ESTIMATED COST :- Rs. 99810.00  
 EARNEST MONEY :- Rs. 2000.00  
 TIME LIMIT ONE MONTH

**NAME OF WORK:-** Periodic Maintenance of patch work under HPPWD Division Tanda at Nagrota Bagwan in Distt. Kangra (H.P.). (UNDER MMSRRY)

**1.Samloti to Masandkar road in between Km 0/000 to 1/800.**

**SUB-HEAD :** Providing and laying patch work on various Rds in between Km 0/650 to 1/800.

Sl. No.	Description of work	Quantity	RATES In		Unit	Amount
			Fig	Word		
1	Providing, laying, spreading and compacting stone aggregate of size 53mm to 22.4mm (Fifty three millimeter to Twenty two point four millimeter) Grading-III size [75mm (seventy five millimeters) compacted thickness] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber applying and brooming, stone screening type-A of size 13.2mm (thirteen point two millimeters) nominal size at the rate of 0.22 cum (zero point twenty two) cubic metres per 10 sqm (per ten square metres) and binding material at the rate 0.06 cum (zero point zero six cubic metre) to fill up the interstices of coarse aggregate, watering and compacting to the required density as per technical specifications clause No. 405 and as per drawing and HP.PWD technical specifications, as directed by the Engineer-In-charge including carriage of materials within all leads, lifts and other incidentals. The rate is inclusive of octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	3.42 Cubic metres			Per cubic metre	
2	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.225 kgs (Zero decimal Two Two Five kilograms) per square metre on the prepared dry and hungry bituminous surface cleaned with Hydraulic broom as per MORD Technical Specification Clause 503 and as per direction of Engineer-In-charge including carriage of materials within all leads and lifts and other incidental. The rate inclusive of octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government and rectifying defects noticed within two years as per clause 35 (III) of standard bidding document.	300.00 Square metre			Per square metre	
3	Providing, laying and rolling of close-graded Mix Seal Surfacing material of 20mm (Twenty millimetre) thickness composed of 11.2mm to 0.9mm (Eleven point two to Zero point Nine millimetre) (Type-A) @0.2704 Kg/10 Sqm (Zero point Two seven zero four kilogram per Ten square metre) aggregates using penetration grade bitumen @ i.e. binders content @ 22.00 Kg/10 Sqm (Twenty two point zero kilogram per Ten square metre) of 5.11% (Five point Eleven percent) by weight and minimum density of MSS (Mix Seal Surfacing) should be 2.10g (Two point ten grams) per CC to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 8-10 KN (Eight-Ten) static roller and finishing to required level and grades as per Technical Specification Clause 509 complete in all respect and as per direction of Engineer-In-charge including carriage of materials within all leads and lifts and other incidentals. The rate inclusive of octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government and rectifying defects noticed within two years as per clause 35 (III) of standard bidding document.	300.00 Square metre			Per square metre	
<b>Total :-</b>						


  
 Executive Engineer,  
 H.P.P. W.D., Division,  
 Tanda at Nagrota Bagwan.

**SCHEDULE OF QUANTITY**

ESTIMATED COST: - ₹ 98820.00  
 EARNEST MONEY :- ₹ 2000.00  
 TIME LIMIT : ONE MONTH

**NAME OF WORK :-** A/R & M/O M/O under H.P.W.D. Sub-Division Nagrota Bagwan in Distt. Kangra (Himachal Pradesh).  
**SUB-HEAD :-** Bush cutting at various roads (Dadh Section).

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30 cm (Thirty centimetres) measured at a height of 1 metre above ground and removal of rubbish upto any distance of outside the periphery of the area cleared: as directed by the Engineer-in-Charge including entire carriage of materials within all leads, lifts and other incidentals.	3 13725.00 Square meters	4	5	6 Per square metre	7
<b>TOTAL: -</b>						

  
 Executive Engineer,  
 H.P.W.D., Division,  
 Tanda at Nagrota Bagwan.

**SCHEDULE OF QUANTITY**

ESTIMATED COST:- ₹ 190232.00  
 EARNEST MONEY:- ₹ 3850.00  
 TIME LIMIT : TWO MONTHS

**NAME OF WORK :-** Construction of Community Hall in village Tanda Massal at Nagrota Bagwan in District Kangra (Himachal Pradesh); **DEPOSIT WORK(SDP/2013/310)**  
**SUB-HEAD :-** Construction of wood work, tiles flooring, plastering and painting work etc;

Sr. No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	2	3	4	5	6	7
1	Providing and fixing 35mm (Thirty five millimetre) thick Teak wood using galvanized M.S. wire gauge shutters to doors, windows and clerestory windows using wire gauge with average width of aperture 1.4mm (One point four millimetres) in both directions with wire of dia 0.63mm (Zero point six millimetres) all complete including carriage of material within all leads, lifts and other incidentals, as per approved specifications drawing, design and as directed by the Engineer-in-charge.	4.92 Square metres			Per Square metre	
2	Providing and fixing 35mm (Thirty five millimetre) thick Teak wood wood glazed shutters for doors, windows and clerestory windows using 4mm (Four millimetre) thick float glass panes, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	4.92 Square metres			Per square metre	
3	Providing and fixing 150x10mm (One hundred fifty into Ten millimetres) size aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868 ) transparent or dyed to required colour or shade, with necessary screws etc. complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	28 Numbers			Each	
4	Providing and fixing 100mm (One hundred millimetres) size aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	14 Numbers			Each	
5	Providing and fixing 200mm (Two hundred millimetres) size bright finished brass hard drawn hooks and eyes complete with necessary screws etc; complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	8 Numbers			Each	
6	Providing and laying 600x600mm (Six hundred millimetres) nominal size vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (One cement : Four coarse sand, jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	56.28 Square metres			Per square metre	

1	2	3	4	5	6	7
7	15mm (Fifteen millimetres) thick cement plasters in single coat on fair/rough side of brick/concrete/stone walls for interior plastering upto all floor level including arrises, internal rounded angles, chamfers and rounded angles not exceeding 80mm (Eighty millimetres) in girth and finished even and smooth with cement mortar r 1:4 (One cement : Four sand) complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	199.46 Square metres			Per Square metre	
8	Providing and applying white cement based putty of Birla / JK average thickness 1mm (One millimetres) thick, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete upto all floor level complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	199.46 Square metres			Per square metre	
9	Finishing walls with 100% (One hundred percent) Premium acrylic emulsion paint having VOC less than 50 gm/litre (Fifty grams per liter) and UV resistance as per IS 15489:2004, Alkali & fungal resistance, dirt resistance exterior paint of required shade (Company Depot Tinted) with silicon additives complete. New work (Two or more coats applied @ 1.43 litre/ 10 sqm (One point four three litre per ten square metre) Over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm (Zero point nine zero litre per ten square metre) complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	106.38 Square metres			Per square metre	
10	Wall painting (two coats) with premium acrylic emulsion paint of approved brand and manufacture on decorated wall surfaces to give an even shade including thoroughly brushing the surface free from mortar droppings and other foreign matter and sand papared smooth including applying of putty as required for making the surface complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	100.26 Square metres			Per square metre	
<b>TOTAL :-</b>						

  
 Executive Engineer,  
 HP PWD Division,  
 Tanda at Nagrota Bagwan.