

Himachal Pradesh  
Public Works Department  
No. PW-KD- CTR- Tender-NIT/2025-2026- 2108-09

Dated: 13-01-2026

To


The Executive Engineer (IT Cell)  
Nigam Vihar Shimla.

Subject :- Publication of Tender Notice.

Jai Hind

Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW (B)A(3)1/2024 dated Shimla-2 the 03-01-2024 and PWD-B-A0(3)/8/2025- 300858 dated 09-10-2025 as the works mentioned in the tender notice are urgent in nature and in public interest.

DA:- Notice Inviting Tender & Schedule of Quantity and Certificate.

  
Executive Engineer,  
HPPWD, Division Kasumpti  
Shimla.

Copy forwarded to for further necessary action please.

1. The Superintending Engineer 4<sup>th</sup> Circle HPPWD Shimla .

  
Executive Engineer,  
HPPWD., Division Kasumpti  
Shimla.

**HIMACHAL PRADESH**  
**PUBLIC WORKS DEPARTMENT**  
**NOTICE INVITING TENDERS**

Executive Engineer B&R Division Kasumpti HPPWD Shimla for the following works on behalf of the Government of Himachal Pradesh from the eligible contractors enlisted in HPPWD, so as to reach in the office as per time schedule given below:-

1. Date of receipt of application for tender forms:-	21-01-2026 10:00 AM upto 12:00 PM
2. Dated of Issue /sale of tender forms:-	21-01-2026 12:00 PM upto 4:00 PM
3. Date of receipt of tender:-	22-01-2026 up to 10:30 AM
4. Date of opening of tender:-	22-01-2026 up to 11:00 AM

Sr. No.	Name of Work	Estimated cost	EMD(R s.)	Cost of Tender (Rs.)	Time Limit	Eligible class of Contractor
1	A/R & M/O to tipra to pathgiar road in km. 6/885 to 14/930 (SH:- Providing and fixing of road studs at RD. 6/885 to 8/000) Valley Side	99840/-	2000/-	350/-	30 days	Class-D
2	A/R & M/O to tipra to pathgiar road in km. 6/885 to 14/930 (SH:- Providing and fixing of road studs at RD. 6/885 to 8/000) Hill Side	99450/-	2000/-	350/-	30 days	Class-D
3	Repair/ Renovation to HPPWD Rest House Fagu Shimla (SH:-Providing and Fixing Furnishing items in HPPWD Rest House Fagu Shimla).	99740/-	2000/-	350/-	30 days	Class-D
4	A/R & M/O various Type-I to Type-VI GAD Residential Qtrs. at Mehli Shimla-9 (SH:- Providing and laying PVC Flooring Set 9,25,26 at Transit accommodation at Mehli Shimla).	97499/-	2000/-	350/-	30 days	Class-D
5	Restoration of rain damages on Baldeyan to Dharampur road km. 0/00 to 10/400 (SH:- C/O 8/Wall at RD 6/616). (Under PDNA).	499557/-	10000/-	350/-	30 days	Class-D
6	Restoration of rain damages on Baldeyan to Dharampur road km. 0/00 to 10/00 (SH:- C/O B/Wall at RD 6/600 to 6/606). (Under PDNA).	499917/-	10000/-	350/-	30 days	Class-D
7	R/O R/D on Koti to Satlai road km. 0/000 to 15/000 (SH: - C/O P.C.C 1:4:8 Retaining wall between RD 9/185 to 9/192). (Under PDNA).	434252/-	8700/-	350/-	30 days	Class-D
8	R/R of Rain damages Tipra to Jagroti Raod Km. 0/00 to 6/00 (SH:- C/O R/Wall with toe wall at RD 0/690 to 0/700). (Under PDNA).	432095/-	8600/-	350/-	30 days	Class-D
9	R/R of Rain damages Tipra to Patghair Raod Km. RD. 0/885 to 14/930 (SH:- C/O R/Wall with Toe wall at RD.10/505 to 10/512). (Under PDNA).	415944/-	8000/-	350/-	30 days	Class-D
10	Restoration of Rain damages on Nariga 8ridge to Jagher road km. 0/000 to 1/660 (SH:- Maintenance of drain, Bush Cutting, White Parapets and C/O Unlined surface in km. 0/000 to 1/660).	94382/-	1900/-	350/-	30 days	Class-D
11	Restoration on Nariga to Piran road in km. 0/000 to 3/000 (SH:- Maintenance of drain Bush Cutting White Washing Parapets and C/O Unlined surface in km. 0/000 to 3/000).	99016/-	2000/-	350/-	30 days	Class-D
12	A/R & M/O to various Residential Qtrs. Under Kasumpti Sub-Division Shimla-9 (SH:- Supplying of material to Sub-Division No.VIII Mehli Section Shimla-9).	97138/-	1900/-	350/-	30 days	Class-D
13	R/O of Rain Damages Tipra to Jagroti Road Km. RD. 0/00 to 6/00 (SH:- C/O R/Wall with Toe wall at RD 0/750 to 0/760).(Under PDNA).	344103/-	7000/-	350/-	30 days	Class-D
14	A/R & M/O to various Residential Qtrs. Under Kasumpti Sub-Division Shimla-9 (SH:- Supplying of material to Sub-Division No.VIII Mehli Section Shimla-9).	96821/-	1800/-	350/-	30 days	Class-D
15	A/R & M/O to Tipra to Patgehar road in km. 6/885 to 14/930 (SH:- Providing and Fixing of road Studs (Hill Side) at RD 6/885 to 7/485).	97890/-	2000/-	350/-	30 days	Class-D
16	A/R & M/O to Tipra to Patgehar road in km. 6/885 to 14/930 (SH:- Providing and Fixing of road Studs (Valley Side) at RD 6/885 to 7/485).	98670/-	2000/-	350/-	30 days	Class-D
17	R/R of Rain Damages Chamyana Surala to Katain road in Km. RD. 0/00 to 6/005 (SH:- Removal of land slide slips of various RD 3/765 to 3/790,3/810 to 3/830,3/900 to 3/915)(Under PDNA).	180000/-	3600/-	350/-	30 days	Class-D
18	A/R & M/O Various type-I to VI GAD Qtrs. at Kasumpti Shimla-9 (SH:- P/L Checkered tiles outside Type-IV 33 to 38 under Kasumpti Section).	87256/-	1750/-	350/-	30 days	Class-D
19	A/R & M/O Various type-I to VI GAD Qtrs. at Kasumpti Shimla-9 (SH:- P/L Checkered tiles in frontside of PWD enquiry Kasumpti Section).	88278/-	1750/-	350/-	30 days	Class-D
20	Restoration of Rain Damages on Various roads under janedghat section (SH:- Hiring of Excator cum loader for removal of salips in various RDs).	99750/-	2000/-	350/-	30 days	Class-D

It is certified that the above works are required to be carried out immediately being emergent nature of work in public interest.

The tender documents shall be issued only to those contractor/Firm who fulfill the following documents with the application.

1. The valid enlistment/Registration of contractor in Appropriate Class.
2. Permanent account No. (PAN NO).
3. G.S.T No.
4. Earnest Money in the shape of National saving certificate/time deposit account in the any of the post office in HP. F.D.R from any Nationalized Bank duly pleaded in favour of the Executive Engineer Division Kasumpti HPPWD Shimla.

5. The earnest & cost of tender form for the above works should be submitted with the application for the purchase or the tender form. The application received without earnest money & cost of tender form shall summarily be rejected.
6. The officer of the tender shall remain valid up to 75 days after the opening of tender.
7. Ambiguous/telephonic /conditional tenders or tender by fax/E mail shall not be considered and will be summarily be rejected.
8. Executive Engineer reserve the right to reject or cancel any or all tenders without assigning any reasons.
9. If the date given above happens to be holiday the same shall be processed on next working day.
10. The Contractor/firms must quote their rates in words as well as in figures failing which EXN reserve the right to accept/reject any or all tenders.
11. The tender forms shall not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed the previous awarded works within the stipulated period of completion.
12. One contractor shall not have more than two major works in hand at a time.
13. Work should be completed by the contractor within stipulated period.

Executive Engineer,  
Division Kasumpti.,  
HPPWD. Shimla-3.

No.PW-SD-I/CB-Tender/2025-2026- 21/09-22  
Copy forwarded to:-

1. Copy to the Deputy Commissioner Shimla Distt. Shimla.
2. Copy to the Executive Engineer Shimla Division No-III HPPWD Shimla.
3. Copy to the Sub Divisional Magistrate (U) Shimla.
4. Copy to the Sub Divisional Magistrate (R) Shimla.
5. Copy to Municipal committee Shimla Distt. Shimla.
6. Copy to Block Development officer Mashobra Dsitt. Shimla.
7. All the Assistant Engineers under this Division, HPPWD Shimla-3.
8. Superintendent / HDM /DAO.
9. Notice Board.

Dated : 13-01-2026

AS  
N. Anila  
Executive Engineer,  
Division Kasumpti.,  
HPPWD. Shimla.

SCHEDULE OF QUANTITY						
				Estimated Cost:- 99840.00		
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Earnest Money :- 2000.00		
Name of Work:- A/R & M/O to Tipra to Pathgar road in Km. 6/885 to 14/930(SH:- Providing and Fixing of Road Studs at RD 6/885 to 8/000 ). Valley side				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No. of Qty.	Estimated Rate	Unit	Amount	
		In figures	In words			
1	Providing and Fixing cat eye make (3m) of size 100x20mm made of heavy duty body shall be molded dual ASA/Acyclic Styrene Acrylonitrile or HP/High impact polystyrene on ABS having electronically welded micro prisms lens with abrasion resistant coating as approved by Engineer-in-Charge. The road stud shall support a load of 13635 kg tested in accordance with ASTMD4280. The slope of retro reflective surface shall be 35+/-5degree to hence. The reflective panel on both side with at least 12cm of each area side. The luminance intensity should be as per the specification ASTM as recommended in BS-S873 part 41973 as per approved sample and manufacture by the Engineer-in-Charge including carriage of material within all leads and lifts the rate are inclusive of octroi, royalty, malkana GST, toll tax, sale tax or other taxes imposed by the Government.	256.00	Nos	Rs Three hundred ninety only	Each	99840.00
	Quoted rates Percentage in figures					
	Quoted rates Percentage in words				G.Total	99840.00

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before

T/s No. 1960708 dated 30/12/25. Amounting to Rs. 102835/-

Executive Engineer,  
Shimla Division No.1,  
HP PWD Shimla-3.

SCHEDULE OF QUANTITY					
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 99450.00	
Name of Work:- A/R & M/O to Tipra to Pathgar road in Km. 6/885 to 14/930(SH:- Providing and Fixing of Road Studs at RD 6/885 to 8/000 ). Hill side				Earnest Money :- 2000.00	
				Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
			In figures	In words	
1	Providing and Fixing cat eye make (3m) of size 100x20mm made of heavy duty body shall be molded dual ASA/Acyclic Styrene Acrylonitrile or HP/High impact polystyrene on ABS having electronically welded micro prisms lens with abrasion resistant coating as approved by Engineer-in-Charge. The road stud shall support a load of 13635 kg tested in accordance with ASTMD4280. The slope of retro reflective surface shall be 35+/-5degree to the horizontal. The reflective panel on both sides with at least 12cm of each area side. The luminance intensity should be as per the specification ASTM as recommended in BS-S873 part 41973 as per approved sample and manufacture by the Engineer-in-Charge including carriage of material within all leads and lifts the rate are inclusive of octroi, royalty, malkana GST, toll tax, sale tax or other taxes imposed by the Government.	255.00	Nos	Rs Three hundred ninety only	Each 99450.00
	Quoted rates Percentage in figures				
	Quoted rates Percentage in words				
				G.Total	99450.00

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before

T/s No. 19609-10 dated 30/12/25 Amounting to Rs. 102433/-

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.


**SCHEDULE OF QUANTITY**

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 99,740.00		
Name of Work :- Repair/Renovation to HP.PWD Rest House Fagu Shimla. (SH:- Providing and fixing Furnishing items in HP.PWD Rest House Fagu Shimla).					Earnest Money :- 2,000.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount		
1	Providing and placing Mattress Cor foam brand size 72" x35 "x4" quality and approved ' including laying of approved brand including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	2.00	Pair	21800.00	Rupees Twenty One Thousand Eight Hundred Only	Per Pair	43600.00
2	Providing and Supplying Warm Quilt Sigle Bed approved brand including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	4.00	Nos	4800.00	Rupees Four Thousand Eight Hundred Only	Each	19200.00
3	Providing and Supplying Blankets Single Bed including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	3.00	Nos	2850.00	Rupees Two Thousand Eight Hundred Fifty Only	Each	8550.00
4	Providing and Supplying Double Bed Cover King Size With Two Pillow cover fine quality complete in all respect including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	5.00	Nos	2250.00	Rupees Two Thousand Two Hundred Fifty Only	Each	11250.00
5	Providing and Supplying Quilt cover single bed Warm'complete in all respect including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	2.00	Nos	1450.00	Rupees One Thousand Four Hundred Fifty Only	Each	2900.00
6	Providing and Supplying Quilt cover singl bed cotton'complete in all respect including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	2.00	Nos	1500.00	Rupees One Thousand Five Hundred Only	Each	3000.00
7	Providing and supplying Fiber Pillow standard size 17"x27" approved shade and design complete in all respects including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	4.00	Nos	850.00	Rupees Eight Hundred Fifty Only	Each	3400.00

8	Providing and supplying single bed sheets with pillow cover of approved shade and design complete in all respect including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	8.00	Nos	980.00	Rupees Nine Hundred Eighty Only	Each	7840.00
						<b>Total</b>	<b>99740.00</b>
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						<b>G.Total</b>	

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.




Executive Engineer,  
Shimla Division No.1,  
HP PWD Shimla-3.

## SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 97499.00		
Name of Work :- A/R & M/O various Type-I Type VI GAD Residential qtrs at Mehli Shimla -9 (SH:- Providing and laying PVC Flooring Set 9,25,26 af Transit accomodation at Mehli Shimla.)				Earnest Money :- 2000.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Providing and fixing 1.50 mm (one Point fifty milimetre)thick PVC antistatic vinyl flooring plain or coloured, carbed or mosaic/metalled finish laid with approved adhesive on sub-floor (damp proofing treatment to be paid for separately) including carriage of materials in all leads and lifts as per directions of the Engineer-in Charge.	102.63	950.00 Rupees Nine Hundred Fifty Only	Per Square Metre	97499.00	
				Total		97499.00

### **CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

  
 Executive Engineer,  
 Shimla Division No.I,  
 HP PWD Shimla-3.


## SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. Name of Work :- Restoration of rain damages on Baldeyan to Dharampur road Km 0/00 to 10/400 (SH:-C/O B/Wall at RD 6/610 to 6/616).(Under PDNA)				Estimated Cost:- 499557.00		
				Earnest Money :- 10000.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-1 (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	83.64	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per cubic meter	27183.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	4.68	Cum	400.00	Rupees Four Hundred Only	Per cubic meter	1872.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:6:12 (40mm nominal size).	4.68	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per cubic meter	15912.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 (20mm nominal size).	99.42	Cum	4500.00	Rupees Four Thousand Five Hundred Only	Per cubic meter	447390.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	40.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7200.00
					Total		499557.00

### CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standards.



Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.


### SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 499917.00		
Name of Work :- Restoration of rain damages on Baldeyan to Dharampur road Km 0/00 to 10/00 (SH:- C/O B/Wall at RD 6/600 to 6/606).(Under PDNA)				Earnest Money :- 10000.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	83.64	Cum 325.00	Rupees Three Hundred Twenty Five Only	Per cubic meter	27183.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	4.68	Cum	400.00	Rupees Four Hundred Only	Per cubic meter	1872.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:6:12 (40mm nominal size).	4.68	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per cubic meter	15912.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 (20mm nominal size).	99.30	Cum	4500.00	Rupees Four Thousand Five Hundred Only	Per cubic meter	446850.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	45.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	8100.00
					Total		499917.00

### CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market shold coufimr to bureau of indian standars.



Executive Engineer,  
Shimla Division No.1,  
HP PWD Shimla-3.

## SCHEDULE OF QUANTITY..

**Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.**

**Name of Work :- R/O R/D on Koti to Satlai road Km 0/000 to 15/000 (SH:- C/O P.C.C 1:4:8 Retaining wall between RD 9/185 to 9/192). (Under PDNA)**

**Estimated Cost:- 434252.00**

**Earnest Money :- 8700.00**


**Time:- One Month.**

<b>Sr. No</b>	<b>Description of Work / Item (S)</b>	<b>No.of Qty.</b>	<b>Estimated Rate</b>		<b>Unit</b>	<b>Amount</b>
			<b>In figures</b>	<b>In words</b>		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	23.92	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per cubic meter	7774.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	28.70	Cum	400.00 Rupees Four Hundred Only	Per cubic meter	11480.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size.	3.85	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	14630.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size.	83.37	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	383502.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7. including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	30.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	5400.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	10.92	Cum	1050.00	Rupees One Thousand Fifty Only	Per cubic meter	11466.00
						<b>Total</b>	<b>434252.00</b>

### **CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.



Executive Engineer,  
Shimla Division/No. I,  
HP PWD Shimla-3.

## SCHEDULE OF QUANTITY..


<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.</b>				<b>Estimated Cost:- 432095.00</b>			
<b>Name of Work :- R/R of Rain Damages Tipra to Jagrati Road Km /RD 0/00 to 6/00 (SH:- C/O R/Wall with Toe wall at RD 0/690 to 0/700). (Under PDNA)</b>				<b>Earnest Money :- 8600.00</b>			
				<b>Time:- One Month.</b>			
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount		
1	<p>Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.</p>	12.00	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per cubic meter	3900.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	16.20	Cum	400.00	Rupees Four Hundred Only	Per cubic meter	6480.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:6:12 (40mm nominal size).	5.40	Cum	3700.00	Rupees Three Thousand Seven Hundred Only	Per cubic meter	19980.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 (20mm nominal size).	83.90	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	385940.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	9.90	Cum	1050.00	Rupees One Thousand Fifty Only	Per cubic meter	10395.00

all and return work complete including carriage of material and labor, cost of material and labor, 10% for labour.	6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	400.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	5400.00
						Total		432095.00

## CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian



Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

## SCHEDULE OF QUANTITY..



Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 415944.00		
Name of Work :- R/R of Rain Damages Tipra to Patghair Road Km /RD 6/885 to 14/930 (SH:- C/O R/Wall with Toe wall at RD 10/505 to 10/512).(Under PDNA)				Earnest Money :- 8000.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	13.44	Cum 325.00	Rupees Three Hundred Twenty Five Only	Per cubic meter	4368.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	7344.18.36	Cum	400.00	Rupees Four Hundred Only	Per cubic meter	7344.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:6:12 (40mm nominal size).	6.12	Cum	3700.00	Rupees Three Thousand Seven Hundred Only	Per cubic meter	22644.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 (20mm nominal size).	79.08	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	363768.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	10.80	Rmt	1050.00	Rupees One Thousand Fifty Only	Per Running meter	11340.00

6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	36.00	Cum	180.00	Rupees One Hundred Eighty Only	Per cubic meter	6480.00
					Total		415944.00

## CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


  
 Executive Engineer  
 Shimla Division No. I,  
 HP PWD Shimla-3.  


### SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 94,382.00	
Name of Work :- Restoration of Rain damages on Nariga Bridge to Jagher road Km 0/000 to 1/660 ( (SH:- Maintenance of drain, Bush Cutting, White Washing Parapets and C/O Unlined surface in Km. 0/000 to 1/660). Time:- One Month.					Earnest Money :- 1,900.00	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Maintenance of Earthen shoulder(stripping of excess soil) Stripping excess soil from the shoulder surface to achieve the approved level and compacting with plate compactor at OMC as per drawings and Technical Specification Clause 1903 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	730.00	Sqm.	42.29 Rupces Forty Two and Paise Twenty Nine Only	Per Square Metre	30872.00
2	Mainteance of drain including erosion, reoair, cleaning, reshaping, regarding , deepening of side drain as well as per Technical specification Clause 1907 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	1600.00	Rmt	4.60 Rupces Four and Paise Sixty Only	Per Running Meter	7360.00
3	Cutting of grass bushes complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-charge.	2400.00	Sqm.	3.00 Rupces Three Only	Per Square Metre	7200.00
4	White washing two coats on parapets wall and tree trunks including preparation of surface by cleaning scraping etc. as per technical specification clause 1915 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	86.72	Sqm	29.40 Rupees Twenty Nine and Paise Forty Only	Per Square Meter	2550.00
5	Construction of unlined surface drain of average cross-Section area 0.40 Sqm (zero point four zero square metre) in soil to specified lines, grades, levels and dimensions. Excavated material to be used in embankment with a lift upto 3m and lead of 50m (average lead 25m) as per Technical specification Clause 307 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (Mechanical Means)	1600	Rmt	29.00 Rupces Twenty Nine Only	Per Running Meter	46400.00
					Total	94382.00
Quated rates Percentage in figures						
Quoted rates Percentage in words						
					G.Total	

#### CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

  
 Executive Engineer,  
 Shimla Division No.I,  
 HP PWD Shimla-3.

### SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 99,016.00		
Name of Work :- Restoration on Nariga to Piran road in Km. 0/000 to 3/000.. (SH:- Maintenance of drain, Bush Cutting, White Washing Parapets and C/O Unlined surface in Km. 0/000 to 3/000).					Earnest Money :- 2,000.00		
					Time:- One Month.		
Sr. No	Description of Work/ Item (S)	No.of Qty.		Estimated Rate	Unit	Amount	
1	Mainteance of drain including erosion, reoair, cleaning, reshaping, regarding , deepening of side drain as well as per Technical specification Clause 1907 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	3000.00	Rmt	4.60 Rupees Four and Paise Sixty Only	Per Running Meter	13800.00	
2	Cutting of grass bushes complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-charge.	3750.00	Sqm.	3.00 Rupees Three Only	Per Square Metre	11250.00	
3	White washing two coats on parapets wall and tree trunks including preparation of surface by cleaning scraping etc. as per technical specification clause 1915 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	148.50	Sqm	29.40 Rupees Twenty Nine and Paise Forty Only	Per Square Meter	4366.00	
4	Construction of unlined surface drain of average cross-Section area 0.40 Sqm (zero point four zero square metre) in soil to specified lines, grades, levels and dimensions. Excavated material to be used in embankment with a lift upto 3m and lead of 50m (average lead 25m) as per Technical specification Clause 307 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (Mechanical Means)	2400	Rmt	29.00 Rupees Twenty Nine Only	Per Running Meter	69600.00	
					Total	99016.00	
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						G.Total

#### CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer  
Shimla Division No.I,  
HP PWD Shimla-3.

SCHEDULE OF QUANTITY						
				Estimated Cost: Rs 97138.00		
				Earnest Money :- 1900.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	In words	Unit	Amount
			In figures			
1	Supplying of Black Nails size 20mm complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	4.00	Kgs.	280.00	Rupees Two Hundred Eighty Only	Per Kilo-gram 1120.00
2	Nails 20m	4.00	Kgs.	220.00	Rupees Two Hundred Twenty Only	Per Kilo-gram 880.00
3	Screw 20,25,30,35mm	10.00	Packet	70.00	Rupees Seventy Only	Per Packet 700.00
4	Hexa Blade	10.00	Nos	20.00	Rupees Twenty Only	Each 200.00
5	White cement in packing	5.00	Kgs.	35.00	Rupees Thirty Five Only	Per Kilo-gram 175.00
6	Powder coated pegs	20.00	Per Peg	55.00	Rupees Fifty Five Only	Per Pegs 1100.00
7	Glass Pan 4mm plain frosted	100.00	Sft	120.00	Rupees One Hundred Twenty Only	Per Square ft 12000.00
8	Looking mirror with PVC frame	10.00	Nos	747.00	Rupees Seven Hundred Forty Seven Only	Each 7470.00
9	Leak Stop	25.00	Kgs.	325.00	Rupees Three Hundred Twenty Five Only	Per Kilo-gram 8125.00
10	G.I. Pipe 1/2" medium	25.00	Rmt	270.00	Rupees Two Hundred Seventy Only	Per Running Meter 6750.00
11	G.I. Socket 1/2"	24.00	Nos	40.00	Rupees Forty Only	Each 960.00
12	G.I. Elbow 1/2"	24.00	Nos	45.00	Rupees Forty Five Only	Each 1080.00
13	G.I. Tee 1/2"	24.00	Nos	65.00	Rupees Sixty Five Only	Each 1560.00
14	G.I. Union 1/2"	24.00	Nos	120.00	Rupees One Hundred Twenty Only	Each 2880.00
15	P.V.C. pipe finolex 100mm	7.00	Nos	1005.00	Rupees One Thousand Five Only	Each 7035.00
16	P.V.C. pipe Finolex 90mm	7.00	Nos	900.00	Rupees Nine Hundred Only	Each 6300.00
17	P.V.C door Tee 100mm	7.00	Nos	375.00	Rupees Three Hundred Seventy Five Only	Each 2625.00
18	P.V.C door Tee 90mm	7.00	Nos	290.00	Rupees Two Hundred Ninety Only	Each 2030.00
19	P.V.C. Plain Bend 100 mm	5.00	Nos	250.00	Rupees Two Hundred Fifty Only	Each 1250.00
20	P.V.C. Plain Bend 90mm	12.00	Nos	184.00	Rupees One Hundred Eighty Four Only	Each 2208.00

21	P.V.C Door Bend 100mm	12.00	Nos	275.00	Rupees Two Hundred Seventy Five Only	Each	3300.00
22	P.V.C. Door Bend 90mm	12.00	Nos	205.00	Rupees Two Hundred Five Only	Each	2460.00
23	P.V.C. Collar 100mm	12.00	Nos	225.00	Rupees Two Hundred Twenty Five Only	Each	2700.00
24	P.V.C. Collar 90mm	12.00	Nos	210.00	Rupees Two Hundred Ten Only	Each	2520.00
25	P.V.C. Floor Trap 90mm	12.00	Nos	330.00	Rupees Three Hundred Thirty Only	Each	3960.00
26	P.V.C. Cistern Cera	2.00	Nos	1650.00	Rupees One Thousand Six Hundred Fifty Only	Each	3300.00
27	C.P. Waste 32mm	10.00	Nos	250.00	Rupees Two Hundred Fifty Only	Each	2500.00
28	Hydraulic door closer Godrej/Clasic/ Krishna Make.	5.00	Nos	1990.00	Rupees One Thousand Nine Hundred Ninety Only	Each	9950.00
Total							97138.00

DNIT approved for Rs.97138/- Only Sr.No..... the financial year 2025-26

T/s No 24683-35 dated 8-1-2026 Amounting to Rs.

Executive Engineer,  
Shimla Division No.1,  
HP PWD Shimla-3.

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer.

## SCHEDULE OF QUANTITY..


Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 344103.00		
Name of Work :- R/R of Rain Damages Tipra to Jagrati Road Km /RD 0/00 to 6/00 (SH:- C/O R/Wall with Toe wall at RD 0/750 to 0/760).(Under PDNA)				Earnest Money :- 7000.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	11.90	Cum 325.00 Rupees Three Hundred Twenty Five Only	Per cubic meter	3868.00	

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	120.15.30	Cum	400.00	Rupees Four Hundred Only	Per cubic meter	6120.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:6:12 (40mm nominal size).	5.10	Cum	3700.00	Rupees Three Thousand Seven Hundred Only	Per cubic meter	18870.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 (20mm nominal size).	65.90	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	303140.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	8.10	Rmt	1050.00	Rupees One Thousand Fifty Only	Per Running meter	8505.00

6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	20.00	Cum	180.00	Rupees One Hundred Eighty Only	Per cubic meter	3600.00
			Total	344103.00			

### **CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm

  
 Executive Engineer  
 Shimla Division No.I,  
 HP PWD Shimla-3.


SCHEDULE OF QUANTITY						
				Estimated Cost: Rs 96821.00		
				Earnest Money :- 1800.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	In words	Unit	Amount
			In figures			
1	Brass stop cock 1/2"	5.00	Nos 368.00	Rupees Three Hundred Sixty Eight Only	Each	1840.00
2	Brass Bib cock 1/2"	5.00	Nos 368.00	Rupees Three Hundred Sixty Eight Only	Each	1840.00
3	C.P. Pillar cock Nova Heavy	5.00	Nos 940.00	Rupees Nine Hundred Forty Only	Each	4700.00
4	C.P. Pillar cock Seekko	5.00	Nos 900.00	Rupees Nine Hundred Only	Each	4500.00
5	C.P. Angle cock Nova Heavy	5.00	Nos 940.00	Rupees Nine Hundred Forty Only	Each	4700.00
6	C.P. Angle cock Seekko	5.00	Nos 900.00	Rupees Nine Hundred Only	Each	4500.00
7	C.P. Bib cock Seekko long body	5.00	Nos 1050.00	Rupees One Thousand Fifty Only	Each	5250.00
8	Gun Metal full way value 15mm	5.00	Nos 563.00	Rupees Five Hundred Sixty Three Only	Each	2815.00
9	Brass ball cock heavy	5.00	Nos 525.00	Rupees Five Hundred Twenty Five Only	Each	2625.00
10	G.I. Tank nipple	5.00	Nos 150.00	Rupees One Hundred Fifty Only	Each	750.00
11	P.V.C. waste pipe 32mm	5.00	Nos 115.00	Rupees One Hundred Fifteen Only	Each	575.00
12	S.S. connection 15x450 Viking	7.00	Nos 290.00	Rupees Two Hundred Ninety Only	Each	2030.00
13	P.V.C. pipe finolex 100mm	7.00	Nos 1005.00	Rupees One Thousand Five Only	Each	7035.00
14	P.V.C. pipe Finolex 90mm	7.00	Nos 900.00	Rupees Nine Hundred Only	Each	6300.00
15	P.V.C door Tee 100mm	7.00	Nos 375.00	Rupees Three Hundred Seventy Five Only	Each	2625.00
16	P.V.C door Tee 90mm	7.00	Nos 290.00	Rupees Two Hundred Ninety Only	Each	2030.00
17	P.V.C. Plain Bend 100 mm	5.00	Nos 250.00	Rupees Two Hundred Fifty Only	Each	1250.00
18	P.V.C. Plain Bend 90mm	10.00	Nos 184.00	Rupees One Hundred Eighty Four Only	Each	1840.00
19	P.V.C Door Bend 100mm	10.00	Nos 275.00	Rupees Two Hundred Seventy Five Only	Each	2750.00
20	P.V.C. Door Bend 90mm	10.00	Nos 205.00	Rupees Two Hundred Five Only	Each	2050.00
21	P.V.C. Collar 100mm	10.00	Nos 225.00	Rupees Two Hundred Twenty Five Only	Each	2250.00
22	P.V.C. Collar 90mm	10.00	Nos 210.00	Rupees Two Hundred Ten Only	Each	2100.00

23	P.V.C. Floor Trap 90mm	10.00	Nos	330.00	Rupees Three Hundred Thirty Only	Each	3300.00
24	P.V.C. Cistern Cera	10.00	Nos	1650.00	Rupees One Thousand Six Hundred Fifty Only	Each	16500.00
35	C.P. Health faucet with pipe	5.00	Nos	1150.00	Rupees One Thousand One Hundred Fifty Only	Each	5750.00
36	C.P. Health faucet with pipe (Heavy) CAPRI	2.00	Nos	2250.00	Rupees Two Thousand Two Hundred Fifty Only	Each	4500.00
38	Gate Hook 150mm (Heavy)	1.00	Nos	171.00	Rupees One Hundred Seventy One Only	Each	171.00
39	Spindle for bib cock/Mixer with washer.	1.00	Nos	245.00	Rupees Two Hundred Forty Five Only	Each	245.00
	Total						96821.00

DNIT approved for Rs.96821/- Only Sr.No..... the financial year 2025-26  
 T/s No. 2675-76 dated 8.12.2025 Amounting to Rs.

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer.

  
 Executive Engineer,  
 Shimla Division No.1,  
 HP PWD Shimla-3.

## SCHEDULE OF QUANTITY

<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.</b>				<b>Estimated Cost:- 97,890.00</b>		
<b>Name of Work :- A/R &amp; M/O to Tipra to Patgehar road in Km. 6/885 to 14/930. (SH:- SH:- Providing and Fixing of Road Studs ( Hill side ) at RD 6/885 to 7/485).</b>				<b>Earnest Money :- 2,000.00</b>		
<b>Time:- One Month.</b>						
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Providing and Fixing cat eye make (3m) of size 100x20mm made of heavy duty body shall be molded dual ASA/Acyclic Styrene Acrylonitrile or HP/High impact polystyrene on ABS having electronically welded micro prisms lens with abrasion resistant coating as approved by Engineer-in-Charge. The road stud shall support a load of 13635 kg tested in accordance with ASTMD4280. The slope of retro reflective surface shall be 35+/-5degree to hences. The reflective panel on both side with at least 12cm of each area side. The luminance intensity should be as per the specification ASTM as recommended in BS-S873 part 41973 as per approved sample and manufacture by the Engineer-in-Charge including carriage of material within all leads and lifts the rate are inclusive of octroi, royalty, malkana GST, toll tax, sale tax or other taxes imposed by the Government.	251.00	Nos	Rupees Three Hundred Ninety Only	Per Each	97890.00
					<b>Total</b>	<b>97890.00</b>
	Quoted rates Percentage in figures					
	Quoted rates Percentage in words					
					<b>G.Total</b>	

### **CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should conform to bureau of Indian standards.

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

### SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 98,670.00	
Name of Work :- A/R & M/O to Tipra to Patgehar road in Km. 6/885 to 14/930. (SH:- SH:- Providing and Fixing of Road Studs ( Valley side ) at RD 6/885 to 7/485).					Earnest Money :- 2,000.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Providing and Fixing cat eye make (3m) of size 100x20mm made of heavy duty body shall be molded dual ASA/Acyclic Styrene Acrylonitrile or HP/High impact polystyrene on ABS having electronically welded micro prisms lens with abrasion resistant coating as approved by Engineer-in-Charge. The road stud shall support a load of 13635 kg tested in accordance with ASTMD4280. The slope of retro reflective surface shall be 35+-5degree to hence. The reflective panel on both side with at least 12cm of each area side. The luminance intensity should be as per the specification ASTM as recommended in BS-S873 part 41973 as per approved sample and manufacture by the Engineer-in-Charge including carriage of material within all leads and lifts the rate are inclusive of octroi, royalty, malkana GST, toll tax, sale tax or other taxes imposed by the Government.	253.00	Nos 390.00	Rupees Three Hundred Ninety Only	Per Each	98670.00
					Total	98670.00
	Quoted rates Percentage in figures					
	Quoted rates Percentage in words					
					G.Total	

#### **CONDITION:-**


1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should conform to bureau of Indian standards.

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

SCHEDULE OF QUANTITY.						
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 180000.00	
Name of Work :- R/R of Rain Damages Chamvana Surala to Katain road in Km /RD 0/00 to 0/105 (SH:- Removal of land slide slips of various RD 3/765 to 3/790, 3/810 to 3/830, 3/900 to 3/915) (Under PDNA)					Earnest Money :- 3600.00	
					Time:- One Month	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Removal of landslides/slip clearnace. Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal od cut material all lead & lifts. The work shall be executed as per the direction of the Engineer in Charge.	600.00	Cum 300.00 Rupees Three Hundred Only	Per Cubic Metre	180000.00	
				Total	180000.00	

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian

  
 Executive Engineer,  
 Shimla Division No.I,  
 HP PWD Shimla-3.

### SCHEDULE OF QUANTITY..

**Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.**

**Name of Work :- A/R & M/O various type -I to Type-VI GAD Qtres at Kasumpti, Shimla -9 Shimla-17099. (SH:- P/L Checkerred tiles outside Type-IV 33 to 38 under Kasumpti section)**

**Estimated Cost:- 87256.00**

**Earnest Money :- 1750.00**


**Time:- One Month.**

Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (i) Nominal concrete 1:4:8 or richer mix (i/c equivalent design mix)	5.20	Cum	1250.00 Rupees One Thousand Two Hundred Fifty Only	Per cubic Metre	6500.00
2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:3:6 (One cement : Three coarse sand) : Six graded stone aggregate 20 mm nominal size)	2.60	Cum	5400.00 Rupees Five Thousand Four Hundred Only	Per cubic Metre	14040.00
3	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	5.20	Cum	400.00 Rupees Four Hundred Only	Per cubic Metre	2080.00
4	Disposal of excavated earth work by debris material upto site on approved dumping siteapproved by M.C. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	7.80	Cum	620.00 Rupees Six Hundred Twenty Only	Per cubic Metre	4836.00

5	P/F Checkered tiles hydraulic compressed 20 mm thick of specified sizes laid in floors, treads of steps and landings on a bed of 25 mm average thickness of cement mortar 1:6 ( 1 cement :6 sand ) jointed with neat cement slurry mixed with pigment to match the shade of tiles (Wherever required) including rubbing and polishing complete with tiles of flowing Shade (i) MEDIUM	52.00	Sqm	1150.00	Rupees One Thousand One Hundred Fifty Only	Per Square Meter	59800.00
					Total		87256.00

### CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.



Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.


### SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 88278.00	
Name of Work :- A/R & M/O various type -I to Type-VI GAD Qtrs at Kasumpti, Shimla -9 Shimla-17099. (SH:- P/L Checkered tiles in frontside of PWD enquiry Kasumpti section)					Earnest Money :- 1750.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (i) Nominal concrete 1:4:8 or richer mix (i/c equivalent design mix)	4.60	Cum	1250.00 Rupees One Thousand Two Hundred Fifty Only	Per cubic Metre	5750.00
2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:3:6 (One cement : Three coarse sand) : Six graded stone aggregate 20 mm nominal size)	2.30	Cum	5400.00 Rupees Five Thousand Four Hundred Only	Per cubic Metre	12420.00
3	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	16.80	Cum	400.00 Rupees Four Hundred Only	Per cubic Metre	6720.00
4	Disposal of excavated earth work by debris material upto site on approved dumping siteapproved by M.C. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	6.90	Cum	620.00 Rupees Six Hundred Twenty Only	Per cubic Metre	4278.00

5	P/F Checkered tiles hydraulic compressed 20 mm thick of specified sizes laid in floors, treads of steps and landings on a bed of 25 mm average thickness of cement mortar 1:6 ( 1 cement :6 sand ) jointed with neat cement slurry mixed with pigment to match the shade of tiles (Wherever required) including rubbing and polishing complete with tiles of flowing Shade (i) MEDIUM	51.40	Sqm	1150.00	Rupees One Thousand One Hundred Fifty Only	Per Square Meter	59110.00
					Total		88278.00

### **CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.




Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

## SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 99,750.00		
Name of Work :- A/R & M/O on Kufri to Chail road Km 0/000 to 25/000. (SH:- Hiring of Excavator cum loader for Removal of snow/Slips at Rd 0/00 to 6/000).				Earnest Money :- 2,000.00		
				Time:- One Month		
Sr. No	Description of Work / Item (S)	No. of Qty.	Estimated Rate	Unit	Amount	
		In figures	In words			
1	Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debris with minimum capacity of 45.00 Cum. Per Hour, Minimum Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damage to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such as quarried stone shall belong to the department and maximum useful quantities of stone from removal of slips shall have to be neatly stacked along road side on road burns, minimum 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, otherwise number of hours shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge.	95.00	Hour	1050.00 Rupees One Thousand Fifty Only	Per Hours	99750.00
						Total 99750.00

### **CONDITION:**

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

  
 Executive Engineer,  
 Shimla Division No. I,  
 HP PWD Shimla-3.