

Himachal Pradesh  
Public Works Department

No. PW-KD- CTR- Tender-NIT/2025-2026- 21457-58 Dated:- 16/1/26

To


The Executive Engineer (IT Cell)  
Nigam Vihar Shimla.

Subject :- Publication of Tender Notice.

Jai Hind

Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW (B)A(3)1/2024 dated Shimla-2 the 03-01-2024 and PWD-B-A0(3)/8/2025- 300858 dated 09-10-2025 as the works mentioned in the tender notice are urgent in nature and in public interest.

DA:- Notice Inviting Tender & Schedule of Quantity and Certificate.

  
Executive Engineer,  
HPPWD, Division Kasumti  
Shimla.

Copy forwarded to for further necessary action please.

1. The Superintending Engineer 4<sup>th</sup> Circle HPPWD Shimla .

  
Executive Engineer,  
HPPWD, Division Kasumti  
Shimla.

**HIMACHAL PRADESH**  
**PUBLIC WORKS DEPARTMENT**  
**NOTICE INVITING TENDERS**


Executive Engineer B&R Division Kasumti HPPWD Shimla for the following works on behalf of the Government of Himachal Pradesh from the eligible contractors enlisted in HPPWD, so as to reach in the office as per time schedule given below:-

1. Date of receipt of application for tender forms:-	24-01-2026 10:00 AM upto 12:00 PM
2. Dated of Issue /sale of tender forms:-	24-01-2026 12:00 PM upto 4:00 PM
3. Date of receipt of tender:-	27-01-2026 up to 10:30 AM
4. Date of opening of tender:-	27-01-2026 up to 11:00 AM

Sr. No.	Name of Work	Estimated cost	EMD(Rs.)	Cost of Tender (Rs.)	Time Limit	Eligible class of Contractor
1	Restoration of rain damages on Mashobra to Bhaikalty road Km. 0/00 to 18/00 (SH:- C/O R/Wall at RD 0/990 to 1/003) (Under PDNA)	498236/-	9965/-	350/-	30 days	Class-D
2	Restoration of Rain damages on Tipra to Patgair road Km. 6/885 to 14/930. (SH: - C/O V-Shape drain in between at RD 13/465 to 14/930. (Under PDNA).	499080/-	10,000/-	350/-	30 days	Class-D
3	C/O Bhont Bus Stand to Kudi Nala Sahal road Km. 0/00 to 0/500 (SH: - C/O R/Wall at RD 0/120 to 0/124.50).	99633/-	2000/-	350/-	30 days	Class-D
4	Restoration of rain damages on Mashobra to Bhaikalty road Km. 0/00 to 18/00 (SH:- C/O R/Wall at RD 4/585 to 4/598) (Under PDNA)	496570/-	9931/-	350/-	30 days	Class-D
5	A/R & M/O various Type-III & Type-IV GAD at Parimahal Kasumti Shimla-09 (SH:- Repair work in Toilet Bathroom Kitchen P/F Cupboard White Washing/Distempering etc in Type-III set No.45 under Parimahal Section.)	47091/-	1000/-	350/-	30 days	Class-D
6	A/R & M/O to Type-I to VI Qtrs. of GAD at Kasumti Shimla-09 (SH: - Repair work in Type-II set no. 612 at New Shimla Under Kasumti Section).	94625/-	1900/-	350/-	30 days	Class-D
7	A/R & M/O various Type-III & Type-IV GAD at Parimahal Kasumti Shimla 09 (SH:- Repair work in Toilet Bathroom Kitchen P/F Cupboard White Washing/Distempering etc in Type-III Set No. 45 under Parimahal Section) (Balance work).	78433/-	1500/-	350/-	30 days	Class-D
8	Restoration of Rain damages on Tipra to Patgair road Km. 6/885 to 14/930. (SH:-C/O V-Shape drain in between at RD 12/000 to 13/465. (Under PDNA).	4,99,336/-	10,000/-	350/-	30 days	Class-D
9	Restoration of rain damages on Mashobra to Bhaikalty road Km. 0/00 to 18/00 (SH:- C/O R/Wall at RD 5/270 to 5/283) (Under PDNA)	498236/-	9965/-	350/-	30 days	Class-D
10	R/R of Rain Damages Tipra to Patgehar Road Km. RD. 6/885 to 14/930 (SH:- C/O R/Wall with toe wall at RD 12/800 to 12/810)(Under PDNa).	258448/-	5200/-	350/-	30 days	Class-D
11	R/R of Rain Damages Tipra to Patgehar Raod Km. RD 6/885 to 14/930 (SH:- C/O R/Wall with toe wall at RD 14/540 to 14/549.50)(Under PDNA).	499775/-	9996/-	350/-	30 days	Class-D
12	Restoration of rain damages on Baldeyan to Dharampur road Km. 0/00 to 10/00 (SH:- C/O B/Wall at RD 0/165 to 0/171.6) (Under PDNA).	499281/-	9986/-	350/-	30 days	Class-D
13	R/R of Rain damages Tipra to Patgehar raod Km. RD 6/885 to 14/930 (SH:- C/O R/Wall with toe wall at RD 14/585 to14/597). (Under PDNA).	497648/-	10000/-	350/-	30 days	Class-D
14	R/R of Rain damages Tipra to Patgehar raod Km. RD 6/885 to 14/930 (SH:- C/O R/Wall with toe wall at RD 14/495 to14/506.50). (Under PDNA).	497930/-	10000/-	350/-	30 days	Class-D
15	Restoration of Eversunny to Pagog Road Km. 0/00 to 5/00 (SH:- repair work of side drain from 2/135 to 3/00 (Under PDNA).	475200/-	9500/-	350/-	30 days	Class-D
16	Restoration of rain damages on Mashobra to Bhaikalty road Km. 0/00 to 18/00 (SH:- C/O B/Wall at RD 6/735 to 6/754/5) (Under PDNA).	497535/-	9950/-	350/-	30 days	Class-D
17	Reconstruction & Restoration Bhatta kuffer to koti road km. 0/00 to 5/00 (SH:- C/O Protection work on damaged portion between km. 1/915 to 1/944 including removal of debris flown on road infrastructure from bills(under PDNA)	300442/-	6000/-	350/-	30 days	Class-D

It is certified that the above works are required to be carried out immediately being emergent nature of work in public interest.

The tender documents shall be issued only to those contractor/Firm who fulfill the following documents with the application.



1. The valid enlistment/Registration of contractor in Appropriate Class.
2. Permanent account No. (PAN NO).
3. G.S.T No.

4. Earnest money in the shape of National saving certificate/time deposit account in the any or the post office in H.P. P.D.R from any Nationalized Bank duly pleaded in favour of the Executive Engineer Division Kasumpti HPPWD Shimla.
5. The earnest & cost of tender form for the above works should be submitted with the application for the purchase of the tender form. The application received without earnest money & cost of tender form shall summarily be rejected.
6. The officer of the tender shall remain valid up to 75 days after the opening of tender.
7. Ambiguous/telephonic /conditional tenders or tender by fax/E mail shall not be considered and will be summarily be rejected.
8. Executive Engineer reserve the right to reject or cancel any or all tenders without assigning any reasons.
9. If the date given above happens to be holiday the same shall be processed on next working day.
10. The Contractor/firms must quote their rates in words as well as in figures failing which EXN reserve the right to accept/reject any or all tenders.
11. The tender forms shall not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed the previous awarded works within the stipulated period of completion.
12. One contractor shall not have more than two major works in hand at a time.
13. Work should be completed by the contractor within stipulated period.

No.PW-SD-I/CB-Tender/2025-2026-  
Copy forwarded to:-

1. Copy to the Deputy Commissioner Shimla Distt. Shimla.
2. Copy to the Executive Engineer Shimla Division No-III HPPWD Shimla.
3. Copy to the Sub Divisional Magistrate (U) Shimla.
4. Copy to the Sub Divisional Magistrate (R) Shimla.
5. Copy to Municipal committee Shimla Distt. Shimla.
6. Copy to Block Development officer Mashobra Dsitt. Shimla.
7. All the Assistant Engineers under this Division, HPPWD Shimla-3.
8. Superintendent / HDM /DAO.
9. Notice Board.

21459-72

Dated

16/1/26

Executive Engineer,  
Division Kasumpti.,  
HPPWD. Shimla-3.



Executive Engineer,  
Division Kasumpti.,  
HPPWD. Shimla.

## SCHEDULE OF QUANTITY.

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 498236.00	
Name of Work :- Restoration of rain damages on Mashobra to Bhaikalty road Km 0/00 to 18/00 ( SH:- C/o R/wall at RD 0/990 to 1/003 ) (Under PDNA)					Earnest Money :- 9965.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	73.45	Cum 325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	23871.00	
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	7.02	Cum 400.00 Rupees Four Hundred Only	Per Cubic Metre	2808.00	

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:6:12 (40 mm aggregate)	1337.02	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	23868.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	195.03	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	437138.00
5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.82	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	1911.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	48.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	8640.00
						Total	498236.00

### CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DNIT approved for Rs 498236.00/- Only vide DNIT Register Sr.No.....  
the financial year 2025-26. (T/S No. 2188-84 Dated..14-12-2025/Amount  
to Rs. 513183 T/S Amount 513183.00

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

## **SCHEDULE OF QUANTITY**

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I H.P.P.W.D. SHIMLA A-3

**Estimated Cost:- 4,99,080.00**

**Name of Work :- Restoration of Rain Damages on Tinra to Patgair road in Km. 6/885 to 11/920 (SIL)**

:- Earnest Money :- 10,000.00

## **Construction of V-Shape drian in between at RD 13/465 to 14/930 (UNDER PDNA)**

**Time:- One Month.**

Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	52.68	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	21072.00
2	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802,803,1202 & 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Nominal mix 1:3:6 (one cement : three sand:six graded stone agg. 20mm (twenty milimeter).	88.52	Cum	5400.00 Rupees Five Thousand Four Hundred Only	Per Cubic Metre	478008.00
	Quated rates Percentage in figures				Total	499080.00
	Quoted rates Percentage in words					
					G.Total	

(T/S No. 24-1927 Dated 1.1.1927 Amount to Rs. 53.14.00/-).

### ***CONDITION:-***

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge.

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

**SCHEDULE OF QUANTITY**

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 99633.00
Name of Work :-Construction of Bhont Bus stand to Kudi Nala Sahal road Km 0/00 to 0/500 ( SH:- C/O R/wall at Rd 0/120 to 0/124.50)					Earnest Money :- 2000.00
					Time:- One Month.
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
			In figures	In words	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	9.00	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre 2925.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	1.64	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre 656.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: Five sand: Ten graded stone agg.40mm nominal size).	1.64	Cum	3700.00 Rupees Three Thousand Seven Hundred Only	Per Cubic Metre 6068.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	18.92	Cum	4600.00 Rupees Four Thousand Six Hundred Only	Per Cubic Metre 87032.00

5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	1.44	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	1512.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full width of the structures with slope of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	8.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	1440.00
						Total	99633.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words					G.Total	


DNIT approved for Rs. 99633/- Only vide DNIT Register Sr.No..... the financial year 2025-26

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before

T/s No 21184-85 dated 14-1-26. Amounting to Rs. 102,621/- m/s

Executive Engineer  
HPPWD Division  
Kasumpi Shimla-3.



## SCHEDULE OF QUANTITY.

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 496570.00		
Name of Work :- Restoration of rain damages on Mashobra to Bhaikalty road Km 0/00 to 18/00 (SH:- C/o R/wall at RD 4/585 to 4/598 ) (Under PDNA)				Earnest Money :- 9931.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	74.58	Cum 325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	24239.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	7.13	Cum 400.00	Rupees Four Hundred Only	Per Cubic Metre	2852.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:6:12 (40 mm aggregate)	7.13	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	24242.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty millimetre) nominal size).	94.49	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	434654.00
5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.85	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	1943.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	48.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	8640.00
							<b>Total</b> <b>496570.00</b>

### CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-

DNIT approved for Rs 496570.00/- Only vide DNIT Register Sr.No.....  
the financial year 2025-26. (T/S No. 24/176-2025 Dated..14.10.2026 Amount  
to Rs. 244767/- T/S Amount 511467.00

8131831-000  
Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

### DRAFT SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 47091.00		
Name of Work :- A/R & M/O various Type -III & Type -IV GAD at Parimahal , Kasumtti , Shimla - 171009 (SH:- Repair work in Toilet , Bathroom , Kitchen. P/F Cupboard, White washing/distempering etc in Type -III set No .45 under Parimahal Section.)					Earnest Money :-1000.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Providing and fixing PVC door bend with oval access door, insertion rubber washer 3 mm thick bolts and nuts ISI marked complete including fixing with approved adhesive etc. including carriage of materials in all leads as per directions of the Engineer-in-Charge. (i) 110 mm dia.	1.00	Nos	330.00	Rupees Three Hundred Thirty Only	Each	330.00
	(ii) 90 mm dia	1.00	Nos	230.00	Rupees Two Hundred Thirty Only	Each	230.00
2	Providing and fixing vitreous China wash basin with single hole for pillar tap with C.I. or M.S. brackets painted white including cutting holes and making good the same but excluding fittings including carriage of materials in all leads as per directions of the Engineer-in-Charge. (a) Flat back	1.00	Nos	3520.00	Rupees Three Thousand Five Hundred Twenty Only	Each	3520.00
3	Providing and fixing 32 mm (thirty two millimetre) dia C.P. brass waste for wash basin or sink complete within all leads, lifts of materials and other incidentals. including carriage of materials in all leads as per directions of the Engineer-in-Charge.	1.00	Nos	150.00	Rupees One Hundred Fifty Only	Each	150.00
4	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required including carriage of materials in all leads as per directions of the Engineer-in-Charge. (i) 510x1040 mm bowl depth 250 mm	1.00	Nos	4500.00	Rupees Four Thousand Five Hundred Only	Each	4500.00
5	Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Nos	3000.00	Rupees Three Thousand Only	Each	3000.00
6	Providing and fixing wire gauge shutters using galvanised M.S. wire gauge of I.S. gauge designation 85 G. with wire of dia 0.56 mm for doors windows and clerestorey windows including bright finished black enamelled iron hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	2.00	Sqm	4800.00	Rupees Four Thousand Eight Hundred Only	Per Square Metre	9600.00
7	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade (i) Old work (one or more coats) including carriage of materials in all leads as per directions of the Engineer-in-Charge.	173.15	Sqm	45.00	Rupees Forty Five Only	Per Square Metre	7792.00

8	Removing dry or oil bound distemper, water proofing cement paint and the like by scraping and sand papering and preparing the surface smooth including necessary repair to scratches etc. complete.	173.15	Sqm	12.00	Rupees Twelve Only	Per Square Metre	2078.00
9	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	143.82	Sqm	45.00	Rupees Forty Five Only	Per Square Metre	6472.00
10	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. (i) One or more coats on old work	95.68	Sqm	65.00	Rupees Sixty Five Only	Per Square Metre	6219.00
11	Finishing wall with weather proof exterior grade emulsion of approved design Apexultima) or its equarlied on undecorated wall surfaces (two coats) to give an even shade and final finish after throughly cleaning the surface to remove all dirt, dust and other foreign matter etc including sand paper smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	10.00	Sqm	40.00	Rupees Forty Only	Per Square Metre	400.00
12	Repair to plaster in patches of 2.50 square meter under and upto 10 to 15mm thick including cutting the patch in proper shape and re-plastering the surface of wall including disposal to the dumping ground with a lead of 20 metres with including carriage of mateirals in all leads and lifts as per directions of the Engineer-in-Charge. (i) Cement Mortar 1:5(One cement: Five sand).	10.00	Sqm	280.00	#NAME?	Per Square Metre	2800.00
					Total		47091.00

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DNIT approved for Rs 47091.00/- Only ) vide DNIT Register Sr.No.....  
the financial year 2025-26.. T/S NO 21186-8 DATE 14-1-26 AMT 48504.00

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

## SCHEDULE OF QUANTITY

## SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 94625.00

Name of Work :- A/R & M/O to Type-I to VI Qtrs of GAD at Kasumpti , Shimla -171009 (SH:-  
Reapir work in Type -II set no 612 at New Shimla under Kasumpti Section)

Earnest Money :- 1900.00

Time:- One Month.

Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (i) Nominal concrete 1:4:8 or richer mix (i/c equivalent design mix)	0.36	Cum	1250.00	Rupees One Thousand Two Hundred Fifty Only	Per Cubic Metre 450.00
2	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i)For thickness of tiles 10 mm to 25 mm	21.90	Sqm	50.00	Rupees Fifty Only	Per Square Meter 1095.00
3	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Of area 3 sq. metres and below	2.00	Nos	250.00	Rupees Two Hundred Fifty Only	Each 500.00
4	Providing and laying cement concrete in retaining walls, return walls, (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:3:6(one cement : Three coarse sand) : six graded stone aggregate 20mm (twenty milimetre) nominal size).	0.84	Cum	5400.00	Rupees Five Thousand Four Hundred Only	Per Cubic Metre 4536.00
5	(i) 1:2:4 (one cement : Two coarse sand) : Four graded stone aggregate 20mm (twenty milimetre) nominal size).	0.03	Cum	6500.00	Rupees Six Thousand Five Hundred Only	Per Cubic Metre 195.00

32P

6	Providing and laying 1st quality Ceramic glazed wall tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including pointing the joints with white cement and matching pigments etc., including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	6.95	Sqm	1150.00	Rupees One Thousand One Hundred Fifty Only	Per Square Meter	7993.00
6	Tile work in skirting, risers of steps and dado up to 2 m height over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointed with grey cement slurry @ 3.3 kg/sqm, including pointing in white cement mixed with pigment of matching shade including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	17.61	Sqm	1150.00	Rupees One Thousand One Hundred Fifty Only	Per Square Meter	20252.00
7	Providing and fixing vitreous China wash down, water closet (European type. W.C. pan) with integral 'P' or 'S' trap including jointing the trap with soil pipe in cement mortar 1:1 (1 cement : 1 sand) (Seat and over to be measured and paid for separately) including carriage of materials in all leads as per directions of the Engineer-in-Charge (i) Anglo Indian Universal closet	1.00	Nos.	4000.00	Rupees Four Thousand Only	Each	4000.00
8	Providing and fixing plastic seat (Solid / Hollow type) and cover for wash down water closet with C.P. Brass hinges and rubber buffers including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (1)SOLID TYPE (a) White plastic seat and cover.	1.00	Nos	1049.40	Rupees One Thousand Forty Nine and Paise Forty Only	Each	1049.00
9	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 10 litre capacity - White MAKE ESS ESS or Equivalent	1.00	Nos.	2473.40	Rupees Two Thousand Four Hundred Seventy Three and Paise Forty Only	Each	2473.00
10	Providing and fixing hand faucet including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Nos.	1050.00	Rupees One Thousand Fifty Only	Each	1050.00
11	Providing and fixing C.P. Brass Towel rail complete with C.P. Brass brackets fixed to wooden plugs with C.P. Brass screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms. Make ESS ESS	1.00	Nos.	1073.90	Rupees One Thousand Seventy Three and Paise Ninety Only	Each	1074.00
12	Providing and fixing PTMT towel ring trapezoidal shape 215 mm long, 200 mm wide with minimum distances of 37 mm from wall face with concealed fittings arrangement of approved quality and colour, weighing not less than 88 gms including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. Make ESS ESS	1.00	Nos.	968.80	Rupees Nine Hundred Sixty Eight and Paise Eighty Only	Each	969.00

13	Providing and fixing 600x450 mm bevelled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Nos.	1020.00	Rupees One Thousand Twenty Only	Each	1020.00
14	Providing and fixing chromium plated brass soap dish with C.P. Brass brackets fixed to wooden plug with C.P. Brass screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (E.S) Make ESSCO	1.00	Nos.	852.10	Rupees Eight Hundred Fifty Two and Paise Ten Only	Each	852.00
15	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Nos.	950.00	Rupees Nine Hundred Fifty Only	Each	950.00
15 ii	(i) 15 mm nominal bore Make ESS ESS	1.00	Nos.	1100.00	Rupees One Thousand One Hundred Only	Each	1100.00
16	Providing and fixing unplasticised P.V.C. connection pipe with PTMT Nuts, collar and bush of approved quality and colour including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 15 mm nominal bore with 45 cm length	2.00	Nos.	150.00	Rupees One Hundred Fifty Only	Each	300.00
17	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Flexible pipe (a) 32 mm dia	1.00	Nos.	200.00	Rupees Two Hundred Only	Each	200.00
18	Providing and fixing 600x120x5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. MAKE ESS ESS	1.00	Nos.	2252.80	Rupees Two Thousand Two Hundred Fifty Two and Paise Eighty Only	Each	2253.00
19	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 15mm nominal bore MAKE ESS ESS	2.00	Nos.	950.00	Rupees Nine Hundred Fifty Only	Each	1900.00
20	Providing and fixing G.I pipes complete with G.I fittings and clamps including cutting chases and making good the all including carriage of materials within all leads and lifts and as per the direction of Engineer-in-Charge. (i) 50mm dia.	14.00	Rmt	350.00	Rupees Three Hundred Fifty Only	Per Running Meter	4900.00
21	Providing and fixing G.I union in G.I pipe including cutting and threading the pipe and making long screws complete (New work) including carriage of materials in all leads and lifts as per direction of the Engineer-in-Charge. (i) 50mm dia.	1.00	Nos	150.00	Rupees One Hundred Fifty Only	Each	150.00

22	Providing and fixing PVC reducer ISI marked, including jointing with approved adhesive etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 110mmx90 mm dia	2.00	Nos.	200.00	Rupees Two Hundred Only	Each	400.00
23	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868 ) transparent or dyed to required colour or shade, with necessary screws etc including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 150x10mm	2.00	Nos.	80.00	Rupees Eighty Only	Each	160.00
23 ii	(ii) 200x10 mm	2.00	Nos.	100.00	Rupees One Hundred Only	Each	200.00
24	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 125 mm	2.00	Nos.	80.00	Rupees Eighty Only	Each	160.00
25	Providing and fixing bright finished brass hard drawn hooks and eyes (i) 200 mm	2.00	Nos.	60.00	Rupees Sixty Only	Each	120.00
26	Providing wood work in frames of doors, windows, clerestory, windows and other frames wrought, framed and fixed in position including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(i) 2nd class deodar wood	0.005	Cum	97000.00	Rupees Ninety Seven Thousand Only	Per Cubic Metre	485.00
27	Providing and fixing C.P. Brass extension nipple (size 15mmx50mm) of approved make and quality as per direction of Engineer-in-charge	4.00	Nos	80.00	Rupees Eighty Only	Each	320.00
28	Providing and fixing 15mm mixer for kitchen sink with top / bottom swinging spout, including carriage of materials in all leads as per directions of the Engineer-in-Charge. <b>MAKE ESSCO/ ESS ESS</b>	1.00	Nos.	4500.00	Rupees Four Thousand Five Hundred Only	Each	4500.00
29	Providing and fixing one hole basin mixing Faucet including carriage of materials in all leads as per directions of the Engineer-in-Charge. <b>MAKE ESS ESS</b>	1.00	Nos.	4500.00	Rupees Four Thousand Five Hundred Only	Each	4500.00
30	Providing and fixing wall mixing faucet including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. <b>MAKE ESSCO/ ESS ESS</b>	1.00	Nos.	4500.00	Rupees Four Thousand Five Hundred Only	Each	4500.00
31	Providing and fixing vitreous China wash basin with single hole for pillar tap with C.I. or M.S. brackets painted white including cutting holes and making good the same but excluding fittings with pedestal complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Flat back (i)550 x400mm. Make Ess ESS /Essco or equivalent.	1.00	Nos	4902.05	Rupees Four Thousand Nine Hundred Two and Paise Five Only	Each	4902.00


32	Providing and Fixing C.P Brass wash basin or sink complete within all leads lifts incidentals. (i)32mm Thick MAKE ESS Ess Only	1.00	Nos	200.00	Rupees Two Hundred Only	Each	200.00
33	Providing and fixing wire gauge shutters using galvanised M.S. wire gauge of I.S. gauge designation 85 G. with wire of dia 0.56 mm for doors windows and clerestorey windows including bright finished black enamelled iron hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i)40mm thick 2nd class deodar wood	5.00	Sqm	300.00	Rupees Three Hundred Only	Per Square Metre	1500.00
34	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty (i) Float glass panes of nominal thickness 4 mm including carriage of materials in all leads as per directions of the Engineer-in-Charge. (weight not less than 10kg/sqm)	2.00	Sqm	900.00	Rupees Nine Hundred Only	Per Square Meter	1800.00
34 ii	(ii) Frosted glass 4 mm thick	1.00	Sqm	1050.00	Rupees One Thousand Fifty Only	Per Square Meter	1050.00
35	Providing and fixing PVC corner shelves complete with C.P. brass brackets fixed to wooden plugs with C.P. brass screws complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge	1.00	Nos	600.00	Rupees Six Hundred Only	Each	600.00
36	Providing and fixing wash basin with pedestal including carriage of materials in all leads as per directions of the Engineer-in-Charge.	1.00	Nos.	3000.00	Rupees Three Thousand Only	Each	3000.00
37	Providing and fixing 100 mm sand cast Iron grating for gully trap including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Nos.	150.00	Rupees One Hundred Fifty Only	Each	150.00
38	Providing and fixing ply wood lining with butt jointing and nails (frame work and cove fillets to be measured and paid for separately) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. (i) 6mm (Six milimetre)thick	2.00	Sqm	650.00	Rupees Six Hundred Fifty Only	Per Square Meter	1300.00
39	Providing and fixing square edges cover fillets (beading) 19mmx6mm(Nineteen milimetre into six milimetre) section i/c mitring at junctions with wood screws and nails complete including carriage of materials in all leads and lifts as per directions of the Engineer-In-Charge.(i)1st class teak wood.	2.00	Rmt	65.00	Rupees Sixty Five Only	Per Running Meter	130.00
40	Providing and fixing PVC waste pipe for wash basin & sink including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) 32mm dia. (i) Flexible pipe	1.00	Nos	150.00	Rupees One Hundred Fifty Only	Each	150.00

excavated earth upto site approved by Municipal Corporation surrounding Shimla upto all leads and lifts as per directions of the Engineer-in-Charge.	41	Disposal of muck/denris/ excavated earth upto site approved by Municipal Corporation surrounding Shimla upto all leads and lifts as per directions of the Engineer-in-Charge.	1.30.00	Cum	620.00	Rupees Six Hundred Twenty Only	Per Cubic Metre	806.00	Providing
Providing and fixing carriage of materials in all leads and lifts as per direction of Engineer-in-charge.	42	Providing and fixing glass Corner including carriage of material within all leads and lifts as per direction of Engineer-in-charge.	1.00.00	Nos	650.00	Rupees Six Hundred Fifty Only	Each	650.00	Providing
Providing and fixing bright finished Stainless steel curtain rods, complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 20 mm dia.	43	Providing and fixing bright finished Stainless steel curtain rods, complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 20 mm dia.	1.50	Rmt	350.00	Rupees Three Hundred Fifty Only	Per Running Meter	525.00	Providing
Providing and fixing 19mm thick water proof commercial board in shelves/shutters box for cup board with butt joints & fixing with nails & screws etc complete) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	44	Providing and fixing 19mm thick water proof commercial board in shelves/shutters box for cup board with butt joints & fixing with nails & screws etc complete) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	1.45	Sqm	1350.00	Rupees One Thousand Three Hundred Fifty Only	Per Square Meter	1958.00	Providing
Providing and fixing 1.00mm thick coloured or plain lamination sheet (sunmica) on boards/ply wood sheets with approved adhesive and nails etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	45	Providing and fixing 1.00mm thick coloured or plain lamination sheet (sunmica) on boards/ply wood sheets with approved adhesive and nails etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	0.72	Sqm	850.00	Rupees Eight Hundred Fifty Only	Per Square meter	612.00	Providing
Providing and fixing bright finished Brass Ball catcher 10mm dia including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	46	Providing and fixing bright finished Brass Ball catcher 10mm dia including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	2.00	Nos	50.00	Rupees Fifty Only	Each	100.00	Providing
Providing and fixing bright finished C.P. brass handles with screws etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 100mm	47	Providing and fixing bright finished C.P. brass handles with screws etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 100mm	2.00	Nos	180.00	Rupees One Hundred Eighty Only	Each	360.00	Providing
Applying priming coat over new wood and wood based surfaces after and including preparing the surface by thoroughly cleaning oil,grease,dirt and other foreign matter) sand papering and knotting including carriage of materials in all leads as per directions of the Engineer-in-Charge.	48	Applying priming coat over new wood and wood based surfaces after and including preparing the surface by thoroughly cleaning oil,grease,dirt and other foreign matter) sand papering and knotting including carriage of materials in all leads as per directions of the Engineer-in-Charge.	2.05	Sqm	40.00	Rupees Forty Only	Per Square Meter	82.00	Providing

49	Painting two coats(excluding coat) on new wood and wood based surface with enamel paint to give an even shade including cleaning the surface of dirt,dust and other foreign matter,sand papering & stoping including carriage of materials in all leads as per directions of the Engineer-in-Charge.(i) With white enamel paint.	2.05.00	Sqm	70.00	Rupees Seventy Only	Per Square Meter	144.00
					Total		94625.00

### **CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

  
 Executive Engineer,  
 Shimla Division No.I,  
 HP PWD Shimla-3.

**SCHEDULE OF QUANTITY**

**Estimate Cost:- 78433/-**

**Name of Work :- A/R & M/O various Type -III & Type -IV GAD at Parimahal , Kasumpti , Shimla - 171009 (SH:- Repair work in Toilet , Bathroom , Kitchen. P/F Cupboard, White washing/distempering etc in Type -III set No .45 under Parimahal Section.) (Balance work)**


**Earnest Money :- 1500.00**

**Time:- One Month.**

1	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm (twenty millimetre) thick cement mortar 1:4 (One cement : four coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(i) Size of tile 600x600mm (six hundred into six hundred millimetre)	52.53	Sqm	1300.00	Rupees One Thousand Three Hundred Only	Per Square Metre	68289.00
2	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in-Charge.	0.24	Cum	1150.00	Rupees One Thousand One Hundred Fifty Only	Per Cubic Metre	276.00
3	Disposal of muck /denris/ excavated earth upto site approved by Municipal Corporation includin carriage of materials	12.69	Cum	620.00	Rupees Six Hundred Twenty Only	Per Cubic Metre	7868.00
4	Providing and fixing stoneware gully trap grade 'A' complete with C.I grating, brick masonry chamber in cement mortar 1:5 and water tight C.I. cover with frame of 300x300mm size (inside) the weight of cover to be not less 4.53 kg and frame to be not less than 2.72kg including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Round mouth traps . (i) 100mmx100mm size P or S Type.	1.00	Nos.	2000.00	Rupees Two Thousand Only	Each	2000.00
					<b>Total</b>		<b>78433.00</b>

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

  
**Executive Engineer,**  
**Shimla Division No.1,**  
**HP PWD Shimla-3.**

## SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 4,99,336.00	
Name of Work :- Restoration of Rain Damages on Tipra to Patgair road in Km 6/885 to 14/930. (SH:-					Earnest Money :- 10,000.00	
Construction of V-Shape drian in between at RD 12/000 to 13/465. (UNDER PDNA)					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	50.89	Cum	Rupees Four Hundred Only	Per Cubic Metre	20356.00
2	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802,803,1202 & 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Nominal mix 1:3:6 (one cement : three sand:six graded stone agg. 20mm (twenty milimeter).	88.70	Cum	Rupees Five Thousand Four Hundred Only	Per Cubic Metre	478980.00
					<b>Total</b>	<b>499336.00</b>
	Quated rates Percentage in figures					
	Quoted rates Percentage in words					
					<b>G.Total</b>	

(T/S No. 2-11-11-28 Dated ...11-1-26 Amount to Rs. 4,99,336.00/- only)

### CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge

Executive Engineer,  
Shimla Division No-I,  
HP PWD Shimla-3.

## SCHEDULE OF QUANTITY.

<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.</b>				<b>Estimated Cost:- 498236.00</b>		
<b>Name of Work :- Restoration of rain damages on Mashobra to Bhaikalty road Km 0/00 to 18/00 (SH:- C/o R/wall at RD 5/270 to 5/283 ) (Under PDNA)</b>				<b>Earnest Money :- 9965.00</b>		
<b>Time:- One Month.</b>						
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	<p>Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.</p>	73.45	Cum 325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	23871.00
2	<p>Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.</p>	7.02	Cum 400.00	Rupees Four Hundred Only	Per Cubic Metre	2808.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:6:12 (40 mm aggregate)	7.02	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	23868.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty millimetre) nominal.	95.03	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	437138.00
5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.82	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	1911.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	48.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	8640.00
						<b>Total</b>	<b>498236.00</b>

## CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.



Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

## SCHEDULE OF QUANTITY..

<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.</b>		<b>Estimated Cost:- 258448.00</b>		
<b>Name of Work :- R/R of Rain Damages Tipra to Patgehar Road Km/RD6/885 to14/930 (SH:- C/O R/Wall with Toe wall at RD 12/800 to 12/810). (Under PDNA)</b>		<b>Earnest Money :- 5200.00</b>		
<b>Time:- One Month.</b>				
<b>Sr. No</b>	<b>Description of Work / Item (S)</b>	<b>No.of Qty.</b>	<b>Estimated Rate</b>	<b>Unit</b>
		<b>In figures</b>	<b>In words</b>	<b>Amount</b>
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	11.70 Cum	325.00 Rupees Three Hundred Twenty Five Only	Per cubic meter 3803.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	16.20	Cum	400.00	Rupees Four Hundred Only	Per cubic meter	6480.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:6:12 (40mm nominal size).	5.40	Cum	3700.00	Rupees Three Thousand Seven Hundred Only	Per cubic meter	19980.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 (20mm nominal size).	46.70	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	214820.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge	9.30	Rmt	1050.00	Rupees One Thousand Fifty Only	Per Running meter	9765.00

6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	20.00	Cum	180.00	Rupees One Hundred Eighty Only	Per cubic meter	3600.00
					Total		258448.00

**CONDITION:-**

(T/S No. 24168 Dated. 6/1/26 Amount to Rs..... T/S  
Amount 266201.00

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market

Executive Engineer  
Shimla Division No.I,  
HP PWD Shimla-3.

266201.00/- only  
Shimla

## SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.		Estimated Cost:- 499775.00			
Name of Work :- R/R of Rain Damages Tiprā to Patgair Road Km /RD 6/885 to 14/930 (SH:- C/O R/Wall with Toe wall at RD 14/540 to 14/549.50). (Under PDNA)		Earnešt Money :- 9996.00			
Time:- One Month.					
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate In figures	Unit	Amount
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	20.14 Cum	325.00 Rupees Three Hundred Twenty Five Only	Per cubic meter	6546.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	15.39	Cum	400.00	Rupees Four Hundred Only	Per cubic meter	6156.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:6:12 (40mm nominal size).	5.13	Cum	3700.00	Rupees Three Thousand Seven Hundred Only	Per cubic meter	18981.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 (20mm nominal size).	97.80	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	449880.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	10.83	Rmt	1050.00	Rupees One Thousand Fifty Only	Per Running meter	11372.00


6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	38.00	Cum	180.00	Rupees One Hundred Eighty Only	Per cubic meter	6840.00
					Total		499775.00

### CONDITION:-

DNIT approved for 499775.00/- Only vide DNIT Register Sr.No..... the financial year 2025-26. (T/S No..... Dated..... Amount to Rs..... T/S Amount 514768.00

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market

Executive Engineer,  
Shimla Division No.1,  
HP PWD Shimla-3.




**SCHEDULE OF QUANTITY.**

<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.</b>				<b>Estimated Cost:- 499281.00</b>			
<b>Name of Work :- Restoration of rain damages on Baldeyan to Dharampur road Km 0/00 to 10/00 (SH:- C/o B/wall at RD 0/165 to 0/171.6 ) (Under PDNA)</b>				<b>Earnest Money :- 9986.00</b>			
<b>Time:- One Month.</b>							
<b>Sr. No</b>	<b>Description of Work / Item (S)</b>	<b>No.of Qty.</b>	<b>Estimated Rate</b>	<b>Unit</b>	<b>Amount</b>		
			In figures	In words			
<b>1</b>	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	83.03	Cum	300.00	Rupees Three Hundred Only	Per Cubic Metre	24909.00
<b>2</b>	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles, aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	4.95	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	1980.00
<b>3</b>	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:6:12 (40 mm aggregate)	4.95	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	16830.00

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	97.26	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	447396.00
5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	0.92	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	966.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	40.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7200.00
<b>Total</b>							<b>499281.00</b>

### CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in

  
 Executive Engineer,  
 Shimla Division No.I,  
 HP PWD Shimla-3.

**SCHEDULE OF QUANTITY..**

**SCHEDULE OF QUANTITY..**

**Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.** **Estimated Cost:- 497648.00**

**Name of Work :- R/R of Rain Damages Tipra to Patgehar Road Km /RD 6/885 to 14/930 (SH:- C/O** **Earnest Money :- 10000.00**

**R/Wall with Toe wall at RD 14/585 to 14/597). (Under PDNA)** **Time:- One Month.**

<b>Sr. No</b>	<b>Description of Work / Item (S)</b>	<b>Estimated Rate</b>	<b>No. of Qty.</b>	<b>Estimated Rate</b>		<b>Unit</b>	<b>Amount</b>
				<b>In figures</b>	<b>In words</b>		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	22.08	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per cubic meter	7176.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	22.68	Cum	400.00	Rupees Four Hundred Only	Per cubic meter	9072.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:6:12 (40mm nominal size).	7972.756	Cum	3700.00	Rupees Three Thousand Seven Hundred Only	Per cubic meter	27972.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 (20mm nominal size).	94.04	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	432584.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	13.68	Rmt	1050.00	Rupees One Thousand Fifty Only	Per Running meter	14364.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	36.00	Cum	180.00	Rupees One Hundred Eighty Only	Per cubic meter	6480.00
					Total		497648.00

### CONDITION:-

DNIT approved for 4,97,648.00/- Only vide DNIT Register Sr.No..... the financial year 2025-26. (T/S No.211424 Dated.../.../2025 Amount to Rs..... T/S Amount 512577.00 *512867/- only*

Executive Engineer,  
Shimla Division No.1,  
HP PWD Shimla-3.

**SCHEDULE OF QUANTITY..****SCHEDULE OF QUANTITY..**

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 497930.00			
Name of Work:- R/R of Rain Damages Tipra to Patgair Road Km. /RD 6/885 to 14/930 (SH:- C/O R/Wall with Toe wall at RD 14/495 to 14/506.50), (Under PDNA).				Earnest Money :- 10000.00			
				Time:- One Month.			
Sr. No	Description of Work / Item (S)	No. of Qty.	Estimated Rate	Unit	Amount		
			In figures	In words			
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils; including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	19.32	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per cubic meter	6279.00	
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	17.59	Cum	400.00 Rupees Four Hundred Only	Per cubic meter	7036.00	

Numbered contracts for open foundations	3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a)PCC 1:6:12 (40mm nominal size)	1682.586	Cum	3700.00	Rupees Three Thousand Seven Hundred Only	Per cubic meter	21682.00
Numbered contracts for open foundations	4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a)PCC 1:4:8 (20mm nominal size)	1595.98	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	441508.00
Numbered contracts for open foundations	5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe, extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	14.49	Rmt	1050.00	Rupees One Thousand Fifty Only	Per Running meter	15215.00
Numbered contracts for open foundations	6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material	34.50	Cum	180.00	Rupees One Hundred Eighty Only	Per cubic meter	6210.00
						Total		497930.00

### CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to

DNIT approved for 497930.00/- Only vide DNIT Register Sr.No..... the financial year 2025-26. (T/S No. 1163-6 Dated 11-07-26 Amount to Rs..... T/S Amount 512867.00 = 512577/- = only)

Executive Engineer,  
Shimla Division No.1,  
HP PWD Shimla-3.

## SCHEDULE OF QUANTITY

## SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No.1, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 475200.00	
Name of Work : Restorstion of Eversunny to Pagog Road Km 0/00 to 5/00 ( SH:- repair work of side drain from 2/135 to 3/00. (UNDER PDNA)					Earnest Money :- 9500.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate	Unit	Amount
			In figures	In words		
1	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	40.00	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	16000.00
2	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:3:6(one cement:Three sand:Six graded stone aggregate 20mm(Twenty milimetre) nominal size).	82.00	Cum	5600.00 Rupees five Thousand Six Hundred Only	Per Cubic Metre	459200.00
				Total		475200.00

## CONDITION:-

(T/S No.21.1.6.0...1 Dated..14.1.26 Amount to Rs.....T /S  
Amount 489456.00 = 489456/- only

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,  
Shimla Division No.1,  
HP PWD Shimla-3.

## REVENUE CONSTRUCTION

## SCHEDULE OF QUANTITY.

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.					Estimated Cost:-497535 .00		
Name of Work :- Restoration of rain damages on Mashobra to Bhaikalty road Km 0/00 to 18/00 (SH:-					Earnest Money :- 9950.00		
C/o B/wall at RD 6/735 to 6/754.5 ) Under PDNA					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	66.50	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	21613.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	8.78	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	3512.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:6:12 (40 mm aggregate)	988.780	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	29852.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	94.330	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	433918.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	48.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	8640.00
					Total	497535.00	

### CONDITION:-

(T/S No. 24.1.88-5) Dated 1.1.1992 Amount to Rs..... T / S  
 Amount 512461.00 *Rs 512461/- only*

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer  
Shimla Division No.I  
HP PWD Shimla-3.

**SCHEDULE OF QUANTITY**

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:-3,00,442.00	
Name of Work :- Reconstruction & Restoration Bhatta Kuffer to Koti road Km 0/00 to 5/005( SH:- C/O protection work on damaged portion between km 1/915 to 1/944 including removal of debris flown on road infrastructure from hills ( Under PDNA )					Earnest Money :- 6000.00	
					Time:- Two Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	63.56	Cum 325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	20658.00	
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-	16.20	Cum 400.00 Rupees Four Hundred Only	Per Cubic Metre	6480.00	

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	4.14	Cum	3700.00	Rupees Three Thousand Seven Hundred Only	Per Cubic Metre	15318.00
4	Providing and laying of boulder apron laid in wire crates with 4mm dia GI wire conforming to IS:280 and IS:4826 in 100mm x 100mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 Kg. (twenty five) kilograms each as per drawing and technical specifications Clause 1301 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	85.20	Cum	3028.00	Rupees Three Thousand Twenty Eight Only	Per Cubic Meter	257986.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words					G.Total	300442.00

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before

T/s No. 19129.30 dated 23-12-25 Amounting to Rs. 300442.00/-

Executive Engineer,  
Shimla Division No.1,  
HP PWD Shimla-3.