

HIMACHAL PRADESH
PUBLIC WORK DEPARTMENT

No. PW/DT/TA/ NIT /2025-26- 10427

Dated:- 20-1-2026

To,

The Executive Engineer
IT Cell Nirman Bhawan Nigam Vihar
HP PWD Shimla

Subject:_ Regarding NIT for uploading on HP PWD website .

Enclosed please find herewith the Notice inviting tender Notice along with schedule of quantity for uploading on HP PWD website. This is for your kind information and necessary action at your end please.

Encls:- 16 Nos copy of Schedule of quantity.


Executive Engineer
Tanda Division HP PWD
at Nagrota Bagwan

CERTIFICATE

Certified that the tenders of works, called vide
this office letter No. PW-DT-NIT-2025-26-10428-43 Dated:- 20-4-2026 are
of urgent nature.

Executive Engineer
Tanda Division HP PWD
at Nagrota Bagwan

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT**


Sealed item rate tender on form No. 6 & 8 are hereby invited by the **Executive Engineer, HP PWD Division Tanda at Nagrota Bagwan** on behalf of Governor of Himachal Pradesh for the following work from the approved and eligible contractors enlisted in HP PWD (B & R) whose registration stood renewed as per revised rules so as to reach in his office on or before on **28.01.2026** up to **11:00 A.M.** And the same shall be opened on the same day at **04:00 P.M.** in the presence of intending contractors or their authorized representatives. The tender form can be obtained from his office on cash payment (non refundable) on **27.01.2026** up to **4:00 P.M.** and the application for issue of tender form shall be received on **24.01.2026** up to **12:00 noon.** The applications for issue of tender forms accompanied with enlistment letter or renewal letter and the earnest money in the shape of National Saving Certificates/Saving Account of the Post Office /Time Deposit account/FDR in Himachal Pradesh duly pledged in favour of Executive Engineer, HP PWD Division Tanda at Nagrota Bagwan.

The conditional tender and the tender received without earnest money will summarily be rejected. The offer of the tender shall be kept open for 120 days.

Sr. No.	Name of work	Estimated Cost	Earnest Money	Time limit
1	A/R & M/O various roads under HP PWD Division Tanda at Nagrota Bagwan Preparation of forest diversion case under FCA. 1980 for the construction of link road from Rounkhar to Kaled Joining Poud km 0/00 to 2/969 under Nagrota Bagwan HP PWD Sub- Division in Tehsil Nagrota Bagwan, District Kangra HP. (SH: Preparation of Forest Diversion case under FCA, 1980).	95000.00	1900.00	Six Months
2	A/R & M/O various roads under HP PWD Division Tanda at Nagrota Bagwan Preparation of forest diversion case under FCA. 1980 for the construction of link road Ramehar Tangroti Dhaloon road km 0/00 to 4/990 under Nagrota Bagwan HP PWD Sub- Division in Tehsil Nagrota Bagwan, District Kangra HP. (SH: Preparation of Forest Diversion case under FCA, 1980).	70650.00	1400.00	Three Months
3	Construction of Ambedkar Bhawan at Tikka Palra in Tehsil Baroh, Distt. Kangra HP Under VKV/2025/342(SH: Providing and fixing doors, windows and flooring tiles etc).	71951.00	1450.00	Two Months
4	Construction of Children Park at S.C. Basti Salah Jandarah in Distt Kangra HP (SH: Providing and fixing outdoor GYM etc) VKV/2025/1088 Deposit work	99450.00	2000.00	One Months
5	Construction of link road from Busal Jamandali road to House of Sh. Ashwani Kumar S/O Sh. Kailash Chand and Other in Gram Panchayat Bhatehar Busal in Distt. Kangra HP SDP/2025/128(SH: Providing and laying cement concrete pavement in km 0/00 to 0/20 and 0/70 to 0/78).	99313.00	2000.00	Two Months
6	Construction of Park at Tikka Palra in distt. Kangra HP Under VKV/2025/341 (SH: Providing and laying Interlocking paver Block etc).	148160.00	3000.00	Three Months
7	Construction of link road to village Khanog Km 0/00 to 1/500 in Distt. Kangra HP (SH: Providing and laying cement concrete pavement at Rd 1/18 to 1/205.50).	97164.00	1950.00	Two Months
8	A/R & M/O various roads under HP PWD Division Tanda at Nagrota Bagwan Preparation of forest diversion case under FCA. 1980 for the construction of link road from Malan to Garh Mata Mandir under Nagrota Bagwan HP PWD Sub- Division in Tehsil Nagrota Bagwan, District Kangra HP. (SH: Preparation of Forest Diversion case under FCA, 1980).	42041.00	900.00	Three Months
9	Construction of road from Jalot Bhorna Jamula road km 0/00 to 2/00 in District Kangra HP (SH: Providing and laying soling & wearing at RD 0/500 to 0/590).	98866.00	1980.00	Two months
10	A/R & M/O on various roads under HP PWD Sub- division Baroh in Distt. Kangra HP Baroh Section (SH: Painting, Writing letter Figures on Boards and Kilometre stones etc).	99999.00	2000.00	Two Monthjs
11	Restoration of rain damages on link road from Rounkahr Bheru Baldhar road km 0/00 to 2/100 in Distt. Kangra H P (SH: Construction of Edge wall at various Rd,s 1/800 to 1/812).	84238.00	1700.00	Two months
12	Restoration of rain damages on link road from Yol to 53 Mile road (Yol Rajiana road) km 0/00 to 10/550 in Distt. Kangra H P (SH: Repair of damages Rain Shelter at RD 6/810 i.e. cement concrete work, roofing work and painting etc).	99994.00	2000.00	Two Months
13	Construction of Additional Room for Guru Ravidass Sarai in Gram Panchayat Ghorba in Tehsil Nagrota Bagwan Distt. Kangra HP Deposit work (SH: Construction of Kitechen Shed VKV/2024/1711).	99872.00	2000.00	Two Months
14	Construction of Protection wall near the house of Sh. Vijay Kumar S/O Sh. Gian Chand VPO Sunhi Tika Kerta in District Kangra HP Deposit work (SH: Construction of Retaining wall VKV/2025/497).	99983.00	2000.00	One Month
15	Construction of Retaining wall to the CommunityBhawan Bari in District Kangra HP Deposit Work (SH: Construction of Retaining Wall VKV/2024/2202).	99959.00	2000	One Months
16	Construction of Path alongwith Protection wall Ward No. 4 Tikka Haryat in G.P. Aerla in District Kangra HP Deposit work (SH: Construction of Retaining wall at Rd 0/610 to 0/618.30 VKV/2025/1205).	99543.00	2000.00	Two Months

Terms & Conditions:-

1. The contractor/firm should be registered as or dealer GST No.
2. The intending contractor / firm have to produce the copy of latest enlistment and renewal enlisted in HPPWD.
3. If any of the date mentioned above happened to be Gazetted Holidays the same shall be processed on next working day.
4. The Executive Engineer reserves the right to accept/reject any tender/application or all tenders without assigning any reason.
5. The Contractor will have to submit affidavit along with application for issue of tender form.
6. Next tender will be issued only after completion of previous works in hand.


 Executive Engineer
 H.P.P. W.D. Tanda Division
 at Nagrota Bagwan
 (On behalf of Governor of Himachal Pradesh)

No.PW/NBD/TA/Tender/NIT/2025-26-10428-43 Dated/ 20-1-2026
 Copy to the following for information and necessary action:-

1. The Chief Engineer (KZ), HPPWD, Dharamshala.
2. The Executive Engineer IT Cell Shimla HP PWD Shimla.
3. The Superintending Engineer, 5th Circle, HPPWD, Palampur.
4. The Deputy Commissioner, Kangra at Dharamshala.
5. All the S.E.s/E.E.s under North Zone.
6. The Sub-Divisional Officer(C) Nagrota Bagwan.
7. All the Assistant Engineer under this Division.
8. The Drawing /Accounts Branch in this office.
9. Notice Board.


 Executive Engineer
 H.P.P. W.D. Tanda Division
 at Nagrota Bagwan


SCHEDULE OF QUANTITY

Estimated Cost : 95000/-
Earnest Money : 1900/-
Time Limit : SIX MONTHS

AIR & 10 Various Roads under H.P. Diversion Tanda at Nagota Bagwan
preparation of forest diversion case under FCA, 1980 for the construction of Link Road from Rounkhari to Kaled Joining Poud Km 0/00 to 2/969 under Nagota Bagwan HPPWD Sub-Division in Tehsil Nagrota Bagwan, District Kangra (H.P.).

(SH:- Preparation of Forest Diversion Case under FCA, 1980)

Sr. No.	Description of Item	Qty.	RATES IN		Unit	Amount
			Figures	Words		
1.	Preparation of KML File and Geo Reference Digital map of proposed land and CA Area. Preparation of CA Scheme, Reclamation Plan, Cost Benefit Analysis, Muck Management, uploading Main Application Part I on Parivesh portal complete in all respect. Assistance to User Agency to attend the queries and clarification sought by MoEF. Submission of Stage I compliance report for obtaining Stage II Approval. Assistance to User Agency to make presentation for REC Meeting as required by MoEF. The Rates are inclusive of all equipments within all leads and lifts and other incidentals. The rate including octroi royalty, Malkana toll tax, GST or other taxes imposed by the Government.	1		Each		
	Total :-					


Executive Engineer,
H.P.P.W.D., Division,
Tanda at Nagota Bagwan.

SCHEDULE OF QUANTITY

Estimated Cost : 70650/-
Earnest Money : 1400/-
Time Limit : THREE MONTHS

Name of Work:- ***Preparation of Revenue Papers for forest diversion case under FCA, 1980 for the construction of Link Road Ramehar Tangroti Dhaloon Road Km 0/00 to 4/990 under Nagota Bagwan HPPWD Sub Division in Tehsil Nagota Bagwan, District Kangra (H.P.).***

(SH:- Preparation of Forest Diversion Case under FCA, 1980)

Sr. No.	Description of item	Qty.	RATES IN		Unit	Amount
			Figures	Words		
1.	Preparation of revenue paper for land acquire in the project, Layout Plan of the Project, Khasra wise detail of forest and non-forest both, enumeration list, village wise beneficiary information and Joint Inspection Report. Assistance to User Agency to procure DC Certificate for unavoidable and in-escapable and Certificate NFL for CA from Director Land Records, Shimla as per latest requirement of ministry of environment and forest conservation Govt. of India. The rate including octroi, royalty, Malkana toll tax, GST or other taxes imposed by the Government.	4.990			Per kilometer	
						Total:-

Executive Engineer,
H.P.P.W.D., Division,
Tanda at Nagoya Bagwan.

SCHEDULE OF QUANTITY


ESTIMATED COST: - ₹ 71951.00
EARNEST MONEY: - ₹ 1450.00
TIME LIMIT : TWO MONTHS

NAME OF WORK : - Construction of Ambedkar Bhawan at Tikka Palra in Tehsil Baroh, Distt. Kangra (H.P.) (Under VKV2025/342).

SUB-HEAD : - Providing and fixing doors, windows and flooring tiles etc;

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig	In words		
1	Providing and fixing 30 mm (Thirty millimetre) thick shutters panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding paneling which will be paid for separately, Kiln seasoned and chemically treated hollock wood all complete as required including carriage of materials within all leads, lifts and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge.	2	3	4	5	6
2	Providing and fixing paneling or paneling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Paneling for panelled or panelled and glazed shutters 25 mm to 40 mm thick complete Plain particle board flat pressed, 3 layer or graded wood particle board medium density Grade I, IS : 3087 marked including carriage of materials within all leads, lifts and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge.	0.70	Square metres	0.70	Square metre	Per square metre
3	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete Fixed to openings wooden frames with rawl plugs screws etc. including carriage of materials within all leads, lifts and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge.	90.72	Kilograms	1.19	Square metre	Per kilo gram
4	Providing and fixing 35 mm (Thirty five millimetre) thick glazed shutters for doors, windows and clerestory windows using 4 mm thick float glass panes, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws complete Kiln seasoned and chemically treated hollock wood including carriage of materials within all leads, lifts and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge.	4.65	Square metres	4.65	Per running metre	Per running metre
5	Providing and fixing wire gauge shutters using galvanized M.S. wire gauge of average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm. for doors, windows and clerestory windows with hinges and necessary screws 30 mm (Thirty millimetre) thick shutters with ISI marked M.S. pressed butt hinges bright finished of required size Kiln seasoned and chemically treated hollock wood complete including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. The rate is inclusive of octroi, royalty, malkana, toll tax, GST and all type of other taxes imposed by the Government. within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge.	4.65	Square metres	4.65	Per square metre	Per square metre
6	Providing and fixing 250x16 mm (Twohundred fifty into sixteen millimetre) aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc; complete including fitting the joints complete including carriage of materials within all leads, lifts and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge.	1	Number	1	Each	Each

S. No.	Description of items	Quantity	In fig	In words	Rate	Unit	Amount
1		3	4	5	6	7	
7	Providing and fixing 150x10 mm (One hundred fifty into ten millimetre) aluminium tower bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc; complete including filling the joints complete including carriage of materials within all leads, lifts and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge.	50			Each		
8	Providing and fixing 125mm (One hundred twenty five millimetre) nominal size aluminium handles, ISI marked anodized (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge.	26			Each		
9	Providing and fixing 200mm (Two hundred millimetres) size bright finished brass hard drawn hooks and eyes complete with necessary screws etc; complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	24			Each		
10	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. Twin rubber stopper complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	1			Each		
11	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	3.18			Per cubic metre		
12	Providing and laying Double Charged 600x600mm (Six hundred into six hundred millimetre) nominal size Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S.15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm (twelve millimetre) thick bed of cement mortar 1:4 (one cement : four coarse sand), jointing with grey cement slurry @ 3.3 (three point three) Per Kilogram/ Per Square Metre including grouting the joint with white cement & matching pigments/Epoxy etc etc complete including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge.	9.28			Per square metre		
TOTAL :-							



 Executive Engineer,
 HP PWD Division,
 Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

ESTIMATED COST: - ₹ 99450.00
EARNEST MONEY: - ₹ 2000.00
TIME LIMIT : - TWO MONTHS

NAME OF WORK:- Construction of Children Park at S.C. Basti Salah Jandarah in Distt. Kangra (H.P.).
SUB HEAD:- *Providing and fixing outdoor Gym etc. (VK//2025/1088) DEPOSIT WORK.*

Sr. No.	Description	Quantity	Rate		Unit	Amount
			In fig.	in words		
1	Providing and fixing Health Walker (Air Walker) add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1	3	5	Each	7
2	Providing and fixing Double Leg Press add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1	1	Number	Each	
3	Providing and fixing Pull Up and Chin Up Bars add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1	1	Number	Each	
4	Providing and fixing Monkey Bars add 4" (Four inches) iron and fibre with powder coated pipe including necessary fitting complete as per the direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including of octroi, Malkana, toll tax, GST, sale tax or other taxes imposed by the Government.	1	1	Number	Each	
<i>TOTAL: -</i>						


Executive Engineer,
H.P.P.W.D. Division,
Tanda at Nagrota Bagwan.

Schedule of Quantity

NAME OF WORK :- Construction of link road from Busal Jamandali road to House of Sh. Ashwani Kumar S/O Sh. Kallash Chand and Others in Gram Panchayat Bhatehar Busal in Distt. Kangra (H.P.) (SDP/2025/128).

SUB HEAD :- Providing and laying cement concrete pavement in Km 0/000 to 0/020 and 0/70 to 0/78

S. No.	Description of items	Quantity	Rate		Unit	Amount
			<i>In fig.</i>	<i>In words</i>		
1	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m All kinds of soil and as per drawing and HP.PWD technical specifications, as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	84.00	Square metres	Per square metre	7	99313.00
2	Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub grade and disposal of surplus earth with upto any lead and as per drawing and HP.PWD technical specifications, as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	84.00	Square metres	Per square metre	7	2000.00
3	Providing, laying, spreading and compacting stone aggregate of size 53mm to 22.4mm (Fifty three millimeter to Twenty two point four millimeter) Grading-III size [75mm (seventy five millimeters) compacted thickness] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber applying and brooming, stone screening type-A of size 13.2mm (thirteen point two millimetres) nominal size at the rate of 0.22 cum (zero point Twenty two) cubic metres per 10 sqm (per ten square metres) and binding material at the rate 0.06 cum (zero point zero six cubic metre) to fill up the interstices of coarse aggregate, watering and compacting to the required density as per technical specifications clause No. 405 and as per drawing and HP.PWD technical specifications, as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	6.30	Cubic metres	Per cubic metre	39.00	TWO MONTHS
4	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	12.48	Cubic metres	Per cubic metre	155.52	
					TOTAL :-	


Executive Engineer,
H.P.P.W.D. Division,
Tanda at Nagrota Bagwan.

Schedule of Quantity

NAME OF WORK : - Construction of Park at Tikka Palra in Distt. Kangra (H.P.) (Under VKV/2025/341).
SUB HEAD : - Providing and laying Interlocking Paver Block etc;

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	16.00	Cubic metres	Per cubic metre	148160.00	₹ 3000.00
2	Providing, laying, spreading and compacting stone aggregate of size 53mm to 22.4mm (Fifty three millimeter to Twenty two point four millimeter) Grading-III size [75mm (seventy five millimeters) compacted thickness] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber applying and brooming, stone screening type-A of size 13.2mm (thirteen point two millimetres) nominal size at the rate of 0.22 cum (zero point Twenty two) cubic metres per 10 sqm (per ten square metres) and binding material at the rate 0.06 cum (zero point zero six cubic metre) to fill up the interstices of coarse aggregate, watering and compacting to the required density as per technical specifications clause No. 405 and as per drawing and HP.PWD technical specifications, as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	7.50	Cubic metres	Per cubic metre	16.00	₹ 3000.00
3	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	6.75	Cubic metres	Per cubic metre	148160.00	₹ 3000.00
4	Providing and laying 60mm (Sixty millimetres) thick cement concrete paver block of M-40 (M-Forty) grade with approved color design and pattern factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc. of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in-Charge as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	80.00	Square metres	Per square metre	148160.00	₹ 3000.00
TOTAL :-						



 Executive Engineer,
 H.P.P.W.D., Division,
 Tanda at Nagrota Bagwan.

Schedule of Quantity

ESTIMATED COST :-	₹	97164.00
EARNEST MONEY :-	₹	1950.00
TIME LIMIT :-		TWO MONTHS

NAME OF WORK :- Construction of link road to village Khanog Km 0/000 to 1/500 in Distt. Kangra (H.P.).
 SUB HEAD :- Providing and laying cement concrete pavement at RD 1/178 to 1/205.50

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In sqft.	In words		
1	<p>Providing, laying, spreading and compacting stone aggregate of size 53mm to 22.4mm (Fifty three millimeter to Twenty two point four millimeter) Grading-III size [75mm (seventy five millimeters) compacted thickness] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber applying and brooming. stone screening type-A of size 13.2mm (thirteen point two millimetres) nominal size at the rate of 0.22 cum (zero point Twenty two) cubic metres per 10 sqm (per ten square metres) and binding material at the rate 0.06 cum (zero point zero six cubic metre) to fill up the interstices of coarse aggregate, watering and compacting to the required density as per technical specifications clause No. 405 and as per drawing and H.P.PWD technical specifications, as directed by the Engineer-in-charge including carriage of materials within all leads, lifts and other incidentals.</p>	6.19	Cubic metres	Per cubic metre		
2	<p>Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.</p>	14.44	Cubic metres	Per cubic metre		
TOTAL :-						


 Executive Engineer,
 H.P.P.W.D. Division,
 Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

Estimated Cost : 42041/-
 Earnest Money : 90/-
 Time Limit : THREE MONTHS

Name of Work:-
 A/R & M/O on various roads under HPPWD Division Tanda at Nagrota Bagwan for Preparation of Revenue Papers for forest diversion cass under FCA, 1980 for the construction of link road from Malan to Garh Mata Mandir under Nagrota Bagwan Sub Division in Tehsil Nagrota Bagwan, District Kangra (H.P.).

(SH:- Preparation of Forest Diversion Case under FCA, 1980)

Sr. No.	Description of Item	Qty.	RATES IN		Unit	Amount
			Figures	Words		
1.	Preparation of revenue paper for land acquire in the project, Layout Plan of the Project, Khasra wise detail of forest and non-forest both, enumeration list, village wise beneficiary information and Joint Inspection Report. Assistance to User Agency to procure DC Certificate for unavoidable and in-escapable and Certificate NFL for CA from Director Land Records, Shimla as per latest requirement of ministry of environment and forest conservation Govt. of India. The rate including octroi, royalty, Malkana toll tax, GST or other taxes imposed by the Government.	2.969			Per Kilometer	
						Total:-


 Executive Engineer,
 H.P.P.W.D., Division,
 Tanda at Nagoya Bagwan.

SCHEDULE OF QUANTITY

NAME OF WORK :- Construction of road from Jalot Bhorna Jamula road km 0/000 to 2/000 in District Kangra, (H.P.).

SUB-HEAD :- Providing and laying soling & wearing at RD 0/500 to 0/590.

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	Providing, laying, spreading and compacting stone aggregate size 90mm to 45mm (Ninety millimeter to forty five millimeter) Grading-I size [100mm (One hundred millimeters) compacted thickness] to water bound macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber applying and brooming, stone screening type-A of size 13.2mm (thirteen point two millimetres) nominal size at the rate of 0.30cum (zero point thirty cubic metres) per ten square metres and binding material at the rate of 0.08 cum (zero point zero eight cubic metre) per 10 Sqm (ten square meter) to fill up the interslices of coarse aggregate, watering and compacting to the required density as per MORD technical specifications clause No. 405 and as per direction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidental. The rate including octroi, royalty, Malkana, toll tax, GST or any other taxes imposed by the Government.	28.35	Cubic metres	Per cubic metre		
2	Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III size [75mm(seventy five millimeters) compacted thickness] to water bound macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point eighteen) cubic metres per 10 Sqm (per ten square metres) and to fill up the interslices of coarse aggregate, watering and compacting to the required density as per technical specifications Clause No. 405 and as per direction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidental.	21.26	Cubic metres	Per cubic metre		
TOTAL :-						
ESTIMATED COST :-			Rs.			98866.00
EARNEST MONEY :-			Rs.			1980.00
TIME LIMIT :						TWO MONTHS

Executive Engineer,
H.P.P.W.D. Division,
Tanda at Nagrota Bagwan.

Schedule of Quantity

ESTIMATED COST :- ₹ 99999.00
EARNEST MONEY :- ₹ 2000.00
TIME LIMIT : TWO MONTHS

NAME OF WORK :- AIR & M/O on various roads under HPPWD Sub-Division Baroh in Dist. Kangra (H.P.), (Baroh Section).

S. No.	SUB HEAD :-	Painting, writing letter Figures on Boards and Kilometre stones etc;	Description of items	Quantity	Rate		Unit	Amount
					In fig	In words		
1			1	34.56	Square metres	Per Square metre	6	212.96
4		Painting white wash or colour wash by steel wire brushing and/or scrapping sand papering and preparing the wall surface smooth including necessary repairs to scratches complete as per drawings, design and HPPWD technical specifications as pre directed by the Engineer-Incharge including entire carriage of materials within all leads, lifts and other incidentals.	4	34.56	Square metres	Per Square metre	5	172.80
3		Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/ 10 sqm (Zero point ninety liter / Ten square metre) over an under coat of primer applied @ 0.80 ltr/ 10 sqm (Zero point eighty liter / Ten square metre) of approved brand and manufacture complete as per drawings, design and HPPWD technical specifications as pre directed by the Engineer-Incharge including entire carriage of materials within all leads, lifts and other incidentals.	3	3.96	Square metres	Per Square metre	7	27.72
3		Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc; on concrete work complete as per drawings, design and HPPWD technical specifications as pre directed by the Engineer-Incharge including entire carriage of materials within all leads, lifts and other incidentals.	3	54900.00	Centi-metres	Per letter per centi-metred height		
3		Writing letters or figures on any surface with black japan paint (stops, commas, hyphens and the like not to be measured and paid separately) in Block letters/figures complete as per drawings, design and HPPWD technical specifications as pre directed by the Engineer-Incharge including entire carriage of materials within all leads, lifts and other incidentals.						
TOTAL :-								

Executive Engineer,
H.P.P.W.D. Division,
Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

ESTIMATED COST:-	₹ 84238.00
EARNEST MONEY :-	₹ 1700.00
TIME LIMIT :-	TWO MONTHS

NAME OF WORK:- Restoration of rain damages on link road from Rounkahr Bheru Baldhar road Km 0/000 to 2/100 in Distt. Kangra (H.P.)
 SUB HEAD:- *Construction of Edge wall at various RD's 1/800 to 1/812*

Sr. No.	Description	Quantity				Unit	Amount
		1 <i>In fig.</i>	2 <i>in words</i>	3 <i>5</i>	4 <i>6</i>		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead as per HP.PWD specifications including entire carriage of materials within all leads and lifts and other incidentals. The rate is inclusive of octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	6.24		Cubic meters	6 7	Per cubic metre	
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering .Plain cement concrete 1:3:6 (One Cement : Three coarse sand : Ten graded stone aggregate 20 mm (Twenty millimetres) nominal size complete and as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	16.56		Cubic metres	Per cubic metre	Per cubic metre	
3	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7 as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	7.00	Running metres		Per running metre	Per running metre	
4	Backfilling with granular material behind abutment, wing wall and return wall complete as per drawings and technical specification Clause 1204.3.8, granular material as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	4.08		Cubic metres	Per cubic metre	Per cubic metre	
<i>TOTAL:-</i>							

Executive Engineer,
H.P.P.W.D Division,
Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY


NAME OF WORK :-	SUB-HEAD :-	Description of items	ESTIMATED COST:-		TIME LIMIT :-	TWO MONTHS
			₹	₹		
Restoration of rain damages on link road from Yol to 53 Mile road (Yol Rajiana road) Km 0/000 to 10/550 in Distt. Kangra (H.P.).	Repair of damaged Rain Shelter at RD 6810 i.e. cement concrete work, roofing work and painting etc:		99994.00	2000.00		
S. No.	I	Quantity	RATES	Unit	Amount	
	2					
1	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	2.67	Per Cubic metres	6	7	
2	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (One cement : Four coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing and moulding in single/double layer etc; all complete as specified and as directed by the Engineer-in-Charge Polished Granite stone slab jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent including carriage of materials within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge.	10.09	Per Square metres	Per square metre	Per cubic metre	
3	Providing and fixing 0.60mm (Zero point Sixty millimeters) thick prepainted sheet in roofing with hot dipped metallic zinc coated sheet with top coat of regular modified polyester (RNP) organic coating of 20 (Twenty) microns over 5 (Five) microns primer coating to back coat of polyester of 5 (Five) microns over 5 (Five) microns primer coating including fixing with prepainted iron J or L hooks, bolts and nuts 6mm (Six millimeters) dia metre with prepainted limpet and rubber washers complete with all accessories as required including carriage of materials within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge.	28.22	Per Square metres	Per square metre	Per cubic metre	
4	Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/ 10 sqm (Zero point ninety liter / Ten square metre) over an under coat of primer applied @ 0.80 ltr/ 10 sqm (Zero point eighty liter / Ten square metre) of approved brand and manufacture including carriage of materials as directed by the Engineer-in-Charge, within all leads, lifts and other incidentals.	32.50	Per Square metres	Per Square metre	Per cubic metre	
	Total :-					

Executive Engineer,
H.P.P.W.D., Division,
Tanda at Nagrota Bagwan

SCHEDULE OF QUANTITY

<u>NAME OF WORK</u> :-	Construction of Additional Room for Guru Ravidass Sarai in Gram Panchayat Ghorba in Tehsil Nagrota Bagwan, Distt. Kangra (H.P.), DEPOSIT WORK.	<u>TIME LIMIT</u> :-	<u>TWO MONTHS</u>
------------------------	--	----------------------	-------------------

<u>S. No.</u>	<u>Description of items</u>	<u>Quantity</u>	<u>RATES</u>		<u>Unit</u>	<u>Amount</u>
			<i>In Jig</i>	<i>In words</i>		
1	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	0.37	3	4	6	7
2	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 (Seven Point five) in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (One cement : Six coarse sand) including carriage of material within all leads, lifts and other incidentals and further as per HPPWD specifications, approved drawing, design and as directed by the Engineer-in-charge.	1.09	Cubic metres	Per Cubic metre		
3	Providing and fixing 0.60mm (Zero decimal Six Zero millimetres) thick prepainted sheet in roofing with hot dipped metallic zinc coated sheet with top coat of regular modified polyester (RNP) organic coating of 20 (Twenty) microns over 5 (Five) microns primer coating to back coat of polyester of 5 (Five) microns primer coating including fixing with prepainted iron J or L hooks, bolts and nuts 6mm (Six millimetres) diametres with prepainted hexagonal and rubber washers complete with all accessories as required including carriage of material within all leads, lifts and other incidentals and further as per HPPWD specifications, approved drawing, design and as directed by the Engineer-in-charge.	23.50	Square metres	Per square metre		
4	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete including carriage of material within all leads, lifts and other incidentals and further as per HPPWD specifications, approved drawing, design and as directed by the Engineer-in-charge.	416.96	Kilo gram	Per Kilo gram		
5	Steel work welded in built up sections/ framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel in grating, frames, guard bar ladder, railings, bracket, gate and similar work complete including carriage of material within all leads, lifts and other incidentals and further as per HPPWD specifications, approved drawing, design and as directed by the Engineer-in-charge.	243.96	Kilo gram	Per kilo gram		
<i>Total :-</i>						


 Executive Engineer,
 H.P.P.W.D, Division,
 Tanda at Nagrota Bagwan

SCHEDULE OF QUANTITY

NAME OF WORK:- Construction of Protection wall near the house of Sh. Vijay Kumar S/O Sh. Gian Chand V.P.O. Sunhi Tika Kerta in District Kangra, (H.P.). **Deposit work.**

SUB-HEAD:- Construction of Retaining wall. **VKV/2025/497**

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within a any lead as directed by the Engineer-in-charge, within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	2	10.50	Cubic metres	Per cubic metre	
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:5:10 (One cement; five sand; ten graded broken/crushed stone aggregate 40mm (Forty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	23.01			Per cubic metre	
3	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7 complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	6.00	Running metre		Per running metre	
4	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification Clause 1204.3.8, complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	3.69	Cubic metres		Per cubic metre	
					<i>TOTAL:-</i>	

Executive Engineer,
H.P.P.W.D. Division,
Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

NAME OF WORK:- Construction of Retaining wall to the Community Bhawan Bari in District Kangra, (H.P.). Deposit work.

SUB-HEAD:- Construction of Retaining wall. VKV/2024/2202

ESTIMATED COST:-	Rs.	99959.00
EARNEST MONEY :-	Rs.	2000.00
TIME LIMIT :	ONE MONTH	

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
<i>I</i>			3	4	5	6
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within a any lead as directed by the Engineer-in-charge, within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	7.90	Cubic metres	Per cubic metre		
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:5:10 (One cement; five sand; ten graded broken/crushed stone aggregate 40mm (Forty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	22.95	Cubic metres	Per cubic metre		
3	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7 complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	8.00	Running metre	Per running metre		
4	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification Clause 1204.3.8, complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	4.20	Cubic metres	Per cubic metre		
<i>TOTAL:-</i>						

Executive Engineer,
H.P.P.W.D. Division,
Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

ESTIMATED COST: - Rs. 99543.00
 EARNEST MONEY: - Rs. 2000.00
 TIME LIMIT : ONE MONTH

NAME OF WORK:- Construction of Path alongwith protection wall Ward No. 4 Tikka Haryat in G.P. Aerla in District Kangra, (H.P.). **Deposit work.**

SUB-HEAD:-

Construction of Retaining wall at RD 0/610 to 0/618.30. VKV/2025/1205.

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
3	4	5	6	7		
<i>1</i>	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within a any lead as directed by the Engineer-in-charge, within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	8.22	Cubic metres	Per cubic metre		
<i>2</i>	Providing and laying in position cement concrete of specified grade including the cost of centering and shutting - All work up to plinth level cement concrete 1:5:10 (One cement; five sand; ten graded broken/crushed stone aggregate 40mm (Forty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	21.20	Cubic metres	Per cubic metre		
<i>3</i>	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7 complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	6.00	Running metre	Per running metre		
<i>4</i>	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification Clause 1204.3.8, complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	13.70	Cubic metres	Per cubic metre		
TOTAL:-						


 Executive Engineer,
 H.P.P.W.D. Division,
 Tanda at Nagrota Bagwan.