

Himachal Pradesh
Public works Department

No- PW-ESR –Agreement /2025-26 384-86

Dated 25-02-2026

To,


✓
The Executive Engineer (IT) Cell
Nigam Vihar Shimla

Subject: -


Publication of Tender Notice
Jai Hind

Enclosed please find here with the Tender Notice of works as given in the Notice Inviting Tender for uploading on department website as per notification Pr-Secy.(PW0 to the Govt of Himachal Pradesh Letter No-PBW.(B)A(3)1/2024 dated Shimla -02 the 03-014-2024 as the works mentioned in the tender Notice are urgent in nature and in public interest.

D/A: - Notice Inviting Tender & Schedule of Quantity and Certificate.


Assistant Engineer
Electrical Sub Division
HP PWD Rampur

Copy forwarded to the Executive Engineer Electrical Division
No-II HP PWD US Club Shimla-01 for further necessary action please.


Assistant Engineer
Electrical Sub Division
HP PWD Rampur

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT**

'NOTICE INVITING TENDER'

Sealed Percentage rate tender on the prescribed form, terms and conditions mentioned in form- 6 & 7 ,8 are hereby invited for the following works by the undersigned from the approved firms/contractors, so as to reach in the office of the undersigned (i)Tender documents consisting of plans classes of work to be done and set of terms and conditions of contract to be complied with by the contractor/firms whose tender may be accepted and other necessary documents can be seen in the office of the Assistant Engineer between hours of 11.00 AM to 4.00 PM except on Sundays and public holidays. (2) The contractor who are not registered under HP general sale tax Act, 1968 and have not cleared all the dues on account of sale tax shall not be issued the tender documents. (3) The contractor who has no registration certificate with Excise and taxation department of HP will not be issued the tender documents (4) Tenders placed in sealed envelope with name of work and due date written on the envelope will be received by the undersigned and will be opened by him or his authorized representative in his office in the presence of contractors, present if any. (5)The earnest money in the shape of NSC/Time deposit account /saving account in any of the post offices of HP duly pledged in favour of undersigned must accompany with the tender in the separate envelope. The tenders without earnest money will summarily be rejected. (6)) In case of holiday, the tenders shall be received and opened on the next working day.(7)Tenders of contractors who quote two or more than two rates for any item of work shall be rejected, (8) The competent authority on behalf of Governor of H.P reserves the right to reject any or all the tenders received without assigning any reason.


(i) Last date of issue of tender documents: 25-02-2026 to 05-03-2026 Upto 5.00 P.M

(ii) Last date of receipt of bids: 06-03-2026 Up to 10.30 A.M

(iii) Date of bid opening: 06-03-2026 AT 11.00 A.M

- | | |
|---------------------|---|
| Work No. (1) | Providing additional Heating & 5 Amps socket points in Lab of OPD block at MGMSC Khaneri Tehsil Rampur Bsr Distt Shimla (HP)
Estimated cost Rs 75407 /- Earnest Money Rs 1600 /- Time :- Period one Month Cost of form Rs 350 /- |
| 2) | Replacement of burnt damaged fittings in Circuit House & XIthe Circle HPPWD at Rampur Bsr Distt Shimla (HP) Estimated cost Rs 93907/-
Earnest Money Rs 2000/- Time one Month Cost of form Rs 350 /- |

Continued on Page -02



(Er. Abhishek Negi)
Assistant Engineer,
Electrical Sub-Division
HPPWD, Rampur

No.PW.-ESR / Agreement/ 2025-26 387-91

Dated: 25-02-2026


Copy forwarded for information to the following

1. The Executive Engineer, Elect. Division No. I, HPPWD Shimla-2.
2. All the JE's under this Sub. Divn.
3. The Income tax Officer, Rampur / Shimla
4. All the approved contractors/firms/President Contractor .Association.
5. Notice Board.


Assistant Engineer,
Electrical Sub-Division
HPPWD, Rampur

CERTIFICATE: -

**IT IS CERTIFIED THAT THE TENDER FOR ABOVE
WORK IS URGENTLY REQUIRED IN PUBLIC INTEREST.**


Assistant Engineer,
Electrical Sub-Division
HPPWD, Rampur

Estimated Cost:-
Earnest Money:-
Time:-

75407
1600
One month



Draft schedule of quantity.

Sr.No	Description of items	Qty.	Rate		Units	Amount
			In Figure	In Words		
1	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 A modular socket outlet and 5/6 A modular switch, connections etc. as required. Approved make Reo havells, Anchor penta & Goldmedal Air A5.	2	431	Four Hundred Thirty One	each	862
2	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 & 15/16 A modular socket outlet and 15/16 A modular switch, connections etc. as required. Approved make Reo havells, Anchor penta & Goldmedal Air A5.	6	544	Five Hundred Forty Four	each	3264
3	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 2 nos. 3 pin 5/6 A modular socket outlet and 2 nos. 5/6 A modular switch, connections etc. as required. (For light plugs to be used in non residential buildings).	3	639	Six Hundred Thirty Nine	each	1917
4	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required.					
i	2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire	8	301	Three Hundred One	Meter	2408
ii	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	30	345	Three Hundred Forty Five	Meter	10350
iii	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	8	407	Four Hundred Seven	Meter	3256
iv	4 X 4 sq. mm + 2 X 4 sq. mm earth wire	12	645	Six Hundred Forty Five	Meter	7740
v	2 X 6 sq. mm + 1 X 6 sq. mm earth wire	8	534	Five Hundred Thirty Four	Meter	4272
vi	2 X 16 sq. mm + 1 X 6 sq. mm earth wire	25	931	Nine Hundred Thirty One	Meter	23275
5	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Approved make Havells, L&T, ABB, legrand, Schneider & C&S.					
i	Single pole, Cat-A.	10	241	Two Hundred Forty One	each	2410
6	Supplying and fixing following rating, followings poles 10ka 240/415v "C" curves miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Approved make Havells, L&T, ABB, legrand, Schneider & C&S.					

i	MCB DP 63 Amp	1	1479	One Thousand Four Hundred Seventy Nine	each	1479
7	Supplying and fixing following rating, double pole, (single phase and neutral), 240 volts, residual current circuit breaker (RCCB), having a sensitivity current 30 milli amperes in the existing MCB DB complete with connections, testing and commissioning etc. as required. Approved make Havells, L&T, ABB, legrand, Schneider & C&S.					
i	RCCB 63 A					
	Supplying and fixing following way, single pole and neutral, sheet steel,	1	2812	Two Thousand Eight Hundred Twelve	each	2812
8	MCB distribution board, 240 volts, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) Approved make Havells, L&T, ABB, legrand, Schneider & C&S.					
i	16 way, Double door					
9	Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. (with charcoal/ coke and salt) as required.	1	3164	Three Thousand One Hundred Sixty Four	each	3164
10	Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing as required.	1	6458	Six Thousand Four Hundred Fifty Eight	Set	6458
		30	58	Fifty Eight	Meter	1740
						75407

Assistant Engineer,
Electrical Sub Division
HPPWD Rampur Bsr,
Distt. Shimla (H.P.)

*Don't schedule of quantity approved for Rs 75,407/-
(Rs seventy five thousand four hundred & seventy only.)*

Executive Engineer,
Electrical Division No.-II,
HP PWD (U.S. Club) Shimla-1

Estimated Cost ₹ 93907
 Earnest Money ₹ 2000
 Time:- One month

Draft schedule of quantity.

Name of Work: Replacement of burnt/ damaged fittings in Circuit House & XI th Circle HPPWD at Rampur Bsr Distt Shimla (HP)



Sr. No.	Description of Item	Quantity	Rate		Unit	Amount
			In Figures	In Words		
1	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required.				0	
i	4 X 16 sq. mm + 2 X 6 sq. mm earth wire	10	1659	One Thousand Six Hundred Fifty Nine	Meter	16590
2	Supply & Erection of LED long Luminaries PDC/CRCA housing complete in all respect to be installed on surface with the help of Steel rawl plug etc. The fitting should be of Philips/ Wipro/ Bajaj/ Trilux/ Lighting Technology/ Crompton/ Havells/ Panasonic/ Jaquar make only. The job includes the cost of testing, commissioning and making connection with copper wire from adjacent light point, other petty material and labour etc. as required to complete the same to the entire satisfaction of EIC. Specification of LED fittings: Wattage of LED fittings- As per following parameters Total lumens of the LED fittings- as per individual fittings mention below Body of fittings-CRCA steel sheet with opal acrylic diffuser/ Extruded al. Housing CRCA front frame opal diffuser/CRCA power coated housing with high efficiency translucent Operating voltage-150 V to 265 V, AC supply or better. Input frequency-50 Hz + 1 Hz Power factor-Minimum 0.95 Luminaire efficacy->100 lm/w Color rendering index-CRI shall be 80 (minimum) Working/ operating temperature-0 to +45c or better Color temperature-6000K to 6500K Electronic Driver Drive current (LED)-As per OEM. Operating voltage-150 V to 265 V AC supply or better Type of driver-Constant current output driver THD-Less than 10% Surge Protection-2.5 KV minimum Efficiency Driver->85% Protection-Should have under voltage and over voltage protection. Guarantee of LED fittings including LED driver-2 years against manufacturing defect. Fixture-Should comply with LM 79 test from NABL/UL lab.					

	LED Type/ Make/ Model-Power CREE/ OSRAM/ NICHIA/ Philips LUMILED with life more than 50,000 burning hours @70% lumen maintenance complying with LM 80 test report from the manufacturer.							
	Life of LED-50000 burning hours at 70% lumen maintenance							
i	Round LED Down Light Surface > 600 Lumens.	4	1431	One Thousand Four Hundred Thirty One	each	5724		
ii	Round LED Down Light Surface > 2400 Lumens.	8	1887	One Thousand Eight Hundred Eighty Seven	each	15096		
3	Providing and installation of following type of recess/surface mounting 2 feet by 2 feet type LED Panel with PDC/CRCA housing ,anti glare prismatic multilayer diffuser complete with all accessories, connections, testing etc. as required: of Approved Make Bajaj, Havells, Goldmedal, Panasonic, Philips, Wipro, LT & Chengli.							
	Wattage of LED fittings- As per following parameters							
	Total Lumens of the fittings-4320 Lumens.							
	Diffuser-Prismatic multilayer diffuser UGR<19							
	Operating voltage-140 V to 270 V, AC supply or better.							
	Input frequency-50 Hz + 1 Hz							
	Power factor-Minimum 0.90							
	Luminaire efficacy->120 lm/w							
	Color rendering index-CRI shall be 80							
	Working/ operating temperature-0 to + 45c or better							
	Color temperature-6000K to 10%							
	Electronic Driver							
	Drive current (LED)-As per OEM.							
	Operating voltage-140 V to 270 V AC supply or better							
	Type of driver-Constant current output driver							
	THD-Less than 10%							
	Surge Protection-2.5 KV minimum							
	Efficiency Driver->85%							
	Protection-Should have under voltage and over voltage protection.							
	Guarantee of LED fittings including LED driver-2 years against manufacturing defect.							
	Fixture-Should comply with LM 79 test from NABL/UL lab.							
	LED Type/ Make/ Model-Power CREE/ OSRAM/ NICHIA/ Philips LUMILED with life more than 50,000 burning hours @70% lumen maintenance complying with LM 80 test report from the manufacturer.							
	Life of LED-50000 burning hours at 70% lumen maintenance	4	4095	Four Thousand Ninety Five	each	16380		
i	LED Panel 2x2 >4320 Lumens.							
4	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.Approved make Havells,L&T , ABB, legrand ,Schneider & C&S.	9	241	Two Hundred Forty One	each	2169		
i	Single pole. Cat-A.							

5	Supplying and fixing following rating, followings poles 10ka 240/415v 'C' curves miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Approved make Havells, L&T, ABB, legrand, Schneider & C&S.	3	1330	One Thousand Three Hundred Thirty	each	3990
i	MCB DP 40 Amp					
6	Supplying and fixing following rating, double pole, (single phase and neutral), 240 volts, residual current circuit breaker (RCCB), having a sensitivity current 30 milli amperes in the existing MCB DB complete with connections, testing and commissioning etc. as required. Approved make Havells, L&T, ABB, legrand, Schneider & C&S.	2	2812	Two Thousand Eight Hundred Twelve	each	5624
i	RCCB 63 A	3	2729	Two Thousand Seven Hundred Twenty Nine	each	8187
ii	RCCB 40 A					
7	Providing and installation of stationary storage type Electric water heater (Geyser) of various sizes with 8 bar pressure rating, 5 star BEE rating and safety valve. installation by means of expansion-bolts with nuts and washers, including embedding of expansion-bolts in the wall, making good the damages, electrical connections, testing etc. complete as required. Approved make Jaguar, havells, Goldmedal, Bajaj & Racold.	1	14683	Fourteen Thousand Six Hundred Eighty Three	each	14683
i	25 Liter capacity water heater (Cat-A)					
8	Installation of ventilating / exhaust fan in the existing opening, including making good BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor the damage, connection, testing, commissioning etc. as required. Supply & Erection of Ventilating Fan) following size complete with motor, with minimum power consumption, rigid frame with rubber mounting for silent operation, in the existing opening including cost of making the hole to suit the size of above fan making good the damage, Carriage Charges connection, testing, commissioning etc. as required to complete the job to the entire satisfaction of EIC. Approved Make Orient, Havells, Goldmedal, Bajaj & atomberg.	2	2732	Two Thousand Seven Hundred Thirty Two	each	5464
i	Exhaust Fan, 200 mm sweep					
		Total				₹ 93907

[Signature]

Assistant Engineer,
Electrical Sub Division
HPPWD Rampur Bst. Distt. Shimla (H.P.)

Don't schedule of quantity approved job
RS. 93907/=(RS Ninety Three Thousand, Nine hundred & seven only)

[Signature]
Executive Engineer,
Electrical Division No. II