



OFFICE OF
Executive Engineer Jaisinghpur Division HPPWD Jaisinghpur Himachal Pradesh
Works Department Jaisinghpur 176095 Phone No. 01894-228030

"CERTIFICATE"

Certified that the tenders are being called in exigency of works of public interest vide this office letter No. PWD/JSD/TANIT/ 2025-26- 9762-91 dated

13/02/2026.


Executive Engineer
Jaisinghpur Division
HP.PWD., Jaisinghpur.




OFFICE OF
Executive Engineer Jaisinghpur Division HPPWD Jaisinghpur Himachal Pradesh
Works Department Jaisinghpur 176095, Telephone No. 01894-228030, Email ee-jaipwd-hp@gov.in

"NOTICE INVITING TENDERS"

Sealed percentage rate tender on form No. 6 & 8 are hereby invited by the Executive Engineer, HP.PWD., Division Jaisinghpur on behalf of Governor of Himachal Pradesh for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rules so as to reach in his office on or before on **21.02.2026 up to 11:00 A.M.** and the same shall be opened on the same day at **11:30 A.M.** in the presence of intending contractors or their authorized representatives. The tender form can be obtained from his office on cash payment (non refundable) on **20.02.2026 up to 4:00 PM** and the application for issue of tender form shall be received on **19.02.2026 up to 4:00 PM.** The applications for issue of tender forms should accompanied with enlistment letter or renewal letter and the earnest money in the shape of National Saving Certificates / Saving Account of the Post Office / Time Deposit account / FDR in Himachal Pradesh duly pledged in favour of Executive Engineer, HP.PWD., Division Jaisinghpur.

The conditional tender and the tender received without earnest money will summarily be rejected. The offer of the tender shall be kept open for **75 days:-**


Sr. No.	Name of Work	Estimated Cost (Rs.)	EMD	Time limit	Cost of tender form
1	Restoration of rain Damages on Alampur to Harsipattan road Km 0/00 to 25/00 (SH:C/O 900 mm dia RCC Hume Pipe Culvert at RD 20/240 and C/O catchpit, Toe wall and Wire crate with Existing 3.00 mtr span RCC Slab Culvert at RD 19/920) (Under PDNA)	499568.00	10000.00	Two Month	350/-
2	Restoration of rain Damages on Upper lambagoan to saralpatt road Km 0/00 to 2/800 (SH: Road surfacing adjoining vertical cliff between RD 2/200 to 2/400 including rive training cum Protection wall) (Under PDNA)	493386.00	9900.00	Two Month	350/-
3	Restoration of rain Damages on Alampur to Harsipattan road Km 0/00 to 25/00 (SH:-C/O wire crate r/wall at RD 22/006.50 to 22/019 and 22/024.50 to 22/036) (Under PDNA)	494654.00	9900.00	Two Month	350/-
4	Restoration of rain Damages on Mungal to Rana Nagar road Km 0/00 to 5/500 (SH:-P/L CC Pavement Km 4/650 to 4/740) (Under PDNA)	287933.00	5800.00	Two Month	350/-
5	Restoration of rain Damages on Dagruhi Chandron Kasheda road Km 0/00 to 6/105 (SH:-C/O Damaged Hume pipe culvert with wing wall at RD 5/575 to 5/591) (Under PDNA)	438036.00	8800.00	Two Month	350/-
6	Restoration of rain Damages on Gander Barram Kangain road Km 0/00 to 5/00 (SH:- C/O V-shape drain with edge wall at Km 3/550 to 3/700) (Under PDNA)	481951.00	9700.00	Two Month	350/-
7	Restoration of rain Damages on Alampur to Harsipattan road Km 0/00 to 25/00 (SH:-P/L Wire create B/wall Bye pass road from Jaisinghpur Bazaar at Rd 0/103 to 0/131) (Under PDNA)	487746.00	9800.00	Two Month	350/-

— Contd - P-2 —

8	C/O Link road from Village Dabhi to Kuthan Km 0/00 to 0/700 (SH:-C/O 6.00 Mtr. Span RCC slab Culvert at RD 0/640) (Abutment upto Floor level) Deposit SDP/2023/1332	499291.00	10000.00	Two Month	350/-
9	Restoration of rain Damages on Dharamshala Dadh Palampur Holta Chadhiar Sandhole road Km 40/500 to 56/500 (SH:-C/O B/wall at RD 51/375 to 51/390 and 51/390 to 51/405)	315820.00	6400.00	Two Month	350/-

Terms & Conditions:-

1. The contractors will have to produce a copy of enlistment / renewal of valid class at time of application / tender form.
2. The contractors will have to produce a copy of GST, EPF and PAN.
3. The contractors are directed to insert the rate / percentage both in figures and words.
4. The tenders forms will not be issued to those contractors who have not completed their previous works / commitments or whose performance is not found satisfactory.
5. The Executive Engineer reserves the right to reject / cancel any or all the tenders without assigning any reason.



Executive Engineer
Jaisinghpur Division
HP.PWD., Jaisinghpur.
On behalf of Governor of Himachal Pradesh)

No.PWD/JSPR/CB/Tenders/2025-26- 9762-71

Dated: 13/02/2026

Copy to the following for information and necessary action:-

1. The Chief Engineer (K.Z.) HP.PWD., Dharamshala.
2. The Superintending Engineer, 5th Circle. HPPWD, Palampur.
3. The Executive Engineer (IT) O/O E-in-C, HP.PWD., Shimla.
- 4-6. All the Assistant Engineers under this Division.
- 7-8. The Drawings / Accounts Branch in this office.
9. N.I.T. Register.
10. Notice Board.



Executive Engineer
Jaisinghpur Division
HP.PWD., Jaisinghpur

SCHEDULE OF QUANTITY

Name of work :- Restoration of rain Damages on Alampur to Harsipattan road Km 0/00 to 25/00 (SH:C/O 900 mm dia RCC Hume Pipe Culvert at RD 20/240 and C/O catchpit, Toe wall and Wire crate with Existing 3.00 mtr span RCC Slab Culvert at RD 19/920) PDNA

S. N.	Description of Item	Quantity	Estimated cost Rs.		Unit	Amount
			Earnest Money Rs.	Time Limits		
		In Figures	In Word			
1	Earth work in excavation for all type of bridge structure in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawing and MORT&H technical specification section 300 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto all leads and lifts including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150 mm (one hundred fifty millimetres) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate is including octroi, royalty, malkana, toll tax, GST or other taxes imposed by the Government.	243.57	225.00 Rupees Two Hundred Twenty Five Only	Per cubic Metre	54803.00	
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M-ten) nominal mix 1:3:6 (one cement isto three sand isto six crushed stone aggregate 40 mm (forty millimetre) nominal size on ground in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying concrete complete for all heights/ depths including the cost of form work in toe wall ectera as per drawings and M.O.R.D. technical specification section/ clause 800,900 & 1200 and as per the directions of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the Government.	1.65	4850.00 Rupees Four Thousand Eight Hundred Fifty Only	Per cubic metre	8003.00	

3	<p>Providing and laying mechanically mixed and vibrated concrete for plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilogram) per cubic metre in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800, 900 and 1200, and as per the direction of Engineer-in-Charge including carriage of material within all leads , lifts and other incidentals .The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the Government.</p>	19.01	5250.00	Rupees Five Thousand Two Hundred Fifty Only	Per cubic metre	99803.00
4	<p>Providing and laying flooring laid over cement concrete bedding complete using cement concrete block grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilogram) per cubic metre in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work in flooring laid over bedding as per drawings and M.O.R.D. technical specification clause 1303 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidentals. The rate is including octroi, royalty, GST, or other taxes imposed by the Government.</p>	3.81	5850.00	Rupees Five Thousand Eight Hundred Fifty Only	Per cubic metre	22289.00
5	<p>Providing and laying (to level or slope) 900mm dia (nine hundred millimeter) diameter reinforced cement concrete pipes IS Class NP-3for culverts in single row including fixing collar with cement mortar 1:2 (One cement : two sand) but excluding the cost of excavation, protection works, back filling, bedding concrete and masonry work in head walls and parapets as per drawing and M.O.R.D. technical specifications clause 1101 and as per direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate including of octroi,royalty,Malkana, toll tax , or other taxes imposed by the Government.</p>	15.00	4500.00	Rupees Four Thousand Five Hundred Only	Per Running metres	67500.00

6	Providing and laying cement concrete 1:4:8 (One cement: four sand: eight graded crushed/broken stone aggregate 40mm (forty millimetre) nominal size) and curing complete, excluding cost of form work in foundation and plinth including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. The rate is inclusive of octroi, royalty, malkana, toll tax, GST and all type of other taxes imposed by the Government.	28.4	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	107920.00
7	Back filling with granular materials behind abutment, Retaining wall/Breast wall, Wing walls and the like complete as per drawings and MORD technical specification section 1200,1600 and as per direction and entire satisfaction of the Engineer-in-Charge including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royalty, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.	7.20	950.00	Rupees Nine Hundred Fifty Only	Per cubic Metre	6840.00
8	Providing 100mm (one Hundred millimeter) dia ISI marked P.V.C. pipe Weep Holes in brick masonry/stone masonry plain/ reinforcement concrete abutments, wing wall/ return wall, retaining walls and breast walls, extending through the full width of the structure with slope of 1 (V):20H (One vertical : twenty Horizontal) towards draining face complete as per drawing and MORD technical specification section 700,1200 and as per the direction and entire satisfaction of Engineer-in-Charge complete, including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royalty, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.	8.00	250.00	Rupees Two Hundred Fifty Only	Per Running Metre	2000.00
9	Providing and laying boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS:280 and IS:4826 in 100 mm x 100 mm (hundred millimeters into hundred millimeters) mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 40 kg (forty kilogram) each in toe walls as per drawing and MORTH technical specifications Clause 2503 and as per direction of the Engineer- In -Charge including carriage of materials within all leads and lifts and other incidental. The rate includes octroi, royalty, Malkana, Tol tax, GST or any other taxes imposed by the Government.	32.40	2975.00	Rupees Two Thousand Nine Hundred Seventy Five Only	Per cubic metre	96390.00

2

SCHEDULE OF QUANTITY

Name of work :- Restoration of rain Damages on Upper lambagoan to saralpath road Km 0/00 to 2/800
(SH:Road surfacing adjoining vertical cliff between RD 2/200 to 2/400 including rive training cum Protection wall)) PDNA

S. N.	Description of Item	Quantity	Rate		Unit	Amount
			In Figures	In Word		
1	Excavation in hilly area in all heights and depths and in all kind of soil by all manual/mechanical means including saturated soil comprising of ordinary soil, ordinary rock, soft rocks, hard rocks, chiseling/ wedging out rock (where blasting is prohibited) and their intermediate classification of soil. complete including setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown in the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 300 and 1600 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of un useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus / unuseful material to the approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Recovery for useful stone of 20.90 (twenty cubic decimal nine zero) cubic metre at the rate of Rs. 300/- (Rupees Three Hundred) per cubic metre shall be effected from the contractors running bill on pro-rata basis as per actual quantity executed. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	747.00	300.00	Rupees Three Hundred Only	Per cubic metre	224100.00

2	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORRD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and hauling out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	18.56	250.00	Rupees Two Hundred Fifty Only	Per Cubic Metre	4640.00
3	Providing and laying cement concrete 1:4:8 (One cement: four sand: eight graded crushed/broken stone aggregate 40mm (forty millimetre) nominal size) and curing complete, excluding cost of form work in foundation and plinth including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. The rate is inclusive of octroi, royalty, malkana, toll tax, GST and all type of other taxes imposed by the Government.	49.28	4450.00	Rupees Four Thousand Four Hundred Fifty Only	Per Cubic Metre	219296.00
4	Back filling with granular materials behind abutment, Retaining wall/Breast wall, Wing walls and the like complete as per drawings and MORRD technical specification section 1200, 1600 and as per direction and entire satisfaction of the Engineer-in-Charge including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royalty, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.	20.00	950.00	Rupees Nine Hundred Fifty Only	Per cubic Metre	19000.00

5	Providing 100mm (one Hundred millimeter) dia ISI marked P.V.C. pipe Weep Holes in brick masonry/stone masonry plain/ reinforcement concrete abutments, wing wall/ return wall, retaining walls and breast walls, extending through the full width of the structure with slope of 1 (V):20H (One vertical : twenty Horizontal) towards draining face complete as per drawing and MORDD technical specification section 700, 1200 and as per the direction and entire satisfaction of Engineer-in-Charge complete, including carriage of materials with in all leads, lifts and other incidentals. The rate is including: Royalty, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.	30.40	250.00	Rupees Two Hundred Fifty Only	Per Running Metre	7600.00
6	Construction of embankment with approved materials obtained from borrow pits any lift transporting to site to spreading, grading to required slope and compacting to meet the requirement of table 300.1 and 300.2 as per MORDD technical specification clause 301.5 and as per direction of Engineer - in-Charge including carriage of materials within all leads and lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	75.00	250.00	Rupees Two Hundred Fifty Only	Per cubic Metre	18750.00
Total						
Quoted Rate (in Figures) Percentage		Excess (+)			%	493386.00
		Less (-)			%	
G.Total in Figures						
G.Total in Words						


 Executive Engineer,
 Jaisinghpur Division,
 HP PWD Jaisinghpur

SCHEDULE OF QUANTITY

Name of work :- Restoration of rain Damages on Alampur to Harsipattan road Km 0/00 to 25/00 (SH:-C/O wire crate r/wall at RD 22/006.50 to 22/019 and 22/024.50 to 22/036) PDNA

Estimated cost Rs. 494654.00

Earnest Money Rs. 9900.00

Time Limits Two month

S. N.	Description of Item	Quantity	Rate		Unit	Amount
			In Figures	In Word		
1	Earth work in excavation for all type of bridge structure in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawing and MORT&H technical specification section 300 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto all leads and lifts including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150 mm (one hundred fifty millimetres) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate is including octroi, royalty, malkana, toll tax, GST or other taxes imposed by the Government.	61.92	225.00	Rupees Two Hundred Twenty Five Only	Per cubic Metre	13932.00
2	Back filling with granular materials behind abutment, Retaining wall/Breast wall, Wing walls and the like complete as per drawings and MORD technical specification section 1200, 1600 and as per direction and entire satisfaction of the Engineer-in-Charge including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royalty, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.	25.20	950.00	Rupees Nine Hundred Fifty Only	Per cubic Metre	23940.00


(7)

SCHEDULE OF QUANTITY

Name of work :- Restoration of rain Damages on Mungal to Rana Nagar road Km 0/00 to 5/500 (SH:-P/L)
CC Pavement Km 4/650 to 4/740)

Estimated cost Rs. **287933.00**
Earnest Money Rs. **5800.00**
Time Limits Two Month

S. N.	Description of Item	Quantity	Rate		Unit	Amount
			In Figures	In Word		
1	Providing and laying in position cement concrete of specified grade of reinforcement concrete excluding the cost of centering and shuttering finishing and reinforcement- All work up to plinth level : 1:2:4 (one cement : two coarse sand : four graded stone aggregate) 20 mm (twenty millimetre) nominal size including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. The rate is inclusive of octroi, royalty, malkana, toll tax, GST and all type of other taxes imposed by the Government.	43.24	6200.00	Rupees Six Thousand Two Hundred Only	Per Cubic Metre	268088.00
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M-ten) nominal mix 1:3:6 (one cement isto three sand isto six crushed stone aggregate 40 mm (forty millimetre) nominal size on ground in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying concrete complete for all heights/ depths including the cost of form work in toe wall etcetera as per drawings and M.O.R.D. technical specification section/ clause 800,900 & 1200 and as per the directions of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the Government.	4.05	4900.00	Rupees Four Thousand Nine Hundred Only	Per cubic metre	19845.00
Total						287933.00
Quoted Rate (in Figures) Percentage		Excess (+)			%	
G.Total in Figures		Less (-)			%	
G.Total in Words						


Executive Engineer
Jaisinghpur Division
UPPWD Jaisinghpur

2	<p>Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M-ten) nominal mix 1:3:6 (one cement isto three sand isto six crushed stone aggregate 40 mm (forty millimetre) nominal size on ground in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying concrete complete for all heights/ depths including the cost of form work in toe wall ectera as per drawings and M.O.R.D. technical specification section/ clause 800,900 & 1200 and as per the dirrections of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge . The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the Government.</p>	0.52	4850.00	Rupees Four Thousand Eight Hundred Fifty Only	Per cubic metre	2522.00
3	<p>Providing and laying mechanically mixed and vibrated concrete for plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilograme) per cubic metre in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800, 900 and 1200, and as per the direction of Engineer-in-Charge including carriage of material within all leads , lifts and other incidentals . The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the Government.</p>	9.30	5400.00	Rupees Five Thousand Four Hundred Only	Per cubic metre	50220.00

4	Providing and laying flooring laid over cement concrete bedding complete using cement concrete block grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilogram) per cubic metre in or under water including curing complete including pumping or hauling out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work in flooring laid over bedding as per drawings and M.O.R.D. technical specification clause 1303 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidentals. The rate is including octroi, royalty, GST, or other taxes imposed by the Government.	0.68	6400.00	Rupees Six Thousand Four Hundred Only	Per cubic metre	4352.00
5	Providing and laying (to level or slope) 900mm dia (nine hundred millimeter) diameter reinforced cement concrete pipes IS Class NP-2 for culverts in single row including fixing collar with cement mortar 1:2 (One cement : two sand) but excluding the cost of excavation, protection works, back filling, bedding concrete and masonry work in head walls and parapets as per drawing and M.O.R.D. technical specifications clause 1101 and as per direction of Engineer - in-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate including of octroi,royalty,Malkana, toll tax , or other taxes imposed by the Government.	2.50	3800.00	Rupees Three Thousand Eight Hundred Only	Per Running metres	9500.00
6	Providing and laying cement concrete 1:5:10 (One cement: five sand: ten graded crushed/broken stone aggregate 40mm nominal size) and curing complete, excluding cost of form work in foundation and plinth including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. The rate is inclusive of octroi, royalty, malkana, toll tax, GST and all type of other taxes imposed by the Government.	29.90	3850.00	Rupees Three Thousand Eight Hundred Fifty Only	Per cubic Metre	115115.00

7	Providing and laying boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS:280 and IS:4826 in 100 mm x 100 mm (hundred millimeters into hundred millimeters) mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 40 kg (forty kilogram) each in toe walls as per drawing and MORTH technical specifications Clause 2503 and as per direction of the Engineer- In -Charge including carriage of materials within all leads and lifts and other incidental. The rate includes octroi, royalty, Malkana, Tol tax, GST or any other taxes imposed by the Government.	74.88	3150.00	Rupees Three Thousand One Hundred Fifty Only	Per cubic metre.	235872.00
8	Back filling with granular material behind abutments, wing walls, return walls and retaining walls complete as per drawing and M.O.R.D. technical specification section 1200, 1600 and as per the directions of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the Government.	9.36	950.00	Rupees Nine Hundred Fifty Only	Per cubic Metre.	8892.00
Total						439036.00
Quoted Rate (in Figures) Percentage						
G.Total in Figures						
G.Total in Words						
		Excess (+)			%	
		Less (-)			%	



Executive Engineer,
Jaisinghpur Division,
HP PWD Jaisinghpur

SCHEDULE OF QUANTITY

Name of work :- Restoration of rain Damages on Gander Barram Kangain road Km 0/00 to 5/00 (SH:- C/O V-shape drain with edge wall at Km 3/550 to 3/700) Under PDNA

Estimated cost Rs. **481951.00**
 Earnest Money Rs. **9700.00**
 Time Limits **Two month**

S. N.	Description of Item	Quantity	Rate		Unit	Amount
			In Figures	In Word		
1	Earth work in excavation for all type of bridge structure in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawing and MORT&H technical specification section 300 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto all leads and lifts including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150 mm (one hundred fifty millimetres) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	101.25	250.00	Rupees Two Hundred Fifty Only	Per cubic Metre	25313.00
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M-ten) nominal mix 1:3:6 (one cement isto three sand isto six crushed stone aggregate 40 mm (forty millimetre) nominal size on ground in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying concrete complete for all heights/ depths including the cost of form work in toe wall etcetera as per drawings and M.O.R.D. technical specification section/ clause 800,900 & 1200 and as per the directions of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the Government.	92.25	4950.00	Rupees Four Thousand Nine Hundred Fifty Only	Per cubic metre	456638.00
Total						481951.00
Quoted Rate (in Figures) Percentage						
G.Total in Figures						
G.Total in Words						
		Excess (+)			%	
		Less (-)			%	


Executive Engineer
 Jaisinghpur Division
 HPPWD Jaisinghpur

(6)

SCHEDULE OF QUANTITY

Name of work :- Restoration of rain Damages on Alampur to Harsipattan road Km 0/00 to 25/00 (SH.-P/L)
 Wire create B/wall Bye pass road from Jaisinghpur Bazzar at Rd 0/103 to 0/131) (Under PDNA)

S. N.	Description of Item	Quantity	Estimated cost Rs.		Unit	Amount
			Earnest Money Rs.	Time Limits		
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	35.28	225.00	Rupees Two Hundred Twenty Five Only	Per cubic Metre	7938.00
2	Providing and laying boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS:280 and IS:4826 in 100 mm x 100 mm (hundred millimeters into hundred millimeters) mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 40 kg (forty kilogram) each in toe walls as per drawing and MORTH technical specifications Clause 2503 and as per direction of the Engineer- In -Charge including carriage of materials within all leads and lifts and other incidental. The rate includes octroi, royalty, Malkana, Tol tax, GST or any other taxes imposed by the Government.	161.28	2975.00	Rupees Two Thousand Nine Hundred Seventy Five Only	Per cubic metre	479808.00
Total						487746.00
Quoted Rate (in Figures) Percentage		Excess (+)			%	
G.Total in Figures		Less (-)			%	
G.Total in Words						


 Executive Engineer
 Jaisinghpur Division
 MP PWD Jaisinghpur

SCHEDULE OF QUANTITY

Name of work :- C/O Link road from Village Dabhi to Kuthan Km 0.00 to 0.700 (SH:-C/O 6.00 Mtr. Span RCC slab Culvert at RD 0/640) (Abutment upto Floor level) **Deposit SDP/2023/1332**

Estimated cost Rs.	499291.00
Earnest Money Rs.	10000.00
Time Limits	Two month

S. N.	Description of Item	Quantity	Rate		Unit	Amount
			In Figures	In Word		
1	Earth work in excavation for all type of bridge structure in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawing and MORT&H technical specification section 300 including setting out, construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto all leads and lifts including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150 mm (one hundred fifty millimetres) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate is including octroi, royalty, malkana, toll tax, GST or other taxes imposed by the Government.	85.32	350.00	Rupees Three Hundred Fifty Only	Per cubic Metre	29862.00
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M-ten) nominal mix 1:3:6 (one cement isto three sand isto six crushed stone aggregate 40 mm (forty millimetre) nominal size on ground in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying concrete complete for all heights/ depths including the cost of form work in toe wall etcetra as per drawings and M.O.R.D. technical specification section/ clause 800,900 & 1200 and as per the directions of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the Government.	7.80	4950.00	Rupees Four Thousand Nine Hundred Fifty Only	Per cubic metre	38610.00

3	Providing and laying mechanically mixed and vibrated concrete for plain cement concrete in Sub Structure using grade M-20 (M -twenty) design mix with cement contents not less than 330 kg (three hundred thirty kilogram) per cubic metre with 40mm (forty millimetre) nominal size graded crushed stone aggregate as per drawing and M.O.R.D. technical specification section 800,900,1200 including the cost of form work and curing complete in aboutment etcetera and as per the directions of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	66.19	6150.00	Rupces Six Thousand One Hundred Fifty Only	Per cubic metre	407069.00
4	Supplying fitting and placing HYSB bar for reinforcement in sub structure complete as per drawing and M.O.R.D. technical specifications section 1000 and 1200 including cutting, bending, binding and placing in position complete in all respect including the cost of binding wire as per the direction and entire satisfaction of Engineer-in-Charge, including carriage of materials within all leads lifts and other incidental. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	0.25	95000.00	Rupces Ninety Five Thousand Only	Per Metric Tonne	23750.00
Total						499291.00
Quoted Rate (in Figures) Percentage		Excess (+)			%	
		Less (-)			%	
G.Total in Figures						
G.Total in Words						



 Executive Engineer,
 Jaisinghpur Division,
 HP PWD Jaisinghpur

SCHEDULE OF QUANTITY

Name of work :- Restoration of rain Damages on Dharamshala Dadh Palampur Holta Chadhiar Sandhole road Km 40/500 to 56/500 (SH:-C/O B/wall at RD 51/375 to 51/390 and 51/390 to 51/405)

S. N.	Description of Item	Quantity	Rate		Unit	Amount
			In Figures	In Word		
			Time Limits			
						Estimated cost Rs. 315820.00
						Earnest Money Rs. 6400.00
						Two month
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock , hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	27.60	225.00	Rupees Two Hundred Twenty Five Only	Per cubic Metre	6210.00
2	Providing and laying cement concrete 1:5:10 (One cement: five sand: ten graded crushed/broken stone aggregate 40mm nominal size) and curing complete, excluding cost of form work in foundation and plinth including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. The rate is inclusive of octroi, royalty, malkana, toll tax, GST and all type of other taxes imposed by the Government.	78.60	3850.00	Rupees Three Thousand Eight Hundred Fifty Only	Per Cubic Metre	302610.00

<p>3 Providing 100mm (one Hundred millimeter) dia ISI marked P. V.C. pipe Weep Holes in brick masonry/stone masonry plain/ reinforcement concrete abutments, wing wall/ return wall, retaining walls and breast walls, extending through the full width of the structure with slope of (V):20H (One vertical : twenty Horizontal) towards draining face complete as per drawing and MORD technical specification section 700,1200 and as per the direction and entire satisfaction of Engineer-in-Charge complete, including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royalty, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.</p>	28.00	250.00	Rupees Two Hundred Fifty Only	Per Running Metre	7000.00
<p style="text-align: right;">Total</p>					315820.00
<p style="text-align: right;">Quoted Rate (in Figures) Percentage</p>	Excess (+)			%	
<p style="text-align: right;">G.Total in Figures</p>	Less (-)			%	
<p style="text-align: right;">G.Total in Words</p>					


 Executive Engineer,
 Jaisinghpur Division,
 HD PWD Jaisinghpur