



**HIMACHAL PRADESH  
PUBLIC WORKS DEPARTMENT**

Telephone No: 01782-233017  
e-mail: ee-ram-hp@nic.in

No. PW/ RMP/TA-I/Publication/2025- 12981

Dated:- 23-2-26

To

The Executive Engineer (IT Cell),  
Nigam Bihar, H.P. Shimla-2.

Subject:- Publication of tender Notice.

Enclosed please find herewith the tender Notice of various works as given in the tender inviting tender for uploading on department website as per notified by the Govt. of H.P. letter No. PBD-B-A0(3)/8/2025-300858 dated 13.11.2025 as the works mentioned in the tender Notice are urgent nature and public interest.

DA: - As above.

Executive Engineer,  
B&R Division HPPWD,  
Rampur.



## HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

Telephone No: 01782-233017  
e-mail: ee-ram-hp@nic.in

### NOTICE INVITING TENDER

Sealed item rate tender(s) on PWD form No. 6 & 8 are hereby invited by the Executive Engineer, B&R Division, HPPWD, Rampur Distt. Shimla (HP) on behalf of the Governor of H.P. for the following works from registered contractors in HP.PWD (B&R) in appropriate class so as to reach in this office on **03.03.2026** upto 10:30 A.M. and will be opened on the same day at 11:00 A.M. in the presence of contractors or their authorized representative who wish to be present at that time. The application for obtaining the tender form will be received on **02.03.2026** between 10:00 A.M. to 2:00 P.M. The tender form can be had from this office against cash payment (Non-refundable) on **02.03.2026** between 02:00 PM to 5:00 PM.

The earnest money in the shape of National Saving Certificate/Time Deposit Account/ Saving Account of the Post office in Himachal Pradesh duly pledged in favour of the Executive Engineer, B&R Division, HP. PWD, Rampur Bushahr Distt. Shimla H.P. must accompany with the tender form. Ambiguous/Telegraphically/conditional tenders or tender by FAX shall not be entertained/considered in any case. The tenders without earnest money shall summarily be rejected. The offer of the tender shall be kept open for 90 days. The Executive Engineer, B&R Division, HP.PWD, Rampur Bushahr reserve the right to reject/accept any offer of tender without assigning any reasons.

Sr. No.	Name of work	Estimated cost	Earnest money	Cost of tender form	Time limit
1	R/R damages on Bajwa Bridge to Village Bajwa road Km. 0/000 to 3/000 (SH:- Deployment/Hiring of JCB/Excavator-cum-loader for removal of snow/slips in Km. 0/000 to 3/000)	98,750/-	2,000/-	350/-	One month
2	R/R damages on Jeori Ganvi road Km. 0/000 to 11/000 (SH:- P/L Kharanja stone soling on new alignment at Km. 10/150)	99,983/-	2,000/-	350/-	One month
3	R/R damages on Mashnoo Taklech road Km. 0/000 to 48/000 (SH:- Deployment/Hiring of JCB/Excavator-cum-loader for removal of snow/slips in Km. 0/000 to 6/000)	98,750/-	2,000/-	350/-	One month
4	R/R damages on Mashnoo Taklech road Km. 0/000 to 48/000 (SH:- Deployment/Hiring of JCB/Excavator-cum-loader for removal of snow/slips in Km. 6/000 to 12/000)	98,750/-	2,000/-	350/-	One month
5	R/R damages on various roads in Kinoo Section under HPPWD Sub Division Sarahan (SH:- Supplying and stacking at site approved crushed sand on various RDs)	98,800/-	2,000/-	350/-	One month
6	A/R & M/O Ganvi to Labana Sadana road Km. 0/000 to 8/000 (SH:- White washing of guard stone, hill side rock etc. in Km. 0/000 to 8/000)	99,756/-	2,000/-	350/-	One month
7	R/R damages on various roads in Sarahan Section under HPPWD Sub Division Sarahan (SH:-	98,800/-	2,000/-	350/-	One month

	Supplying and stacking at site approved crushed sand on various RDs)				
8	A/R & M/O PWD Residential colony at Pippty in Tehsil Rampur Distt. Shimla H.P. (SH:- Painting and repair work of Qtr. No. 5 & 6)	99,981/-	2,000/-	350/-	One month
9	A/R & M/O PWD Residential colony at Pippty in Tehsil Rampur Distt. Shimla H.P. (SH:- Painting and repair work of Qtr. No. 2 & 3)	99,480/-	2,000/-	350/-	One month
10	Recovery and restoration of RGMSJ road Km. 0/000 to 61/000 (SH:- C/O R/wall at RD 44/255 to 44/270) under PDNA	4,99,512/-	10,000/-	350/-	Two Months
11	Recovery and restoration of RGMSJ road Km. 0/000 to 61/000 (SH:- C/O R/wall at RD 42/655 to 42/665 and 43/630 to 43/638) under PDNA	4,99,152/-	10,000/-	350/-	Two Months
12	Recovery and reconstruction of Rattanpur Uchi Shah Dofda road Km. 0/000 to 16/780 (SH:- C/O R/wall at Km. 7/720 to 7/747) under PDNA	4,96,389/-	10,000/-	350/-	Two Months
13	Recovery and reconstruction of Rattanpur Uchi Shah Dofda road Km. 0/000 to 16/780 (SH:- C/O B/wall at Km. 1/390 to 1/405, 5/425 to 5/440 and 14/015 to 14/045) under PDNA	4,96,196/-	10,000/-	350/-	Two Months
14	Recovery and reconstruction of Dansa Panoli Shandal link road Km. 0/000 to 6/585 (SH:- C/O drain at RD 0/425 to 1/375) under PDNA	4,95,611/-	10,000/-	350/-	Two Months
15	Recovery and reconstruction on Anu Munish road Km. 0/000 to 11/000 (SH:- C/O wire crate B/wall at Km. 0/150 to 0/180 and 0/810 to 0/820) under PDNA	4,51,754/-	10,000/-	350/-	Two Months
16	Recovery and reconstruction on Barkal Thalla road Km. 0/000 to 8/090 (SH:- C/O wire crate B/wall at Km. 6/130 to 6/160) under PDNA	3,36,926/-	6,700/-	350/-	Two Months
17	Recovery and reconstruction on Samej Sarpara road Km. 0/000 to 13/450 (SH:- C/O R/wall at RD 3/480 to 3/502) under PDNA	4,71,448/-	9,500/-	350/-	Two Months
18	Recovery and reconstruction on Ganvi Keyo road Km. 0/000 to 4/180 (SH:- C/O B/wall at RD 3/840 to 3/864) under PDNA	4,96,663/-	10,000/-	350/-	Two Months
19	Recovery and reconstruction on Pajidhar Chandi Branda road Km. 0/000 to 10/000 (SH:- C/O R/wall at Km. 6/810 to 6/822) under PDNA	4,99,926/-	10,000/-	350/-	Two Months
20	Recovery and reconstruction on Samej Sarpara road Km. 0/000 to 13/450 (SH:- C/O Hume pipe culvert at RD 1/855 along with wing wall) under PDNA	4,99,519/-	10,000/-	350/-	Two Months
21	Recovery and reconstruction on Jeori Ganvi road Km. 0/000 to 11/000 (SH:- C/O Hume pipe culvert at RD 8/720 alongwith wing wall) under PDNA	4,99,954/-	10,000/-	350/-	Two Months
22	Recovery and restoration work on Kashdhar Darkli road Km. 0/000 to 22/700 (SH:- C/O wire crate B/wall at RD 10/850 to 10/895) under PDNA	4,98,753/-	10,000/-	350/-	Two Months
23	Recovery and reconstruction on Ganvi Labana Sadana road Km. 0/000 to 8/000 (SH:- C/O B/wall at RD 7/895 to 7/910) under PDNA	4,53,601/-	10,000/-	350/-	Two Months

24	Recovery and reconstruction on Pajidhar Chandi Branda road Km. 0/000 to 10/000 (SH:- C/O R/wall at RD 2/660 to 2/670) under PDNA	4,93,518/-	9,900/-	350/-	Two Months
25	Recovery and reconstruction on Jeori Ganvi road Km. 0/000 to 11/000 (SH:- C/O R/wall at RD 5/834 to 5/840) under PDNA	4,97,462/-	10,000/-	350/-	Two Months
26	Recovery and reconstruction on Jeori Ganvi road Km. 0/000 to 11/000 (SH:- C/O R/wall at RD 5/810 to 5/819) under PDNA	4,99,586	10,000/-	350/-	Two Months
27	Recovery and restoration work on Kashadhar Darkali road Km. 0/000 to 22/700 (SH:- C/O wire crate B/wall at RD 11/105 to 11/145) under PDNA	4,45,141/-	9,000/-	350/-	Two Months
28	Reconstruction of NH-05 to Rahu Colony road Km. 0/000 to 1/690 (SH:- Construction of Retaining wall at Km. 0/240 to 0/250)	4,76,520/-	10,000/-	350/-	Two Months

**Terms and conditions:-**

1. The contractors/firms are required to quote their rates clearly both in words as well as in figures, failing which the tender is liable to be rejected.
2. The contractor will produce show their enlistment/renewal documents at the time of obtaining tender form.
3. Latest Income tax and sale tax clearance certificates as well as Pan Number and GST number must be attached with the application failing which tender documents will not be issued.
4. The tender forms will be issued to only those contractors who have not more than two works in hand in any of HP.PWD. Circles.
5. The contractor will have to submit the proof. of registration under Employees Providing Funds & Miscellaneous provision Act. 1952 at the time of tender. Failure to observe this condition shall render the tender of the contractor liable to summary rejection.

Executive Engineer,  
Rampur Division (B&R),  
HPPWD, Rampur Bsr.

No: - RMP/Tender/2025 12982-83

Dated:- 23-2-26

Copy forwarded for information:-

1. The Superintending Engineer 11<sup>th</sup> Circle HPPWD, Shimla.
2. Copy to Notice Board.

Executive Engineer,  
Rampur Division (B&R),  
HPPWD, Rampur Bsr.


## SCHEDULE OF QUANTITY

Estimated cost :- **98,750.00**  
 Earnest money :- **2,000.00**  
 Time allowed:- **One Month**

**NAME OF WORK:** -R/R Damages on Baiwa Bridge to Village Baiwa road km 0/000 to 3/000.

(SH :- Deployment/Hiring of CB/Excavator-cum loader for removal of snow/Slips in km 0/000 to 3/000

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Hiring of earth cutting/excavating machinery of 0.75 cubic meter bucket capacity @ 45 cubic meter per hour loading capacity to be deployed for removal of snow and clearance of side drain etc. including cost of fuel oil lubricant and wages of operating staff. any repair/ breakage during operation will be absolute responsibility of contractor/owner at his own risk. Shifting of machinery from one place to other place will be absolute responsibility of the contractor and no payment will be made for the same. Only actual working hours will be accounted for the payment. Cutting in earth work/removal of slips in all kinds of soil including loading in tipper/truck, removal/disposal of the same in all leads and lifts to the entire satisfactions and directions of Engineer-in-Charge.	3	Per hour	1,250.00	Rs One thousand two hundred fifty oand paise zero	98,750.00
<b>Total:-</b>						<b>98,750.00</b>
<b>Quoted rate in figures</b>		+/ -				
<b>Quoted rate in words</b>						

  
 Executive Engineer,  
 Rampur Division (B&R)  
 P.P.W.D., Rampur.


## SCHEDULE OF QUANTITY

Estimated cost:- 99,983.00  
 Earnest money 2,000.00  
 Time One Month

NAME OF WORK:- RR Damages on Jeori Ganvi road km 0/000 to 11/000 .

(SH:- P/L Kharanja Stone Soling on new alignment at km 10/150).

Sr. No.	Description	Qty.	Unit	Rate in figure	Rate in words	Amount
1	Preparation of Sub grade by dressing to camber (Earth work for the cutting involved for sub-grade to be paid for separately depending upon the classification of soil completed as per HPPWD specifications. including carriage of material within all leads and lifts and as per direction of Engineer-in-charge.	289.00	Per Sqm.	2.10	(Rs. One Hundred Twenty Four and Paise Eighty) only	607.00
2	Consolidation of sub grade with road roller including making good the undulation etc. with earth or quarry soil etc. and rerolling the sub-grade completed as per HPPWD specification.including carriage of material within all leads and lifts and as per direction of Engineer-in-charge.	289.00	Per Sqm.	1.00	(Rs. One and Paise Zero) only	289.00
3	Stone soling properly hand packed filling interstices with kharanja stone and consolidating with power road roller to the requested gradient and camber including spreading watering and rolling of binding materials moorum or earth etc. complete as per HP.PWD. specification. 100mm spread thickness (finished workincluding materials and labour) including carriage of material within all leads and lifts and as per direction of Engineer-in-charge.	43.99	Per Cum.	2,252.50	(Rs. Two Thousand Two Hundred Fifty Two and Paise Fifty)only	99,087.00
<b>Total:-</b>						<b>99,983.00</b>
Quoted rate in figures		+/-	(.....)	.....%		
Quoted rate in words						

  
 Executive Engineer,  
 Rampur Division (B&R)  
 HP.PWD., Rampur.


## SCHEDULE OF QUANTITY

**NAME OF WORK:** -R/R Damages on Mashnoo Taklech Road km 0/000 to 48/000.

(SH :- Deployment/Hiring of JCB/Excavator-cum loader for removal of snow/Slips in km 0/000 to 6/000)

Estimated cost :- **98,750.00**  
 Earnest money :- **2,000.00**  
 Time allowed:- **One Month**

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Hiring of earth cutting/excavating machinery of 0.75 cubic meter bucket capacity @ 45 cubic meter per hour loading capacity to be deployed for removal of snow and clearance of side drain etc. including cost of fuel oil lubricant and wages of operating staff. any repair/ breakage during operation will be absolute responsibility of contractor/owner at his own risk. Shifting of machinery from one place to other place will be absolute responsibility of the contractor and no payment will be made for the same. Only actual working hours will be accounted for the payment. Cutting in earth work/removal of slips in all kinds of soil including loading in tipper/truck, removal/disposal of the same in all leads and lifts to the entire satisfactions and directions of Engineer-in-Charge.	79.00	Per hour	1,250.00	Rs One thousand two hundred fifty oand paise zero	98,750.00
<b>Total:-</b>						<b>98,750.00</b>
<b>Quoted rate in figures</b>		+/-		.....%		
<b>Quoted rate in words</b>						


  
 Executive Engineer,  
 Rampur Division (B&R)  
 P.P.WD., Rampur.

## SCHEDULE OF QUANTITY

Estimated cost :- **98,750.00**  
 Earnest money :- **2,000.00**  
 Time allowed:- **One Month**

**NAME OF WORK:** -R/R Damages on Mashnoo Taklech Road km 0/000 to 48/000.  
 (SH :- Deployment/Hiring of JCB/Excavator-cum loader for removal of snow/Slips in km 6/000 to 12/000)

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Hiring of earth cutting/excavating machinery of 0.75 cubic meter bucket capacity @ 45 cubic meter per hour loading capacity to be deployed for removal of snow and clearance of side drain etc. including cost of fuel oil lubricant and wages of operating staff. any repair / breakage during operation will be absolute responsibility of contractor/owner at his own risk. Shifting of machinery from one place to other place will be absolute responsibility of the contractor and no payment will be made for the same. Only actual working hours will be accounted for the payment. Cutting in earth work/removal of slips in all kinds of soil including loading in tipper/truck, removal/disposal of the same in all leads and lifts to the entire satisfactions and directions of Engineer-in-Charge.	79.00	Per hour	1,250.00	Rs One thousand two hundred fifty oand paise zero	98,750.00
<b>Total:-</b>						<b>98,750.00</b>
<b>Quoted rate in figures</b>		+/-		.....%		
<b>Quoted rate in words</b>						


  
 Executive Engineer,  
 Rampur Division (B&R)  
 PWD, Rampur.

**SCHEDULE OF QUANTITY**

Estimated cost :- **98,800.00**  
 Earnest money :- **2,000.00**  
 Time allowed:- **One Month**

**Name of Work:-** R/R Damages on various roads in Kinoo Section under HPPWD Sub-Division Sarahan  
 (SH:- Supplying and stacking at site approved crushed sand on various Rd's at various Rd's)

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Supplying and stacking at site of approved crushed sand consisting of natural sand, hard, durable, clean and free from adherent coatings, organic impurities, or any deleterious materials. The item includes cost of all operations such as collection, royalty, loading, unloading, mechanical transportation, all leads and lifts and proper stacking at site complete as per the direction of Engineer-in-charge	76.00	Per Cubic metre.	1,300.00	(Rs One Thousand Three Hundred and paise zero) only	98,800.00
<b>Total:-</b>						<b>98,800.00</b>
Quoted rate in figures		+/-	(.....)	.....%		
Quoted rate in words						


  
 Executive Engineer,  
 Rampur Division (B&R)  
 A.P. PWD., Rampur.

**SCHEDULE OF QUANTITY**

Estimated cost:- **99,756.00**  
 Earnest money **2,000.00**  
 Time **One Month**

Name of work:- A/R & M/O Ganvi to Labana Sadana road km 0/000 to 8/000.  
 (SH:- White Washing of guard stone, hill side rock etc. in km 0/000 to 8/000.)

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	White washing two coats in parapet walls, white pati on hill side rock and tree trunks including preparation of surface by cleaning scraping etc. as per technical specifications clause 1915 including carriage of material within all leads and lifts and as per HPPW Specification of 1990 volume-1 and as per direction of Engineer-in-Charge.	2109.00	per square metre	47.3	(Rs. Fourty Seven and paise Thirty)only	99,756.00
<b>Total:-</b>						<b>99,756.00</b>
Quoted rate in figures		+/-	(.....)	.....%		
Quoted rate in words						


  
 Executive Engineer,  
 Rampur Division (B&R)  
 P.P.WD., Rampur.

**SCHEDULE OF QUANTITY**

Name of Work: - R/R Damages on various roads in Sarahan Section under HPPWD Sub-Division Sarahan  
 (SH:- Supplying and stacking at site approved crushed sand on various Rd's at various Rd's)

Estimated cost :- **98,800.00**  
 Earnest money :- **2,000.00**  
 Time allowed:- **One Month**

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Supplying and stacking at site of approved crushed sand consisting of natural sand, hard, durable, clean and free from adherent coatings, organic impurities, or any deleterious materials. The item includes cost of all operations such as collection, royalty, loading, unloading, mechanical transportation, all leads and lifts and proper stacking at site complete as per the direction of Engineer-in-charge	76.00	Per Cubic metre.	1,300.00	(Rs One Thousand Three Hundred and paise zero)only	98,800.00
<b>Total:-</b>						<b>98,800.00</b>
Quoted rate in figures		+/-	(.....)	.....%		
Quoted rate in words						

  
 Executive Engineer,  
 Rampur Division (B&R)  
 HPPWD, Rampur.


**SCHEDULE OF QUANTITY**

Name of Work:- A/R & M/O PWD Residential colony at Pippy in Tehsil Rampur Distt Shimla HP.  
(SH:- Painting and repair work of Qtr. no. 5 & 6)

Estimated cost:- **99,981.00**  
Earnest money **2,000.00**  
Time **One Month**

Sr. No.	Description	Qty.	Unit	Rate in figure	Rate in words	Amount
1	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade within all leads and lifts and carriagee of material complete as per direction of the Engineer-in charge.	96.39	Per Square metre	143.00	(Rs. One Hundred Forty Three and Paise Zero) only	13,784.00
2	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	19.28	Per Square metre	104.00	(Rs. One Hundred Four Three and Paise Zero) only	2,005.00
3	Providing second class deodar wood work in frames of doors, windows, clerestory, windows and other frames wrought, framed and fixed in position as per HP. PWD. specifications of 1990 volume-1 including carriagee of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in-Charge.	0.272	Per cubic metre	145000.00	(Rs. One Lac Forty Five Thousand and Paise Zero) only	39,440.00
4	Providing and fixing wire gauge shutters using galvanized M.S. wire gauge of average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm, for doors, windows and clerestory windows with hinges and necessary screws	9.79	Sqm	4200.00	(Rs. Four Thousand Two Hundred and Paise Zero) only	41,118.00
5	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications : Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/ 10 sqm over an under coat of primer applied @ 0.75 ltr/ 10 sqm of approved brand and manufacture.including carriagee of materials, labour tool and plants through all modes of transportation with in all leads and lifts, as per PWD specifications and as per direction of the Engineer-in-charge	9.79	Per Sqm.	120.00	(Rs. One Hundred Twenty and Paise Zero) only	1175.00

Quoted rate in figures	+/-	.....	.....%	Total:-	99,981.00
Providing and fixing aluminium tower bolts (berrrel type ) anodized transparent or dyed to required shade and colour with screws etc. complete:- 250x10mm, including carriage of material with in all leads lifts complete and entire satisfaction of Engineer-in-charge.	20.00	Each	72.20	(Rs. Seventy Two and Paise Twenty) only	1,444.00
Providing and fixing aluminium handles anodized transparent or dyed to required colour & shade with necessary screws etc. complete:- 125mm including carriage of material with in all leads lifts complete and entire satisfaction of Engineer-in-charge.	20.00	Each	50.75	(Rs. Fifty and Paise Seventy Five) only	1,015.00
<b>Quoted rate in words</b>					

  
 Executive Engineer,  
 Rampur Division (B&R)  
 HP.PWD., Rampur.


**SCHEDULE OF QUANTITY**

Estimated cost:- **99,480.00**  
 Earnest money **2,000.00**  
 Time **One Month**

Name of Work:- A/R & M/O PWD Residential colony at Pippy in Tehsil Rampur Distt Shimla HP.  
 (SH:- Painting and repair work of Qtr. no. 2 & 3)

Sr. No.	Description	Qty.	Unit	Rate in figure	Rate in words	Amount.
1	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade within all leads and lifts and carriage of material complete as per direction of the Engineer-in charge.	96.39	Per Square metre	143.00	(Rs. One Hundred Forty Three and Paise Zero) only	13,784.00
2	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	14.46	Per Square metre	104.00	(Rs. One Hundred Four Three and Paise Zero) only	1,504.00
3	Providing second class deodar wood work in frames of doors, windows, clerestory, windows and other frames wrought, framed and fixed in position as per HP. PWD. specifications of 1990 volume-1 including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in-Charge.	0.272	Per cubic metre	145000.00	(Rs. One Lac Forty Five Thousand and Paise Zero) only	39,440.00
4	Providing and fixing wire gauge shutters using galvanized M.S. wire gauge of average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm, for doors, windows and clerestory windows with hinges and necessary screws	9.79	Sqm	4200.00	(Rs. Four Thousand Two Hundred and Paise Zero) only	41,118.00
5	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications : Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/ 10 sqm over an under coat of primer applied @ 0.75 ltr/ 10 sqm of approved brand and manufacture.including carriage of materials, labour tool and plants through all modes of transportation with in all leads and lifts, as per PWD specifications and as per direction of the Engineer-in-charge	9.79	Per Sqm.	120.00	(Rs. One Hundred Twenty and Paise Zero) only	1175.00

6	Providing and fixing aluminium tower bolts(berrel type ) anodized transparent or dyed to required shade and colour with screws etc. complete:- 250x10mm,including carriage of material with in all leads lifts complete and entire satisfaction of Engineer-in-charge.	20.00	Each	72.20	(Rs. Seventy Two and Paise Twenty) only	1,444.00
7	Providing and fixing aluminium handles anodized transparent or dyed to required colour & shade with necessary screws etc. complete:-125mm including carriage of material with in all leads lifts complete and entire satisfaction of Engineer-in-charge.	20.00	Each	50.75	(Rs. Fifty and Paise Seventy Five) only	1,015.00
<b>Total:-</b>						<b>99,480.00</b>
<b>Quoted rate in figures</b>		+/ -	.....%			
<b>Quoted rate in words</b>						

  
 Executive Engineer,  
 Rampur Division (B&R)  
 P.P. PWD., Rampur.

## SCHEDULE OF QUANTITY

**Name of Work:-** Recovery and restoration of RGMSJ road km 0/000 to 61/000

(SH:- Construction of R/Wall at RD 44/255 to 44/270 Under PDNA

Estimated cost :- **4,99,512.00**  
 Earnest money :- **10,000.00**  
 Time allowed:- **Two month**

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hardd rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	33.00	Per Cubic metre.	325.00	(Rs Three Hundred Twenty Five and paise zero)only	10,725.00
2	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads , dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth. as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	8.53	per cubic metre	520.00	(Rs Five Hunderd Twenty and paise zero)only	4,436.00

providing and laying cement concrete 1:6:12 (1 cement:6 sand : 12 graded stone aggregate 40 mm nominal size) and curing complete excluding cost of centring and shuttering. including all leads and lifts as per directions of Engineer in Charge.

4	P/L Cement concrete 1:4:8 ( one cement : four sand : eight graded stone aggregate forty millimeter nominal size)for plain/ reinforced concrete work in open foundation complete as per drawing and technical specification Clauses 802,803,1202& 1203. including all leads and lifts as per directions of Engineer in Charge.	3.20	per cubic metre	4900.00	(Rs. Four thousand Nine Hundred and paise zero)only	15680.00
5	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clauses 614, 709, 1204.3.7. including all leads and lifts as per directions of Engineer in Charge.	28.00	Each	429.80	(Rs Four hundred twenty nine and paise eight)only	12,034.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 with granular material. including the cost of form work and hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge. including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	9.00	Per Cubic metre.	1,700.10	(Rs. One thousand Seven Hundred and paise ten) only	15,301.00
Quoted rate in figures						
Quoted rate in words				+/-	(.....)	.....%
<b>Total:-</b>						<b>4,99,512.00</b>

Executive Engineer,  
Rampur Division (B&R)  
HP.PWD., Rampur.

## SCHEDULE OF QUANTITY


**Name of Work:-** Recovery and restoration of RGMSJ road km 0/000 to 61/000

**(SH:-** Construction of R/Wall at RD 42/655 to 42/665 and 43/630 to 43/638 Under PDNA

Estimated cost :- **4,99,152.00**  
 Earnest money :- **10,000.00**  
 Time allowed:- **Two month**

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hardd rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	36.50	Per Cubic metre.	325.00	(Rs Three Hundred Twenty Five and paise zero)only	11,863.00
2	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads , dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth. as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	9.42	per cubic metre	559.00	(Rs Five Hundred Fifty Nine and paise zero)only	5,266.00

	Providing and laying cement concrete 1:6:12 (1 cement:6 sand : 12 graded stone aggregate 40 mm nominal size) and curing complete excluding cost of centring and shuttering. including all leads and lifts as per directions of Engineer in Charge.	3.54	per cubic metre	5000.00	(Rs.Five thousand and paise zero)only	17700.00
4	P/L Cement concrete 1:4:8 ( one cement : four sand : eight graded stone aggregate forty millimeter nominal size)for plain/ reinforced concrete work in open foundation complete as per drawing and technical specification Clauses 802,803,1202& 1203. including all leads and lifts as per directions of Engineer in Charge.	78.53	Per Cubic metre	5,600.00	Rupees Five Thousand Six Hundred and Paise Zero Only	4,39,768.00
5	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clauses 614, 709, 1204.3.7. including all leads and lifts as per directions of Engineer in Charge.	32.00	Each	429.80	(Rs Four hundred twenty nine and paise eight)only	13,754.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 with granular material. including the cost of form work and hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge. including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	6.00	Per Cubic metre.	1,800.10	(Rs. One thousand Eight hundred and paise ten) only	10,801.00
<b>Quoted rate in figures</b>		+/-	(.....)	.....%	<b>Total:-</b>	<b>4,99,152.00</b>
<b>Quoted rate in words</b>						

  
 Executive Engineer,  
 Rampur Division (B&R)  
 HP.PWD., Rampur.


**SCHEDULE OF QUANTITY**

Estimated cost:- **4,96,389.00**  
 Earnest money **10,000.00**  
 Time **Two Months**

**Name of work:- Recovery and Reconstruction of Rattanpur Uchi Shah Dorfda Road km 0/000 to 16/780 (SH:- Construction of R/Wall from 7/720 to 7/747) under PDNA**

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformity with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates & slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	9.49	Per Cubic metre	206.01	(Rs. Two Hundred Six and paise one) only	1,955.00
2	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 305-1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable material. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion damage to hill side water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) as directed by the Engineer-in-Charge all useful material such as stone, shingle, aggregates & slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	5.69	per cubic metre	559.00	(Rs. Five Hundred Fifty Nine and paise Zero) only	3,181.00
3	Providing and laying cement concrete 1:6:12 (1 cement:6 sand : 12 graded stone 40mm aggregate nominal size) for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803, 1202 and 1203 including the cost of form work and hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	8.73	Per Cubic metre	5538.00	(Rs. Five Thousand Five Hundred Thirty Eight and paise zero) only	48,347.00
4	Random Rubble Masonry work in cement mortar 1:6 (1 cement : 6 sand ) in foundation & super-structure complete as per drawing and technical specifications Clauses 702, 704, 1202 & 1203..including cartilage of material with in all leads and lifts as per direction of Engineer-in-Charge.	76.45	Per Cubic metre	5200.00	(Rs. Five Thousand Two Hundred and paise zero) only	3,97,540.00
6	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clauses 614, 709, 1204.3.7. including all leads and lifts as per directions of Engineer in Charge.	45.00	Each	429.88	(Rs. Four Hundred Twenty Nine and paise Eighty Eight) only	19,345.00

7	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	13.80	Per Cubic metre.	1885.6	(Rs. One thousand eight hundred eighty five and paise sixty) only	26,021.00
Total:-						4,96,389.00
Quoted rate in figures		+/-	(.....)	.....%		
Quoted rate in words						

  
 Executive Engineer,  
 Rampur Division (B&R)  
 MP PWD, Rampur.


**SCHEDULE OF QUANTITY**

Estimated cost:- **4,96,196.00**  
 Earnest money **10,000.00**  
 Time **Two Months**

**Name of work:- Recovery and Reconstruction of Rattanpur Uchi Shah Dofda Road km 0/000 to 16/780 (SH:- Construction of B/Wall from 1/390 to 1/405, 5/425 to 5/440 and 14/015 to 14/045) under PDNA**

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hardd rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side property. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	26.68	Per Cubic metre	350.00	(Rs. Three Hundred Fifty and paise zero) only	9,338.00
2	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 305-1 including setting out, construction of shoring and bracin , removal of stumps and other deleterious material and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable material . All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion damage to hill side water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock( where blasting is prohibited) as directed by the Engineer-in-Charge all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side property. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	8.18	per cubic metre	559.00	(Rs. Five Hundred Fifty Nine and paise Zero)only	4,573.00
3	Providing and laying cement concrete 1:6:12 (1 cement:6 sand : 12 graded stone 40mm aggregate nominal size) for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803, 1202 and 1203,including the cost of form work and hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	8.18	Per Cubic metre	5538.00	(Rs. Five Thousand Five Hundred Thirty Eight and paise zero) only	45,301.00


4	Random Rubble Masonry work In cement mortar 1:6 (1 cement : 6 sand ) in foundation & super-structure complete as per drawing and technical specifications Clauses 702, 704, 1202 & 1203..including carriage of material with in all leads and lifts as per direction of Engineer-In-Charge.	81.39	Per Cubic metre	5200.00	(Rs. Five Thousand Two Hundred and paise zero) only	4,23,228.00
5	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clauses 614, 709, 1204.3.7 . including all leads and lifts as per directions of Engineer in Charge.	32.00	Each	429.88	(Rs Four Hundred Twenty Nine and paise Eighty Eight )only	13,756.00
<b>Total:-</b>						<b>4,96,196.00</b>
Quoted rate in figures		+/ -	(.....)	.....%		
Quoted rate in words						

  
 Executive Engineer,  
 Rampur Division (B&R)  
 H.P.P.W.D., Rampur.

**SCHEDULE OF QUANTITY**

Estimated cost:- **4,95,611.00**  
 Earnest money **10,000.00**  
 Time **Two Month**

Name of work:- Recovery and Reconstruction of Dansa Panoli Shandal link road km 0/000 to 6/585 (PDNA) (SH:- Construction of Drain at Rd 0/425 to 1/375)						
Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 305-1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable material . All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion damage to hill side water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock( where blasting is prohibited) as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	78.80	per cubic metre	391.15	(Rs. Three Hundred Ninety One and paise Fifteen)only	30,823.00
2	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203. P.C.C grade M 10(1) (Mechanical mix and vibrated graded crushed stone aggregate) 1:3:6 Including carriage of materials through all modes of transportation with in all leads and lifts, as per PWD specifications and as per direction of Engineer- in Charge.	68.78	per cubic metre	6757.60	(Rs. Six thousand seven hundred fifty seven and paise sixty ) only	4,64,788.00
<b>Total:-</b>						<b>4,95,611.00</b>
<b>Quoted rate in figures</b>		+/-	(.....)	.....%		
<b>Quoted rate in words</b>						

  
 Executive Engineer,  
 Rampur Division (B&R)  
 HP.PWD., Rampur.

**SCHEDULE OF QUANTITY**

Name of work:- **Recovery & Restoration on Anu Munish road Km 0/00 to 11/00(SH-C/O wire crate B/wall at Km 0/150 to 0/180 and 0/810 to 0/820) Under PDNA.**

Estimated cost:- 4,51,754.00  
 Earnest money:- 9,000.00  
 Time allowed:- Two month

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformity with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side property. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	79.20	per cubic metre	350.00	(Rs. Three hundred fifty and paise zero)only	27720.00
2	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads, dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth, as directed by the Engineer-in-Charge all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side property. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	26.00	per cubic metre	559.00	(Rs. Five hundred fifty nine and paise zero)only	14,534.00
3	Providing and laying of boulder apron laid in wire crates with 4mm dia GI wire conforming to IS:280 and IS:4826 in 100mm x 100mm mesh(woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 Kg. each as per drawing and technical specifications Clause 1301. including all leads and lifts as per directions of Engineer in Charge.	125.00	per cubic metre	3276.00	(Rs. Three thousand two hundred seventy six and paise zero)only	4,09,500.00
	<b>Quated Rate in figures</b>					<b>4,51,754.00</b>
	<b>Quated Rate in words</b>					

Executive Engineer,  
 Rampur Division (B&R)  
 HP.PWD, Rampur.

**SCHEDULE OF QUANTITY**

Name of work:- **Recovery & Restoration on Barkal Thalla road Km 0/00 to 8/090(SH-C/O wire crate B/wall at Km 6/130 to 6/150) Under PDMA.**  
 Description of items

Estimated cost :- 3,36,926.00  
 Earnest money :- 6,700.00  
 Time allowed:- Two month

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side property. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	54.00	per cubic metre	350.00	(Rs. Three hundred fifty and paise zero)only	18900.00
2	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads, dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth, as directed by the Engineer-in-Charge all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side property. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	19.50	per cubic metre	559.00	(Rs. Five hundred fifty nine and paise zero)only	10,901.00
3	Providing and laying of boulder apron laid in wire crates with 4mm dia GI wire conforming to IS:280 and IS:4826 in 100mm x 100mm mesh(woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 Kg. each as per drawing and technical specifications Clause 1301. including all leads and lifts as per directions of Engineer in Charge.	93.75	per cubic metre	3276.00	(Rs. Three thousand two hundred seventy six and paise zero)only	3,07,125.00
<b>Quated Rate in figures</b>						
<b>Quated Rate in words</b>						
<b>Total:-</b>						<b>3,36,926.00</b>

Executive Engineer,  
 Rampur Division (B&R)  
 HP PWD, Rampur.


## SCHEDULE OF QUANTITY

Estimated cost:-  
Earnest money 4,71,448.00  
Time 9,500.00  
Two Months

Name of work:- Recovery and Reconstruction on Samej Sarpara Road 0/000 to 13/450 (SH:- Construction of R/Wall at RD 3/480 to 3/502). (PDDNA)

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock ( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side property. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	52.36	Per Cubic metre	350.00	(Rs. Three Hundred Fifty and paise zero) only	18,326.00
2	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 305-1 including setting out, construction of shoring and bracin , removal of stumps and other deleterious material and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable material . All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion damage to hill side water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock( where blasting is prohibited) as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side property. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	77.00	per cubic metre	559.00	(Rs. Five Hundred Fifty Nine and paise Zero)only	43,043.00
3	Providing and laying of boulder apron laid in wire crates with 4mm dia GI wire conforming to IS:280 and IS:4826 in 100mm x 100mm mesh(woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 Kg. each as per drawing and technical specifications Clause 1301. including all leads and lifts as per directions of Engineer in Charge.	120.32	per cubic metre	3296.66	(Rs Three thousand two hundred Ninety Six and paise Sixty Six)only	3,96,654.00

4	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	10.56	Per Cubic metre.	1271.28	(Rs. One thousand two hundred seventy one and paise twenty eight)only	13425.00
<b>Total:-</b>						<b>4,71,448.00</b>
Quoted rate in figures		+/	(.....)	.....%		
Quoted rate in words						

  
 Executive Engineer,  
 Rampur Division (B&R)  
 HP.PWD, Rampur.


## SCHEDULE OF QUANTITY

Estimated cost:- **4,96,663.00**  
 Earnest money **10,000.00**  
 Time **Two Months**

Name of work:- **Recovery and Reconstruction on Ganvi Keyo road km 0/000 to 4/180 (SH:- Construction of B/Wall at RD 3/840 to 3/864).** (PDDND)

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side property. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	77.76	Per Cubic metre	350.00	(Rs. Three Hundred Fifty and paise zero) only	27,216.00
2	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 305-1 including setting out, construction of shoring and brachn , removal of stumps and other deleterious material and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable material . All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion damage to hill side water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock( where blasting is prohibited) as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side property. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	25.92	per cubic metre	559.00	(Rs. Five Hundred Fifty Nine and paise Zero)only	14,489.00
3	Providing and Laying cement concrete for plain/reinforced concrete 1:4:8 (one cement: four sand: eight graded stone aggregate crushed 25mm (twenty five millimetre) nominal size mechanically mixed and vibrated in open foundations complete as per drawing and MORO Technical Specification clauses 802, 803, 1202 and 1203 and as per the direction of the Engineer-in-Charge including carriage of material through all modes of transportation within all leads and lifts and other incidentals.	70.82	Per Cubic metre	6200.00	(Rs. Six Thousand Two Hundred and paise zero) only	4,39,084.00

<p>4 Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clauses 614, 709, 1204.3.7. including all leads and lifts as per directions of Engineer in Charge.</p>	40.00	Each	396.85	(Rs. Three hundred ninety six and paise eighty five) only	15,874.00
<p>Quoted rate in figures</p>	+/-	(.....)	.....%	Total:-	4,96,663.00
<p>Quoted rate in words</p>					

  
 Executive Engineer,  
 Rampur Division (B&R)  
 HP.PWD., Rampur.


**SCHEDULE OF QUANTITY**

Estimated cost:- **4,99,926.00**  
 Earnest money **10,000.00**  
 Time **Two Months**

**Name of work:- Recovery and Reconstruction on Pajidhar Chnadi Branda road km 0/000 to 10/000 (SH:- Construction of R/Wall at RD 6/810 to 6/822)**  
**(PDNA)**

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hardd rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	24.00	Per Cubic metre	350.00	(Rs. Three Hundred Fifty and paise zero) only	8,400.00
2	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 305-1 including setting out, construction of shoring and bracin , removal of stumps and other deleterious material and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable material . All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion damage to hill side water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock( where blasting is prohibited) as directed by the Engineer-in-Charge all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	43.20	per cubic metre	559.00	(Rs. Five Hundred Fifty Nine and paise Zero) only	24,149.00
3	Providing and Laying cement concrete for plain/reinforced concrete 1:4:8 (one cement: four sand: eight graded stone aggregate crushed 25mm (twenty five millimetre) nominal size mechanically mixed and vibrated in open foundations complete as per drawing and MORD Technical Specification clauses 802, 803, 1202 and 1203 and as per the direction of the Engineer-in-Charge including carriage of material through all modes of transportation within all leads and lifts and other incidentals.	71.50	Per Cubic metre	6200.00	(Rs. Six Thousand Two Hundred and paise zero) only	4,43,300.00
4	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing Face complete as per drawing and technical specification Clauses 614, 709, 1204.3.7. including all leads and lifts as per directions of Engineer in Charge.	33.00	Each	396.85	(Rs. Three hundred ninety six and paise eighty five )only	13,096.00

5	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	8.64	Per Cubic metre.	1271.00	(Rs. One thousand Two Hundred Seventy One and paise zero) only	10,981.00	
Quoted rate in figures	+/-	(.....)	.....%	Total:-			4,99,926.00
Quoted rate in words							

  
 Executive Engineer,  
 Rampur Division (B&R)  
 HP.PWD, Rampur.

**SCHEDULE OF QUANTITY**

Estimated cost:-  
 Earnest money 4,99,519.00  
 Time 10,000.00  
 Two Months

**Name of work:- Recovery and Restoration on Samej Sarpara road km 0/000 to 13/450 (SH:- Construction Hume Pipe Culvert at Rd 1/855 along with wing wall) (DDNA)**

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	9.27	Per Cubic metre	350.00	(Rs. Three Hundred Fifty and paise zero) only	3,245.00
2	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 305-1 including setting out, construction of shoring and bracin , removal of stumps and other deleterious material and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable material . All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion damage to hill side water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock( where blasting is prohibited) as directed by the Engineer-in-Charge all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	57.82	per cubic metre	559.00	(Rs. Five Hundred Fifty Nine and paise Zero)only	32,321.00
3	Providing and Laying cement concrete for plain/reinforced concrete 1:4:8 (one cement: four sand: eight graded stone aggregate crushed 25mm (twenty five millimetre) nominal size mechanically mixed and vibrated in open foundations complete as per drawing and MORD Technical Specification clauses 802, 803, 1202 and 1203 and as per the direction of the Engineer-in-Charge including carriage of material through all modes of transportation within all leads and lifts and other incidentals.	7.58	Per Cubic metre	6200.00	(Rs. Six Thousand Two Hundred and paise zero) only	46,996.00
4	Random Rubble Masonry work In cement mortar 1:6 (1 cement : 6 sand ) in foundation & super-structure complete as per drawing and technical specifications Clauses 702, 704, 1202 & 1203..including carriage of material with in all leads and lifts as per direction of Engineer-In-Charge.	35.10	Per Cubic metre	6000.00	(Rs.Six Thousand and paise zero) only	2,10,600.00

5	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203. P.C.C grade M 10(1) (Mechanical mix and vibrated graded crushed stone aggregate) 1:3:6 including carriage of materials through all modes of transportation with in all leads and lifts, as per PWD specifications and as per direction of Engineer-in-Charge.	20.40	per cubic metre	7200.00	(Rs. Seven Thousand Two Hundred and paise zero) only	1,46,880.00		
6	Providing and laying reinforced cement concrete pipe NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection work, back filling, concrete and masonry work in head walls and parapets:- 900mm dia. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	7.50	Per Running Metre	7015.20	(Rs. Seven Thousand Fifteen and paise Twenty) only	52,614.00		
7	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. Including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	5.40	Per Cubic metre.	1271.00	(Rs. One thousand Two Hundred Seventy One and paise zero) only	6,863.00		
<b>Quoted rate in figures</b>				+/-	(.....)	.....%	<b>Total:-</b>	<b>4,99,519.00</b>
<b>Quoted rate in words</b>								

Executive Engineer,  
Rampur Division (B&R)  
HP.PWD, Rampur.

**SCHEDULE OF QUANTITY**

Estimated cost:- **4,99,954.00**  
 Earnest money **10,000.00**  
 Time **Two Months**

**Name of work:- Recovery and Restoration on Jeori Ganvi road km 0/000 to 11/000(SH:- Construction Hume Pipe Culvert at Rd 8/720 along with wing wall) (P.D.N.A)**

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hardd rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregate& slate etc. shall be sorted out and stacked along the road side property. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	9.27	Per Cubic metre	350.00	(Rs. Three Hundred Filty and paise zero) only	3,245.00
2	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 305-1 including setting out, construction of shoring and bracin, removal of stumps and other deleterious material and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable material. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion damage to hill side water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock( where blasting is prohibited) as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregate& slate etc. shall be sorted out and stacked along the road side property. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	57.82	per cubic metre	559.00	(Rs. Five Hundred Filty Nine and paise Zero) only	32,321.00
3	Providing and Laying cement concrete for plain./reinforced concrete 1:4:8 (one cement: four sand: eight graded stone aggregate crushed 25mm (twenty five millimetre) nominal size mechanically mixed and vibrated in open foundations complete as per drawing and MORD Technical Specification clauses 802, 803, 1202 and 1203 and as per the direction of the Engineer-in-Charge including carriage of material through all modes of transportation within all leads and lifts and other incidentals.	40.54	Per Cubic metre	6200.00	(Rs. Six Thousand Two Hundred and paise zero) only	2,51,348.00
4	Providing concrete for plain./reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203, P.C.C grade M 10(1) (Mechanical mix and vibrated graded crushed stone aggregate) 1:3:6 Including carriage of materials through all modes of transportation with in all leads and lifts, as per PWD specifications and as per direction of Engineer-in Charge.	20.40	per cubic metre	7200.00	(Rs. Seven Thousand Two Hundred and paise zero) only	1,46,880.00

5	Providing and laying reinforced cement concrete pipe NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection work, back filling, concrete and masonry work in head walls and parapets:- 900mm dia. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	7.50	Per Running Metre	7015.2	(Rs. Seven Thousand Fifteen and paise zero) only	52,614.00		
6	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clauses 614, 709, 1204.3.7. including all leads and lifts as per directions of Engineer in Charge.	16.00	Each	417.70	(Rs Four Hundred Seventeen and paise Seventy Jony)	6,683.00		
7	Backfilling / Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	5.40	Per Cubic metre.	1271	(Rs. One thousand Two Hundred Seventy One and paise zero) only	6,863.00		
Quoted rate in figures				+/-	(.....)	.....%	Total:-	4,99,954.00
Quoted rate in words								

Executive Engineer,  
Rampur Division (B&R)  
HP.PWD., Rampur.

## SCHEDULE OF QUANTITY

Estimated cost:- **4,98,753.00**  
 Earnest money **10,000.00**  
 Time **Two Months**

Name of work:- **Recovery and Restoration work on Kashadhar Darkali road km 0/000 to 22/700. (SH:- Construction of wire crate B/wall at RD 10/850 to 10/895). (PDA)**

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hardd rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	52.65	Per Cubic metre	350.00	(Rs. Three Hundred Fifty and paise zero) only	18,428.00

2	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 305-1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable material. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion damage to hill side water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) as directed by the Engineer-in-Charge. all useful material such as stone, shingle, aggregates & slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	35.10	per cubic metre	559.00	(Rs. Five Hundred Fifty Nine and paise Zero) only	19,621.00
3	Providing and laying boulder apron laid in wire crates made with G.I. wire conforming to IS :280 & IS 4826 in 100mmx100mm mesh (weaved diagonally including 10% extra for laps and joints laid with stone boulder weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 including hauling of materials through all modes of transportation within all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	140.63	Per Cubic metre.	3276.00	(Rs. Three thousand two hundred seventy six and paise zero) only.	4,60,704.00
<b>Quoted rate in figures</b>		+/-	(.....)	.....%	<b>Total:-</b>	<b>4,98,753.00</b>
<b>Quoted rate in words</b>						

Executive Engineer,  
Rampur Division (B&R)  
HP.PWD., Rampur.


## SCHEDULE OF QUANTITY

Estimated cost:-  
 Earnest money 4,53,601.00  
 Time 9,100.00  
 Two Months

Name of work:- Recovery and Reconstruction on Ganiv Labana Sadana Raod km 0/000 to 8/000. (SH:- Construction of B/Wall at Rd 7/895 to 7/910). (PDDN/A)

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock ( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side property. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	62.10	Per Cubic metre	350.00	(Rs. Three Hundred Fifty and paise zero) only	21,735.00
2	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 305-1 including setting out, construction of shoring and bracin, removal of stumps and other deleterious material and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable material. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion damage to hill side water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock ( where blasting is prohibited) as directed by the Engineer-in-Charge all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side property. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	22.50	per cubic metre	559.00	(Rs. Five Hundred Fifty Nine and paise Zero) only	12,578.00
3	Providing and Laying cement concrete for plain/reinforced concrete 1:4:8 (one cement: four sand: eight graded stone aggregate crushed 25mm (twenty five millimetre) nominal size mechanically mixed and vibrated in open foundations complete as per drawing and MORD Technical Specification clauses 802, 803, 1202 and 1203 and as per the direction of the Engineer-in-Charge including carriage of material through all modes of transportation within all leads and lifts and other incidentals.	66.34	Per Cubic metre	6200.00	(Rs. Six Thousand Two Hundred and paise zero) only	4,11,308.00

4	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clauses 614, 709, 1204.3.7. including all leads and lifts as per directions of Engineer in Charge.	21.00	Each	380.00	(Rs. Three hundred Eighty and paise zero )only	7,980.00
Quoted rate in figures		+/-	(.....)	.....%	Total:-	4,53,601.00
Quoted rate in words						

  
 Executive Engineer,  
 Rampur Division (B&R)  
 HP.PWD., Rampur.

## SCHEDULE OF QUANTITY


Estimated cost:- **4,93,518.00**  
 Earnest money **9,900.00**  
 Time **Two Months**

Name of work:- **Recovery and Reconstruction on Pajidhar Chandhi Branda road km 0/000 to 10/000 (SH:- Construction of R/Wall at RD 2/660 to 2/670).**

**(PDDNA)**

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hardd rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	48.60	Per Cubic metre	350.00	(Rs. Three Hundred Fifty and paise zero) only	17,010.00
2	Providing and Laying cement concrete for plain/reinforced concrete 1:4:8 (one cement: four sand: eight graded stone aggregate crushed 25mm (twenty five millimetre) nominal size mechanically mixed and vibrated in open foundations complete as per drawing and MORD Technical Specification clauses 802, 803, 1202 and 1203 and as per the direction of the Engineer-in-Charge including carriage of material through all modes of transportation within all leads and lifts and other incidentals.	74.40	Per Cubic metre	6200.00	(Rs. Six Thousand Two Hundred and paise zero) only	4,61,280.00
3	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clauses 614, 709, 1204.3.7. including all leads and lifts as per directions of Engineer in Charge.	20.00	Each	380.00	(Rs. Three hundred Eighty and paise zero) only	7,600.00

5	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	6.00	Per Cubic metre.	1271.28	(Rs. One thousand two hundred seventy one and paise twenty eight)only	7628.00
Quoted rate in figures	+/-	(.....)	.....%	Total:-	4,93,518.00	
Quoted rate in words						

  
 Executive Engineer,  
 Rampur Division (B&R)  
 HP.PWD, Rampur.

## SCHEDULE OF QUANTITY

Estimated cost:- **4,97,462.00**  
 Earnest money **10,000.00**  
 Time **Two Months**

**Name of work:- Recovery and Reconstruction on Jeori Ganvi Raod km 0/000 to 11/000. (SH:- Construction of R/Wall at Rd 5/834 to 5/840). (PDMR)**

Sr. No	Description of items	Quantity	Unit	Rate (in figure)	Rate (in Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hardd rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock ( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	28.56	Per Cubic metre	350.00	(Rs. Three Hundred Fifty and paise zero) only	9,996.00
2	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 305-1 including setting out, construction of shoring and bracin, removal of stumps and other deleterious material and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable material. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion damage to hill side water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock ( where blasting is prohibited) as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	31.20	per cubic metre	559.00	(Rs. Five Hundred Fifty Nine and paise Zero)only	17,441.00
3	Providing and Laying cement concrete for plain/reinforced concrete 1:4:8 (one cement: four sand: eight graded stone aggregate crushed 25mm (twenty five millimetre) nominal size mechanically mixed and vibrated in open foundations complete as per drawing and MORD Technical Specification clauses 802, 803, 1202 and 1203 and as per the direction of the Engineer-in-Charge including carriage of material through all modes of transportation within all leads and lifts and other incidentals.	72.02	Per Cubic metre	6200.00	(Rs. Six Thousand Two Hundred and paise zero) only	4,46,524.00

4	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clauses 614, 709, 1204.3.7. including all leads and lifts as per directions of Engineer in Charge.	35.00	Each	396.85	(Rs. Three hundred ninety six and paise eighty five ) only	13,890.00		
5	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	7.56	Per Cubic metre.	1271.28	(Rs. One thousand two hundred seventy one and paise twenty eight)only	9611.00		
Quoted rate in figures				+/-	(.....)	.....%	Total:-	4,97,462.00
Quoted rate in words								

Executive Engineer,  
Rampur Division (B&R)  
HP,PWD., Rampur.

## SCHEDULE OF QUANTITY


Estimated cost:-  
Earnest money  
Time

4,99,586.00  
10,000.00  
Two Months

Name of work:- **Recovery and Reconstruction on Jeori Ganvi Raod km 0/000 to 11/000. (SH:- Construction of R/Wall at Rd 5/810 to 5/819).** *(PDA)*

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformably with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	19.44	Per Cubic metre	350.00	(Rs. Three Hundred Fifty and paise zero) only	6,804.00
2	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 305-1 including setting out, construction of shoring and bracin, removal of stumps and other deleterious material and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable material. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion damage to hill side water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) as directed by the Engineer-in-Charge all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	38.88	per cubic metre	559.00	(Rs. Five Hundred Fifty Nine and paise Zero) only	21,734.00
3	Providing and Laying cement concrete for plain/reinforced concrete 1:4:8 (one cement: four sand: eight graded stone aggregate crushed 25mm (twenty five millimetre) nominal size mechanically mixed and vibrated in open foundations complete as per drawing and MORD Technical Specification clauses 802, 803, 1202 and 1203 and as per the direction of the Engineer-in-Charge including carriage of material through all modes of transportation within all leads and lifts and other incidentals.	72.12	Per Cubic metre	6200.00	(Rs. Six Thousand Two Hundred and paise zero) only	4,47,144.00

4	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clauses 614, 709, 1204.3.7. including all leads and lifts as per directions of Engineer in Charge.	34.00	Each	380.00	(Rs. Three hundred Eighty and paise zero) only	12,920.00
5	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	8.64	Per Cubic metre.	1271.28	(Rs. One thousand two hundred seventy one and paise twenty eight) only	10984.00
<b>Total:-</b>						<b>4,99,586.00</b>
Quoted rate in figures		+/ -	(.....)	.....%		
Quoted rate in words						

  
 Executive Engineer,  
 Rampur Division (B&R)  
 HP.PWD, Rampur.


### SCHEDULE OF QUANTITY

Estimated cost:- 4,45,141.00  
 Earnest money 9,000.00  
 Time Two Months

Name of work:- Recovery and Restoration work on Kashadhar Darkali road km 0/000 to 22/700. (SH:- Construction of wire crate B/wall at RD 11/105 to 11/145). (PDDMA)

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hardd rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all cases.	52.00	Per Cubic metre	350.00	(Rs. Three Hundred Fifty and paise zero) only	18,200.00

<p>2 Earth work in excavation for structure in all depth as per drawing and technical specification Clause 305-1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable material. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion damage to hill side water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) as directed by the Engineer-in-Charge. all useful material such as stone, shingle, aggregates &amp; slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.</p>	31.20	per cubic metre	559.00	(Rs. Five Hundred Fifty Nine and paise Zero) only	17,441.00
<p>3 Providing and laying boulder apron laid in wire crates mate with G.I. wire confirming to IS :280 &amp; IS 4826 in 100mmx100mm mesh (weaved diagonally including 10% extra for laps and joints laid with stone boulder weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 including hauling of materials through all modes of transportation within all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.</p>	125.00	Per Cubic metre.	3276.00	(Rs. Three thousand two hundred seventy six and paise zero) only.	4,09,500.00
<p><b>Quoted rate in figures</b></p>	+/-	(.....)	.....%		
<p><b>Quoted rate in words</b></p>	<b>Total:-</b>				<b>4,45,141.00</b>

  
 Executive Engineer,  
 Rampur Division (B&R)  
 HP.PWD., Rampur.

**SCHEDULE OF QUANTITY**


Estimated cost:-  
Earnest money  
Time  
  
4,76,520.00  
10,000.00  
Two Months

**Name of work:- Reconstruction of NH-05 to Rahu colony Road from km 0/000 to 1/690 (SH:- Construction of Retaining wall from km 0/240 to 0/250) under PDNA 2023.**

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	56.70	Per Cubic metre	206.01	(Rs. Two Hundred Six and paise One) only	11,681.00
2	Earth work in excavation for structure in all depth as per drawing and technical specification Clause 305-1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable material. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion damage to hill side water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	7.56	per cubic metre	594.01	(Rs. Five Hundred Ninety Four and paise One)only	4,491.00
3	Providing and laying cement concrete 1:6:12 (1 cement:6 sand : 12 graded stone 40mm aggregate nominal size) for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803, 1202 and 1203.including the cost of form work and hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	71.82	Per Cubic metre	4590.39	(Rs. Four Thousand Five Hundred Ninety and paise Thirty nine) only	34,703.00
4	Random Rubble Masonry work in cement mortar 1:6 (1 cement : 6 sand ) in foundation & super-structure complete as per drawing and technical specifications Clauses 702, 704, 1202 & 1203.including cartilage of material with in all leads and lifts as per direction of Engineer-in-Charge.	35.00	Each	433.25	(Rs. Five Thousand Two Hundred Ninety Nine and paise Twenty Three) only	3,80,591.00
5	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clauses 614, 709, 1204,3.7. including all leads and lifts as per directions of Engineer in Charge.				(Rs. Four Hundred Thirty Three and paise Twenty Five) only	15,164.00

22

6	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	25.20	Per Cubic metre.	1186.10	(Rs. One thousand One Hundred Eighty Six and paise Ten) only	29,890.00
	Quoted rate in figures	+/-	(.....)	.....%	<b>Total:-</b>	<b>4,76,520.00</b>
	Quoted rate in words					

  
 Executive Engineer,  
 Rampur Division (B&R)  
 P.P. PWD., Rampur.