

Himachal Pradesh  
Public Works Department

No. PW-KD- CTR- Tender-NIT/2025-2026-

28451-52

Dated:-

7/2/26

To


The Executive Engineer (IT Cell)  
Nigam Vihar Shimla.

Subject :- Publication of Tender Notice.

Jai Hind


Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW (B)A(3)1/2024 dated Shimla-2 the 03-01-2024 and PWD-B-A0(3)/8/2025- 300858 dated 09-10-2025 as the works mentioned in the tender notice are urgent in nature and in public interest.

DA:- Notice Inviting Tender & Schedule of Quantity and Certificate.

  
Executive Engineer,  
HPPWD, Division Kasumpti  
Shimla.

Copy forwarded to for further necessary action please.

1. The Superintending Engineer 4<sup>th</sup> Circle HPPWD Shimla .

  
Executive Engineer,  
HPPWD., Division Kasumpti  
Shimla.

**HIMACHAL PRADESH  
PUBLIC WORKS DEPARTMENT  
NOTICE INVITING TENDERS**

Executive Engineer B&R Division Kasumpti HPPWD Shimla for the following works on behalf of the Government of Himachal Pradesh from the eligible contractors enlisted in HPPWD, so as to reach in the office as per time schedule given below:-

- |  |                                   |
|--|-----------------------------------|
| 1. Date of receipt of application for tender forms:- | 16-02-2026 10:00 AM upto 12:00 PM |
| 2. Dated of Issue /sale of tender forms:-            | 16-02-2026 12:00 PM upto 4:00 PM  |
| 3. Date of receipt of tender:-                       | 17-02-2026 .up to 10:30 AM        |
| 4. Date of opening of tender:-                       | 17-02-2026 up to 11:00 AM         |

Sr. No.	Name of Work	Estimate d cost	EMD(R s.)	Cost of Tender (Rs.)	Time Limit	Eligible class of Contractor
1	A/R & M/O on kufri to Chail road km. 0/00 to 2S/00 (SH:- Hiring of cum loader ffor removal of snow/ slips at RD. 0/00 to 6/00).	99750/-	2000/-	350/-	30 days	Class-D
2	Restoation of Rain Damges on Baldeyan to Mannar road in km. 2/00 to 12/615 (SH:- Constrcutionof Unlined drain in km. 8/00 to 11/330).	96570/-	1900/-	350/-	30 days	Class-D
3	A/R & M/O to various road in Mashobra section (SH:- Suplying and stacking of crusher sand for smooth flow of traffic in snow bound area).	98549/-	2000/-	350/-	30 days	Class-D
4	A/R & M/O to various road in Mashobra section (SH:- Supplying and stacking of crusher sandn for sm,ooth flow of traffic in snow bound area).	97350/-	2000/-	350/-	30 days	Class-D
5	Restoration of rain damages on Dublu to Lakhoti road in Km. 0/00 to 5/760 (SH:- C/O R/Wall at RD 5/647.50 to 5/655) (Under PDNA).	479402/-	9600/-	350/-	30 days	Class-D
6	Restoration of rain damages on Nauti to Thaila road Km. 0/00 to 7/300 (SH:- Widening & Improvement of road RD. 0/00 to 0/300 (Under PDNA).	498488/-	10000/-	350/-	30 days	Class-D
7	Restoration of rain damages on Nauti to Thaila road Km. 0/00 to 7/300 (SH:- Widening & Improvement of road RD. 0/405 to 0/705 (Under PDNA).	492581/-	10000/-	350/-	30 days	Class-D
8	Restoration of rain damages on Dublu to lakhoti road in Km. 0/00 to 5/760 (SH:- C/O R/Wall at RD 5/640 to 5/547.50) (Under PDNA).	479938/-	9600/-	350/-	30 days	Class-D
9	R/O R/D on Koti to Satlai road km. 0/00 to 15/00 (SH:- C/O P.C.C. Retaining wall between RD. 5/287 to 5/293)(Under PDNA).	476953/-	9540/-	350/-	30 days	Class-D
10	R/O R/D on Janedghat to Dublu road km. 0/00 to 15/00 (SH:- P.C.C. Retaining wall between RD. 14/040 to 14/046.50(Under PDNA).	496987/-	9940/-	350/-	30 days	Class-D
11	R/O R/D on Janedghat to Dublu road km. 0/00 to 15/00 (SH:- P.C.C. Retaining wall between RD. 14/059 to 14/065(Under PDNA)	459194/-	9184/-	350/-	30 days	Class-D
12	R/O R/D on Koti to Satlai road Km. 0/000 to 15/000 (SH:- C/O P.C.C. Retaining wall between RD 2/069.40 to 2/074.20) (Under PDNA).	470505/-	9410	350/-	30 days	Class-D
13	R/O R/D on Janedghat to Dublu road km. 0/00 to 15/00 (SH:- P.C.C. Retaining wall between RD. 14/046.50 to 14/053 (Under PDNA).	496897/-	9938	350/-	30 days	Class-D
14	A/R & M/O to Patgehar road in km. 6/885 to 14/930 (SH:- Providing and Fixing of Road studs (Valley side) at Rd. 7/485 to 8/085).	97890/-	2000/-	350/-	30 days	Class-D
15	Restoration of Rain Damages on old Kasumpti Junga road km. 0/00 to 11/200 (SH:- Providing and Laying Railing between Rd. 0/075 to 1/105).	67722/-	1400/-	350/-	30 days	Class-D
16	A/R & M/O to Tipra to Patgehar road in km. 6/885 to 14/930 (SH:- Providing and Fixing Road studs (Hill side) at RD. 7/485 to 8/085).	98280/-	2000/-	350/-	30 days	Class-D
17	R/O R/D on Koti to Satlai road Km. 0/000 to 15/000 (SH:- C/O P.C.C. Retaining wall between RD 2/064.60 to 2/069.40) (Under PDNA).	470505/-	9410/-	350/-	30 days	Class-D
18	A/R & M/.O to various road in Baldeyan section (SH:- Supplying and stacking of crusher sand for smooth flow of traffic in snow bound area).	98549/-	2000/-	350/-	30 days	Class-D
19	A/R & M/O to various road in Fagu Section (SH:- Supplying and stacking of crusher sand for smooth flow of traffic in snow bound area).	98549/-	2000/-	350/-	30 days	Class-D

It is certified that the above works are required to be carried out immediately being emergent nature of work in public interest. The tender documents shall be issued only to those contractor/Firm who fulfill the following documents with the application.

1. The valid enlistment/Registration of contractor in Appropriate Class.
2. Permanent account No. (PAN NO).
3. G.S.T No.
4. Earnest Money in the shape of National saving certificate/time deposit account in the any of the post office in HP. F.D.R from any Nationalized Bank duly pleaded in favour of the Executive Engineer Division Kasumpti HPPWD Shimla.
5. The earnest & cost of tender form for the above works should be submitted with the application for the purchase of the tender form. The application received without earnest money & cost of tender form shall summarily be rejected.

6. The offer of the tender shall remain valid up to 75 days after the opening of tender.
7. Ambiguous/telephonic /conditional tenders or tender by fax/E mail shall not be considered and will be summarily be rejected.
8. Executive Engineer reserve the right to reject or cancel any or all tenders without assigning any reasons.
9. If the date given above happens to be holiday the same shall be processed on next working day.
10. The Contractor/firms must quote their rates in words as well as in figures failing which EXN reserve the right to accept/reject any or all tenders.
11. The tender forms shall not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed the previous awarded works within the stipulated period of completion.
12. One contractor shall not have more than two major works in hand at a time.
13. Work should be completed by the contractor within stipulated period.

Executive Engineer,  
Division Kasumpti.,  
HPPWD. Shimla-3.

No.PW-SD-I/CB-Tender/2025-2026-  
Copy forwarded to:-

23483-66

Dated :- 7-2-26


1. Copy to the Deputy Commissioner Shimla Distt. Shimla.
2. Copy to the Executive Engineer Shimla Division No-III HPPWD Shimla.
3. Copy to the Sub Divisional Magistrate (U) Shimla.
4. Copy to the Sub Divisional Magistrate (R) Shimla.
5. Copy to Municipal committee Shimla Distt. Shimla.
6. Copy to Block Development officer Mashobra Distt. Shimla.
7. All the Assistant Engineers under this Division, HPPWD Shimla-3.
8. Superintendent / HDM /DAO.
9. Notice Board.

Executive Engineer,  
Division Kasumpti.,  
HPPWD Shimla.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 99,750.00		
Name of Work :- A/R & M/O on Kufri to Chail road Km 0/000 to 25/000. (SH:- Hiring of Excavator cum loader for Removal of snow/Slips at Rd 0/00 to 6/000).					Earnest Money :- 2,000.00		Time:- One Month
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Hiring of JCB excavator-cum-loader (JCB) including P.O.L. charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor. shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum, Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximun usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burms, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge.	95.00	Hour	1050.00	Rupees One Thousand Fifty Only	Per Hours	99750.00
						<b>Total</b>	<b>99750.00</b>

**CONDITION:**

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

  
 Executive Engineer,  
 Shimla Division No. 1,  
 HP PWD Shimla-3.


467

DRAFT SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 96,570.00		
Name of Work :- Restoration of Rain Damages on Baldeyan to Mannar road in KM. 2/00 to 12/615.					Earnest Money :- 1,900.00		
(SH:- Construction of Unlined drain in Km. 8/00 to 11/330.					Time:- One Month		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Construction of unlined surface drain of average cross-Section area 0.40 Sqm (zero point four zero square metre) in ordinary rock to specified line grades levels and dimention as per approved design and technical specification clause 307 excavated material to be used in embankment at site including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	3330.00	Rmt	29.00	Rupees Twenty Nine Only	Per Running Meter	96570.00
						<b>Total</b>	<b>96570.00</b>

DNIT approved for Rs.96,570/- Only (Rupees Ninety six thousand Five Hundred Seventy only) vide DNIT Register Sr.No..... the financial year 2025-26. (T/S No..... Dated ..... Amount to Rs.....).

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

  
 Executive Engineer,  
 HPPWD Division,  
 Kasumpti Shimla.

468

DRAFT SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 98,549.00		
Name of Work :- A/R & M/O to various road in Mashobra Section. (SH:- Supplying and stacking of crusher sand for smooth flow of traffic in snow bound area).					Earnest Money :- 2,000.00		
					Time:- One Month		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Supplying and stacking at site of work clean crusher sand which should be hard durable chemically inert, clean and free from adherent coating particles of miscashells and organic matters and should not contained impurities, such as iron pyrites, alkalies, salt laminated or other material which from quality of and adversely its harenig and strength duability or the appearance of the mortar. The amount of deleterious sub stances shall not exceed 4% case of day fine silt and fine dust complete in all respect of stacks as per instructions of the Engineer-in-Charge.	89.59	Cum	1100.00	Rupees One Thousand One Hundred Only	Per Cubic Meter	98549.00
						<b>Total</b>	<b>98549.00</b>

**CONDITIONS:**

1. The crusher sand should be supply from approved quarry.
2. Measurement will be made as per PWD., specification.

DNIT approved for Rs. 98,549/- Only (Rupees Ninety eight thousand Five Hundred Forty nine only) vide DNIT Register Sr.No..... the financial year 2025-26. (T/S No..... Dated ..... Amount to Rs.....).

Executive Engineer,  
HPPWD Division,  
Kasumpti Shimla.


### SCHEDULE OF QUANTITY

<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.</b>							
<b>Name of Work :- A/R &amp; M/O to various road in Mashobra Section. (SH:- Supplying and stacking of crusher sand for smooth flow of traffic in snow bound area).</b>					<b>Estimated Cost:- 97,350.00</b>		
					<b>Earnest Money :- 2,000.00</b>		
					<b>Time:- One Month</b>		
Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Supplying and stacking at site of work clean crusher sand which should be hard durable chemically inert, clean and free from adherent coating particles of miscashells and organic matters and should not contained impurities, such as iron pyrites, alkalies, salt laminated or other material which from quality of and adversely its harenig and strength duability or the appearance of the mortar. The amount of deleterious sub stances shall not exceed 4% case of day fine silt and fine dust complete in all respect of stacks as per instructions of the Engineer-in-Charge.	88.50	Cum	1100.00	Rupees One Thousand One Hundred Only	Per Cubic Meter	97350.00
						<b>Total</b>	<b>97350.00</b>

**CONDITIONS:**

1. The crusher sand should be supply from approved quarry.
2. Measurement will be made as per PWD., specification.

(T/S No..... Dated ..... Amount to Rs.....).

  
 Executive Engineer,  
 HPPWD Division,  
 Kasumpti Shimla.

### SCHEDULE OF QUANTITY

**Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.**

**Estimated Cost:- 4,79,402.00**

**Name of Work :- Restoration of Rain Damages on Dublu to Lakhoti road in KM. 0/00 to 5/760. (SH:- C/O R/Wall at RD 5/647.50 to 5/655). Unde PDNA**

**Earnest Money :- 9,600.00**

**Time:- One Month.**


Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	20.70	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	6728.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	40.43	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	16172.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: Five sand: Ten graded stone agg.40mm nominal size).	3.90	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	14820.00

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	92.48	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	425408.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	22.16	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	3989.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	11.70	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	12285.00
						<b>Total</b>	<b>479402.00</b>
	Quated rates Percentage in figures						
	Quoted rates Percentage in words					<b>G.Total</b>	

(T/S No..... Dated ..... Amount to Rs.....).

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

  
 Executive Engineer,  
 HPPWD Division,  
 Kasumpti Shimla.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER KASUMPTI DIVISION , H.P.P.W.D., SHIMLA-3.					Estimated Cost:-4,98,488.00		
Name of Work :- Restoration of Rain damages on Nauti to Thaila road Km 0/00 to 7/300 ( SH:- Widening & Improvement of road Rd 0/00 to 0/300 ( UNDER PDNA )					Earnest Money :- 10000.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Excavation in soil in Hilly area earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	1582.50	Cum	315.00	Rupees Three Hundred Fifteen Only	Per Cubic Metre	498487.50
Quoted rates Percentage in words							
<b>G.Total</b>							498487.50

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual

T/s No 228/3-14 dated 30-1-2014 amounting to Rs. 5,13,442/-

Executive Engineer  
Kasumpti Division  
HP PWD Shimla-3.

**SCHEDULE OF QUANTITY**

Tender Inviting Authority : EXECUTIVE ENGINEER KASUMPTI DIVISION , H.P.P.W.D., SHIMLA-3.					Estimated Cost:-4,92,581.00			
Name of Work :- Restoration of Rain damages on Nauti to Thaila road Km 0/00 to 7/300 ( SH:- Widening & Improvement of road Rd 0/405 to 0/705 ( UNDER PDNA )					Earnest Money :- 10000.00			
					Time:- One Month.			
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount	
				In figures	In words			
1	Excavation in soil in Hilly area earth work in by mechanical in all heights and depths in all kinds of soils. including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	1563.75	Cum	315.00	Rupees Three Hundred Fifteen Only	Per Cubic Metrc	492581.25	
Quoted rates Percentage in words							G.Total	492581.25

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual

T/s No. 22807-08 dated 30-1-21 amounting to Rs. 5,07,358/-

Executive Engineer  
Kasumpti Division  
HP PWD Shimla-3.

### SCHEDULE OF QUANTITY


SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 4,79,938.00		
Name of Work :- Restoration of Rain Damages on Dublu to Lakhoti road in KM. 0/00 to 5/760. (SH:- C/O R/Wall at RD 5/640 to 5/647.50). Unde PDNA					Earnest Money :- 9,600.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseing and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	20.70	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	6728.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	40.43	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	16172.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: Five sand: Ten graded stone agg.40mm nominal size).	3.90	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	14820.00

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	92.48	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	425408.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	25.14	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	4525.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	11.70	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	12285.00
						<b>Total</b>	<b>479938.00</b>
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						<b>G.Total</b>	

(T/S No..... Dated ..... Amount to Rs.....).

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

  
 Executive Engineer,  
 HPPWD Division,  
 Kasumpti Shimla.

### SCHEDULE OF QUANTITY..

SCHEDULE OF QUANTITY..							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 476953.80	
Name of Work :- R/O R/D on Koti to Satlai road KM 0/000 to 15/000 (SH:- C/O P.C.C Retaining wall between RD 5/287 to 5/293). ( Under PDNA)						Earnest Money :- 9540	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	25.56	Cum	325.00	Rupees Three Hundred Twenty Five	Per cubic meter	8307.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	31.92	Cum	400.00	Rupees Four hundred	Per cubic meter	12768.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size).	2.58	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	9804.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	92.94	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	427524.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	42.16	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7588.80
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	10.44	Cum	1050.00	Rupees One Thousand fifty Only	Per cubic meter	10962.00
					<b>Total</b>		<b>476953.80</b>

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-

(T/S No. 22956-57 Dated 2-2-26 Amount to Rs.....T/S Amount 491262.40

Executive Engineer,  
HP PWD Division  
Kasumpti Shimla

### SCHEDULE OF QUANTITY..

<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.</b>					<b>Estimated Cost:- 496987.00</b>		
<b>Name of Work :- R/O R/D on Janedghat to Dublu road KM 0/000 to 15/000 (SH:- C/O P.C.C</b>					<b>Earnest Money :- 9939.70</b>		
<b>Retaining wall between RD 14/040 to 14/046.50). ( Under PDNA)</b>					<b>Time:- One Month.</b>		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer-in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	23.60	Cum	325.00	Rupees Three Hundred Twenty Five	Per cubic meter	7670.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	35.88	Cum	400.00	Rupees Four hundred	Per cubic meter	14352.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size).	4.03	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	15314.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	96.33	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	443118.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	28.15	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	5067.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	10.92	Cum	1050.00	Rupees One Thousand fifty Only	Per cubic meter	11466.00
					Total		496987.00

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-

(T/S No. 229830 dated. 2-2-26 Amount to Rs.....T /S  
Amount 511896.60

Executive Engineer  
HP PWD Division  
Kasumpti Shimla

**SCHEDULE OF QUANTITY..**

<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.</b>					<b>Estimated Cost:- 459194.10</b>		
<b>Name of Work :- R/O R/D on Janedghat to Dublu road KM 0/000 to 15/000 (SH:- C/O P.C.C Retaining wall between RD 14/059 to 14/065). ( Under PDNA)</b>					<b>Earnest Money :- 9183.80</b>		
					<b>Time:- One Month.</b>		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceabic and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	21.78	Cum	325.00	Rupees Three Hundred Twenty Five	Per cubic meter	7078.50
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceabic and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	33.12	Cum	400.00	Rupees Four hundred	Per cubic meter	13248.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size).	3.72	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	14136.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	88.92	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	409032.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	28.42	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	5115.60
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	10.08	Cum	1050.00	Rupees One Thousand fifty Only	Per cubic meter	10584.00
					<b>Total</b>		<b>459194.10</b>

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-

(T/S No. 529343 Dated. 2-2-26 Amount to Rs.....T /S Amount 472969.90)

Executive Engineer  
HP PWD Division  
Kasumpti Shimla

### SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.							
Name of Work :- R/O R/D on Koti to Satlai road KM 0/000 to 15/000 (SH:- C/O P.C.C Retaining wall between RD 2/069.40 to 2/074.20). ( Under PDNA)					Estimated Cost:- 470504.50		
					Earnest Money :- 9410		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	44.06	Cum	325.00	Rupees Three Hundred Twenty Five	Per cubic meter	14319.50
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	15.55	Cum	400.00	Rupees Four hundred	Per cubic meter	6220.00

3	Providing and laying concrete of boulders apron laid in wire crates with 4mm dia GI wiew conforming to IS : 280 and IS : 4826 in 100mm x 100mm mesh ( wovwn diagonally ) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25kg each as per drawing anf technical specifications clause 1301	145.15	Cum	3100.00	Rupees Three Thousand one Hundred Only	Per cubic meter	449965.00
					<b>Total</b>		<b>470504.50</b>

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-

(T/S No. 22940-M Dated 2-2-26) Amount to Rs.....T /S Amount 484619.60

Executive Engineer  
HP PWD Division  
Kasumpti Shimla

### SCHEDULE OF QUANTITY..

<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.</b>						<b>Estimated Cost:- 496897.00</b>	
<b>Name of Work :- R/O R/D on Janedghat to Dublu road KM 0/000 to 15/000 (SH:- C/O P.C.C Retaining</b>						<b>Earnest Money :- 9937.90</b>	
<b>wall between RD 14/046.50 to 14/053). ( Under PDNA) -</b>						<b>Time:- One Month.</b>	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	23.60	Cum	325.00	Rupees Three Hundred Twenty Five	Per cubic meter	7670.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	35.88	Cum	400.00	Rupees Four hundred	Per cubic meter	14352.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size).	4.03	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	15314.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	96.33	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	443118.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	27.65	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	4977.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	10.92	Cum	1050.00	Rupees One Thousand fifty Only	Per cubic meter	11466.00
<b>Total</b>							<b>496897.00</b>

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-

(T/S No. 2228-29 Dated 2-2-26 Amount to Rs. 488 /S Amount 511803.90

Executive Engineer,  
HP PWD Division  
Kasumpti Shimla


### SCHEDULE OF QUANTITY

<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.</b>							
<b>Name of Work:- A/R &amp; M/O to Tipra to Patgehar road in KM. 6/885 to 14/930. (SH:- Providing and</b>					<b>Estimated Cost:- 97,890.00</b>		
<b>Fixing of Road Studs (Valley side) at RD 7/485 to 8/085 ).</b>					<b>Earnest Money :- 2,000.00</b>		
<b>Time:- One Month.</b>							
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Providing and Fixing cat eye make (3m) of size 100x20mm made of heavy duty body shall be molded dual ASA/Acyclic Styrene Acrylonitrile or HP/High impact polystyreaon on ABS having electronically welded micro prisnatics lens with abrasion resistant coating as approved by Engineer-in-Charge. The road stud shall support a load of 13635 bt tesdted in accordance with ASTMD4280. The slope of retro reflective surface shall be 35+/-5degree to hences. The reflective panel on both side with at least 12cm of each area side. Te luminance intesity should be as pae the specification ASTM as recommended in BS-S873 part 41973 as per approved sample and manufacture by the Engineer-in-Charge including carriage of material within all leads and lifts the rate are inclusive of octroi, rayality, malkana GST, toll tax, sale tax or other taxes imposed by the Government.	251.00	Nos	390.00	#NAME?	Each	97890.00
	Quated rates Percentage in figures					Total	97890.00
	Quoted rates Percentage in words						
						G.Total	

(T/S No. 23206/07 Dated 4-2-26 Amount to Rs. 100827/-)

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


  
 Executive Engineer,  
 HPPWD Division,  
 Kasumpti Shimla.

### SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 67722.00		
Name of Work :- Restoration of Rain damages on Old Kasumpti Junga road Km 0/000 to 11/200 ( SH:- Providing & Laying Railing between Rd 0/075 to 1/105).					Earnest Money :- 1,400.00		
					Time:- One Month.		
Sr. No	Description of Work/ Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Demolishing RCC work manually /by mechanical means including stacking material within 50 metres lead including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	0.82	Cum	1250.00	Rupees One Thousand Two Hundred Fifty Only	Per Cubic Metre	1025.00
2	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:1:5:3(One cement:One point Five sand:Three graded stone aggregate 20mm(Twenty milimetre) nominal size).	0.82	Cum	7600.00	Rupees Seven Thousand Six Hundred Only	Per Cubic Metre	6232.00
3	Steel work welded in built up sections, trusses and framed work including cutting hoisting fixing in position and applying a priming coat of red lead paint including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) In gratings, framed guards bars ladders, railing, brackets and similar work.	434.34	Kgs.	105.00	Rupees One Hundred Five Only	Per Kilogram	45606.00
4	Painting two coats (excluding priming coat)on new steel and other metal surfaces with enamel paint, brush in to give an even shade i/c cleaning the surface of all dirt, dust and other foreign maters including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a)With enamel paint other than white.	228.60	Sqm.	65.00	Rupees Sixty Five Only	Per Square Metre	14859.00
						<b>Total</b>	<b>67722.00</b>
Quoted rates Percentage in figures							
Quoted rates Percentage in words							
						<b>G.Total</b>	

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

  
 Executive Engineer,  
 HPPWD Division,  
 Kasumpti Shimla

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 98,280.00		
Name of Work:- A/R & M/O to Tipra to Patgehar road in KM. 6/885 to 14/930. (SH:- Providing and Fixing of Road Studs (Hil side) at RD 7/485 to 8/085 ).					Earnest Money :- 2,000.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Providing and Fixing cat eye make (3m) of size 100x20mm made of heavy duty body shall be molded dual ASA/Acyclic Styrene Acrylonitrile or HP/High impact polystyreaon on ABS having electronically welded micro prisnatics lens with abrasion resistant coating as approved by Engineer-in-Charge. The road stud shall support a load of 13635 bt tesdted in accordance with ASTMD4280. The slope of retro reflective surface shall be 35+/-5degree to hences. The reflective panel on both side with at least 12cm of each area side. Te luminance intesity should be as pae the specification ASTM as recommended in BS-S873 part 41973 as per approved sample and manufacture by the Engineer-in-Charge including carriage of material within all leads and lifts the rate are inclusive of octroi, rayality, malkana GST, toll tax, sale tax or other taxes imposed by the Government.	252.00	Nos	390.00	#NAME?	Each	98280.00
						<b>Total</b>	<b>98280.00</b>
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						<b>G.Total</b>	

(T/S No. 232.04.05 Dated 4-2-26... Amount to Rs. 1,01,228...

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,  
HPPWD Division,  
Kasumpti Shimla.

### SCHEDULE OF QUANTITY..

**Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.** **Estimated Cost:- 470504.50**

**Name of Work :- R/O R/D on Koti to Saflai road KM 0/000 to 15/000 (SH:- C/O P.C.C Retaining wall between RD 2/064.60 to 2/069.40). ( Under PDNA)** **Earnest Money :- 9410**

**Time:- One Month.**

Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	44.06	Cum	325.00	Rupees Three Hundred Twenty Five	Per cubic meter	14319.50
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	15.55	Cum	400.00	Rupees Four hundred	Per cubic meter	6220.00

3	Providing and laying concrete of boulders apron laid in wire crates with 4mm dia GI-wiew conforming to IS: 280 and IS: 4826 in 100mm x 100mm mesh (wovwn diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25kg each as per drawing anf technical specifications clause 1301	145.15	Cum	3100.00	Rupees Three Thousand one Hundred Only	Per cubic meter	449965.00
					<b>Total</b>		<b>470504.50</b>

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-

(T/S No. 22946. Dtd 2-2-26. Amount to Rs.....T/S Amount 484619.60

Executive Engineer,  
HP PWD Division  
Kasumpti Sharda


### SCHEDULE OF QUANTITY

<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.</b>					<b>Estimated Cost:- 98,549.00</b>		
<b>Name of Work :- A/R &amp; M/O to various road in Baldeyan Section. (SH:- Supplying and stacking of crusher sand for smooth flow of traffic in snow bound area).</b>					<b>Earnest Money :- 2,000.00</b>		
					<b>Time:- One Month</b>		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Supplying and stacking at site of work clean crusher sand which should be hard durable chemically inert, clean and free from adherent coating particles of miscashells and organic matters and should not contained impurities, such as iron pyrites, alkalies, salt laminated or other material which from quality of and adversely its harening and strength duability or the appearance of the mortar. The amount of deleterious sub stances shall not exceed 4% case of day fine silt and fine dust complete in all respect of stacks as per instructions of the Engineer-in-Charge.	89.59	Cum	1100.00	Rupees One Thousand One Hundred Only	Per Cubic Meter	98549.00
						<b>Total</b>	<b>98549.00</b>

**CONDITIONS:**

1. The crusher sand should be supply from approved quarry.
2. Measurement will be made as per PWD., specification.

(T/S No..... Dated ..... Amount to Rs.....).

  
 Executive Engineer,  
 HPPWD Division,  
 Kasumpti Shimla.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 98,549.00		
Name of Work :- A/R & M/O to various road in Fagu Section. (SH:- Supplying and stacking of crusher sand for smooth flow of traffic in snow bound area).					Earnest Money :- 2,000.00		
					Time:- One Month		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Supplying and stacking at site of work clean crusher sand which should be hard durable chemically inert, clean and free from adherent coating particles of miscashells and organic matters and should not contained impurities, such as iron pyrites, alkalies, salt laminated or other material which from quality of and adversely its harenig and strength duability or the appearance of the mortar. The amount of deleterious sub stances shall not exceed 4% case of day fine silt and fine dust complete in all respect of stacks as per instructions of the Engineer-in-Charge.	89.59	Cum	1100.00	Rupees One Thousand One Hundred Only	Per Cubic Meter	98549.00
						<b>Total</b>	<b>98549.00</b>

**CONDITIONS:**

1. The crusher sand should be supply from approved quarry.
2. Measurement will be made as per PWD., specification.

(T/S No..... Dated ..... Amount to Rs.....).

Executive Engineer,  
HPPWD Division,  
Kasumpti Shimla.