

HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT

No.PW-AD-EA-I-Tender-2025-26 14576-84

Dated:- 13/03/2026

To

The Executive Engineer (IT Cell)
H.P.P.W.D. Nigam Vihar Shimla-2.

Subject:- Notice Inviting Tender for uploading the same on departmental website.


Enclosed please find herewith Notice Inviting Tender (NIT) of various works in respect of this office as per notification Secy.(PW) to the Govt. of Himachal Pradesh letter no. PBW(B)A0(3)8/2025-300858 dated shimla-2 the 09.10.2025 and letter No. PWD-B0(3)1/2024-241828 dated Shimla 2.02.2026 as the works mentioned in the tender notice are uploading the same on departmental website at the earliest please.

Encl:-Copy of NIT


Executive Engineer,
Arki Division
H.P.P.W.D. Arki.
Ph. 01796-220714

Copy forwarded for the following for information and necessary action to:-

1. The Engineer-in-Chief, HPPWD., Nirman Bhawan, Nigam Vihar, Shimla-2
2. The Chief Engineer, (SZ) HPPWD., Nirman Bhawan, Nigam Vihar, Shimla.
3. The Superintending Engineer, 3rd Circle, HPPWD., Solan.
4. The Deputy Commissioner Solan, Distt. Solan.
5. The Sub Divisional Magistrate Arki.
6. All the Executive Engineers in HPPWD, (SZ).
7. All the Assistant Engineer, working under this division.
8. All the heads of the branches in this office.
9. Notice Board.


Executive Engineer,
Arki Division
H.P.P.W.D. Arki.
Ph. 01796-220714

HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT

NOTICE INVITING TENDER

Sealed percentage tenders on PWD Form 6 & 7/8 are hereby invited by the Executive Engineer Arki Division H.P.P.W.D. Arki on behalf of Governor of Himachal Pradesh for the followings works from the eligible contractors enlisted in H.P.P.W.D. (B&R) whose registration stood renewed as per revised rules and also registered under the Central Goods and Service Tax Act, 2017 so as to reach in this office on before **24.03.2026 up to 11:30 AM** and the same shall be opened on the same day at **12:00 A.N.** in the presence of intending contractors or their authorized representative who may like to be present. The Tenders documents can be had from this office against cash payment (Non-refundable) on **23.03.2026 up to 4:30 PM** and the application for issue of tender form shall be received on **23.03.2026 up to 5:00 PM.**


The amount of earnest money in the shape of NSCs/FDR deposit at call of any of the Post office/Bank duly pledged in favour of Executive Engineer Arki Division HPPWD Arki must be accompanied with the application for tender documents. Please not no exemption order of earnest money will be entertained. Conditional tenders and the tenders received without earnest money as mentioned above will similarly be rejected. The offer of the tenders shall be kept open for 75 days. The Executive Engineer reserve right to reject any tender of all tenders without assigning any reasons. If it happens to be a holiday on the day of opening of tenders the same will be opened on next working day at the same time and venue.

Sr. No	Name of Work	Estimated Cost	Earnest Money	Time	Cost of Form
1	C/o Ambulance road Guru Thapna to Nagu House in km. 0/0 to 0/420(SH:-C/o Edge wall at Rd 0/340.50 to 0/360 & 0/400 to 0/405.50)DMFT Deposit	2,86,826/-	6,000/-	1 Month	350/-
2.	Restoration of rain damages on Talb(Rau Khad)Behli road km. 0/0 to 2/170(SH:-C/o Abutments for 3.00 metre RCC slab culvert at RD 1/210)Under PDNA 2023.	4,98,694/-	10,000/-	1 Month	350/-
3	Restoration of rain damages to Gang Hut building at HP,PWD, section at Jainagar under Kunihar Sub-Division(SH:-C/o septic tank for Gang hut at Jainagar.	98,796/-	2000/-	1 Month	350/-
4	Construction of Play Ground for Senior Secondary school at Basantpur Tehsil Arki Distt. Solan HP(SH:-Cutting work for play ground at 0/020 to 0/050)Under DMFT	3,63,222/-	8000/-	1 Month	350/-
5	Construction of Play Ground for Senior Secondary school at Basantpur Tehsil Arki Distt. Solan HP(SH:-Cutting work for play ground at 0/050 to 0/060)Under DMFT	1,83,392/-	4000/-	1 Month	350/-
6	Restoration of rain damages on Shimla Kunihar Ramshear Nalagarh road portion km. 38/400 to 60/500 under PDNA 2023(SH:-C/o B/wall at Rd 38/660 to 38/681 i.e 2 nd , 3 rd , & 4 th step etc.)Balance work thereof.	3,07,056/-	6200/-	1 Month	350/-

7	C/o boundary wall in Govt. High school Bagga GP Bagga(SH:-C/o boundary wall in school campus	4,04,828/-	8100/-	1 Month	350/-
8.	Restoration of rain damages on Kohoo Sour Bhiunkhari road km. 0/0 to 11/800(SH:-C/o wire crate retaining wall at Rd 0/735 to 0/740	99,938/-	2000/-	1 Month	350/-
9	Special repair of Mess at Police Station Arki Distt. Solan(H.P.) Deposit)	98,205/-	2000/-	1Month	350/-
10	C/o road from Banlighatti to Bairghat Pajeena road km. 0/0 to 4/500(SH:-C/o R/wall at Rds 2/895.60 to 2/901.60,2/901.60 to 2/910.40,2/910.40 to 2/918.80 and 2/918.80 to 2/923.80)DMFT	4,93,578/-	10,000/-	1Month	350/-
11	Restoration of rain damages on Talb(Rau Khad)Behli road km. 0/0 to 2/170(SH:-C/o Abutments for 3.00 metre RCC slab culvert at RD 1/210)Under PDNA 2023.	4,98,863/-	10,000/-	1 Month	350/-
12	C/o link road Damlana Ghatti to Nawan Ranow Sashan km. 0/0 to 2/0 in GP Hanuman Badog(SH:-P/L 600mm dia NP2 pipe for culvert, C/o Wire crate and C/o Unlined drain)Balance work under DMFT	3,28,268/-	6600/-	2 Month	350/-
13	C/o Saryanj Patta road km. 0/0 to 0/600(SH:-Providing & Laying interlocking paver Block in km. 0/0 to 0/111)Under DMFT	4,98,995/-	10,000/-	1 Month	350/-
14	C/o link road from Jabloo Kanswala to village Khata G.P. Rouri km. 0/0 to 1/500(SH:-F/C in km. 0/0 to 0/315)DMFT Deposit.	4,90,412/-	10,000/-	1Month	350/-
15	C/o link road from Samana Paza to Kaldwar km. 0/0 to 2/450(SH:-F/C in km. 0/0 to 0/945)DMFT Deposit	4,91,068/-	10,000/-	1Month	350/-
16	R/R damages on Buila to Bag Ka Jubber km. 0/0 to 1/400(SH:-Repair of WBM G.II in km. 0/045 to 0/090 & M/T work in Km. 0/400 to 0/800)Under PDNA	4,99,794/-	10,000/-	fifteen days	350/-
17	R/R damages on Buila to Bag Ka Jubber km. 0/0 to 1/400(SH:-Repair of WBM G.II in km. 0/045 to 0/090 & M/T work in Km. 0/000 to 0/400)Under PDNA	4,99,317/-	10,000/-	fifteen days	350/-
18	C/o Saryanj Patta road km. 0/0 to 0/600(SH:-Providing and laying interlocking paver Block in km. 0/330 to 0/441)Under DMFT	4,98,995/-	10,000/-	2Month	350/-

Followings documents should be attached with the application for tenders:-

- (i) The Contractors are requested to be produced a copy of their PAN No. GST No. copy of enlistment renewed letter and EPF certificate alongwith FDR against earnest money.
- (ii) Special care would be taken to write the rates both in figures and in word failing which tender is likely to be rejected.


 Executive Engineer
 Arki Division,
 H.P.P.W.D. Arki.

No: PW-AD-EA-I-Tender-2025-26-

14576-84

Dated:- 13/03/26


Copy forwarded for the following for information and necessary action to:-

- 1.The Superintending Engineer 3rd Circle HPPWD Solan.
- 2.The all Assistant Engineer working under this division for information and necessary action.
- 3.All the heads of the branches in this office.
- 4.Notice Board.


Executive Engineer
Arki Division
H.P.P.W.D.Arki.

Certificate

Certified that the tenders called vide this notice inviting tender for 18(Eighteen) jobs are due to exigencies/emergency of works in the larger public interest.


Executive Engineer
Arki Division
H.P.P.W.D. Arki.

SCHEDULE OF QUANTITY						Estimated Cost: -Rs2,86,826/- only	
Name of Work:-C/O Ambulance Road Guru Thapna to Nagu House in Km 0/00 to 0/420. (SH:- C/o Edge Wall at Rd 0/340.50 to 0/360 & 0/400 to 0/405.50.) DMFT Deposit						Earnest Money :-Rs6,000/-Only	
						Time :-One Month	
S. No.	Sub head and items of work	Qty	Rate In		Unit	Amount	
			Figure	Words			
1	2	3	4		5	6	
1	Earthwork in excavation for structures as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing ,removal of stumps and other deleterious materials and disposal upto all leads and lifts dressing of sides and bottom and backfilling in trenches with excavated suitable materials as per MORD Specification directed by Engineer-In-Charge	26.38	171.40	Rupees One hundred seventy one and paise forty only	P.Cum.	4522	
2	Providing and laying concrete for plain /reinforced concret in open foundation complete as per drawings and technical specifications MORD clause 802,803, 1202 &1203 . P.C.C. nominal mix 1:5:10 (1 cement: 5 sand :10 aggregates-40mm)including carriage of materials in all leads and lifts. and as per the direction of Engineer-In- Charge	57.24	4390.60	Rupees four thousand three hundred ninety and paise sixty only	P.Cum.	251318	
3	Backfilling Granular materials behind abutment, wing wall and retaining wall complete as per drawings & technical specification Clause 1204.3.8 including carriage of materials in all leads, lifts. and as per the direction of Engineer-In- Charge	21.33	1203.30	Rupees one thousand two hundred three and paise thirty only	P.Cum.	25666	
4	Providing and laying 100mm dia metre PVC pipe for wheep holes complete of approved quality Including carriage of material within all leads, lifts and as per the direction of Engineer-In- Charge	19.40	274.25	Rupees two hundred seventy four and paise twenty five only	P.Rmt	5320	
					Total	286826	

Quoted Rate Percentage in Figure

Quoted Rate Percentage in Words

Wadhwa
Executive Engineer
Arki Division HPPWD
Arki

SCHEDULE OF QUANTITY

Name of Work:-Restoration of rain Damages on Talb (Rau Khad) behli Road km 0/00 to 2/170.(Sh :Construction of Abutments for 3.00 meter span Rcc slab culvert at Rd 1/210) under PDNA 2023

Estimated Cost :- Rs 4,98,694.00

Earnest money :- Rs 10,000.00

Time: One months

Sr.No.	Sub Head and Items of Work	Qty.		Rate		Unit	Amount
				In figure	In words		
1	2	3				6	7
1.00	Earthwork in excavation for structures as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing ,removal of stumps and other deleterious materials and disposal of surplus excavated earth upto all leads and lifts dressing of sides and bottom and backfilling in trenches with excavated suitable materials and disposing of unserviceable material, disposed earth to be levelled and neatly dressed as per MORD Specification and as per the direction of Engineer-In- Charge	87.79	Cum	171.40	Rupees One Hundred Seventy One and Forty paise Only	Per cubic metre	15047.00
2.00	Providing concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specifications Clauses 802,803,1202 and 1203. (II) P.C.C. Grade M-10 (i) Nominal mix 1:3:6 (20 mm Nominal Size) including carriage of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	7.08	Cum	5294.95	Rupees Five Thousand Two Hundred Ninety four and Ninety Five paise Only	Per cubic metre	37488.00
3.00	Providing and laying Plain Cement Concrete Mechanically mixed and vibrated Plain cement concrete 1:2:4 (one cement isto two sand isto four graded crushed stone aggregate 20mm (twenty milimetre) nominal size for plain /reinforced concreet in open foundations and plinths or similar works and curing complete as per drawings and technical specifications for RURAL ROAD AUGUST 2004 AND CLAUSES 802,803,1202 & 1203 and curing complete including the cost of form work including carriage of materials in all leads & lifts and as per entire stisfaction of Engineer-in -Charge.	74.93	cum	5954.35	Rupees Five Thousand nine Hundred fifty four and thirty Five paise Only	Per cubic metre	446159.00
						Total	498694.00


Conditions:- (i) All the material will be procured by the contractor himself and bills will be submitted.

(ii) The cement will be procured by the contractor from the nearest HP Civil Supply Depot.

Quoted Rate Percentage in Figures

Quoted Rate Percentage in Words

DNIT duly Approved for Rs 4,98,694.00 /-only (Rupees Four lac ninety eight Thousand six Hundred ninety four and Zero paise Only) for the year 2025-26. Entered at Register Sr. No.


 Executive Engineer
 Arki Division (B&R)
 HP. PWD. Arki.

SCHEDULE OF QUANTITY

NAME OF WORK:- Restoration of rain damages to Gang hutt building at HP,PWD Section at Jainagar under Kunihar Sub Division.(Sh; Construction of Septic Tank for Gang hutt at Jainagar)

Estimated Cost :- Rs 98,796.00

Earnest money :- Rs 2,000.00

Time: One months

Sr.No.	Sub Head and Items of Work	Qty.		Rate		Unit	Amount
		3		In figure	In words	6	7
1.00	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. (a) Ordinary rock/All kinds of soils including carriage of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	15.18	cum	255.95	Rupees Two Hundred fifty five and paise Ninety five only	Per cubic metre	3885.00
2.00	Stone soling under floor properly hand packed filling interstics with kharanja stones and consoluidating with hand durmet to the requisite gradient and camber including spreading watering and rolling of binding materials complete as per HPPWD specification including entire carriage of materials with in all leads and lifts and as per the direction of Engineer in Charge.	1.14	cum	1550.85	Rupees One thousand five Hundred fifty and paise eighty five only	Per cubic metre	1768.00
3.00	Centering and shuttering including strutting, propping etc. and removal of formwork for						
3.10	Walls (any thickness) including attached pilasters, butresses, plinth and string courses etc including carriage of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	45.02	Sqm	411.15	Rupees Four Hundred eleven and Fifteen paise only	Per square metre	18510.00
3.20	Suspended floors, roofs, landings, balconies and access platform including carriage of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	7.59	Sqm	468.30	Rupees four Hundred sixty eight and thirty paise only	Per square metre	3554.00
3.30	Edges of slabs and breaks in floors and walls under 20 cm wide.including carriage of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	1.13	Rmt	131.50	Rupees One Hundred Thirty one and Fifty paise only	Per running metre	149.00
4.00	Providing concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specifications Clauses 802,803,1202 and 1203. (II) P.C.C. Grade M-10 (i) Nominal mix 1:3:6 (20 mm Nominal Size) including carriage of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	9.49	Cum	5291.95	Rupees Five Thousand Two Hundred Ninety One and Ninety Five paise Only	Per cubic metre	50221.00

5.00	Reinforced cement concrete work in beams, suspended loors, roofs having slope up to 15° landings, balconies,shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1cement : 1.5 coarse sand) : 3 graded stone aggregate 20 mm nominal size).including carriage of materials within all leads and lifts as per the direction of Engineer-In-Charge.	0.70	cum	7529.05	Rupees Seven Thousand five Hundred Twenty nine and Five paise only	Per cubic metre	5270.00
6.00	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level (a) Mild Steel and Medium Tensile Steel Bars including carriage of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	91.45	Kg	92.85	Rupees Eighty six and fifty paise only	Per Kilogram	8491.00
7.00	Providing and applying 12 mm thick cement plaster of mix 1:4 (1 cement : 4 fine sand) .including carriage of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	21.22	Sqm	265.00	Rupees Two Hundred sixty five and zero paise only	Per square metre	5623.00
8.00	Providing and applying 6 mm thick cement plaster of mix 1:3 (1 cement : 3 fine sand) .including carriage of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	4.65	Sqm	285.00	Rupees Two Hundred eighty five and zero paise only	Per square metre	1325.00
						Total	98796.00

Conditions:- (i) All the material will be procured by the contractor himself and bills will be submitted.(ii) The cement will be procured by the contractor from the nearest HP Civil Supply Depot if available

Quoted Rate Percentage in Figure:
Quoted Rate Percentage in Word:

Verd
Executive Engineer
Arki Division (B&R)
HP, PWD, Arki.

4

SCHEDULE OF QUANTITY

**NAME OF WORK:- Construction of Play Ground for Senior Secondary School at Basantpur
Tesil Arki Distt Solan HP.(Sh:-Cuuting work for play ground at 0/020 to 0/050) UNDER DMFT**

Estimated Cost :- Rs 3,63,222.00

Earnest money :- Rs 8,000.00

Time: One month

Sr.No	Sub Head and Items of Work	Qty.	Rate		Unit	Amount	
			In figure	In words			
1	Excavation in earth work by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of mixed soil, ordinary rock and hard rock and all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side, the track shall be excavated with chiseling and wedging out rock (where blasting is prohibited) all earth work in cutting/excavation, including rock excavation shall be carried out true lines, grades, dikes, slopes, width, camber, super elevation and level as shown on the drawings or as directed by Engineer in Charge, in conformity with the requirement of technical specification for rural road, clause 1603.1 and 1603.2 of general conditions for contract to achieve designed formation width including hauling and stacking of materials useful for construction at suitable sites and safe disposal and dumping to be arranged by the contractor of unsuitable materials in specified manner, trimming filling of unevenness, blinding and finishing of the road to specified dimensions or as directed by the Engineer in Charge for smooth riding. the recovery for stones, whether useful or not, for 0.00 cum () shall be made in all cases, otherwise recovery at the rate of Rupies 170/- only (Rupies one hundred seventy only) per cubic metre shall be effected on pro-rata basis. any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractors, which shall be compensated by him in all cases.	2040.00	Per cubic metre	178.05	Rupees One hundred seventy eight and paise five only	Cum	363222
						Total	363222.00

Quoted Rate Percentage in figure :
Quoted Rate Percentage in work :-

Sd/-
Executive Engineer
Arki Division,
HPPWD, Arki

5

DRAFT SCHEDULE OF QUANTITY

NAME OF WORK:- Construction of Play Ground for Senior Secondary School at Basantpur
Tsil Arki Distt Solan HP.(Sh:-Cuuting work for play ground at 0/050 to 0/060) UNDER DRAFT

Estimated Cost :- Rs 1,83,392.00
Earnest money :- Rs 4,000.00
Time: One month

Sr.No	Sub Head and Items of Work	Qty.	Rate		Unit	Amount	
1	2	3	In figure	In words	6	7	
1	Excavation in earth work by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of mixed soil, ordinary rock and hard rock and all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side the track shall be excavated with chiseling and wedging out rock (where blasting is prohibited) all earth work in cutting/excavation, including rock excavation shall be carried out in the lines, grades, dikes, slopes, width, camber, super elevation and level as shown on the drawings or as directed by Engineer in Charge, in conformity with the requirement of technical specification for rural road, clause 1603.1 and 1603.2 of general conditions for contract to achieve designed formation width including hauling and stacking of materials use for construction at suitable sites and safe disposal and dumping to be arranged by the contractor of unsuitable materials in specified manner, trimming filling of unevenness, blinding and finishing of the road to specified dimensions or as directed by the Engineer in Charge for smooth riding. the recovery for stones, whether useful or not, for 0.00 cum (0) shall be made in all cases, otherwise recovery at the rate of Rupies 170/- only (Rupies one hundred seventy only) per cubic metre shall be effected on pro-rata basis. any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractors, which shall be compensated by him in all cases.	1030.00	Per cubic metre	178.05	Rupees One hundred seventy eight and paise five only	Cum	183392
					Total	183392.00	

Quoted Rate Percentage in figure:-
Quoted Rate Percentage in word:-

-sd-
Executive Engineer
Arki Division,
HPPWD, Arki

SCHEDULE OF QUANTITY					Estimated Cost: -Rs3,07,056/- only	
Name of Work:-Restoration of Rain Damages on Shimla Kunihar Ramsehar Road Portion Km 38/400 to 60/500.Under PDNA 2023 (SH:- C/o B/wall Wall at Rd 38/660 to 38/681 i.e. 2nd ,3rd & 4th Step etc.)					Earnest Money :-Rs6,200/-Only	
Balance work there of					Time :-One Month	
S. No.	Sub head and items of work	Qty.	Rate In		Unit	Amount
			Figure	Words		
1	2	3	4	5	6	
1	Providing and laying concrete for plain /reinforced concret in open foundation complete as per drawings and technical specifications MORD clause 802,803, 1202 &1203 . P.C.C. nominal mix 1:5:10 (1 cement: 5 sand :10 aggregates-40mm)including carriage of materials in all leads and lifts. and as per the direction of Engineer-In- Charge	61.80	4390.60	Rupees four thousand three hundred ninety and paise sixty only	P.Cum.	271339
2	Providing and laying 100mm dia metre PVC pipe for wheep holes complete of approved quality Including carriage of material within all leads, lifts and as per the direction of Engineer-In- Charge	29.80	274.25	Rupees two hundred seventy four and paise twenty five only	P.Rmt	8173
3	Backfilling Granular materials behind abutment, wing wall and retaining wall complete as per drawings & technical specification Clause 1204.3.8 including carriage of materials in all leads, lifts.and as per the direction of Engineer-In- Charge	22.89	1203.30	Rupees one thousand two hundred three and paise thirty only	P.Cum.	27544
					Total	307056

Quoted Rate Percentage in Figure

Quoted Rate Percentage in Words


 Executive Engineer
 Arki Division HPPWD
 Arki

SCHEDULE OF QUANTITY						Estimated Cost: -Rs 4,04,828/- only	
Name of Work:-C/o Boundary wall in Govt. High School Bagga, G.P. Bagga, Tehsil Arki Distt. Solan						Earnest Money :-Rs8100/-Only	
H.P. (SH:- C/o Boundry wall in School Campus.)DMFT Deposit						Time :-One Month	
S. No.	Sub head and items of work	Qty.	Rate In		Unit	Amount	
			Figure	Words			
1	2	3	4	5	6		
1	Earthwork in excavation for structures as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing ,removal of stumps and other deleterious materials and disposal upto all leads and lifts dressing of sides and bottom and backfilling in trenches with excavated suitable materials as per MORD Specification directed by Engineer-In- Charge	21.46	171.40	Rupees One hundred seventy one and paise forty only	P.Cum.	3678	
2	Providing and laying concrete for plain /reinforced concret in open foundation complete as per drawings and technical specifications MORD clause 802,803, 1202 &1203 . P.C.C. nominal mix 1:5:10 (1 cement: 5 sand :10 aggregates-40mm)including carriage of materials in all leads and lifts. and as per the direction of Engineer-In- Charge	21.46	4390.60	Rupees four thousand three hundred ninety and paise sixty only	P.Cum.	94222	
3	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation ,plinth & in super structure above plinth level in cement mortar 1:4(1cement : 4coarse sand) within all leads and lifts. and as per the direction of Engineer-In- Charge	55.52	5528.25	Rupees five thousand five hundred twenty eight and paise twenty five only	P.Cum.	306928	
					Total	404828	

Quoted Rate Percentage in Figure
 Quoted Rate Percentage in Words


 Executive Engineer
 Arki Division HPPWD
 Arki

SCHEDULE OF QUANTITY

Name of work :-Restoration of rain damages on Kohoo Sour Bhiunkhary Road Km 0/00 to 11/800.(Sh:-Construction Wire Crate Retaining wall at Rd 0/735 to 0/740)

Estimated Cost :- Rs 99,938.00
 Earnest money :- Rs 2,000.00
 Time: One month

Sr.No.	Sub Head and Items of Work	Qty.		Rate		Unit	Amount
				In figure	In words		
1	2	3				6	7
1.00	Earthwork in excavation for structures as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing ,removal of stumps and other deleterious materials and disposal of surplus excavated earth upto all leads and lifts dressing of sides and bottom and backfilling in trenches with excavated suitable materials and disposing of unserviceable material, disposed earth to be levelled and neatly dressed as per MORD Specification and as per the direction of Engineer-In- Charge	15.00	Cum	171.40	Rupees One Hundred Seventy One and Forty paise Only	Per cubic metre	2571.00
2.00	Providing and Laying of boulder apron laid in wire crate with 4 mm dia G.I. wire confirming to IS 280 and IS 4826 in 100 mm x100 mm mesh(wovendiagonally) i.e. 10% extra for laps and joint with stone boulder weighing not less than 25 kg each as per drawingv and technical specifications clause 1301 complete. complete as per HP. PWD specifications of 1990 volume-I including carriage of materials, labour, tool and plant through all modes of transportion within all leads and lifts and as per direction of Engineer-in-Charge..	31.25	Cum	3004.05	Rupees Three Thousand Four and Five paise Only	Per cubic metre	93877.00
3.00	Back filling behind abutment ,wing wall and retaining wall of granular material complete as per drawings and technical specifications MORD clause 1204.3.8 including carriage of materials within all leads lifts and as per the direction of Engineer-In-Charge.	2.90	Cum	1203.30	Rupees One Thousand Two Hundred Three and Thirty paise Only	Per cubic metre	3490.00
						Total	99938.00

Conditions:- (i) All the material will be procured by the contractor himself and bills will be submitted.

Quoted Rate Percentage in Figures
 Quoted Rate Percentage in Words


Executive Engineer
 Arki Division (B&R)
 HP. PWD. Arki.


Schedule of Quantity					Estimated cost Rs. :-98,205/- only.		
NAME OF WORK:- Special Repair of Mess at Police Station Arki DISTT. Solan (H.P.) (Deposit)					Earnest Money Rs.:-2,000/-only.		
					Time: - One Month.		
Sr. No.	SCHEDULE OF WORKS	Qty.	Unit	RATE In		Unit	AMOUNT
				Figures	Words		
1	2	3	4	5	6	7	8
1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. Powder coated aluminium (minimum thickness of powder coating 50 micron).	49.50	Kg	420.45	Rupees Four Hundred & Twenty - Paise Forty Five Only	P.Kg	20812
2	Providing and Fixing 12mm thick pre-laminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on both sides.	0.71	Sqm	949.20	Rupees Nine Hundred & Fourty Nine - Paise Twenty Only	P.Sqm	674
3	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge With float glass panes of 4.0 mm thickness (weight not less than 10 kg/ sqm)	4.84	Sqm	832.95	Rupees Eight Hundred & Thirty Two - Paise Ninety Five Only	P.Sqm	4031
4	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all evels and as directed by engineer-in-charge. Area of slab over 0.50 sqm	3.45	Sqm	3558.60	Rupees Three Thousand Five Hundred & Fifty Eight - Paise Sixty Only	P.Sqm	12277
5	Providing and fixing aluminium sliding door bolts. ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete and per the directions of engineer-in-charge . (250x16 mm)	1.00	Nos.	214.20	Rupees Two Hundred & Fourteen - Paise Twenty Only	Each	214

Sr. No.	SCHEDULE OF WORKS	Qty.	Unit	RATE In		Unit	AMOUNT
				Figures	Words		
1	2	3	4	5	6	7	8
6	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete and per the directions of engineer-in-charge (100x10 mm)	15.00	Nos.	55.35	Rupees Fifty Five - Paise Thirty Five Only	Each	830
7	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete and per the directions of engineer-in-charge (125 mm)	11.00	Nos.	50.75	Rupees Fifty - Paise Seventy Five Only	Each	558
8	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in Cement mortar 1:6 (1 cement : 6 coarse sand).With in all leads and lifts and as per the direction of Engineer-in-Charge	0.162	Cum	6164.00	Rupees Six Thousand One Hundred & Sixty Four Only	P.Cum	999
9	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in Cement mortar 1:4 (1 cement :4 coarse sand) With in all leads and lifts and as per the direction of Engineer-in-Charge	1.92	Sqm	747.65	Rupees Seven Hundred & Fourty Seven - Paise Sixty Five Only	P.Sqm	1435
10	15 mm cement plaster on rough side of single or half brick wall of mix:1:6 (1 cement: 6 coarse sand) With in all leads and lifts and as per the direction of Engineer-in-Charge	7.19	Sqm	196.45	Rupees One Hundred & Ninety Six - Paise Fourty	P.Sqm	1412
11	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works With in all leads and lifts and as per the direction of Engineer-in-Charge	18.00	KG	107.45	Rupees One Hundred & Seven - Paise Fourty Five Only	P. Kg	1934
12	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete and With in all leads and lifts and as per the direction of Engineer-in-Charge	109.49	Sqm	85.10	Rupees Eighty Five - Paise Ten Only	P.Sqm	9318
13	Finishing walls with water proofing cement paint of required shade New work (Two or more coats applied @ 3.84 kg/10 sqm) and as per the direction of Engineer-in-Charge	215.71	Sqm	61.20	Rupees Sixty One - Paise Twenty Only	P.Sqm	13201
14	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required : (610x510 mm bowl depth 200) With in all leads and lifts and as per the direction of Engineer-in-Charge	1.00	Nos.	3261.05	Rupees Three Thousand Two Hundred & Sixty One - Paise Five	Each	3261

Sr. No.	SCHEDULE OF WORKS	Qty.	Unit	RATE In		Unit	AMOUNT
				Figures	Words		
1	2	3	4	5	6	7	8
15	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 :and as per the direction of Engineer-in-Charge. 15 mm nominal bore	2.00	Nos.	418.95	Rupees Four Hundred & Eighteen - Paise Ninety Five Only	Each	838
16	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete and as per the direction of Engineer-in-Charge. 15 mm nominal bore	2.00	Nos.	338.70	Rupees Three Hundred & Thirty Eight - Paise Seventy Only	Each	677
17	Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/ 10 sqm over an under coat of primer applied @ 0.80 ltr/ 10 sqm of approved brand and manufacture	6.35	Sqm	89.90	Rupees Eighty Nine - Paise Ninety Only	P.Sqm	571
18	Providing and applying Damp Proof coating, two or more coat over and under coat of primer with approved brand and manufacture including cleaning the slab /concrete surface by removing all dirt and foreign material etc. complete and as per the direction of Engineer-in-Charge	82.50	Sqm	305.00	Rupees Three Hundred & Five Only	P.Sqm	25163
					Total		98205

Quoted Rate Percentage in Figure
Quoted Rate Percentage in Words


Executive Engineer
Arki Division HPPWD
Arki

SCHEDULE OF QUANTITY						
Name of Work:-C/o Road from Banali Ghati to Bairghat Pajeena Road Km 0/00 to 4/500.(SH:- C/o R/wall at Rd,s 2/895.60 to 2/901.60, 2/901.60 to 2/910.40, 2/910.40 to 2/918.80 and 2/918.80 to 2/923.80.) DMFT					Estimated Cost :-Rs4,93,578/- only	
					Earnest Money :-Rs10,000/-Only	
					Time :-One Month	
S. No.	Sub head and items of work	Qty.	Rate In		Unit	Amount
1	2		3	4	5	6
			Figure	Words		
1	Earthwork in excavation for structures as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing ,removal of stumps and other deleterious materials and disposal upto all leads and lifts dressing of sides and bottom and backfilling in trenches with excavated suitable materials as per MORD Specification directed by Engineer-In-Charge	36.59	171.40	Rupees One hundred seventy one and paise fourty only	P.Cum.	6272
2	Providing and laying concrete for plain /reinforced concret in open foundation complete as per drawings and technical specifications MORD clause 802,803, 1202 &1203 . P.C.C. nominal mix 1:5:10 (1 cement: 5 sand :10 aggregates-40mm)including carriage of materials in all leads and lifts. and as per the direction of Engineer-In- Charge	100.51	4390.60	Rupees four thousand three hundred ninety and paise sixty only	P.Cum.	441299
3	Backfilling Granular materials behind abutment, wing wall and retaining wall complete as per drawings & technical specification Clause 1204.3.8 including carriage of materials in all leads, lifts.and as per the direction of Engineer-In- Charge	31.00	1203.30	Rupees one thousand two hundred three and paise thirty only	P.Cum.	37302
4	Providing and laying 100mm dia metre PVC pipe for wheep holes complete of approved quality Including carriage of material within all leads, lifts and as per the direction of Engineer-In- Charge	31.74	274.25	Rupees two hundred seventy four and paise twenty five only	P.Rmt	8705
					Total	493578

Quoted Rate Percentage in Figure

Quoted Rate Percentage in Words


 Executive Engineer
 Arki Division HPPWD
 Arki

SCHEDULE OF QUANTITY

Name of Work:-Restoration of rain Damages on Talb (Rau Khad) behli Road km 0/00 to 2/170.(Sh :Construction- of Toe wall and Slab for 3.00 meter span Rcc slab culvert at Rd 1/210) under PDNA 2023

Estimated Cost :- Rs 4,98,863.00

Earnest money :- Rs 10,000.00

Time: One months

Sr.No.	Sub Head and Items of Work	Qty.		Rate		Unit	Amount
				In figure	In words		
1	2	3		4	5	6	7
1.00	Earthwork in excavation for structures as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing ,removal of stumps and other deleterious materials and disposal of surplus excavated earth upto all leads and lifts dressing of sides and bottom and backfilling in trenches with excavated suitable materials and disposing of unserviceable material, disposed earth to be levelled and neatly dressed as per MORD Specification and as per the direction of Engineer-In- Charge	17.93	Cum	171.40	Rupees One Hundred Seventy One and Forty paise Only	Per cubic metre	3073.00
2.00	Providing concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specifications Clauses 802,803,1202 and 1203. (II) P.C.C. Grade M-10 (i) Nominal mix 1:3:6 (20 mm Nominal Size) including carriage of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge.	0.50	Cum	5294.95	Rupees Five Thousand Two Hundred Ninety four and Ninety Five paise Only	Per cubic metre	2647.00
3.00	Providing and laying Plain Cement Concrete Mechanically mixed and vibrated Plain cement concrete 1:2:4 (one cement isto two sand isto four graded crushed stone aggregate 20mm (twenty milimetre) nominal size for plain /reinforced conceret in open foundations and plinths or similar works and curing complete as per drawings and technical specifications for RURAL ROAD AUGUEST 2004 AND CLAUSES 802,803,1202 & 1203 and curing complete including the cost of form work including carriage of materials in all leads & lifts and as per entire stisfaction of Engineer-in -Charge.	15.50	cum	5954.35	Rupees Five Thousand nine Hundred fifty four and thirty Five paise Only	Per cubic metre	92292.00
4.00	Providing and laying Reinforced Cement Concrete Mechanically mixed and vibrated RCC M-20 (M- twenty) upto 5.00 meters height in super structure and curing complete as per drawings and technical specifications clauses 800,1205.4 and 1205.50 and curing complete including the cost of form work and including carriage of materials in all leads and lifts and as per entire stisfaction of Engineer-in -Charge.	3.79	cum	6891.20	Rupees six Thousand eight Hundred ninety one and and paise twenty Only	Per cubic metre	26118.00

5.00	Providing and laying Reinforced Cement Concrete Mechanically mixed and vibrated RCC M-25 (M- twenty five) upto 5.00 meters height in super structure and curing complete as per drawings and technical specifications clauses 800,1205.4 and 1205.50 and curing complete including the cost of form work and including carriage of materials in all leads and lifts and as per entire satisfaction of Engineer-in -Charge.	8.55	cum	7366.30	Rupees Seven Thousand three Hundred sixty six and and paise thirty Only	Per cubic metre	62982.00
6.00	Supplying ,fitting and placing HYSD bar reinforcement (fe 415) in sub structure complete as per drawing and technical specification Clauses 1002, 1005,1010 & 1202. as per drawings and technical specifications including carriage of metreoals with in all leads and lifts as per the entire satisfaction and direction of Engineer-In-Charge.	1450.03	Kg	96.50	Rupees Ninety six and and paise fifty Only	Per Kilogramme	139928.00
7.00	Providing and laying Plain cement concrete 1:5:10 (one cement isto Five sand isto ten graded crushed stone aggregate 40 milimetre(forty milimetre) nominal size for plain /reinforced concrete in open foundation complete as per drawings and technical specifications clause 802,803,1202 &1203 and curing complete including the cost of form work and carriage of materials in all leads lifts as per the direction of Engineer-In-Charge.	36.34	Cum	4390.60	Rupees Four Thousand Three Hundred Ninety and Sixty paise Only	Per cubic metre	159554.00
8.00	Providing and laying weapholes in brick masonry /stone masonry /plain reinforced concrete abutment, wing wall return wall with 100mm (one hundred)milimetre dia PVC pipe extending through the full width of the structures with slop of 1(v);20 (H) towards drawing face complete as per drawings and technical specifications MORD clause 614,709,1204.3.7 including carriage of materials within all leads and lifts as per the direction of Engineer-In-Charge.	22.36	Rmt	274.25	Rupees Two Hundred Seventy Four and Twenty Five paise Only	Per running metre	6132.00
9.00	Back filling behind abutment ,wing wall and retaining wall of granular material complete as per drawings and technical specifications MORD clause 1204.3.8 including carriage of materials within all leads lifts and as per the direction of Engineer-In-Charge.	5.10	Cum	1203.30	Rupees One Thousand Two Hundred Three and Thirty paise Only	Per cubic metre	6137.00
						Total	498863.00

Conditions:- (i) All the material will be procured by the contractor himself and bills will be submitted.

(ii) The cement will be procured by the contractor from the nearest HP Civil Supply Depot.

Quoted Rate Percentage in Figures

Quoted Rate Percentage in Words

Verd
Executive Engineer
Arki Division (B&R)
HP. PWD. Arki.

SCHEDULE OF QUANTITY						Estimated Cost: -Rs 3,28,268/- only	
Name of Work:-C/o Link Road Damlana Ghatti to Nawan Ranow Sashan Km 0/00 to 2/00 in GP Hanuman Badog.(SH:- P/L 600mm dia NP2 Pipe for Culvert, C/o Wire Crate and C/o Unline drain)						Earnest Money :-Rs6,600/-Only	
Balance work under DMFT						Time :-Two Months	
S. No.	Sub head and items of work	Qty.	Rate In		Unit	Amount	
			Figure	Words			
1	2	3	4	5	6	7	
1	Earthwork in excavation for structures as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing ,removal of stumps and other deleterious materials and disposal upto all leads and lifts dressing of sides and bottom and backfilling in trenches with excavated suitable materials as per MORD Specification directed by Engineer-In-Charge	62.87	171.40	Rupees One hundred seventy one and paise forty only	P.Cum.	10776	
2	P/L of boulder apron laid in wire crates with 4mm dia GI wire confirming to IS:280 and IS:4826 in 100mmx100mm mesh(woven diagonally including 10 percent extra for laps and joints laid with stone boulders weighing not less than 25Kg each as per drawing and clause 1301. technical specifications with in all leads & lifts, and as per direction of Engineer-in-charge.	46.88	3004.05	Rupees three thousand four and paise five only	P.Cum.	140830	
3	Providing and laying reinforced cement concrete pipe NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation protection work, back filling concrete and masonry work in head walls and parapets clause 1108. 600 mm dia pipe.	45.00	1823.15	Rupees one thousand eight hundred twenty three and paise fifteen only	P.Rmt	82042	
4	Providing and laying concrete for plain /reinforced concret in open foundation complete as per drawings and technical specifications MORD clause 802,803,1202 &1203 including carriage of materials in all leads and lifts. a)P.C.C 1:3:6.(1 Cement :3 sand : 6 Agg. 20mm nominal Size) i/c carriage of material within all leads & lifts As per the direcion of Engineer In-Charge.	12.57	5424.85	Rupees five thousand four hundred twenty four and paise eighty five only	P.Cum.	68190	
5	Construction of unlined surface drain of average cross sectional area 0.4sqm in ordinary rock to specified lines grades,levels and dimensions. Excavated Material to be used in embankment with salify up to 3.00meter and lead of 50 Mtrs(average Lead 25 mtrs) as per approved design and technical specification clause 307 as per MORD Specification directed by Engineer-In-Charge	300.00	88.10	Rupees eighty eight and paise ten only	P.Rmt	26430	
					Total	328268	


Quoted Rate Percentage in Figure
Quoted Rate Percentage in Words


Executive Engineer
Arki Division HPPWD
Arki

SCHEDULE OF QUANTITY					Estimated Cost: -Rs4,98,995/- only	
Name of Work:- C/o Saryanj Patta Road Km 0/0 to 0/600.(SH:- Providing & Laying Interlocking Paver Block in Km 0/00 to 0/111.) Under DMFT					Earnest Money :-Rs10,000/-Only	
					Time :-Two Months	
S. No.	Sub head and items of work	Qty.	Rate In		Unit	Amount
			Figure	Words		
1	2	3	4	5	6	
1	Providing and laying concrete for plain /reinforced concret in open foundation complete as per drawings and technical specifications MORD clause 802,803,1202 &1203 including carriage of materials in all leads and lifts. a)P.C.C 1:3:6.(1 Cement :3 sand : 6 Agg. 20mm nominal Size) i/c carriage of material within all leads & lifts As per the direcion of Engineer In-Charge.	3.59	5424.85	Rupees five thousand four hundred twenty four and paise eighty five only	P.Cum.	19475
2	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding /laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in- Charge. (80 mm) eighty milimeter thick C.C. paver block of M-30 grade with approved color design and pattern)	355.20	1350.00	Rupees one thousand three hundred fifty and paise zero only	P.Sqm.	479520
					Total	498995

Quoted Rate Percentage in Figure

Quoted Rate Percentage in Words


 Executive Engineer
 Arki Division HPPWD
 Arki

SCHEDULE OF QUANTITY

Name of Work:- C/o Link Road from Jabloo Kanswala to Village Khata G.P. Rouri Km 0/00 to 1/500 (SH:- F/C in Km 0/00 to 0/315) **DMFT Deposit**

Estimated Cost: -Rs 4,90,412/- only

Earnest Money :-Rs10,000/-Only

Time :- One Month

S.No	Sub head and items of work	Qty.	Unit	Rate		Amount
				Figure	Words	
1	Excavation in earthwork in hilly area by mechanical means all hights and depth, in all kind of soil including saturated soil comprising of mixed soil , ordinaryrock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side,water pollution , etc. and to protect stabality of hill side . Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting / excavation , including rock excavation shall be carried out true to lines grades , side slopes, width, chamber, super elevation and level as shown on the drawings or as directed by the Engineer-in -Charges, in conformity with the requirement of technical specification for Rural Road, August 2004 and clause 16.2 of General Conditions for Contract to achieve designed formation wothd including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut matererial inspecified manner.tremming, filling of unevenness, blindage and finishing of the road to specified dimensions or as dirrected by the Engineer-in -Charge for smooth riding. The recovery of useful stone that is 172.98 cubic meter in all cases falling which recovery @ Rupees 300/- only (Rupees three hundereed only) per cubic metre shall be effected on prorata basis. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases.	2692.50	Per. Cum.	182.14	Rupees one hundred eighty two and paise fourteen only	490412
					Total	490412

Quoted Rate Percentage in Figure
Quoted Rate Percentage in Words


 Executive Engineer
 B&R Division HPPWD
 Arki

SCHEDULE OF QUANTITY

Name of Work:- C/o Link Road from Samana Paza to Kaldwar Km 0/00 to 2/450 (SH:- F/C in Km 0/00 to 0/945) DMFT Deposit

Estimated Cost: -Rs 4,91,068/- only


Earnest Money :-Rs10,000/-Only

Time :- One Month

S.No.	Sub head and items of work	Qty.	Unit	Rate		Amount
				Figure	Words	
1	Excavation in earthwork in hilly area by mechanical means all hights and depth, in all kind of soil including saturated soil comprising of mixed soil , ordinaryrock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side,water pollution , etc. and to protect stabality of hill side . Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting / excavation , including rock excavation shall be carried out true to lines grades , side slopes, width, chamber, super elevation and level as shown on the drawings or as directed by the Engineer-in - Charges, in conformity with the requirement of technical specification for Rural Road, August 2004 and clause 16.2 of General Conditions for Contract to achieve designed formation wodth including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut matereial inspecified manner,tremming, filling of unevenness, blindage and finishing of the road to specified dimensions or as dirrected by the Engineer-in -Charge for smooth riding. The recovery of useful stone that is 131.98 cubic meter in all cases falling which recovery @ Rupees 300/- only (Rupees three hundereed only) per cubic metre shall be effected on prorata basis. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases.	2505.45	Per. Cum.	196.00	Rupees one hundred ninety six and paise zero only .	491068
					Total	491068

Quoted Rate Percentage in Figure

Quoted Rate Percentage in Words


 Executive Engineer
 B&R Division HPPWD
 Arki

Schedule of Quantity

Name of Work:-R/R damages on Buila to Bag Ka Jubbar Km 0/00 to 1/400 (SH:-Repair of WBM G-II in Km 0/045 to 0/090 & M/T work in Km 0/400 to 0/800)Under PDNA

Estimated cost Rs.4,99,794/-only
Earnest money Rs.10,000/-only
Time allowed :- Fifteen Days

S.No	Sub head and items of work	Qty.	Unit	Rate		Unit	Amount
				In figure	In Words		
				3	4		
1	WBM Grading -II : Providing, laying, spreading and compacting stone aggregates of specific size to water bound macadam specification including spreading in uniform thickness hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming , stone screening /binding materials to fill-up the interstices coarse aggregate, watering and compacting to the required density Grading -II as per Technical Specification Clause 405.by mechanically means using stone aggregate 63mm to 45mm (Sixty three to forty five millimeter) size including carriage of materials, with in all leads,lifts and as per the direction of Engineer- In- Charge.	18.30	Cum	2073.50	Rupees two thousand seventy three and paise fifty only	Per cubic metre	37945
2	Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface with hydraulic brooms and spraying primer at the rate of 1.2kg /sqm (Zero point eighty five killogramme) using mechanical means as per Technical Specification Clause 502 (Five hundred two), low prosity including carriage of materials,with in all leads, lifts and as per the direction of Engineer-In-Charge.	1342.00	sqm	63.85	Rupees sixty three and paise eighty five only .	Per square metre	85687
3	Providing and applying tack coat with bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.275 kilogram per square metre on the prepared granular surfaces treated with primer and cleaned with hydraulic broom as per technical specification Clause 503 including carriage of material with in all leads, lifts and as per the direction of Engineer-In- Charge.	1342.00	sqm	21.65	Rupees twenty one and paise sixty five only .	Per square metre	29054
4	Providing, laying by mechanical means and rolling open graded premix carpet 20 (Twenty) millimeters thickness composed of 13.2 mm. to 5.6 mm. (Thirteen point Two millimeters to Five point Six millimeters)aggregates using penetration grade bitumen VG -10 (ten) to required line , grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant , laying and rolling with a three wheel 80-100 kN static roller capacity, finished by to required level and grades to be followed seal coat of Type -B- as per Technical Specification Clause 508 (Five hundred Eight), including carriage of materials, labour and equipments to various location of site of work through all modes of transportation in all leads, lifts & all incidental charges. and as per the direction of Engineer-In- Charge.	1342	sqm	181.35	Rupees one hundred eighty one and paise thirty five only .	Per square metre	243372
5	Providing and laying seal coat sealing the voids in a bituminous surface laid to the specified levels, grade and cross fall using Type-B using bitumen VG-10 at the rate of 6.8 Kg (Six point eight killogramme) per 10sqm (Ten Square Meter) by mechanical means as per Technical Specification Clause 510 (Five hundred Ten)including carriage of materials, with in all leads, lifts and as per the direction of Engineer-In- Charge.	1342.00	sqm	77.30	Rupees seventy seven and paisa thirty only.	Per square metre	103737
Total							499794

Quoted Rate Percentage in Figure
Quoted Rate Percentage in Words


Executive Engineer,
B&R Division,
HP,PWD, Arki

Schedule of Quantity

S.No		Sub head and items of work	Qty.	Unit	Rate		Unit	Amount
					In figure	In Words		
		2	3	4	6	7	8	9
1	WBM Grading -II : Providing, laying, spreading and compacting stone aggregates of specific size to water bound macadam specification including spreading in uniform thickness hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, stone screening /binding materials to fill-up the interstices coarse aggregate, watering and compacting to the required density Grading -II as per Technical Specification Clause 405 by mechanically means using stone aggregate 63mm to 45mm (Sixty three to forty five millimeter) size including carriage of materials, with in all leads, lifts and as per the direction of Engineer- In- Charge.		18.07	Cum	2073.50	Rupees two thousand seventy three and paise fifty only	Per cubic metre	37468
2	Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface with hydraulic brooms and spraying primer at the rate of 1.2kg /sqm (Zero point eighty five killogramme) using mechanical means as per Technical Specification Clause 502 (Five hundred two), low prosity including carriage of materials, with in all leads, lifts and as per the direction of Engineer-In-Charge.		1342.00	sqm	63.85	Rupees sixty three and paise eighty five only .	Per square metre	85687
3	Providing and applying tack coat with bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.275 kilogram per square metre on the prepared granular surfaces treated with primer and cleaned with hydraulic broom as per technical specification Clause 503 including carriage of material with in all leads, lifts and as per the direction of Engineer-In- Charge.		1342.00	sqm	21.65	Rupees twenty one and paise sixty five only .	Per square metre	29054
4	Providing, laying by mechanical means and rolling open graded premix carpet 20 (Twenty) millimeters thickness composed of 13.2 mm. to 5.6 mm. (Thirteen point Two millimeters to Five point Six millimeters) aggregates using penetration grade bitumen VG -10 (ten) to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 80-100 kN static roller capacity, finished by to required level and grades to be followed seal coat of Type -B- as per Technical Specification Clause 508 (Five hundred Eight), including carriage of materials, labour and equipments to various location of site of work through all modes of transportation in all leads, lifts & all incidental charges, and as per the direction of Engineer-		1342	sqm	181.35	Rupees one hundred eighty one and paise thirty five only .	Per square metre	243372
5	Providing and laying seal coat sealing the voids in a bituminous surface laid to the specified levels, grade and cross fall using Type-B using bitumen VG-10 at the rate of 6.8 Kg (Six point eight killogramme) per 10sqm (Ten Square Meter) by mechanical means as per Technical Specification Clause 510 (Five hundred Ten) including carriage of materials, with in all leads, lifts and as per the direction of Engineer-In- Charge.		1342.00	sqm	77.30	Rupees seventy seven and paisa thirty only.	Per square metre	103737
					Total			499317

Quoted Rate Percentage in Figure
Quoted Rate Percentage in Words


Executive Engineer,
B&R Division,
HP, PWD, Arki

SCHEDULE OF QUANTITY						Estimated Cost: -Rs4,98,995/- only	
Name of Work:- C/o Saryanj Patta Road Km 0/0 to 0/600.(SH:- Providing & Laying Interlocking Paver Block in Km 0/330 to 0/441.) Under DMFT						Earnest Money :-Rs10,000/-Only	
						Time :-Two Months	
S. No.	Sub head and items of work	Qty.	Rate In		Unit	Amount	
			Figure	Words			
1	2	3	4	5	6		
1	Providing and laying concrete for plain /reinforced concret in open foundation complete as per drawings and technical specifications MORD clause 802,803,1202 &1203 including carriage of materials in all leads and lifts. a)P.C.C 1:3:6.(1 Cement :3 sand : 6 Agg. 20mm nominal Size) i/c carriage of material within all leads & lifts As per the direcion of Engineer In-Charge.	3.59	5424.85	Rupees five thousand four hundred twenty four and paise eighty five only	P.Cum.	19475	
2	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding /laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in- Charge. (80 mm) eighty milimeter thick C.C. paver block of M-30 grade with approved color design and pattern)	355.20	1350.00	Rupees one thousand three hundred fifty and paise zero only	P.Sqm.	479520	
					Total	498995	

Quoted Rate Percentage in Figure

Quoted Rate Percentage in Words


 Executive Engineer
 Arki Division HPPWD
 Arki