

HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT

No. PWD/KBD/CB/TENDER/2025-26- 8984-9002 DATED: 6/3/2026
To

The Executive Engineer (IT Cell),
HPPWD Nirman Bhawan, Nigam Vihar,
HPPWD Shimla-2

Subject :- Tender Notice.

Enclosed kindly find herewith the tender notice for the various works as given in the notice inviting tender for uploading on Department website as per notification of Principal Secretary (PW) to the Govt. of HP vide No. PBW(B)A(3)1/2024 dated 03.01.2024 as the works mentioned in the notice inviting tender are urgent in nature and public interest.

Encl:-As above

Executive Engineer,
HPPWD Division,
Kotla Behar.

Copy forwarded to the following:-

1. The FC-Cum Secy.(PW) to the Govt. of HP.Shimla-2.
2. The Engineer-in-Chief, HPPWD., Shimla.
3. The Chief Engineer(KZ) HP.PWD. Dharamshala.
4. The Superintending Engineer, Circle HP.PWD. Dehra.
5. All the Executive Engineer under North Zone.
6. All the Assistant Engineer under Kotla Behar Division.
7. The Deputy Commissioner Kangra at Dharamshala.
8. The SDM/Tehsil/President MC Dehra.
9. The BDO Dehra /Pragpur/ Nagrota Surian.
10. Notice Board.
11. All the Head of Branches.
12. All the Contractors working under Kotla Behar Division.

Executive Engineer,
Dehra Division HP.PWD.,
Kotla Behar.

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
Notice Inviting Tender**

Sealed percentage rate tender form No. 6 & 8 are hereby invited by the Executive Engineer Kotla Behar Division HPPWD., Kotla Behar for the following works on behalf of the Governor of HP from the eligible contractors enlisted in HPPWD (C&D) so as to reach in this office as per time schedule given below:-

TENDER SCHEDULE:

- | | |
|---|--------------------------|
| 1. Date and time of receipt of application for tender form: | 13.03.2026 upto 01.30 PM |
| 2. Date and time of issue of tender form: | 16.03.2026 upto 4.00 PM |
| 3. Date and time of receipt of tenders: | 17.03.2026 upto 10.30AM |
| 4. Date and time of opening of tenders: | 17.03.2026 at 11.00 AM |

Job No.	Name of work	Estimated cost	Earnest money	Time limit	Cost of form
01	Restoration of Rain Damages on Harizan Basti Saluhi Road KM 0/0 to 3/00 (SH: Repair to Pot Holes in between KM 0/0 to 1/00) under SCDP.	Rs.65,815.00	Rs.1,300/-	One Month	Rs.350/-
02	Restoration of Rain Damages on Harizan Basti Saluhi Road KM 0/0 to 3/00 (SH: Repair to Pot Holes in between KM 1/00 to 2/00) under SCDP.	Rs. 66,008.00	Rs.1,300/-	One Month	Rs.350/-
03	Restoration of Rain Damages on Shantal to Pathiar Road KM 0/0 to 2/00 (SH: Repair to Pot Holes in between KM 0/0 to 0/800) under SCDP	Rs. 66,318.00	Rs.1,300/-	One Month	Rs.350/-
04	Restoration of Rain Damages on Kaloha Pragpur Dhaliara Dadasiba Sansarpur Terrace Road KM 0/0 to 9/00 (SH: Repair to Pot Holes in between KM 1/00 to 1/500).	Rs. 94,712.00	Rs.1,900/-	One Month	Rs.350/-
05	Restoration of Rain Damages on Kaloha Pragpur Dhaliara Dadasiba Sansarpur Terrace Road KM 0/0 to 9/00 (SH: Repair to Pot Holes in between KM 1/500 to 2/00).	Rs. 94,147.00	Rs.1,900/-	One Month	Rs.350/-
06	Restoration of Rain Damages on Kaloha Pragpur Dhaliara Dadasiba Sansarpur Terrace Road KM 0/0 to 9/00 (SH: Repair to Pot Holes in between KM 2/00 to 2/400).	Rs. 94,327.00	Rs.1,900/-	One Month	Rs.350/-
07	Restoration of Rain Damages on Kaloha Pragpur Dhaliara Dadasiba Sansarpur Terrace Road KM 0/0 to 9/00 (SH: Repair to Pot Holes in between KM 2/410 to 3/00).	Rs. 94,529.00	Rs.1,900/-	One Month	Rs.350/-
08	Restoration of Rain Damages on Shantla to Budhar via Sai Road (SH: Repair to Pot Holes in KM 0/0 to 3/300).	Rs. 97,038.00	Rs.2,000/-	One Month	Rs.350/-
09	Restoration of Rain Damages on Harizan Basti Saluhi Road in KM 0/0 to 2/00 (SH: Repair to Pot Holes in KM 0/0 to 2/00).	Rs. 99,013.00	Rs.2,000/-	One Month	Rs.350/-
10	Restoration of Rain Damages on Rakkar to Shantla Road (SH: Repair to Pot Holes between KM 0/0 to 7/00).	Rs. 97,688.00	Rs.2,000/-	One Month	Rs.350/-
11	Restoration of Rain Damages on Chouli Naluah-Da-Khuh to Bharoli Jadid road (SH: Repair to Pot Holes KM 1/00 to 3/00).	Rs. 98,525.00	Rs.2,000/-	One Month	Rs.350/-
12	Restoration of Rain Damages on Chambi Swana Road (SH: Repair to Pot Holes KM 0/00 to 2/00).	Rs. 94,234.00	Rs.1,900/-	One Month	Rs.350/-
13	Restoration of Rain Damages on Chambi Swana Road (SH: Repair to Pot Holes KM 2/010 to 4/00).	Rs. 94,103.00	Rs.1,900/-	One Month	Rs.350/-
14	Restoration of Rain Damages on Kaloha Pragpur Dhaliara Dadasiba Sansarpur Terrace Road KM 22/200 to 60/920 (SH: Repair to Pot Holes in KM 31/200 to 33/200).	Rs. 86,788.00	Rs.1,700/-	One Month	Rs.350/-
15	Restoration of Rain Damages on Kaloha Pragpur Dhaliara Dadasiba Sansarpur Terrace Road KM 22/200 to 60/920 (SH: Repair to Pot Holes in KM 33/210 to 35/200).	Rs. 99,493.00	Rs.2,000/-	One Month	Rs.350/-
16	Restoration of Rain Damages on Bharwain Chintpurni Kandrori Damtal Road KM 15/310 to 32/560 (SH: Repair to Pot Holes in KM 20/00 to 21/10).	Rs. 97,336.00	Rs.2,000/-	One Month	Rs.350/-
17	Restoration of Rain Damages on Bharwain Chintpurni Kandrori Damtal Road KM 15/310 to 32/560 (SH: Repair to Pot Holes in KM 23/00 to 31/00).	Rs. 97,650.00	Rs.2,000/-	One Month	Rs.350/-
18	Restoration of Rain Damages on Kaloha Pragpur Dhaliara Dadasiba Sansarpur Terrace Road KM 22/200 to 60/920 (SH: Repair to Pot Holes in KM 44/200 to 45/200).	Rs. 98,976.00	Rs.2,000/-	One Month	Rs.350/-

19	Restoration of Rain Damages on Kaloha Pragpur Dhaliara Dadasiba Sansarpur Terrace Road KM 22/200 to 60/920 (SH: Repair to Pot Holes in KM 45/210 to 46/200).	Rs. 99,736.00	Rs.2,000/-	One Month	Rs.350/-
20	C/o link road from Chamukha Bangana road to civil Hospital Pirsaluhi, Tehsil Rakkar, Distt. Kanagra HP Km. 0/0 to 0/360 (SH: Balance work of 900mm dia hume pipe culvert at RD 0/250) under MMGSY	Rs. 99,902.00	Rs.2,000/-	One Month	Rs.350/-
21	C/O Kanol to Kalakkad GP Katoh road Km. 0/0 to 1/300 (SH: C/o balance work of embankment from RD 0/752.50 to 0/771) under OTMNP.	Rs. 99,096.00	Rs.2,000/-	One Month	Rs.350/-
22	A/R & M/O Various roads under Pragpur Sub Division (SH:- Painting and Writing on Km. Stone, Culverts & Sign boards etc in Section Rakkar)	Rs. 99,972.00	Rs.2,000/-	One Month	Rs.350/-
23	RRD on various roads under HPPWD Sub Division Dada Siba (SH:Hiring of Three wheel 80-100 kN Static Roller for various works in Section Kotla)	Rs. 97,750.00	Rs.2,000/-	One Month	Rs.350/-
24	RRD on various roads under Dada Siba Sub Division, Section Terrace (SH:- Maintenance of earthen shoulders of various roads) Job-2	Rs. 99,750.00	Rs.2,000/-	One Month	Rs.350/-
25	C/O Kanol to Kalakkad GP Katoh road Km. 0/0 to 1/300 (SH: C/o balance work of embankment from RD 0/375 to 0/405 and 0/795 to 0/806) under OTMNP.	Rs. 99,275.00	Rs.2,000/-	One Month	Rs.350/-
26	RRD Jhurni Mod (Chintpurni Talwara road) to Bassi Nangal via Sunhet Km. 0/0 to 3/315 (SH: C/o Edge wall at RD 1/855 to 1/892)	Rs. 73,493.00	Rs.2,000/-	One Month	Rs.350/-
27	C/o link road from Chamukha Bangana road to civil Hospital Pirsaluhi, Tehsil Rakkar, Distt. Kanagra HP Km. 0/0 to 0/360(SH: Balance work of 900mm dia hume pipe culvert at RD 0/250) under MMGSY	Rs. 98,994.00	Rs.2,000/-	One Month	Rs.350/-
28	A/R & M/O Various roads under Pragpur Sub Division (SH:- Painting and Writing on Km. Stone, Culverts & Sign boards etc in Section Pragpur)	Rs. 99,974.00	Rs.2,000/-	One Month	Rs.350/-
29	RRD on various roads under HPPWD Sub Division Pragpur (SH:Hiring of Three wheel 80-100 kN Static Roller for various works in Section Pragpur).	Rs. 99,450.00	Rs.2,000/-	One Month	Rs.350/-
30	RRD Jhurni Mod (Chintpurni Talwara road) to Bassi Nangal via Sunhet Km. 0/0 to 3/315 (SH: C/o Edge wall at RD 1/855 to 1/892)	Rs. 60,117.00	Rs.2,000/-	One Month	Rs.350/-
31	C/O Kanol to Kalakkad GP Katoh road Km. 0/0 to 1/300 (SH: C/o balance work of embankment from RD 0/736 to 0/749.50) under OTMNP.	Rs. 99,786.00	Rs.2,000/-	One Month	Rs.350/-
32	Repair and Maintenance of HPPWD Rest House Building at Pragpur in District Kangra (H.P.) (SH: P/F Almirah ACP Sheet, Curtain, Curtain Roads etc.).	Rs. 98,444.00	Rs.2,000/-	One Month	Rs.350/-
33	Repair and Maintenance of HPPWD Rest House Building at Pragpur in District Kangra (H.P.) (SH: Almirah Frame in VIP Set).	Rs. 99,155.00	Rs.2,000/-	One Month	Rs.350/-

Certificate:- It is certified that the tenders of above works are exigency/emergent nature in the public interest.

Terms & Conditions:- The tender documents shall be issued to contractors/firms who fulfil the following terms and conditions:-

1. The valid enlistment/registration of contractor in appropriate class.
2. Permanent Account Number (PAN).
3. GST Number and EPF Number.
4. Earnest Money in the shape of national saving certificate/term deposit/Time deposit account in the post office in HP FDR from any nationalized bank duly pledged in favour of Executive Engineer, HPPWD Division Dehra.
5. The Earnest Money and Cost of tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money and cost of tender forms shall summarily be rejected.
6. Ambiguous/telegraphic/conditional tender, tender by fax/e-mail, shall not be entertained/considerate and will be summarily be rejected.
7. Executive Engineer reserves the right to reject or cancel any or all the tenders without assigning any reasons.
8. The offer of the tender shall remain valid upto 30 days after the opening of tender.
9. If the date given above happens to be a holiday, the same shall be processed on next working days.
10. The contractors/firms must quote their rates in works as well as in figures which XEN reserves the right to accept/reject any or all tenders.
11. Tender forms shall not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed/completed the previous awarded works within the stipulated period of completion.
12. Interested participants are requested to follow the government instructions not to contest more than two works at a time. If found so, their case may be rejected.

Executive Engineer,
HPPWD Division,
Kotla Behar, Distt Kangra H.P.
on behalf of Governor of Himachal Pradesh

DRAFT SCHEDULE OF QUANTITY

Estimate Cost :- Rs. 65815.00
 Earnest Money :-Rs.1300.00
 Time Limit :- One Month.

Name of work:- Restoration of rain damages on Harizan Basti Saluhi Road Km. 0/00 to 3/00(Under Head SCDP)
(SH: Repair to Pot Holes in between Km. 0/00 to 1/00)

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm(seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	2.44 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	4026.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and properly rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkana, toll tax,GST or any other taxes imposed by the Government.	190.12 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	61789.00
	Total					65815.00

Draft Schedule of quantity approved for Rs 65815 only.

Executive Engineer,
 HPPWD (B&R) Division,
 Kotla Behar

DRAFT SCHEDULE OF QUANTITY

Name of work:- Restoration of rain damages on Harizan Basti Saluhi Road Km. 0/00 to 3/00(Under Head SCDP)
(SH: Repair to Pot Holes in between Km. 1/00 to 2/00)

Estimate Cost :- Rs. 66008.00
 Earnest Money :-Rs.1300.00
 Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm(seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	2.73 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	4505.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and property rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkana, toll tax, GST or any other taxes imposed by the Government.	189.24 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	61503.00
	Total					66008.00

Draft Schedule of Quantity approved for Rs 66008/- only

Executive Engineer,
 HPPWD (B&R) Division,
 Kotla, Behar

DRAFT SCHEDULE OF QUANTITY

Name of work:- Restoration of rain damages on Shantla to Pathiar Road Km. 0/00 to 2/00(Under Head SCDP)
(SH: Repair to Pot Holes in between Km. 0/00 to 0/800)

Estimate Cost :- Rs. 66318.00
 Earnest Money :-Rs.1300.00
 Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm] seventy five millimeters) consolidated thick to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	4.59 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	7574.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and properly rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkhana, toll tax,GST or any other taxes imposed by the Government.	180.75 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	58744.00
	Total					66318.00

*Draft schedule of quantity approved for
 RS 66318/-only*

Executive Engineer,
 HPPWD (B&R) Division,
 Keston, Bawal

DRAFT SCHEDULE OF QUANTITY

Estimate Cost :- Rs. 94712.00
Earnest Money :-Rs.1900.00

Time Limit :- One Month.

Name of work:- Restoration of rain damages on Kaloha Dhaliara Dad Siba Sansarpur terrace road Km. 0/0 to 9/00 (SH:- Repair of pot holes in between Km. 1/00 to 1/500).

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm) seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	5.60 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	9240.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and property rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkana, toll tax, GST or any other taxes imposed by the Government.	262.99 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	85472.00
	Total					94712.00

**Draft Schedule of Quantity approved for
Rs 94712/-only.**

Executive Engineer,
HPPWD (B&R) Division,
Kolkata Belans

DRAFT SCHEDULE OF QUANTITY

Name of work:- Restoration of rain damages on Kaloha Dhaliara Dad Siba Sansarpur terrace road Km. 0/0 to 9/00 (SH:- Repair of pot holes in between Km. 1/500 to 200).

Estimate Cost :- Rs. 94146.00
 Earnest Money :-Rs.-1900.00
 Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm] seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	4.93 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	8135.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and property rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2. direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkhana, toll tax,GST or any other taxes imposed by the Government.	264.65 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	86011.00
	Total					94146.00

*Draft Schedule of quantity approved for
 Rs 94146 l-only*

Executive Engineer,
 HPPWD (B&R) Division,
 Kottar, Belhar

DRAFT SCHEDULE OF QUANTITY

Estimate Cost :- Rs. 94327.00
 Earnest Money :-Rs.1900.00

Time Limit :- One Month.

Name of work:- Restoration of rain damages on Kaloha Pragpur Dhaliara Dada Siba Sansarpur Terrace road Km. 0/00 to 9/00 (SH: Repair to Pot Holes in between Km. 2/00 to 2/400)

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm(seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	4.64 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	7656.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and property rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkhana, toll tax, GST or any other taxes imposed by the Government.	266.68 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	86671.00
	Total					94327.00

**Draft Schedule of Quantity approved for
 Rs 94327/- only**

Executive Engineer,
 HPPWD (B&R) Division,
 Kaloha Bakhri

DRAFT SCHEDULE OF QUANTITY

Estimate Cost :- Rs. 94529.00

Earnest Money :-Rs. 1900.00

Time Limit :- One Month.

Name of work:- Restoration of rain damages on Kaloha Pragpur Dhaliara Dada Siba Sansarpur Terrace road Km. 0/00 to 9/00 (SH: Repair to Pot Holes in between Km. 2/410 to 3/00)

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm(seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	3.45 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	5693.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and properly rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkhana, toll tax,GST or any other taxes imposed by the Government.	273.34 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	88836.00
	Total					94529.00

Draft Schedule of Quantity approved for Rs 94529/- only.

Executive Engineer,
HPPWD (B&R) Division,
Kotla, Belwal

DRAFT SCHEDULE OF QUANTITY

Name of work:- R/R Damages on Shantla to Budhar via Sai road (SH: Repair to Pot Holes in between Km. 0/00 to 3/300)

Estimate Cost :- Rs.97038.00
 Earnest Money :-Rs.2000.00
 Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm(seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	7.50 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	12375.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and property rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkana, toll tax,GST or any other taxes imposed by the Government.	260.50 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	84663.00
	Total					97038.00

*Draft schedule of quantity approved for
 Re. 97038/- only.*

Executive Engineer,
 HPPWD (B&R) Division,
 Kotla Bawal

DRAFT SCHEDULE OF QUANTITY

Name of work:- R/R Damages on Harizan Basi Saluhi (SH: Repair to Pot Holes in between Km. 0/00 to 2/00)

Estimate Cost :- Rs.99013.00
 Earnest Money :-Rs.2000.00
 Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm(seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	8.50 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	14025.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and property rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkana, toll tax, GST or any other taxes imposed by the Government.	261.50 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	84988.00
	Total					99013.00

Draft Schedule of quantity approved for Rs. 99013/- only.

Executive Engineer,
 HPPWD (B&R) Division,
 Kotla, Palwal

10

DRAFT SCHEDULE OF QUANTITY

Name of work:- R/R Damages on Rakkar to Shantla road (SH: Repair to Pot Holes in between Km. 0/00 to 7/00)

Estimate Cost :- Rs.97688.00
Earnest Money :-Rs.2000.00
Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III (75mm) seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octori, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	7.50 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	12375.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and properly rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkana, toll tax, GST or any other taxes imposed by the Government.	262.50 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	85313.00
	Total					97688.00

Draft schedule of quantity approved for Rs. 97688 | -only

Executive Engineer,
HPPWD (B&R) Division,
Kotker, Behar

DRAFT SCHEDULE OF QUANTITY

Name of work:- R/R Damages on Chouli Nalua da Khoo to Bharoli Jadid road (SH: Repair to Pot Holes in between Km. 1/00 to 3/00).

Estimate Cost :- Rs.98525.00
 Earnest Money :-Rs.2000.00
 Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm(seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	8.50 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	14025.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and property rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkana, toll tax, GST or any other taxes imposed by the Government.	260.00 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	84500.00
	Total					98525.00

*Draft Schedule of quantity approved for
 Rs. 98525/- only.*

Executive Engineer,
 HPPWD (B&R) Division,
 Kotwa, Belga

12

DRAFT SCHEDULE OF QUANTITY

Name of work:- Restoration of rain damages on Chambli Swana road (SH: Repair to Pot Holes in between Km. 0/0 to 2/00).

Estimate Cost :- Rs.94234.00
 Earnest Money :-Rs.1900.00
 Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm] seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	3.24 Cubic metre	1650.00	Rupees Three Hundred Twenty Five Only	Per Cubic metre	5346.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and properly rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkana, toll tax,GST or any other taxes imposed by the Government.	273.50 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	88888.00
	Total					94234.00

Draft schedule of quantity approved for Rs. 94234/- only.

Executive Engineer,
 HPPWD (B&R) Division,
 Kotla Behar

- 3. Drawing Branch in this office.
- 4. Accounts Branch in this office.

Made without

DRAFT SCHEDULE OF QUANTITY

Name of work:- Restoration of rain damages on Chambli Swana road (SH: Repair to Pot Holes in between Km. 2/010 to 4/00).

Estimate Cost :- Rs.94103.00
 Earnest Money :-Rs.1900.00
 Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm) seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	5.80 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	9570.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and properly rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkana, toll tax, GST or any other taxes imposed by the Government.	260.10 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	84533.00
	Total					94103.00

*Draft Schedule of quantity approved for
 Rs. 94103/- only.*

Executive Engineer,
 HPPWD (B&R) Division,
 Kotla Behar

DRAFT SCHEDULE OF QUANTITY

Name of work:- Restoration of rain damages on Kaloha Pragpur Dhaliara Dada Siba Sansarpur Terrace Road Km. 22/200 to 60/920 (SH: Repair to Pot Holes in Km. 31/200 to 33/200)

Estimate Cost :- Rs.86788.00
 Earnest Money :-Rs.1700.00
 Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm(seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	3.75 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	6188.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and properly rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkhana, toll tax, GST or any other taxes imposed by the Government.	248.00 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	80600.00
	Total					86788.00

Draft Schedule of Quantity approved for Rs. 86788/- only.

Executive Engineer,
 HPPWD (B&R) Division,
 Kotla Behar

3. Drawing Division in this office.
 4. Accounts Branch in this office.
 Made without prior...

15

DRAFT SCHEDULE OF QUANTITY

Name of work:- Restoration of rain damages on Kaloha Pragpur Dhaliara Dada Siba Sansarpur Terrace Road Km. 22/200 to 60/920 (SH: Repair to Pot Holes in Km. 33/210 to 35/200)

Estimate Cost :- Rs.99493.00
 Earnest Money :-Rs.2000.00
 Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm(seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	7.56 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	12474.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and property rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkhana, toll tax, GST or any other taxes imposed by the Government.	267.75 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	87019.00
	Total					99493.00

Draft Schedule of Quantity approved for Rs. 99493/- only.

Executive Engineer,
 HPPWD (B&R) Division,
 Kollia Behar

DRAFT SCHEDULE OF QUANTITY

Name of work:- Restoration of rain damages on Bharwain Chintpurni Kandrori Damtal Road Km. 15/310 to 32/560 (SH: Repair to Pot Holes in between Km. 20/00 to 21/10)

Estimate Cost :- Rs.97337.00
 Earnest Money :-Rs.2000.00
 Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm(seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	3.50 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	5775.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and property rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkana, toll tax,GST or any other taxes imposed by the Government.	281.73 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	91562.00
	Total					97337.00

Draft Schedule of quantity approved for Rs. 97337/- only.

Executive Engineer,
 HPPWD (B&R) Division,
 Kollia Behar

DRAFT SCHEDULE OF QUANTITY

Name of work:- Restoration of rain damages on Bharwain Chintpurni Kandrori Damtal Road Km. 15/310 to 32/560 (SH: Repair to Pot Holes in Km. 23/00 to 31/00)

Estimate Cost :- Rs. 97650.00
 Earnest Money :-Rs.2000.00
 Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm] (seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	6.00 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	9900.00
2	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and property rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkana, toll tax,GST or any other taxes imposed by the Government.	270.00 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	87750.00
Total						97650.00

Draft Schedule of quantity approved for Rs. 97650/- only.

Executive Engineer,
 HPPWD (B&R) Division,
 Kollia Behar

2. The work shall be done in this office.
 3. Drawing Branch in this office.
 4. Accounts Branch in this office.

Approval of the competent authority may be obtained from the approved estimate.

18

DRAFT SCHEDULE OF QUANTITY

Name of work:- Restoration of rain damages on Kaloha Pragpur Dhaliara Dada Siba Sansarpur Terrace Road Km. 22/200 to 60/920 (SH: Repair to Pot Holes in Km. 44/200 to 45/200)

Estimate Cost :- Rs.98976.00
 Earnest Money :-Rs.2000.00
 Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm(seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying, and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the intersices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	3.75 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	6188.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and property rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkana, toll tax,GST or any other taxes imposed by the Government.	285.50 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	92788.00
	Total					98976.00

Draft Schedule of quantity approved for Rs. 98976/- only

Executive Engineer,
 HPPWD (B&R) Division,
 Kotla Behar

DRAFT SCHEDULE OF QUANTITY

Name of work:- Restoration of rain damages on Kaloha Pragpur Dhaliara Dada Siba Sansarpur Terrace Road Km. 22/200 to 60/920 (SH: Repair to Pot Holes in Km. 45/210 to 46/200)

Estimate Cost :- Rs.98976.00
Earnest Money :-Rs.2000.00

Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III (75mm) seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octroi, royalty, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	3.75 Cubic metre	1650.00	Rupees One Thousand Six Hundred Fifty Only	Per Cubic metre	6188.00
	Repair to pot holes by removal of loose material, trimming of sides, cleaning of surface, then providing tack coat at the rate of 0.300Kg per square meter road surface with bitumen VG-10 followed 20 mm thick compacted pre-mix carpet using 1.46Kg of bitumen VG-10 and 0.027 cubic meter of crushed stone aggregate of proper grading per square meter of road surface mixed and heated to proper temperature in mix-all 6-10 tonne capacity rolled to desired density with 8-10 tonne weight static road roller followed by seal coat IRC type B using 0.68Kg of bitumen VG-10 and 0.006 cubic meter sand per square meter of road surface duly mixed and heated in mixall to the required temperature and property rolled after laying with 8-10 tonne weight static road roller to the desired density as per technical specification Clause 1904.2, direction of the Engineer-in-Charge. including carriage of materials within all leads, lifts and other incidentals. The rate is including Octroi, Royalty, Malkana, toll tax,GST or any other taxes imposed by the Government.	285.50 Square metre	325.00	Rupees Three Hundred Twenty Five Only	Per Square metre	92788.00
	Total					98976.00

*Draft Schedule of quantity approved for
Rs. 98976/- only.*

Executive Engineer,
HPPWD (B&R) Division,
Kotla Behar

BILL OF QUANTITY

Name of work:- C/o link road from Chamukha Bangana road to civil Hospital Pirsaluhi, Tehsil Rakkar, Distt. Kanagra HP Km. 0/0 to 0/360 (SH:
Balance work of 900mm dia hume pipe culvert at RD 0/250) under MMGSY

Estimate Cost :- Rs.99902/-
Earnest Money :-Rs. 2000/-

Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and laying mechanically mixed and vibrated concrete for plain cement concrete Nominal mix 1:2½:5 (one cement isto two and half sand isto five graded crushed stone aggregate (40mm) forty millimeter nominal size) in all type of sub structure like toe wall, abutment etcetra in or under water, including pumping or bailing out water/ dewatering (surface and sub-soil water) and removal of the slush which may arise at the time of laying under water, for all heights/depts and any quantum of water, in open foundation etcetra including cost of form work and curing complete as per MORD technical specification section 800. 900 & 1200 and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate including Royalty, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government	13.53 Cubic metre	4554.00	Rupees Four Thousand Five Hundred Fifty Four Only	Per cubic metre	61,616.00
2	Providing and laying (to level or slope) 900mm dia (Nine hundred millimeter) diameter reinforced cement concrete light duty non pressure pipes IS Class NP-2 for culverts on first class bedding or granular material in single row including fixing collar with cement mortar 1:2 (One cement isto two sand) but excluding the cost of excavation, protection works, back filling, pipe bedding concrete and masonry work in head walls and parapets as per drawing and M.O.R.D. technical specifications clause 1101.5 and as per direction of Engineer-in-Charge including carriage of materials within all leads and lifts and other incidental. The rate including octroi, royalty, Malkhana, GST, toll tax, sale tax or other taxes imposed by the Government.	5.00 Running metre	3900.00	Rupees Three Thousand Five Hundred Ninety Only	Per running metre	19,500.00

on the gross

1%(One Percent) L. V. T.

shall be applicable as per latest Govt. notification.

examined from the

3	<p>Excavation for road way in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means, including saturated soil comprising of ordinary soil, ordinary rock, soft rock, hard rock chiseling wedging out of rock (where blasting is prohibited) and their intermediate classification of soil complete including setting out true to the required lines grades, width, cutting and trimming of side slopes, camber, super elevation and levels shown as per the drawings and as directed by the Engineer-in-Charge complete in accordance to MORD Technical Specification section 300 & 1600 and sorting out and stacking of useful materials with in all leads and lifts of material in acquired road width and transporting of un-useful materials for filling in road ways, camber, embankments for grade improvements and disposal of all surplus materials to the approved dumping sites through all modes of transportation including head load or animal transport or by mechanical means including leveling, fine dressing and carriage of machineries, materials, tools, equipments and safety measures and other incidentals necessary to complete the work by mechanical means and labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be compensated by him to the extent of damage occurred in all cases. The rate is including Octroi, Royalty, Malkana, toll tax, GST or any other taxes imposed by the Government.</p>	93.93 Cubic metre	200.00	Rupees Two Hundred Twenty Nine Only	Per Cubic metre	18,786.00
	TOTAL					99,902.00
	Quoted Rate in Figure		% above/below			
	Quoted Rate in Words					

Executive Engineer,
 Kotla Behar Division,
 HPPWD Kotla Behar.


BILL OF QUANTITY

Name of work:- C/O Kanol to Kalakkad GP Katoh road Km. 0/0 to 1/300 (SH: C/o balance work of embankment from RD 0/752.50 to 0/771) under OTMNP.

Estimate Cost :- Rs. 99,096/-
Earnest Money :-Rs. 2000/-

Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Construction of embankment with approved material obtained from borrow pits with all lift transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with all lead as per Technical Specification Clause 301.5 and as per the entire satisfactions and directions of Engineer-in-Charge, including carriage of material within all leads, lifts and other incidentals. The rate including Octroi, Royalty, Malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	430.85 Cubic metre	230.00	Rupees Two Hundred Twenty Nine Only	Per cubic metre	99,096.00
TOTAL						99,096.00
			% above/below			
			Quoted Rate in Figure			
			Quoted Rate in Words			



Executive Engineer,
Kotla Behar Division,
HPPWD Kotla Behar.

BILL OF QUANTITY

Name of work:- A/R & M/O Various roads under Pragnpur Sub Division (SH:- Painting and Writing on Km. Stone, Culverts & Sign boards etc in Section Rakkar)

Estimate Cost :- Rs. 99,972/-
Earnest Money :-Rs. 2000/-
Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Removing old paint from Steel and other metal surfaces and making the surface even with hand scraping complete as per the direction by the Engineer in charge including entire carriage of materials with in all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, goods service tax, labour cess or other taxes imposed by the Government.	23.92 Square metre	24.00	Rupees Twenty Four Only	Per square metre	574.00
2	Painting two coat (excluding priming coat) on previously painted steel and other metal surface with enamel paint brushing to give an even shade including cleaning the surface of all dirt, dust and other foreign matter complete as per the direction by the Engineer in charge including entire carriage of materials with in all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, goods service tax, labour cess or other taxes imposed by the Government.	23.92 Square metre	88.00	Rupees Eighty Eight Only	Per square metre	2105.00
3	Painting two coat (excluding priming coat) on previously painted concrete/masonry/plastered surface with ready mixed paint brushing to give an even shade including cleaning the surface of all dirt, dust and other foreign matter complete as per the direction by the Engineer in charge including entire carriage of materials with in all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, goods service tax, labour cess or other taxes imposed by the Government.	75.64 Square metre	91.00	Rupees Ninety One Only	Per square metre	6883.00
4	Writing letter in figures of any surface with black Japan Paint (stops, comas, hyphens and the like not to be measured and paid separately) as per drawings and Technical Specification Clause 1701 complete as per the direction by the Engineer in charge including entire carriage of materials with in all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, goods service tax, labour cess or other taxes imposed by the Government.	25000.00 Par.Cm height per letter	2.95	Rupees Two And Paise Ninety Five Only	Per centimet re height per letter	73750.00
5	Painting index hands normal size or arrows(up to 40 cm long) on any surface with Black Japan complete as per the direction by the Engineer in charge including entire carriage of materials with in all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, goods service tax, labour cess or other taxes imposed by the Government.	280.00 Figure	59.50	Rupees Fifty Nine And Paise Fifty Only	Per figure	16650.00
TOTAL						99,972.00
		Quoted Rate in Figure	% above/below			
		Quoted Rate in Words				



 Executive Engineer,
 Kotla Behar Division,
 HPPWD Kotla Behar.

BILL OF QUANTITY

Estimate Cost :- Rs. 97,750/-
Earnest Money :-Rs. 2000/-
Time Limit :- One Month.

Name of work:-RRD on various roads under HPPWD Sub Division Dada Siba (SH:Hiring of Three wheel 80-100 KN
Static Roller for various works in Section Kotla)

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Three wheel 80-100 KN Static Roller for compaction/rolling work of surface dressing, embankment in layers in all kind of soils as per direction of Engineer-in-Charge. Any loss of the public/private property or any accident etcetra heppened during the course of hiring period/execution shall be the absolute responsibility of the owner of Static Roller which shall have to be fully compensated by the contractor in all cases. The fuel and operational staffor machinery will be provided by the owner. The repair and spare, watch and ward of machinery also be borne by the contractor/owner. The daily log book will be maintained at site which shoul be duly verified by Engineer-in-Charge. The rates including Royalty, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.	115.00 Cubic metre	850.00	Rupees Eight Hundred Fifty Only	Per cubic metre	97750.00
TOTAL						97,750.00
	Quoted Rate in Figure		% above/below			
	Quoted Rate in Words					


 Executive Engineer,
 Kotla Behar Division,
 HPPWD Kotla Belgar.

on the gross am...
 1%(One Percent) l...
 shall be applicable as per latest Govt...
 as obtained from the...
 in the justification.


BILL OF QUANTITY

Name of work:- RRD on various roads under Dada Siba Sub Division, Section Terrace (SH:- Maintenance of earthen shoulders of various roads) Job-2

Estimate Cost :- Rs. 99750/-
Earnest Money :-Rs. 2000/-
Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Making up loss of material/irregularities on shoulders to the design level by adding fresh approved selected soil and compacting it with appropriate equipment at OMC upto a lead of 1000 m as per technical specification Clause 1903 as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate including Royalty, Malkhana, Octroi, toll tax, sale tax, GST or any other taxes imposed by the Government.	2100.00 Square Metre	47.50	Rupess Two Hundred Twenty Nine Only	Per square metre	99,750.00
TOTAL						99,750.00
			% above/below			
			Quoted Rate in Figure			
			Quoted Rate in Words			

Executive Engineer,
Kotla Behar Division,
HPPWD Kotla Behar.




BILL OF QUANTITY

Name of work:- C/O Kanol to Kalakkad GP Katoh road Km. 0/0 to 1/300 (SH: C/o balance work of embankment from RD 0/375 to 0/405 and 0/795 to 0/806) under OTMNP.

Estimate Cost :- Rs. 99,275/-
Earnest Money :-Rs. 2000/-
Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Construction of embankment with approved material obtained from borrow pits with all lift transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with all lead as per Technical Specification Clause 301.5 and as per the entire satisfactions and directions of Engineer-in-Charge, including carriage of material within all leads, lifts and other incidentals. The rate including Octroi, Royalty, Malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	431.63 Cubic metre	230.00	Rupees Two Hundred Twenty Nine Only	Per cubic metre	99,275.00
	TOTAL					99,275.00
			% above/below			
			Quoted Rate in Figure			
			Quoted Rate in Words			



Executive Engineer,
Kotla Behar Division,
HPPWD Kotla Behar.

BILL OF QUANTITY

Estimate Cost :- Rs. 73,493/-
 Earnest Money :-Rs. 1500/-
 Time Limit :- One Month.

Name of work:- RRD Jhurmi Mod (Chinpurmi Talwara road) to Bassi Nangal via Sunhet Km. 0/0 to 3/315 (SH: C/o Edge wall at RD 1/855 to 1/892)

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Earth work in excavation in foundation for all types of structures such as retaining walls, breast walls, culverts, drains, parapets and other similar structures in all kinds and classification of soil, including saturated soil comprising of ordinary mix soil, ordinary rock, hard rock, chiseling/wedging out rocks (where blasting is prohibited) complete in accordance with the lines and dimensions shown on the drawings, including setting out, construction of shoring, bracing, removal of stumps and other deleterious materials and disposal of excavated material upto any leads and lifts including dressing of sides and bottom and obstructions necessary for placing the foundations, trimming, leveling ramming and watering bottom of excavation and back filling in trenches with excavated suitable approved materials to the original surface in layers not exceeding 15cm (fifteen centimeter) compacted thickness including shoring and strutting and pumping or bailing out water (surface and sub-soil water) up to any depth and any quantum of water and cleaning of slush which may arise out during dewatering complete as per drawing and MORD Technical Specification clause 305.1 and as per the direction and the entire satisfaction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.	8.57 Cubic metre	229.00	Rupees Two Hundred Twenty Nine Only	Per Cubic metre	1,953.00
2	Providing and laying mechanically mixed and vibrated concrete for plain cement concrete Nominal mix 1:2½:5 (one cement isto two and half sand isto five graded crushed stone aggregate (40mm) forty millimeter nominal size) in all type of sub structure like toe wall, abutment etcetra in or under water, including pumping or bailing out water/ dewatering (surface and sub-soil water) and removal of the slush which may arise at the time of laying under water, for all heights/depths and any quantum of water, in open foundation etcetra including cost of form work and curing complete as per MORD technical specification section 800, 900 & 1200 and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate including Royalty, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.	15.55 Cubic metre	4600.00	Rupees Three Thousand Four Hundred Ninety One Only	Per Cubic metre	71,530.00
TOTAL						73,493.00
		Quoted Rate in Figure	% above/below			
		Quoted Rate in Words				


 Executive Engineer,
 Kotla Behar Division,
 HPPWD Kotla Behar.

BILL OF QUANTITY

Name of work:- C/o link road from Chamukha Bangana road to civil Hospital Pirsaluhi, Tehsil Rakkar, Distt. Kanagra HP Km. 0/0 to 0/360(SH):
Balance work of 900mm dia hume pipe culvert at RD 0/250) under MMGSY

Estimate Cost :-Rs. 98994/-
Earnest Money :-Rs. 2000/-
Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Earth work in excavation in foundation for all types of structures such as retaining walls, breast walls, culverts, drains, parapets and other similar structures in all kinds and classification of soil, including saturated soil comprising of ordinary mix soil, ordinary rock, hard rock, chiseling/wedging out rocks (where blasting is prohibited) complete in accordance with the lines and dimensions shown on the drawings, including setting out, construction of shoring, bracing, removal of stumps and other deleterious materials and disposal of excavated material upto any leads and lifts including dressing of sides and bottom and obstructions necessary for placing the foundations, trimming, leveling ramming and watering bottom of excavation and back filling in trenches with excavated suitable approved materials to the original surface in layers not exceeding 15cm (fifteen centimeter) compacted thickness including shoring and strutting and pumping or bailing out water (surface and sub-soil water) up to any depth and any quantum of water and cleaning of slush which may arise out during dewatering complete as per drawing and MORD Technical Specification clause 305.1 and as per the direction and the entire satisfaction of Engineer-In-Charge including carriage of material within all leads, lifts and other incidentals.	10.38 Cubic metre	229.00	Rupees Two Hundred Twenty Nine Only	Per Cubic metre	2,377.00
2	Providing and laying mechanically mixed and vibrated concrete for plain-cement concrete, nominal mix 1:3:6 (one cement isto three sand isto six graded crushed stone aggregate 20mm (twenty millimeters) nominal size) in or under water in open foundations for all Type of structure, such as Drains and the like including pumping or bailing out water/ dewatering removal of the slush which may arise at the time of laying concrete, for all heights/depths, including cost of form work complete as per drawing and MORD technical specification section 800, 900 and 1200 or as directed by Engineer-in-Charge, including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royalty, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.	21.79 Cubic metre	4434.00	Rupees Four Thousand Four Hundred Thirty Four Only	Per Cubic metre	96,617.00
TOTAL						98,994.00
		Quoted Rate in Figure	% above/below			
		Quoted Rate in Words				

Executive Engineer,
Kotla Behar Division,
HPPWD Kotla Behar.

BILL OF QUANTITY

Name of work:- A/R & M/O Various roads under Pragpur Sub Division (SH:- Painting and Writing on Km. Stone, Culverts & Sign boards etc in Section Pragpur)

Estimate Cost :- Rs. 99,974/-
Earnest Money :-Rs. 2000/-
Time Limit :- One Month.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Removing old paint from Steel and other metal surfaces and making the surface even with hand scraping complete as per the direction by the Engineer in charge including entire carriage of materials with in all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, goods service tax, labour cess or other taxes imposed by the Government.	24.00 Square metre	24.00	Rupees Twenty Four Only	Per square metre	576.00
2	Painting two coat (excluding priming coat) on previously painted steel and other metal surface with enamel paint brushing to give an even shade including cleaning the surface of all dirt, dust and other foreign matter complete as per the direction by the Engineer in charge including entire carriage of materials with in all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, goods service tax, labour cess or other taxes imposed by the Government.	23.92 Square metre	88.00	Rupees Eighty Eight Only	Per square metre	2105.00
3	Painting two coat (excluding priming coat) on previously painted concrete/masonry/plastered surface with ready mixed paint brushing to give an even shade including cleaning the surface of all dirt, dust and other foreign matter complete as per the direction by the Engineer in charge including entire carriage of materials with in all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, goods service tax, labour cess or other taxes imposed by the Government.	75.64 Square metre	91.00	Rupees Ninety One Only	Per square metre	6883.00
4	Writing letter in figures of any surface with black Japan Paint (stops, commas, hyphens and the like not to be measured and paid separately) as per drawings and Technical Specification Clause 1701 complete as per the direction by the Engineer in charge including entire carriage of materials with in all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, goods service tax, labour cess or other taxes imposed by the Government.	25000.00 Per.Cm height per letter	2.95	Rupees Two And Paise Ninety Five Only	Per centimet re height per letter	73750.00
5	Painting index hands normal size or arrows(up to 40 cm long) on any surface with Black Japan complete as per the direction by the Engineer in charge including entire carriage of materials with in all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, goods service tax, labour cess or other taxes imposed by the Government.	280.00 Figure	59.50	Rupees Fifty Nine And Paise Fifty Only	Per figure	16660.00
TOTAL						99,974.00
		Quoted Rate in Figure	% above/below			
		Quoted Rate in Words				

**Executive Engineer,
Kolta Behar Division,
HPPWD Kolta Behar.**

shall be applicable as per latest Govt. notification.
taken in the justification.
shall be obtained from the
1%(One Percent) building cess shall be de
on the gross amount of the work done

BILL OF QUANTITY

Estimate Cost :- Rs. 99450/-
Earnest Money :-Rs. 2000/-
Time Limit :- One Month.

Name of work:-RRD on various roads under HPPWD Sub Division Pragpur (SH:Hiring of Three wheel 80-100 KN
Static Roller for various works in Section Pragpur).

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Three wheel 80-100 KN Static Roller for compaction/rolling work of surface dressing, embankment in layers in all kind of soils as per direction of Engineer-in-Charge. Any loss of the public/private property or any accident etcetra heppered during the course of hiring period/execution shall be the absolute responsibility of the owner of Static Roller which shall have to be fully compensated by the contractor in all cases. The fuel and operational staffor machinery will be provided by the owner. The repair and spare, watch and ward of machinery also be borne by the contractor/owner. The daily log book will be maintained at site which shoul be duly verified by Engineer-in-Charge. The rates including Royalty, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.	117.00 Cubic metre	850.00	Rupees Eight Hundred Fifty Only	Per cubic metre	99450.00
TOTAL						99,450.00
	Quoted Rate in Figure		% above/below			
	Quoted Rate in Words					

Executive Engineer,
Kotla Behar Division,
HPPWD Kotla Behar.



BILL OF QUANTITY

Name of work:- RRD Jhurni Mod (Chintpurni Talwara road) to Bassi Nangal via Sunhet Km. 0/0 to 3/315 (SH: C/o Edge wall at RD 1/855 to 1/892)

Estimate Cost :- Rs. 60,117/-
 Earnest Money :-Rs. 1300/-
 Time Limit :- One Month.

Sr. No.	Description of item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Earth work in excavation in foundation for all types of structures such as retaining walls, breast walls, culverts, drains, parapets and other similar structures in all kinds and classification of soil, including saturated soil comprising of ordinary mix soil, ordinary rock, hard rock, chiseling/wedging out rocks (where blasting is prohibited) complete in accordance with the lines and dimensions shown on the drawings, including setting out, construction of shoring, bracing, removal of stumps and other deleterious materials and disposal of excavated material upto any leads and lifts including dressing of sides and bottom and obstructions necessary for placing the foundations, trimming, leveling ramming and watering bottom of excavation and back filling in trenches with excavated suitable approved materials to the original surface in layers not exceeding 15cm (fifteen centimeter) compacted thickness including shoring and strutting and pumping or bailing out water (Surface and sub-soil water) up to any depth and any quantum of water and cleaning of slush which may arise out during dewatering complete as per drawing and MORD Technical Specification clause 305.1 and as per the direction and the entire satisfaction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.	7.01 Cubic metre	229.00	Rupees Two Hundred Twenty Nine Only	Per Cubic metre	1,605.00
2	Providing and laying mechanically mixed and vibrated concrete for plain cement concrete 1:2½:5 (one cement isto two and half sand isto five graded crushed stone aggregate (40mm) forty millimeter nominal size) in all type of sub structure like toe wall, abutment etcetra in or under water, including pumping or bailing out water/ dewatering (surface and sub-soil water) and removal of the slush which may arise at the time of laying under water, for all heights/depths and any quantum of water, in open foundation etcetera including cost of form work and curing complete as per MORD technical specification section 800, 900 & 1200 and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate including Royalty, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.	12.72 Cubic metre	4600.00	Rupees Three Thousand Four Hundred Ninety One Only	Per Cubic metre	58,512.00
TOTAL						60,117.00
			% above/below			
			Quoted Rate in Figure			
			Quoted Rate in Words			

Executive Engineer,
 Kotla Behar Division,
 HPPWD Kotla Behar.

BILL OF QUANTITY

Estimate Cost :- Rs. 99,786/-
Earnest Money :-Rs. 2000/-
Time Limit :- One Month.
Name of work:- C/O Kanol to Kalakkad GP Katoh road Km. 0/0 to 1/300 (SH: C/o balance work of embankment from RD 0/736 to 0/749.50) under OTMNP.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Construction of embankment with approved material obtained from borrow pits with all lift transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with all lead as per Technical Specification Clause 301.5 and as per the entire satisfactions and directions of Engineer-in-Charge. Including carriage of material within all leads, lifts and other incidentals. The rate including Octroi, Royalty, Malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	433.85 Cubic metre	230.00	Rupess Two Hundred Twenty Nine Only	Per cubic metre	99,786.00
	TOTAL					99,786.00
			% above/below			
			Quoted Rate in Figure			
			Quoted Rate in Words			

Executive Engineer,
Kotla Behar Division,
HPPWD Kotla Behar




DRAFT SCHEDULE OF QUANTITY

Name of work:-Repair and maintenance of HPPWD Rest House Building at Pragpur Tehsil Pragpur Distt. Kangra (HP) (SH: Almira frame in VIP set)

Estimate Cost :- Rs.99155.00
 Earnest Money :-Rs.2000.00
 Time Limit :- One Months.

Sr. No.	Description of Item	Quantity	Rate in		Unit	Amount
			Figures	Words		
1	Providing and fixing aluminium work for doors, windows,(minimum thickness of powder coating 50 micron) consisting of tee/ angle sections, of approved make conforming to IS : 733 in frames of false ceiling including aluminium angle cleats with necessary C.P. brass/ stainless steel sunk screws, aluminium perimeter angles fixed to wall with stainless steel rawl plugs @ 450 mm centre to centre and fixing the frame work to G.I. level adjusting hangers 6 mm dia. with necessary cadmium plated machine screws all complete as per approved architectural drawings and direction of the Engineer-incharge (level adjusting hangers, ceiling cleats and expansion hold fasteners to be paid for separately). including carriage of materials within all leads, lifts and other incidentals. The rate inclusive of Malkhana, Octroi, Toll tax, GST or any other taxes imposed by the Government.	164.30 e	603.50	Rupees Six Hundred Three And Paise Fifty Only	Per Kilogram e	99,155.00
	Total					99,155.00


 Executive Engineer,
 HPPWD (B&R) Division,
 Kotla Behar