

NOTICE INVITING TENDER

Sealed percentage rate tenders on form 6 & 8 are invited by the Executive Engineer, Division, HP: PWD, Kangra on behalf of the Governor of Himachal Pradesh for the following work from the approved and eligible contractors/firms enlisted in HPPWD in the appropriate class for the work mentioned below on **08.04.2026 up to 11-00 A.M.** and will be opened on the same day at **11-30 A.M.** in the presence of intending contractors or their authorized representatives who may wish to be present. The tender forms can be obtained from this office on cash payment (non refundable) on **07.04.2026 up to 4.30 P.M.** The tender applications for issue of tender forms will be received in this office on **07.04.2026 up to 11.30 A.M.** The earnest money in shape FDR National Saving certificate/Saving Account/Time Deposit Account in any of the Post Office/National Bank in H.P. duly pledged in favour of Executive Engineer, HPPWD., Division, Kangra. The conditional tenders and the tenders received without earnest money will summarily be rejected. The offer of the tender shall be kept open for 75 days.

Sr. No.	Name of work	Estimated cost	Earnest Money	Cost of tender form	Time Limit
1.	C/O Ambulance road from Rakesh Land to Amar Singh Cow Shed ward No-03(Rihalkhad)L.H.S. to Taldipur to Dhameer km. 0/00 to 1/770)(SH- C/O Drain Hume pipe, G-II, C.C. Pavement in RD 0/150 to 0/180)(Deposit work)	99886/-	2000/-	350/-	One Month
2.	A/R & M/O link road Dulda to Sidh Behra km. 0/00 to 0/700)(SH- Improvement of formation deficiency)	99992/-	2000/-	350/-	One Month
3.	A/R & M/O link road to Chakban Goth km. 0/00 to 2/00 (SH- Improvement of formation deficiency from RD 1/475 to 1/670)	99847/-	2000/-	350/-	One Month

Certified that tender of above works are being called of urgent nature in public interest.

TERMS & CONDITIONS:-

1. The contractors/firms should be produce the attested copy of latest enlistment and renewal enlisted in HPPWD, GST No. and EPF No. with the application failing which their application will not be entertained.
2. If any of the date mentioned above happened to be Gazetted Holiday the same shall be processed on next working day.
3. The Earnest Money for the above works should be required at the time of sale of tender forms.
4. The contractor/firms should be quoted percentage rate in the tender both in figures and in words failing which tender is likely to be rejected.
5. The Executive Engineer reserves the right to accept/reject any tender/application or all tenders without assigning any reason

Executive Engineer,
HPPWD, Division, Kangra,
Distt. Kangra (H.P.)

(On behalf of Governor of Himachal Pradesh)

Dated: 20/3/26

Encl:- No.PW/KD/CB/Tenders/2025-26-
Copy is forwarded to:-

1. The Computer Cell Office of the Engineer-in-Chief, HPPWD., Shimla for uploading the NIT on the Department website.
2. The Chief Engineer (KZ) HPPWD., Dharamshala for information please.
3. The Superintending Engineer, 5th Circle, HPPWD., Palampur for information please.
4. All the Assistant Engineer's working under Kangra Division.
5. NIT Register.
6. All Head of Branches.
7. Notice Board.

Executive Engineer,
HPPWD, Division, Kangra,
Distt. Kangra (H.P.)

SCHEDULE OF QUANTITY

Sr. No		Description of work	Qty	Unit	Rates		AMOUNT
					In Figures	In Words	
					Estimated Cost:-		
						99886.00	
						9000/-	
<p>NAME OF WORK :-CONSTRUCTION OF AMBULANCE ROAD FROM RAKESH LAND TO AMAR SINGH COW SHED WARD NO-03(RIHALKHAD) L.H.S. OF TAKIPUR TO DHAMER KM.0/00 TO 1/770(SH:- C/O DRAIN,HUME PIPE, G-II, C,C PAVEMENT IN RD 0/150 TO 0/180(DEPOSIT WORK)</p>							
1		Earthwork in excavation for all type of road structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m (fifty metre) dressing of sides and bottom and backfilling in trenches with excavated suitable material ordinary soil upto 3 m depth The rate is inclusive for carriage of materials within all leads, lifts and other incidentals. The rate including octroi, royalty, toll tax, sale tax or other taxes imposed by the Government.	9.45	Per Cubic metres	489.20	Rupees Four Hundred & Eighty Nine - Paise Twenty Only	4623.00
2		Excavation in hilly area in all heights and depths and in all kind of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rock, hard rock, chiseling, wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required lines, grades, width cutting and trimming of side slopes and level as shown in the drawing and as directed by engineer-in-charge at site according to the MORD technical specification clause 302, 304 and 1603 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of road and transportation of unuseful material for filling in road ways, camber, embankments for grade improvements and disposal of all useful material in acquired width of the road or on approved dumping sites through all modes of transportation including head load or animal transport or mechanical means along with its leveling, fine dressing and carriage of machineries, materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and/ pro-rata basis as per actual quantity executed. Any loss to the public, private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be compensated by him in all cases.	4.67	Per Cubic metres	332.90	Rupees Three Hundred & Thirty Two - Paise Ninety Only	1555.00

3	<p>Providing and laying spreading and compacting stone aggregate of specified size to water bound macadam specifications in including spreading in uniform thickness, hand packing, rolling with 3 wheeled road/ vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening/ binding material to fill up interstices of coarse aggregate, watering and compacting to the required density. 63mm to 45 mm size stone aggregate, Grading-II as per technical specifications clause 405. By Mechanically Means, as per the direction of the Engineer-in-Charge including carriage of material with in all leads, lifts and other incidental. The rate including of octroi, royalty, Malkhana, toll tax, GST or other taxes imposed by the Government.</p>	8.43	Per Cubic metres	2027.85	Rupees Two Thousand & Twenty Seven - Paise Eighty Five Only	17095.00
4	<p>Providing and laying mechanically mixed and vibrated, concrete for plain cement concrete in open foundation of all type of structure complete, grade- M-20 (M twenty) nominal mix 1:2:4 (One cement isto Two sand isto Four graded crushed stone aggregate 20mm (Twenty millimetre) nominal size with cement contents not les than of 330 (Three hundred thirty) Kilogramme Per Cubic metre with 20mm (Twenty millimetre) nominal size graded crushed stone aggregate and curing complete, for all heights/ depths including the cost of form work as per drawings and MORD technical section 800, 900 and 1200 and as per the direction of Engineer-in-Charge. The rate is inclusive for carriage of materials within all leads, lifts and other incidentals. The rate including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.</p>	8.66	Per Cubic metres	5976.50	Rupees Five Thousand Nine Hundred & Seventy Six - Paise Fifty Only	51756.00
5	<p>Providing & laying mechanically mixed and vibrated for plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M-Ten) nominal mix 1:3:6 (one cement:3sand:6graded crushed stone aggregate 20mm (Twenty millimetre) nominal size in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/depths including the cost of form work as per drawings and MORD technical specifications section 800, 900, and 1200 as per the direction of the Engineer -in-Charge including carriage of material with in all leads, lifts and other incidental. The rate including of octroi, royalty, Malkhana, toll tax, GST or other taxes imposed by the government.</p>	0.85	Per Cubic metres	5714.60	Rupees Five Thousand Seven Hundred & Fourteen - Paise Sixty Only	4857.00

6	Providing and laying (to level or slope) 900mm dia (Nine hundred millimetre) diameter reinforced cement concrete non pressure pipes IS Class NP-2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 (One cement isto Two Sand) but excluding the cost of excavation, protection works, back filling, concrete and masonry work in head walls and parapets as per drawing and MORD technical specifications clause 1101 and as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidental. The rate is including octroi, royalty, Malkana, toll tax, sale tax GST or any other taxes imposed by the Government.	5.00	Per Running metres	4000.00	Rupees Four Thousand Only	20000.00
Total:						99886.00

EXCESS = _____ %

LESS = _____ %


 Executive Engineer,
 HPPWD Kangra
 Division Kangra.

SCHEDULE OF QUANTITY

NAME OF WORK :- A/R & M/O LINK ROAD DUKKI TO SIDH BEHRA KM.0/00 TO 0/700 (SH- IMPROVEMENT OF FORMATION DEFICENCY)

Estimated Cost:- 99992/-only

Earnest Money:- 2000/-

Time Limit:- One Month

S.NO	Description of work	Qty	Unit	Rates		AMOUNT
				In Figures	In Words	
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock(where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades,width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer- in- Charge at site according to the M.O.R.D. technical specification section 1000 &300 and shorting out usefull materials and stacking the same in all leads and lifts in acquired width of the road and transportation of usefull material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling / carriage of machineries, materials, tools equipments and safety measures.Recovery for usefull stone of 24.00 cum @ 300/- per cum shall be effected from the contractor bill on pro-rata basis for the quality of cutting in earth work executed. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be dully compensated by him at his own cost.	430.00	Per Cubic metre	232.54	Rupees Two Hundred & Thirty Two - Paise Fifty Four Only	99992.00
		Total:				99992.00

EXCESS = _____ %

LESS = _____ %


 Executive Engineer,
 HPPWD Kangra
 Division Kangra.

SCHEDULE OF QUANTITY

A/R & M/O

NAME OF WORK :- CONSTRUCTION OF LINK ROAD TO CHAKBAN GOTH KM.0/00 TO 2/00(SH:-IMPROVEMENT OF FORMATION DEFICENCY FROM RD 1/475 TO 1/670)

		Estimated Cost:- 99847/-only				
		Earnest Money:- 2000/-				
		Time Limit:- One Month				
S.NO	Description of work	Qty	Unit	In Figures	Rates	AMOUNT
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock(where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades,width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer- in- Charge at site according to the M.O.R.D. technical specification section 1000 &300 and shorting out usefull materials and stacking the same in all leads and lifts in acquired width of the road and transportation of usefull material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling / carriage of machineries, materials, tools equipments and safety measures.Recovery for usefull stone of 40.16 cum @ 300/- per cum shall be effected from the contractor bill on pro-rata basis for the quality of cutting in earth work executed. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be dully compensated by him at his own cost.	401.59	Per Cubic metre	248.63	Rupees Two Hundred & Fourty Eight - Paise Sixty Three Only	99847.00
		Total:				99847.00

EXCESS = _____ %

LESS = _____ %


 Executive Engineer,
 HPPWD Kangra
 Division Kangra.