

Himachal Pradesh  
Public Works Department

NO.PW.THHD/CB-tender/2025-26 -15744-58

Dated:- 4-3-2026

To


✓ The Executive Engineer, (IT Cell )  
O/O Engineer-in- Chief,  
H.P.P.W.D., NirmnBhawan, Shimla-2

**Subject:- Publication of Tender notice.**

Sir,

I am enclosing herewith Notice Inviting Tender for the various works typed in English for uploading the same on department website in view of Principal Secretary (PW) to the Government of Himachal Pradesh Notification No. PBW (B) A (3)8/2025 300858 dated 13<sup>th</sup> Nov. 2025.

As the work mentioned in the tender notice are urgent in nature and in public interest.

  
Executive Engineer,  
TheogDivision, B&R,  
H.P.P.W.D., Theog

Copy forwarded to the following a/w copy of tender notice for information:-

- The Deputy Commissioner, Shimla Distt. Shimla H.P
- The Superintending Engineer, 4<sup>th</sup> circle H.P.P.W.,D , Shimla-3.
- The Sub-divisional officer© Theog.
- The municipal Council Theog.
- Block development officer, Theog block.
- All the Assistant Engineer working under this division
- Superintendent Gr-II (Estt.) in this division.
- Drawing branch in this office.
- Notice Board

Executive Engineer,  
TheogDivision, B&R,  
H.P.P.W.D., Theog

**"Exigency Certificate"**

It is certified that the tenders for various works as called for vide this office letter No. PW/THC/CE/Tender/2025-26 1576/26 dt 13/26 are of emergent nature in exigency of public interest.

Executive Engineer,  
Thengapattanam,  
H.P.P.W.O., Thengapattanam

**Himachal Pradesh  
Public Works Department  
NOTICE INVITING TENDER**

Sealed percentage rate tenders on PWD form 6 & 8 are hereby invited by the Executive Engineer, /-Theog Division, H.P.P.W.D., Theog on behalf of the Governor of HP. for the following works from the eligible contractors enlisted in H.P.PWD. (B&R) whose registration stood renewed as per revised rules and also registered under the H.P. General Sales Tax Act, 1968 so as to reach in this office on or **before 24.03.2026 up to 11.00 A.M.** and the same shall be opened on the same day at 11.30 A.M. in the presence of intending contractors or their authorized representative who may like to be present. The tender documents can be had from this office against cash payment ( Non-refundable) on **23.03.2026 up to 4.00 P.M.** and the application for issue of tender form shall be received on **20.03.2026 up to 4.00 P.M.**

The amount of earnest money in the shape of NSCs/FDR deposit at call of any of the Post office/ Bank duly pledged in favour of XEN HPPWD. Theog must be accompanied with the application for tender documents. Please note no exemption orders of earnest money will be entertained. Conditional tenders and the tenders received without earnest money as mentioned above will similarly be rejected. The offer of the tenders shall be kept open for 120 days. The Executive Engineer reserves the right to reject any tender of all tenders without assigning any reasons. If it happens to be a holiday on the day of opening of tenders the same will be opened on the next working day at the same time and venue.

| Sr.No | Name of work  | Name of Divn. | Estimated cost(Rs.) | EMD (Rs.) | Cost of form (Rs) | Time Allowed |
|-------|---|---------------|---------------------|-----------|-------------------|--------------|
| 1     | 2   | 3             | 4                   | 5         | 6                 | 7            |
| 1     | R/R of rain damages on Chhinkardhar to Tikker Road km/Rd 0/0 to 8/00 (SH:- C/O PCC R/wall at KM/RD 1/810 to 1/820 & C/o B/wall at KM/Rd 1/830 to 1/845) | Theog         | 4,91,900=           | 10,000=   | 350/-             | One Month    |
| 2     | R/R of rain damages on Runkali to Chikhar road km 0/0 to 6/500 (SH:- C/O B/wall at Km/Rd 0/600 to 0/620)  | Theog         | 3,15,088=           | 6,350=    | 350/-             | One Month    |
| 3     | R/R of rain damages on Nanoo Kuthar Basadhar road km/Rd 0/0 to 36/00 (SH:- C/O wire crate B/wall at Km/Rd 14/720 to 14/745)                             | Theog         | 4,86,582=           | 10,000=   | 350/-             | One Month    |
| 4     | R/R of rain damages on Nanoo Kuthar Basadhar road km/Rd 0/0 to 36/00 (SH:- C/O wire crate B/wall at Km/Rd 14/785 to 14/810)                             | Theog         | 4,86,582=           | 10,000=   | 350/-             | One Month    |
| 5     | R/R of rain damages on Nanoo Kuthar Basadhar road km/Rd 0/0 to 36/00 (SH:- C/O wire crate B/wall at Km/Rd 14/755 to 14/780)                             | Theog         | 4,86,582=           | 10,000=   | 350/-             | One Month    |
| 6     | R/R of rain damages on Nanoo Kuthar Basadhar road km/Rd 0/0 to 36/00 (SH:- C/O wire crate B/wall at Km/Rd 14/643 to 14/660)                             | Theog,        | 4,99,230=           | 10,000=   | 350/-             | One Month    |
| 7     | R/R of rain damages on Nanoo Kuthar Basadhar road km/Rd 0/0 to 36/00 (SH:- C/O wire crate B/wall at Km/Rd 14/14/660 to 14/687))                         | Theog,        | 4,99,230=           | 10,000=   | 350/-             | One Month    |
| 8     | R/R damages on Chhaila Sainj Neripul Yashwant Nager Solan road Km/Rd 0/0 to 18/435 (SH:- C/O PCC R/wall at KM/Rd 13/285 to 13/295)                      | Theog         | 4,94,144=           | 10,000=   | 350/-             | One Month    |

|    |  |        |            |          |       |           |
|----|--|--------|------------|----------|-------|-----------|
| 9  | R/R damages on Chhaila Sainj Neripul Yashwant Nager Solan road Km/Rd 0/0 to 18/435 (SH:- C/O PCC R/wall at Km/Rd 5/705 to 5/720))              | Theog, | 4,95,229=  | 10,000=  | 350/- | One Month |
| 10 | R/R damages on Chhaila Sainj Neripul Yashwant Nager Solan road Km/Rd 0/0 to 18/435 (SH:- C/O Toe wall and R/wall at Km/Rd 1/390 to 14/896.50)) | Theog  | 4,87,510=  | 10,000=  | 350/- | One Month |
| 11 | R/R damages on Chhaila Sainj Neripul Yashwant Nager Solan road Km/Rd 0/0 to 18/435 (SH:- C/O Toe wall at Km/Rd 5/006 to 5/017)                 | Theog  | 4,34,004=  | 9,000=   | 350/- | One Month |
| 12 | R/R damages on Chhaila Sainj Neripul Yashwant Nager Solan road Km/Rd 0/0 to 18/435 (SH:- C/O Toe wall at Km/Rd 4/998 to 5/006)                 | Theog, | 4,98,484=  | 10,000=  | 350/- | One Month |
| 13 | R/R of rain damages on Matiana Mahori via Kalzar Km/Rd 0/00 to 16/00 (SH:- C/O B/wall at Km/Rd 0/215 to 0/233)                                 | Theog  | 2,09,822=  | 4,200=   | 350/- | One Month |
| 14 | R/R damages on Chhaila Sainj Neripul Yashwant Nager Solan road Km/Rd 0/0 to 18/435 (SH:- C/O Toe wall & R/wall at Km/Rd 4/990 to 4/998))       | Theog  | 4,98,484=  | 10,000=  | 350/- | One Month |
| 15 | R/R damages on Chhaila Sainj Neripul Yashwant Nager Solan road Km/Rd 0/0 to 18/435 (SH:- Removal of slips/Debriss in Km/Rd 14/105 to 18/435)   | Theog  | 4,44,920=  | 10,000=  | 350/- | One Month |
| 16 | R/R damages on Chhaila Sainj Neripul Yashwant Nager Solan road Km/Rd 0/0 to 18/435 (SH:- Removal of slips/Debriss in Km/Rd 5/700 to 14/00)     | Theog  | 4,77,926=  | 10,000=  | 350/- | One Month |
| 17 | R/R damages on Sarion Gowai via Bhalech Jadeog road km 0/0 to 5/400 (SH:- C/o B/wall at Km/Rd 0/940 to 0/970 and 1/640 to 1/651.50)            | Theog  | 4,78,150=  | 10,000=  | 350/- | One Month |
| 18 | R/R damages on Sarion Gowai via Bhalech Jadeog road km 0/0 to 5/400 (SH:- C/o B/wall at Km/Rd 0/900 to 0/925)                                  | Theog  | 4,93,120=  | 10,000=  | 350/- | One Month |
| 19 | R/R damages on Dhamandri to Jais road km/Rd 0/0 to 7/00 (SH:- C/o B/wall at Km/Rd 5/379 to 5/406)  | Theog  | 4,19,016=  | 8,400=   | 350/- | One Month |
| 20 | R/R of rain damages on TKH road km/Rd 5/00 to 8/00 (SH:- Removal of slips/debris in Km/Rd 5/00 to 8/00)  | Theog  | 99,919/-   | 2,000/-  | 350/- | One Month |
| 21 | Restoration of rain damages on various roads under Sainj Sub-Division (SH:- Hiring of JCB for removal of slips)                                | Theog  | 4,98,750/- | 10,000/- | 350/- | One Month |
| 22 | R/R of snow damages on various roads under Sainj Sub-Division (SH:- Hiring of JCB for removal of snow in Deha section.)                        | Theog  | 4,99,000/- | 10,000/- | 350/- | One Month |

- The contractors are required to be produce a copy of their PAN No. GST and should also produce a copy of enlistment /renewal letter.
- Special care should be taken to write the rates both in figures and in words failing which tender is likely to be rejected
- The contractor will have to submit the proof of registration Under Employees Provident Fund & Miscellaneous Provision Act,1952 at the time of tender. Failure to observe this condition shall render the tender of contractor liable to summary rejection.

Executive Engineer,  
Theog Division B&R,  
H.P.W. Theog

**SCHEDULE OF QUANTITY**

Estimated Cost 491900/-  
Earnest Money: 10000/-

**Name of Work:-** R/R Of Rain Damages on Chinkardhar to Tikker Road km 0/0 to 8/00 (SH-C/O PCC R/wall at RD1/810 to 1/820 & C/O B/Wall at RD 1/830 to 1/845 )  
**Time:** Two month

| Sr. No. | Description of Items   | QTY.  | Rate    | in feg | in words                                       | Unit           | Amount           |
|---------|--|-------|---------|--------|--|----------------|------------------|
| 1       | Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material including all leads and lifts as per direction of the Engineer-in-Charge. (Ordinary Soil) | 70.00 | 214.10  |        | Rupees Two Hundred Fourteen and Paise Ten Only | P/cum          | 14987.00         |
| 2       | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clause 802,803,1202 and 1203 including all leads and lifts as per direction of the Engineer-in-Charge (1.4.8) 25 mm nominal size)  | 83.20 | 4900.00 |        | Rupees Four Thousand Nine Hundred Only         | P/cum          | 407680.00        |
| 3       | Providing and fixing weapholes in brick masonry/stone masnory, plain RCC abutment, B/wall, R/wall with 100 mm dia PVC pipe ic all leads and lifts, as per direction of the Engineer-in-Charge  | 75.00 | 270.00  |        | Rupees Two Hundred Seventy Only                | Each           | 20250.00         |
| 4       | Back Filling behind abutment wing wall/and R/wall complete as per drawing & technical specification clause 1204.3.8  | 46.65 | 1050.00 |        | Rupees One Thousand Fifty Only                 | P/cum          | 48982.50         |
|         |  |       |         |        |  | <b>Total:-</b> | <b>491900.00</b> |
|         |  |       |         |        | % above/below/as per DNIT amount               |                |                  |
|         |  |       |         |        | Quoted Rate In Fig                             |                |                  |
|         |  |       |         |        | Quoted Rate In Words                           |                |                  |

*(Signature)*  
Executive Engineer  
Theog Division  
HP.PWD, Theog

**SCHEDULE OF QUANTITY**

Estimated Cost 315088/-  
Earnest Money 6350/-  
Time: One month

**Name of Work :-R/R Of Rain Damages on Runkali Chikhar Road km 0/0 to 6/500 (SH:-C/O B/wall at RD0/600 to 0/620 )**

| Sr. No. | Description of Items   | QTY.                 | Rate in fig                      | in words                                 | Unit           | Amount           |
|---------|--|----------------------|----------------------------------|--|----------------|------------------|
| 1       | Excavation in Hilly areas in soil by mechanical means excavation in soil in hilly area by mechanical means including cutting and trimming of side slopess and disposing of excavated earth with a lift upto 1.5 mtr. and a lead upto 20 mtr. As per technical specification clause 1603.1 including in all leads and lifts as per direction of Engineer-in-Charge  | 50.00                | 180.00                           | Rupees One Hundred Eighty Only           | P/cum          | 9000.00          |
| 2       | Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material including all leads and lifts as per direction of the Engineer-in-Charge. (Ordinary Soil) | 60.00                | 220.00                           | Rupees Two Hundred Twenty Only           | P/cum          | 13200.00         |
| 3       | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clause 802.803, 1202 and 1203 including all leads and lifts as per direction of the Engineer-in-Charge (14.8) 40 mm nominal size)  | 6.00                 | 4000.00                          | Rupees Four Thousand Only                | P/cum          | 24000.00         |
| 4       | Stone Masonry in cement mortar for Substructure complete as per drawing and technical specification clause 702, 704, 1202 and 1204 Random rubble masonry in cement mortar 1:6 including all leads and lifts as per the direction of the Engineer-in-Charges  | 70.76                | 3800.00                          | Rupees Three Thousand Eight Hundred Only | Each           | 268888.00        |
|         |  |                      |                                  |  | <b>Total:-</b> | <b>315088.00</b> |
|         |  | Quoted Rate In Fig   | % above/below/as per DNIT amount |  |                |                  |
|         |  | Quoted Rate In Words |                                  |  |                |                  |

  
 Executive Engineer  
 Theog Division  
 HP.PWD, Theog

SCHEDULE OF QUANTITY

**Name of Work -R/R Of Rain Damages on Nanoo Kuthar Bassadhar Road km 0/0 to 36/00 (SH:-C/O Wire Crates B/Wall at RD14/720 to 14/745)**

Estimated Cost 486582/-

Earnest Money: 10000/-

Time: One month

Time: One month


| Sr. No.              | Description of Items   | QTY.  | Rate    | Unit  | Amount                           |
|----------------------|--|-------|---------|-------|----------------------------------|
| 1                    | Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material including all leads and lifts as per direction of the Engineer-in-Charge. (Ordinary Soil) | 49.92 | 230.00  | P/cum | 11482.00                         |
| 2                    | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clause 802.803, 1202 and 1203. including all leads and lifts as per direction of the Engineer-in-Charge (1 4 8) 25 mm nominal size)  | 50.00 | 4900.00 | P/cum | 245000.00                        |
| 3                    | Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS-280 and IS-4826 in 100 mm x 100 mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 including in all leads and lifts as per direction of Engineer-in- Charge.                           | 78.00 | 2950.00 | P/cum | 230100.00                        |
| <b>Total:-</b>       |  |       |         |       | <b>486582.00</b>                 |
|                      |  |       |         |       | % above/below/as per DNIT amount |
| Quoted Rate In Fig   |  |       |         |       |                                  |
| Quoted Rate In Words |  |       |         |       |                                  |

  
Executive Engineer  
Theog Division  
HP.PWD. Theog

SCHEDULE OF QUANTITY

Estimated Cost 486582/-  
Earnest Money: 10000/-  
Time: One month  
Name of Work: R/R Of Rain Damages on Nanoo Kuthar Bassadhar Road km 0/0 to 36/00 (SH:-C/O Wire Crates B/Wall at RD14/755 to 14/780 with toe wall)

| Sr. No.                          | Description of Items  | QTY.  | Rate in fig | in words                                    | Unit  | Amount           |
|----------------------------------|---|-------|-------------|---|-------|------------------|
| 1                                | Earthwork in excavation for structures as per drawing and technical specifications Clause 305 1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material including all leads and lifts as per direction of the Engineer-in-Charge (Ordinary Soil) | 49.92 | 230 00      | Rupees Two Hundred Thirty Only              | P/cum | 11482 00         |
| 2                                | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clause 802 803, 1202 and 1203 including all leads and lifts as per direction of the Engineer-in-Charge (1 4 8) 25 mm nominal size)  | 50.00 | 4900 00     | Rupees Four Thousand Nine Hundred Only      | P/cum | 245000 00        |
| 3                                | Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS 280 and IS 4826 in 100 mm x 100 mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 including in all leads and lifts as per direction of Engineer-in- Charge                           | 78.00 | 2950.00     | Rupees Two Thousand Nine Hundred Fifty Only | P/cum | 230100 00        |
| <b>Total:-</b>                   |   |       |             |   |       | <b>486582.00</b> |
| % above/below/as per DNIT amount |   |       |             |   |       |                  |
| Quoted Rate In Fig               |   |       |             |   |       |                  |
| Quoted Rate In Words             |   |       |             |   |       |                  |


  
Executive Engineer  
Theog Division  
HP.PWD. Theog

**SCHEDULE OF QUANTITY**

Estimated Cost 486582/-  
Earnest Money: 10000/-  
Time One month

**Name of Work:** -R/R Of Rain Damages on Nanoo Kuthar Bassadhar Road km 0/0 to 36/00 (SH:- (SH:-C/O Wire Crates B/Wall at RD14/755 to 14/780)

| Sr. No. | Description of Items  | QTY.  | Rate<br>in feg | in words                                    | Unit                             | Amount           |
|---------|---|-------|----------------|---|----------------------------------|------------------|
| 1       | Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material including all leads and lifts as per direction of the Engineer-in-Charge (Ordinary Soil) | 49.92 | 230.00         | Rupees Two Hundred Thirty Only              | P/cum                            | 11482.00         |
| 2       | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clause 802.803, 1202 and 1203 including all leads and lifts as per direction of the Engineer-in-Charge. (1.4.8) 25 mm nominal size)   | 50.00 | 4900.00        | Rupees Four Thousand Nine Hundred Only      | P/cum                            | 245000.00        |
| 3       | Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS 280 and IS 4826 in 100 mm x 100 mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 including in all leads and lifts as per direction of Engineer-in- Charge.                          | 78.00 | 2950.00        | Rupees Two Thousand Nine Hundred Fifty Only | P/cum                            | 230100.00        |
|         |   |       |                |   | <b>Total:-</b>                   | <b>486582.00</b> |
|         |   |       |                |   | % above/below/as per DNIT amount |                  |
|         |   |       |                |   | Quoted Rate In Fig               |                  |
|         |   |       |                |   | Quoted Rate In Words             |                  |

  
 Executive Engineer  
 Theog Division  
 HP.PWD. Theog


SCHEDULE OF QUANTITY

Estimated Cost 499230/-  
Earnest Money: 10000/-

Time: One month

Name of Work: -R/R Of Rain Damages on Nanoo Kuthar Bassadhar Road km 0/0 to 36/00 (SH:- C/O Wire Crates B/Wall at RD 14/643 to 14/660)

| Sr. No. | Description of Items   | QTY.  | Rate    | in words                                    | Unit           | Amount                           |
|---------|--|-------|---------|---|----------------|----------------------------------|
| 1       | Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material including all leads and lifts as per direction of the Engineer-in-Charge. (Ordinary Soil) | 41.00 | 230.00  | Rupees Two Hundred Thirty Only              | P/cum          | 9430.00                          |
| 2       | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clause 802,803,1202 and 1203. including all leads and lifts as per direction of the Engineer-in-Charge. (1.4.8) 25 mm nominal size)  | 53.00 | 4900.00 | Rupees Four Thousand Nine Hundred Only      | P/cum          | 259700.00                        |
| 3       | Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS:280 and IS:4826 in 100 mm x 100 mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 including in all leads and lifts as per direction of Engineer-in- Charge.                           | 78.00 | 2950.00 | Rupees Two Thousand Nine Hundred Fifty Only | P/cum          | 230100.00                        |
|         |  |       |         |   | <b>Total:-</b> | <b>499230.00</b>                 |
|         |  |       |         |   |                | % above/below/as per DNIT amount |
|         |  |       |         |   |                | Quoted Rate In Fig               |
|         |  |       |         |   |                | Quoted Rate In Words             |

  
 Executive Engineer  
 Theog Division  
 HP.PWD, Theog



**SCHEDULE OF QUANTITY**

Estimated Cost 494144/-  
 Earnest Money 10000.00  
 Time: One Month

**Name of work:- R/R Damages on Sainj Neripul Yashwant Nager Solan Road Km 0/0 to 18/435 (SH:- C/O PCC R/Wall at RD 13/285 to 13/295)**

| Sr. No.      | Description of Item   | QTY   | Rate        |   | Unit  | Amount                           |
|--------------|---|-------|-------------|---|-------|----------------------------------|
|              |   |       | Rate in fig | Rate in words                                       |       |                                  |
| 1            | Earth work in excavation for structure as per drawing & technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal upto a lead of 50 m dressing of sides and bottom and back filling in trenches with suitable material including all leads and lifts or as per the direction of Engineer - in Charge (ordinary soil) | 35.50 | 230.00      | Rupees Two Hundred Thirty Only                      | P/Cum | 8165.00                          |
| 2            | Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing & technical specification clause 802, 803, 1202 and 1203.including all leads and lifts or as per the direction of Engineer - in Charge (1:4:8) (20 mm Nominal Size)   | 93.00 | 5000.00     | Rupees Five Thousand Only                           | P/Cum | 465000.00                        |
| 3            | Providing weepholes in brick masonry/ stone masonry, plain RCC abutment, B/wall, R/wall with 100 mm dia (4 kg per Cm2 pressure) PVC pipe approved brand i/c all leads and lifts as per directions of the Engineer - in Charge.  | 32.00 | 242.15      | Rupees Two Hundred Forty Two and Paise Fifteen Only | Each  | 7748.80                          |
| 4            | Stone filling behind abutment, wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 including all leads and lifts as per direction of the Engineer-in-charge.   | 12.60 | 1050.00     | Rupees One Thousand Fifty Only                      | P/Cum | 13230.00                         |
| <b>Total</b> |   |       |             |   |       | <b>494144.00</b>                 |
|              |   |       |             |   |       | Quoted rate in fig:*/- (%:-----) |
|              |   |       |             |   |       | Quoted rate in words             |

  
 Executive Engineer,  
 Theog Division,  
 HP.PWD. Theog

**SCHEDULE OF QUANTITY**

**Name of work:- R/R Damages on Sainj Neripul Yashwant Nager Solan Road Km 0/0 to 18/435 (SH:- C/O PCC R/Wall at RD 5/705 to 5/720)**

Estimated Cost 495229/-  
 Earliest Money: 10000.00  
 Time: One Months

| Sr. No.      | Description of Item   | QTY   | Rate in fig                      | Rate  | Unit  | Amount    |
|--------------|---|-------|----------------------------------|---|-------|-----------|
|              |   |       | 230.00                           | Rate in words                                       |       |           |
| 1            | Earth work in excavation for structure as per drawing & technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal upto a lead of 50 m dressing of sides and bottom and back filling in trenches with suitable material including all leads and lifts or as per the direction of Engineer - in Charge ( ordinary soil ) | 36.00 | 230.00                           | Rupees Two Hundred Thirty Only                      | P/Cum | 8280.00   |
| 2            | Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing & technical specification clause 802 , 803 , 1202 and 1203 including all leads and lifts or as per the direction of Engineer - in Charge .( 1.4.8) (20 mm Nominal Size)   | 93.80 | 5000.00                          | Rupees Five Thousand Only                           | P/Cum | 469000.00 |
| 3            | Providing weepholes in brick masonry/ stone masonry , plain RCC abutment , B/wall, R/wall with 100 mm dia (4 kg per Cm2 pressure) PVC pipe approved brand 1/c all leads and lifts as per directions of the Engineer - in Charge .   | 39.00 | 242.15                           | Rupees Two Hundred Forty Two and Paise Fifteen Only | Each  | 9443.85   |
| 4            | Stone filling behind abutment , wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 including all leads and lifts as per direction of the Engineer-in-charge.  | 8.10  | 1050.00                          | Rupees One Thousand Fifty Only                      | P/Cum | 8505.00   |
| <b>Total</b> |   |       |                                  |   |       |           |
|              |   |       | Quoted rate in fig+ / ( %----- ) |   |       | 495229.00 |
|              |   |       | Quoted rate in words             |   |       |           |

  
 Executive Engineer,  
**Theog Division,**  
**HP.PWD. Theog**

**SCHEDULE OF QUANTITY**

487510/-  
10000.00

Estimated Cost  
Earnest Money  
Time: One Month

**Name of work:- R/R Damages on Chhaila Sainj Neripul Yashwant Nager Solan Road Km 0/0 to 1B/435 (SH:- C/O Toe wall R/Wall at RD 14/890 to 14/896.50)**

| Sr. No.      | Description of Item   | QTY   | Rate                               |   | Unit  | Amount           |
|--------------|---|-------|------------------------------------|---|-------|------------------|
|              |   |       | Rate in fig                        | Rate in words                                       |       |                  |
| 1            | Earth work in excavation for structure as per drawing & technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal upto a lead of 50 m dressing of sides and bottom and back filling in trenches with suitable material including all leads and lifts or as per the direction of Engineer - in Charge ( ordinary soil ) | 34.45 | 230.00                             | Rupees Two Hundred Thirty Only                      | P/Cum | 7923.50          |
| 2            | Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing & technical specification clause 802 , 803 , 1202 and 1203.including all leads and lifts or as per the direction of Engineer - in Charge . (1-4.8) (20 mm Nominal Size)   | 93.72 | 5000.00                            | Rupees Five Thousand Only                           | P/Cum | 468600.00        |
| 3            | Providing weepholes in brick masonry/ stone masonry , plin RCC abutment , B/wall, R/wall with 100 mm dia (4 kg per Cm2 pressure) PVC pipe approved brand i/c all leads and lifts as per directions of the Engineer - in Charge .  | 20.00 | 242.15                             | Rupees Two Hundred Forty Two and Paise Fifteen Only | Each  | 4843.00          |
| 4            | Stone filling behind abutment , wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 including all leads and lifts as per direction of the Engineer-in-charge.  | 5.85  | 1050.00                            | Rupees One Thousand Fifty Only                      | P/Cum | 6142.50          |
| <b>Total</b> |   |       |                                    |   |       | <b>487510.00</b> |
|              |   |       | Quoted rate in figure +/- (%.....) |   |       |                  |
|              |   |       | Quoted rate in words               |   |       |                  |

  
 Executive Engineer,  
**Theog Division,**  
**HP.PWD. Theog**

**SCHEDULE OF QUANTITY**

Estimated Cost 434004/-  
 Earnest Money 90000.00

**Name of work:- R/R Damages on Chhailla Sainj Neripul Yashwant Nager Solan Road Km 0/0 to 18/435 (SH:- C/O Toe wall R/Wall at RD ~~to 5/006~~ to 5/006) - 0 S/n/7J**

Estimated Cost  
 Earnest Money  
 Time One Months

| Sr. No.      | Description of Item   | QTY   | Rate in fig | Rate                                   |               | Unit  | Amount                           |                  |
|--------------|---|-------|-------------|--|---------------|-------|----------------------------------|------------------|
|              |   |       |             | Rate in words                          | Rate in words |       |                                  |                  |
| 1            | Earth work in excavation for structure as per drawing & technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal upto a lead of 50 m dressing of sides and bottom and back filling in trenches with suitable material including all leads and lifts or as per the direction of Engineer - in Charge ( ordinary soil ) | 45.76 | 220.00      | Rupees Two Hundred Twenty Only         |               | P/Cum | 10067.20                         |                  |
| 2            | Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing & technical specification clause 802 , 803 , 1202 and 1203.including all leads and lifts or as per the direction of Engineer - in Charge .(1.4.8) (25 mm Nominal Size)  | 82.39 | 4900.00     | Rupees Four Thousand Nine Hundred Only |               | P/Cum | 403711.00                        |                  |
| 3            | Providing weepholes in brick masonry/ stone masonry , plin RCC abutment , B/wall, R/wall with 100 mm dia (4 kg per Cm2 pressure) PVC pipe approved brand i/c all leads and lifts as per directions of the Engineer - in Charge .  | 27.00 | 270.00      | Rupees Two Hundred Seventy Only        |               | Each  | 7290.00                          |                  |
| 4            | Stone filling behind abutment , wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 including all leads and lifts as per direction of the Engineer-in-charge.  | 12.32 | 1050.00     | Rupees One Thousand Fifty Only         |               | P/Cum | 12936.00                         |                  |
| <b>Total</b> |   |       |             |  |               |       |                                  | <b>434004.20</b> |
|              |   |       |             |  |               |       | Quoted rate in figer+ / (%.....) |                  |
|              |   |       |             |  |               |       | Quoted rate in words             |                  |

  
 Executive Engineer,  
**Theog Division,**  
**HP.PWD. Theog**

**SCHEDULE OF QUANTITY**

Estimated Cost 498484/-  
Earnest Money 100000.00

Time: One Month

**Name of work:- R/R Damages on Chhaila Sainj Neripul Yashwant Nager Solan Road Km 0/0 to 18/435 (SH:- C/O Toe wall R/Wall at RD 4/998 to 5/006)**

| Sr. No.      | Description of Item   | QTY   | Rate                         |  | Unit  | Amount           |
|--------------|---|-------|------------------------------|--|-------|------------------|
|              |   |       | Rate in fig                  | Rate in words                          |       |                  |
| 1            | Earth work in excavation for structure as per drawing & technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal upto a lead of 50 m dressing of sides and bottom and back filling in trenches with suitable material including all leads and lifts or as per the direction of Engineer - in Charge ( ordinary soil ) | 46.96 | 220.00                       | Rupees Two Hundred Twenty Only         | P/Cum | 10331.20         |
| 2            | Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing & technical specification clause 802 , 803 , 1202 and 1203.including all leads and lifts or as per the direction of Engineer - in Charge .(1:4:8) (25 mm Nominal Size)  | 95.33 | 4900.00                      | Rupees Four Thousand Nine Hundred Only | P/Cum | 467117.00        |
| 3            | Providing weepholes in brick masonry/ stone masonry , plain RCC abutment , B/wall, R/wall with 100 mm dia (4 kg per Cm2 pressure) PVC pipe approved brand 1/c all leads and lifts as per directions of the Engineer - in Charge .   | 30.00 | 270.00                       | Rupees Two Hundred Seventy Only        | Each  | 8100.00          |
| 4            | Stone filling behind abutment , wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 including all leads and lifts as per direction of the Engineer-in-charge.  | 12.32 | 1050.00                      | Rupees One Thousand Fifty Only         | P/Cum | 12936.00         |
| <b>Total</b> |   |       |                              |  |       | <b>498484.20</b> |
|              |   |       | Quoted rate in fig+/(%.....) |  |       |                  |
|              |   |       | Quoted rate in words         |  |       |                  |

  
 Executive Engineer,  
 Theog Division,  
 HP.PWD. Theog

**SCHEDULE OF QUANTITY**

Estimated Cost 209822  
Earnest Money 4200.00

**Name of work:- R/R Damages on Matiana Mohari Via Kalzar 0/00 to 16/00 (SH:- C/O B/wall at RD 0/215 to 0/233)**

Time One Month

| Sr. No.                           | Description of Item   | QTY   | Rate in fig. | Rate   |               | Unit      | Amount           |
|-----------------------------------|---|-------|--------------|--|---------------|-----------|------------------|
|                                   |   |       |              | Rate in words                                  | Rate in words |           |                  |
| 1                                 | Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 mm in width as well as 10 sqm in plan including getting out and disposal of excavated earth upto 50 mm and lift upto 1.5m , as directed by Engineer-in-charge:  | 32.40 | 180.00       | Rupees One Hundred Eighty Only                 | P/Cum         | 5832.00   |                  |
| 2                                 | Earth work in excavation for structure as per drawing & technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal upto a lead of 50 m dressing of sides and bottom and back filling in trenches with suitable material including all leads and lifts or as per the direction of Engineer - in Charge ( ordinary soil ) | 16.20 | 220.00       | Rupees Two Hundred Twenty Only                 | P/Cum         | 3564.00   |                  |
| 3                                 | Random rubble masonry with hard stones in superstructure above plinth level and upto floor five level , including leveling up with cement concrete 1:6.12 (1 cement: 6 coarse sand 12 graded stone aggregate 20 mm nominal size) at window sills, ceiling level and the like . Cement mortar 1:6 (1 cement : 6 Coars sand)  | 50.76 | 3850.00      | Rupees Three Thousand Eight Hundred Fifty Only | P/Cum         | 195426.00 |                  |
| 4                                 | Providing weapholes in brick masonry/ stone masonry ,plain reinforced concrete abutment wing wall return wall with 100 mm dia PVC pipe towards drawing face complete as per drawing and T/S classes 614,709,1204.3.7 1/c all leads and lifts as per directions of the Engineer - in Charge  | 20.00 | 250.00       | Rupees Two Hundred Fifty Only                  | Each          | 5000.00   |                  |
| <b>Total</b>                      |   |       |              |  |               |           | <b>209822.00</b> |
| Quoted rate in figers /: (%.....) |   |       |              |  |               |           |                  |
| Quoted rate in words              |   |       |              |  |               |           |                  |

  
 Executive Engineer,  
 Theog Division,  
 HP.PWD, Theog

**SCHEDULE OF QUANTITY**

498484/-  
Estimated Cost  
10000.00  
Earliest Money:  
Time One Month

**Name of work:- R/R Damages on Chhaila Sainj Neripul Yashwant Nager Solan Road Km 0/0 to 18/435 (SH:- C/O Toe wall at RD 4/990 to 4/998)**

| Sr. No.      | Description of Item   | QTY   | Rate                              |  | Unit  | Amount           |
|--------------|---|-------|-----------------------------------|--|-------|------------------|
|              |   |       | Rate in fig                       | Rate in words                          |       |                  |
| 1            | Earth work in excavation for structure as per drawing & technical specification clause 305 1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal upto a lead of 50 m dressing of sides and bottom and back filling in trenches with suitable material including all leads and lifts or as per the direction of Engineer - in Charge ( ordinary soil ) | 46.96 | 220.00                            | Rupees Two Hundred Twenty Only         | P/Cum | 10331.20         |
| 2            | Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing & technical specification clause 802 , 803 , 1202 and 1203 including all leads and lifts or as per the direction of Engineer - in Charge . (1.4.8) (25 mm Nominal Size)   | 95.33 | 4900.00                           | Rupees Four Thousand Nine Hundred Only | P/Cum | 467117.00        |
| 3            | Providing weepholes in brick masonry/ stone masonry , plain RCC abutment , B/wall, R/wall with 100 mm dia (4 kg per Cm2 pressure) PVC pipe approved brand 1/c all leads and lifts as per directions of the Engineer - in Charge.  | 30.00 | 270.00                            | Rupees Two Hundred Seventy Only        | Each  | 8100.00          |
| 4            | Stone filling behind abutment , wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 including all leads and lifts as per direction of the Engineer-in-charge   | 12.32 | 1050.00                           | Rupees One Thousand Fifty Only         | P/Cum | 12936.00         |
| <b>Total</b> |   |       |                                   |  |       | <b>498484.20</b> |
|              |   |       | Quoted rate in fig:- / ( %..... ) |  |       |                  |
|              |   |       | Quoted rate in words              |  |       |                  |

  
 Executive Engineer,  
 Theog Division,  
 HP.PWD. Theog

**SCHEDULE OF QUANTITY**

Estimated Cost 444920/-

Earnest Money: 10000/-

Time: One month

Name of Work: -R/R Of Rain Damages on Chhaila Sainj Neripul Yashwant Nager Solan Road km 0/0 to 18/435 (SH:- Removal of Slips/Debries in km 14/105 to 18/435 )

| Sr. No.              | Description of Items   | QTY.    | Rate   |                    | Unit  | Amount                           |
|----------------------|--|---------|--------|--------------------|-------|----------------------------------|
|                      |  |         | in fig | in words           |       |                                  |
| 1                    | Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means i/c cutting and trimming of slapes and disposal of cut material with lift upto 1.50 mtrs. And lead upto 100 mtr. As per technical specification 302.3.5 and 1611.all leads and lifts as per direction of the Engineer-in-Charge. | 4943.55 | 90.00  | Rupees Ninety Only | P/cum | 444920.00                        |
| <b>Total</b>         |  |         |        |                    |       | <b>444920.00</b>                 |
| Quoted Rate In Fig   |  |         |        |                    |       | % above/below/as per DNIT amount |
| Quoted Rate In Words |  |         |        |                    |       |                                  |

  
Executive Engineer  
Theog Division  
HPPWD Theog

SCHEDULE OF QUANTITY

Estimated Cost 477926/-  
Earnest Money: 10000/-

Name of Work: -R/R Of Rain Damages on Chhaila Sainj Neripul Yashwant Nager Solan Road km 0/0 to 18/435 (SH:- Removal of Slips/Debries in km 5/700 to 14/000 )  
Time: One month

| Sr. No.      | Description of Items   | QTY.    | Rate                             |                    | Unit  | Amount           |
|--------------|--|---------|----------------------------------|--------------------|-------|------------------|
|              |  |         | in fig                           | in words           |       |                  |
| 1            | Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means i/c cutting and trimming of slapes and disposal of cut material with lift upto 1.50 mtrs. And lead upto 100 mtr. As per technical specification 302.3.5 and 1611.all leads and lifts as per direction of the Engineer-in-Charge. | 5310 29 | 90.00                            | Rupees Ninety Only | P/cum | 477926.00        |
| <b>Total</b> |  |         |                                  |                    |       | <b>477926.00</b> |
|              |  |         | % above/below/as per DNIT amount |                    |       |                  |
|              |  |         | Quoted Rate In Fig               |                    |       |                  |
|              |  |         | Quoted Rate In Words             |                    |       |                  |

  
Executive Engineer  
Theog Division  
HPPWD Theog


**SCHEDULE OF QUANTITY**

Estimated Cost 478150/-  
Earnest Money: 9600.00

Time: One Months

**Name of work:- R/R Damages on Sarion Gawai via Bhalech Jadeog Road Km 0/000 to 5/400 (SH:- C/o B/wall at RD 0/940 to 0/970. and 1/640 to 1/651.5)**

| Sr. No.      | Description of Item   | QTY    | Rate in fig.                     | Rate  | Unit  | Amount           |
|--------------|---|--------|----------------------------------|---|-------|------------------|
|              |   |        | 148.00                           | Rate in words                                       |       |                  |
| 1            | Excavation in soil in hilly area by manual means including cutting and trimming of slope and disposing of cut material with lift upto 1.50 mtr. and lead upto 20 mtr. as per technical specification clause 1603.2 with in all leads and lifts as per the direction of the Engineer - in Charge   | 145.15 | 148.00                           | Rupees One Hundred Forty Eight Only                 | P/Cum | 21482.20         |
| 2            | Earth work in excavation for structure as per drawing & technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal upto a lead of 50 m dressing of sides and bottom and back filling in trenches with suitable material including all leads and lifts or as per the direction of Engineer - in Charge (Ordinary Soil) | 43.16  | 214.10                           | Rupees Two Hundred Fourteen and Paise Ten Only      | P/Cum | 9240.56          |
| 3            | Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing & technical specification clause 802, 803, 1202 and 1204 including all leads and lifts or as per the direction of Engineer - in Charge (1:4:8) (40 mm nominal size)   | 89.38  | 4800.00                          | Rupees Four Thousand Eight Hundred Only             | P/Cum | 429024.00        |
| 4            | Providing weepholes in brick masonry/ stone masonry, plain reinforced concrete abutment, wing wall return wall with 100 mm dia PVC pipe towards drawing face complete as per drawing and technical specification clause 614, 709, 1024.3.7 i/c all leads and lifts as per directions of the Engineer - in Charge  | 76.00  | 242.15                           | Rupees Two Hundred Forty Two and Paise Fifteen Only | Each  | 18403.40         |
| <b>Total</b> |   |        |                                  |   |       | <b>478150.16</b> |
|              |   |        | Quoted rate in figer+/- (%.....) |   |       |                  |
|              |   |        | Quoted rate in words             |   |       |                  |

  
 Executive Engineer,  
**Theog Division,**  
**HP.PWD. Theog**

**SCHEDULE OF QUANTITY**

493120  
Estimated Cost  
9900.00  
Earnest Money

Time: One Month

**Name of work:- R/R Damages on Sarion Gawai via Bhalech Jadeog Road Km 0/000 to 5/400 (SH:- C/o B/wall at RD 0/900 to 0/925)**

| Sr. No.      | Description of Item   | QTY   | Rate         |   | Unit  | Amount                            |
|--------------|---|-------|--------------|---|-------|-----------------------------------|
|              |   |       | Rate in fig. | Rate in words                                       |       |                                   |
| 1            | Excavation in soil in hilly area by manual means including cutting and trimming of slope and disposing of cut material with lift upto 1.50 mtr. and lead upto 20 mtr. as per technical specification clause 1603.2 with in all leads and lifts as per the direction of the Engineer - in Charge   | 87.50 | 148.00       | Rupees One Hundred Forty Eight Only                 | P/Cum | 12950.00                          |
| 2            | Earth work in excavation for structure as per drawing & technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal upto a lead of 50 m dressing of sides and bottom and back filling in trenches with suitable material including all leads and lifts or as per the direction of Engineer - in Charge (Ordinary Soil) | 36.00 | 214.10       | Rupees Two Hundred Fourteen and Paise Ten Only      | P/Cum | 7707.60                           |
| 3            | Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing & technical specification clause 802, 803, 1202 and 1203 including all leads and lifts or as per the direction of Engineer - in Charge. (1.4.8) (40 mm nominal size)  | 95.10 | 4800.00      | Rupees Four Thousand Eight Hundred Only             | P/Cum | 456480.00                         |
| 4            | Providing weepholes in brick masonry/ stone masonry. plin reinforced concrete abutment, wing wall return wall with 100 mm dia PVC pipe towards drawing face complete as per drawing and technical specification clause 614, 709, 1024.3.7 1/c all leads and lifts as per directions of the Engineer - in Charge.  | 66.00 | 242.15       | Rupees Two Hundred Forty Two and Paise Fifteen Only | Each  | 15981.90                          |
| <b>Total</b> |   |       |              |   |       |                                   |
|              |   |       |              |   |       | Quoted rate in figer+/- (%)-..... |
|              |   |       |              |   |       | Quoted rate in words              |
|              |   |       |              |   |       | 493120.00                         |

  
 Theog Engineer,  
 Theog Division,  
 HP.PWD, Theog

**SCHEDULE OF QUANTITY**

Estimate  
Earnest  
Time: Or

**Name of work:- R/R Damages on Dhamandri Jais Road Km 0/0 to 7/0 (SH:- C/o B/w/w)**

| Sr. No. | Description of Item   | QTY   | Rate in fig. | Rate                  |
|---------|---|-------|--------------|-----------------------|
| 1       | Excavation in soil in hilly area by manual means including cutting and trimming of slope and disposing of cut material with lift upto 1.50 mtr. and lead upto 20 mtr. as per technical specification clause 1603.2 with in all leads and lifts as per the direction of the Engineer- in Charge  | 44.80 | 180.00       | Rupees Eight          |
| 2       | Earth work in excavation for structure as per drawing & technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal upto a lead of 50 m dressing of sides and bottom and back filling in trenches with suitable material including all leads and lifts or as per the direction of Engineer - in Charge (Ordinary Soil) | 33.60 | 214.10       | Rupees Fourteen       |
| 3       | Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing & technical specification clause 802, 803, 1202 and 1203 including all leads and lifts or as per the direction of Engineer - in Charge . (1:4:8)  | 8.68  | 4378.40      | Rupees Thousand Eight |
| 4       | Stone masonry in cement mortar for substructure complete as per drawing & technical specification Clauses 702, 704, 1202 and 1204, random rubble masonry In cement mortar 1:6 including all leads and lifts as per the direction of the Engineer- in Charge (1:6)   | 93.24 | 3850.00      | Rupees Thousand       |
| 5       | Providing weepholes in brick masonry/ stone masonry , plain reinforcement concrete abutment , wing wall , R/wall with 100 mm dia PVC pipe extended through the full width of the structure with slope of 1 (V) 20 (H) towards drawing face complete as per drawing with in all leads and lifts as per directions of the Engineer-in-Charge)   | 28.00 | 242.15       | Rupees Forty Five     |
|         |   |       |              |                       |
|         |   |       |              | Quoted rate in f      |
|         |   |       |              | Quoted rate in words  |

Execut  
Theor

SCHEDULE OF QUANTITY

Estimated Cost 99919/-  
Earnest Money 2000/-  
Time: One month

**Name of Work -R/R Of Rain Damages on TKH Road km 5/00 to 8/00 (SH) - Removal of Slips/Debris in km 5/00 to 8/000 )**

| Sr. No. | Description of Items  | QTY.    | Rate in fig | in words                 | Unit         | Amount                           |
|---------|---|---------|-------------|--------------------------|--------------|----------------------------------|
| 1       | Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means i/c cutting and trimming of slapses and disposal of cut material with lift upto 1.50 mtrs. And lead upto 100 mtr. As per technical specification 302.3.5 and 1611 all leads and lifts as per direction of the Engineer-in-Charge. | 1332.25 | 75.00       | Rupees Seventy Five Only | P/cum        | 99919.00                         |
|         |   |         |             |                          | <b>Total</b> | <b>99919.00</b>                  |
|         |   |         |             |                          |              | % above/below/as per DNIT amount |


  
 Executive Engineer  
 Theog Division  
 HPPWD Theog

**SCHEDULE OF QUANTITY**

Estimated Cost: 4990000/-  
 Earnest Money: 100000/-  
 Time: 1 Month

**Name of Work:- R/R of snow damages on various roads under Sainj Sub-Division  
 (SH:- Hiring of JCB for removal of snow in Deha Section).**

| Sr. No. | Description of Item  | Qty.      | Rate | Unit  | Amount                           |
|---------|--|-----------|------|-------|----------------------------------|
| 1       | Snow clearance from road surface by bulldozer /JCB and disposing it on the velly sides as per MORTH and IRC specification 48-1998 i/c all leads and lifts and as per direction of the Engineer-in- Charge. | 106170.21 | 4.70 | P/cum | 499000.00                        |
|         | <b>Total:</b>  |           |      |       | <b>499000.00</b>                 |
|         | Quoted Rate in Fig   |           |      |       | % above/below/as per DNIT Amount |
|         | Quoted Rate in Words   |           |      |       |                                  |

  
 Executive Engineer,  
 Theog Division,  
 HP.PWD, Theog

1. All the POL charges shall be born by the Contractor.
2. All the repair of Machinery shall be born by the contractor.