

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
NOTICE INVITING TENDER**

Sealed items rate tender on form No. 6 and 8 are hereby invited on behalf of Governor of HP for the following works from approved and eligible contractor enlisted in HPPWD, so as to reach in this office on 20.10.2021 up to 11.30 AM and shall be opened on the same day at 12.00 Noon in the presence of intending contractors or their authorized representative who may like to be present. The tender form can be had from this office against cash payment (non refundable) up to 10.30 AM on 20.10.2021.

The earnest money in the shape of FDR/TDR in HP duly pledged in favour of Executive Engineer Nahan Division HP.PWD Nahan must be accompanied with the each tender. Conditional tender and tender received without earnest money will be rejected. The undersigned reserves the right to reject any or all tenders without assigning the reason. The offer of the tender will be kept opened for 75 days.

| Sr. No. | Name of works | Estimated Cost | Earnest Money | Time Limit | Cost of Form |
|---------|---|----------------|---------------|------------|--------------|
| 1 | C/o L/R from Kandaiwala to Village Amrayion Km.0/0 to 0/810. (SH:-Balance work of 3.00 mtr. Span RCC slab culvert at RD.0/420) | 2,67,856/- | 5,400/- | 02 Month | 350/- |
| 2 | C/o Play Ground in G.S.S.S. Burma papri. (SH: C/O R/wall & levelling of ground). | 4,96,912/- | 10,000/- | 02 Month | 350/- |
| 3 | A/R & M/O Majri Burma papri road Km.0/0 to 9/0.(SH:-C/O wire crate wall, RCC hume pipe & embankment filling). | 4,95,249/- | 10,000/- | 02 Month | 350/- |
| 4 | Improvement of black spots at various location under Nahan sub division. (SH:-P/F cautionary, mandatory & inforatory sign boards) | 4,48,000/- | 9,000/- | 02 Month | 350/- |
| 5 | A/R & M/O Circular road Nahan Km.0/0 to 2/0.(SH:-Repair of various RDs in Km.0/0 to 0/500). | 4,83,964/- | 10,000/- | 01 month | 350/- |

CERTIFICATE:- It is certified that the tenders of above work are exigency/emergent nature and in public interest.

Terms & Conditions:-

1. The Contractors/Bidders must submit their Permanent Income Tax Account Number/ GST number on the tender alongwith copy of the same be attached with the application.
2. The Contractors/Firms should attach copy of the Registration/Renewal with the application.
3. The contractor/bidders should quote his rates Both in Figures and words, where there is any discrepancy between the rates in figures and words, the rates in words will be governed.
4. The contractors/bidders must inspect the site to ascertain/familiar the site conditions, accessibility etc. before quoting the bid/tender.
5. Conditional and telegraphic tender shall not be accepted and rejected straightway. Tender received after due date and time will be rejected.
6. The contractor/firms should have to produce the details of works in hand in HP. PWD, and its position thereof alongwith application.
7. The tender documents shall be issued to only those contractors who does not have more than two works in hand in any HP PWD Circle/ Division worth Rs. 1.00 Crore each.
8. The Contractor shall have to establish testing laboratory at site for the day to day testing of material.
9. The offer shall remain valid upto 75 days.
10. The provisions of guidelines issued vide the Principal Secretary (PW) to the Govt. of HP, Shimla vide notification No.PBW(B)A(3)1/2020 dated.Shimla-2 the 22nd July, 2020 regarding adoption of CPWD works manual 2019 & other publication of CPWD in HPPWD shall also be applicable.

11. The Executive Engineer reserve the right to reject any or all the tenders without assigning any reason.

Executive Engineer,
Nahan Division,
HPPWD Nahan.

For & on behalf of Governor of Himachal Pradesh.

No. PWN/CB/Tender/2020-21-

5541-50

Dated:- 4/6/21

Copy forwarded to the following for information & further necessary action:-

1. The Engineer-in-Chief, HP.PWD., Shimla please.
2. The Chief Engineer(SZ), HP.PWD., Shimla-2 please.
3. The Deputy Commissioner, Sirmaur Distt. at Nahan please.
4. The Superintending Engineer, 12th Circle, HP.PWD., Nahan please.
5. The Executive Engineer (IT Cell), Nigam Vihar, HPPWD., Shimla-2 for uploading of Notice Inviting Tenders on departmental website please.
6. The S.D.M. Nahan please.
7. The Distt. Panchayat Officer, Nahan please.
8. The Executive Officer, M.C., Nahan please..
9. All the Assistant Engineers under this division to display on their respective Notice Boards.
10. The Notice Board.

Executive Engineer,
Nahan Division,
HPPWD Nahan.

Schedule of Quantity

Name of work:- C/O Link road from Kandiawala to village Amrayion Km 0/0 to 0/810 (SH :-Balance work of 3.00 mtrs.span RCC slab culvert at RD 0/420)

Estimated Cost:-2,67,856/-only
Earnest Money:- 5,400/- only
Time allowed:- Two months

| Sr. No | Sub Head and item of work | Qty | Unit | Rate In | | Amount |
|---------|---|--------|-----------------|---------|-------|--------|
| | | | | figure | Words | |
| 1 | Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all lead, dressing of sides and bottom and backfilling in trenches with excavated suitable material. including all leads, lifts and carriage of materials complete as per entire satisfaction of the Engineer in charge. | 6.80 | Per Cubic metre | | | |
| 2 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 nominal mix C.C. 1:4:8 (one cement is to four sand is to eight crushed aggregates) including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge. | 22.99 | Per Cubic metre | | | |
| 3 | Supplying, fitting , and placing HYSD bar reinforcement in superstructure complete as per drawing and technical specifications clauses 1002, 1010 and 1202 including carriage of all labour equipment and material to various location through all modes of transportation in all leads and lifts , including all incidental charges. | 0.640 | Per Tonne | | | |
| 4 | Providing and laying Plain/reinforced cement concrete in superstructure complete as per drawing and technical specification clauses 802, 804, 805, 806, 807, 1202 and 1204 R.C.C. grade M-25) 1:1.5:3 including carriage of all labour equipment and material to various location through all modes of transportation in all leads and lifts , including all incidental charges. | 8.22 | Per Cubic metre | | | |
| 5 | Providing weep holes in bricks/stone masonry plain/reinforced concrete abutment wing wall return wall with 100mm dia PVC pipe extended through the full width of the structure with slope of 1 vertical and 20 in horizontal towards drawing face complete as per specification clause 614, 709, 1204, 3.7. including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge. | 2.00 | Each | | | |
| 6 | Construction of embankment with approved material obtained from borrow pits transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per Technical Specification Clause 301.5 including carriage of all labour equipment and material to various location through all modes of transportation in all leads and lifts , including all incidental charges. | 310.44 | Per Cubic metre | | | |
| Total:- | | | | | | |

Opened By Me
Cutting
Over Writing
Erasing
Condition

Executive Engineer,
HP.PWD., Division
Nahan.

(2)

Schedule of Quantity

Name of work:- Construction of Play ground in Govt. Sen. Sec. School Burma Papari (SH :-C/O R/Wall & levelling of ground)

Estimated Cost:-4,96,912/-only

Earnest Money:-10,000/- only

Time allowed:- Two months

| Sr. No | Sub Head and item of work | Qty | Unit | Rate In | | Amount |
|---------|---|--------|-----------------|---------|-------|--------|
| | | | | figure | Words | |
| 1 | Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all lead, dressing of sides and bottom and backfilling in trenches with excavated suitable material. including all leads, lifts and carriage of materials complete as per entire satisfaction of the Engineer in charge. | 18.20 | Per Cubic metre | | | |
| 2 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 nominal mix C.C. 1:4:8 (one cement is to four sand is to eight crushed aggregates) including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge. | 116.00 | Per Cubic metre | | | |
| 3 | Back filling behind abutment wing wall and return wall complete as per drawing & technical specification clause 1204.3.8 including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge. | 50.10 | Per Cubic metre | | | |
| 4 | Providing weep holes in bricks/stone masonry plain/reinforced concrete abutment wing wall return wall with 100mm dia PVC pipe extended through the full width of the structure with slope of 1 vertical and 20 in horizontal towards drawing face complete as per specification clause 614, 709, 1204, 3.7. including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge. | 30.00 | Each | | | |
| 5 | Construction of embankment with approved material obtained from borrow pits transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per Technical Specification Clause 301.5 including carriage of all labour equipment and material to various location through all modes of transportation in all leads and lifts , including all incidental charges. | 50.60 | Per Cubic metre | | | |
| Total:- | | | | | | |

Opened By Me
 Cutting
 Over Writing
 Erasing
 Condition

Executive Engineer,
 HP.PWD., Division
 Nahan.

SCHEDULE OF QUANTITY

Name of work:-A/R&M/O Majri to Burma Papri road Km 0/0 to 9/0 (SH:- C/O Wire crate wall, RCC hume pipe & embankment filling)

Estimated cost :- Rs.4,95,249/-only

Earnest Money:- Rs.10,000/-only

Time:- Two Months.

| Sr. No. | Description/ Item Rate | Quantity | unit | Rate | | Amount |
|----------|---|----------|-------------------|--------|-------|--------|
| | | | | Figure | Words | |
| 1 | Providing and laying of boulder apron laid in wire crates with 4 mm (four milimetre) dia GI wire conforming to IS:280 and IS: 4826 in 100 mm x 100 mm mesh (woved diagonally) including 10 % (Ten percent) extra for laps and joints laid with stone boulders weighing not less than 25 kg (Twenty five Kilograme) each as per drawing and technical Specifications Clause 1301. including all leads,lifts and carriage of materials complete as per entire satisfaction of the Engineer in charge. | 195.00 | Per Cubic metre | | | |
| 2 | Construction of embankment with approved material obtained from borrow pits transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per Technical Specification Clause 301.5 including carriage of all labour equipment and material to various location through all modes of transportation in all leads and lifts , including all incidental charges. | 80.00 | Per Cubic metre | | | |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 nominal mix C.C. 1:6:12 (one cement six sand: twelve aggregates 40mm nominal size) including all leads, lifts and carriage of materials complete as per entire satisfaction of the Engineer in charge. | 1.68 | Per Cubic metre | | | |
| 4 | Providing and laying 900mm dia reinforced cement concrete pipe NP2 for culverts on first class bedding of granular materials in single row including fixing excluding excavation protection work, back filling concrete and masonry work in head walls and parapets clause 1108 including carriage of materials with in all leads,lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge. | 7.50 | Per Running metre | | | |
| Total :- | | | | | | |

Executive Engineer,
HP.PWD., Division
Nahan.

SCHEDULE OF QUANTITY

Name of work :-Improvement of black sports at various location under Nahan sub-division (SH :-Providing and fixing cautionary,mandatory and informatory sign boards)

Estimated cost :- Rs. 4,48,000/- only
Earnest Money :- Rs. 9000/- only.
Time allowed :- Two months.

| S. No. | Sub-head & item of works | Quantity | Unit | Rate | | Amount |
|--------|--|----------|------|-------|--------|--------|
| | | | | Words | Figure | |
| 1 | Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 50 mm x 50mm x 5 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801. including carriage of all labour equipments and materials to various location through all leads,lifts and other incidental charges complete as per entire satisfaction of the Engineer-in-Charge(1) 600 mm x 450 mm rectangular. | 30.00 | Each | | | |
| 2 | Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 50 mm x 50mm x 5 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801 including carriage of all labour equipments and materials to various location through all leads,lifts and other incidental charges complete as per entire satisfaction of the Engineer-in-Charge(1) 600 mm equilateral triangle. | 35.00 | Each | | | |
| | Total :- | | | | | |

Executive Engineer,
HP.PWD., Division
Nahan.

(5)

SCHEDULE OF QUANTITY

Name of work:- A/R & M/O Circular road Nahan Km 0/0 to 2/0(SH :-Repair of various RDs in Km 0/0 to 0/500)

Estimated cost :- Rs.4,83,964/-only

Earnest Money:- Rs.10,000 /-only

Time:- One month.

| Sr. No | Description/ Item Rate | Quantity | unit | Rate | | Amount |
|-----------|---|----------|------------------|--------|-------|--------|
| | | | | Figure | Words | |
| 1 | Dismantling of interlocking tiles including stacking of serviceable materials and disposal of un-serviceable materials as per Technical Specification Clause 502 including carriage of materials with in all leads,lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge. | 1000.00 | Per Squire metre | | | |
| 2 | Refixing of Interlocking Concrete block pavements having thickness 100 mm as per drawings and Technical Specification Clause 1504 including carriage of materials with in all leads,lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge. | 800.00 | Per Squire metre | | | |
| 3 | Providing concrete for plain/reinforced concrete in foundation complete as per drawings and specification clause 802,804,805,806,807,1202 & 1204.PCC Grade M20 Nominal mix 1:2.4(one cement is to two sand is to four crushed aggregates) including carriage of materials with in all leads,lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge. | 74.00 | Per Cubic metre | | | |
| | Total :- | | | | | |

Executive Engineer,
HP.PWD., Division
Nahan.