

Telephone No: 01782-233214

E-mail: cenh-ram-hp@nic.in

Dated:- 10/01/2022

To

The Executive Engineer, (IT) Nigam Vihar Shimla-2.

Subject: -

Publication of Tender notice

Enclosed please find herewith NIT for uploading on department website as per Notification Pr. Secy. (PW) to the Govt. of HP letter No. PBW(B)A(3)1/2020 dated 19 June 2021 as the work mentioned in the NIT are urgent nature and in public interest.

DA:- Copy of NIT and schedule of quantity

Executive Engineer, NH Division HPPWD, Rampur Busha

Copy forwarded to the Superintending Engineer NH Circle HPPWD Shimla for information, please.

Copy forwarded to the Computer Cell O/O Executive Engineer (IT) Cell), Nigam Vihar Shimla-2 for information and further necessary action, please.

HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT NOTICE INVITING TENDER

Sealed item rate tender(s) on PWD form No.6 &8 are hereby invited by the Executive Engineer, NH- Division, HP.PWD, Rampur Distt. Shimla (H.P) on behalf of the Governor of H.P for the following works from the registered contractors in HP.PWD in appropriate class to reach in this office on 19-01-2022 up to 10.30 A.M. and will be opened on the same day at 11.00A.M. in the presence of Contractors or their authorized representative who wish to be present at that time. The application for obtaining the tender form will be received on 18-01-2022 i.e. 11.00 AM to 1.00 PM and the tender form can be had from this office against this cash payment (Non- refundable) on the same day from 2.00P.M. to 5.00 P.M. No application shall be entertained without earnest money and cost of tender form or through FAX.

Earnest money shall be in shape of NSC/FDR duly pledged in favour of /Telegraphically/conditional tenders or tender through FAX shall not be entertained/ considered in any case.

Sr.	Name of Work	E-41	T =			
No.		Estimated Cost	Earnest Money	Time	Form No.	Cost of form
1	A/R and M/O on NH-05 Km 236/00 to 368/00 (SH:- Construction of wire crate R/wall at RD 285/095 to 285/115).	4,90,487/-	9,800/-	Two	6&8	350/-
2	A/R and M/O on NH-505A Km 0/00 to 17/00 (SH:- Construction of wire crate R/wall at RD 3/352 to 3/364).	4,89,065/-	9,800/-	Two months	6&8	350/-
3	A/R and M/O on NH-505A Km 0/00 to 17/00 (SH:- Construction of wire crate R/wall at RD 2/591 to 2/603).	4,93,365/-	9,900/-	Two months	6&8	350/-
4	A/R and M/O on NH-305 Sainj-Luhri-Aut road Km 0/00 to 53/00 (SH:- Construction of R/wall in PCC at RD 15/828 to 15/838).	2,59,857/-	5,200/-	Two months	6&8	350/-
5	A/R and M/O on NH-305 Sainj-Luhri-Aut road Km 0/00 to 53/00 (SH:- Construction of R/wall in PCC at RD 10/025 to 10/040).	3,86,668/-	7,700/-	Two months	6&8	350/-
6	A/R and M/O on NH-305 Sainj-Luhri-Aut road Km 0/00 to 53/00 (SH:- Construction of R/wall in PCC at RD 9/945 to 9/952 and 10/00 to 10/005).	3,09,319/-	6,200/-	Two months	6&8	350/-
7	A/R and M/O on NH-305 Sainj-Luhri-Aut road Km 0/00 to 53/00 (SH:- M/T of road portion at RD 28/00 to 28/105).	4,98,886/-	10,000/-	Two	6&8	350/-
8	A/R and M/O on NH-05 Km 236/00 to 368/00 (SH:- Construction of B/wall in PCC at RD 281/260 to 281/265).	4,99,878/-	10,000/-	Two months	6&8	350/-

SPECIAL CONDITIONS

- 1. The material shall be arranged by the contractor himself.
- 2. The detail of documents to be attached with the application is given below.
- i Latest copy of renewal enlistment.
- ii Copy of Pan Card.
- iii Copy of GST No.
- 3. The offer of the tender shall be kept open for 90 days
- 4. Tender received after the specified time/date shall not be opened.
- 5. Executive Engineer NH-division HP.PWD Rampur Distt. Shimla H.P. reserves the right to reject any or all tender/s without assigning any reasons.
- 6. If due to any unforeseen reasons the office of the Executive Engineer NH-Division HP.PWD Rampur remain closed on the notified date of sale and receipt of tender, tender will be sold and received/opened the next working day of same specified time.
- 7. Tenderers may contact the Executive Engineer for any further information they may require during the working day/ office hours.
- 8. The contractor/ firms are requested to insert the rate of each in words as well as in figures failing which Executive Engineer reserves the right to reject any or all tenders.
- 9. The labourcess shall allow/ deduction @ 2% TDS amount of GST (1% CGST and 1% SGST).
- 10. The labour cess @ 1% will be deducted from the gross amount of the bill
- 11. A contractor enlisted in a particular class shall be eligible to tender for his own class and one step below as per Govt. notification No.PBW (B) 22-1/2002 dated 26-05-2015.

- 12. The Contractor will have to submit the proof of registration under Employees Provident Funds & Miscellaneous Provision Act. 1952 before award of work.
- 13. Cement should be purchased from H.P. State Civil Supply corporation
- 14. GST will be deducted from each bill as per latest instruction of the Government.

Executive Engineer, NH Division, H.P.PWD,

Bampur Bushing.

No.PW/EE/NH/RMP/CB-Tender Notice/2021-22-Copy forwarded for information to the:-

1. Engineer-in-Chief, HP.PWD, Shimla

2. Chief Engineer (NH) HP.PWD, Shimla-1

- 3. Superintending Engineer, NH-Circle, HP.PWD, Shimla. It is requested to kindly issue the certificate the tender of above emergent nature in public interest.
- 4. All the Assistant Engineer working under this division
- 5. A/B & D/B in this office.
- 6. Notice board of this office.

Executive Engineer, NH Division, H.P.PWD,

Bampur Bushahr

Certificate

Certified that the tenders for the work invited vide this office NIT No. PW/EE/NH/RMP-CB-Tender/2021- 6518-27 dated 10-01-2022 is of urgent nature and in public interest.

G.I wire confirming to IS 280 and IS 4826 in 100x100 mm(hundred into hundred millimetre) thick G.I wire confirming to IS 280 and IS 4826 in 100x100 mm(hundred into hundred millimetre) mesh (Weaved diagonal) in all heights and depths including 10% extra for laps and joints laid with stone boulders weighing not less than 40Kg(Forty kilograms) each including carriage of materials by mechnical transport in all leads and lifts confirming with the MORTH Specification (Latest revision) and as per direction of the Engineer-in-Charge.	56.70	56.70	56.70
Earthwork in excavation for structures in all depths as per drawing and technical specifications as per Clause 304 of section 300 of MORTH specifications in all kinds of soils i.e.pick work, jumper work, blasting work in soft and hard rock and intermediate classifications of soil including chiselling and wedging out of rock with in all depths and heights, stacking the useful materials and disposal of unserviceable materials upto the identified dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.		165.60	
Cutting in earth work in all kinds of soils such as pick work, jumper work, soft and hard rock i.e. chiselling and wedging out of rock if required and saturated soils and their intermediate classifications in all heights and depths. Stacking the useful stone/materials and disposal of unserviceable materials upto the identified dumping site as per the direction of the Engineer-in-Charges including loading of truck for carrying the unserviceable materials. Any loss of public/private property during the course of execution shall be the sole responsibility of the contractor which shall have to be duly compansated by him at his own cost in all cases, the work shall be carried out as per clause 301 of section 300 of MORTH specifications to the entire satisfication and direction of Engineer-in-Charge.		66.00	66.00
	Quant	Quantity Rate In Figure	Rate In Figure
ire crate K/W	all at KD 28	all at RD 285/095 to 285/115)	
SERVED SE	Sub head/item of work Cutting in earth work in all kinds of soils such as pick work, jumper work, soft and hard rock i.e. chiselling and wedging out of rock if required and saturated soils and their intermediate classifications in all heights and depths. Stacking the useful stone/materials and disposal of unserviceable materials upto the identified dumping site as per the direction of the Engineer-in-Charges including loading of truck for carrying the unserviceable materials. Any loss of public/private property during the course of execution shall be the sole responsibility of the contractor which shall have to be duly compansated by him at his own cost in all cases, the work shall be carried out as per clause 301 of section 300 of MORTH specifications in all kinds of soil is epick work/jumper work shall be carried out as per clause 301 of section 300 of MORTH specifications in all kinds of soil is check work/jumper work shall be carried out as per clause 301 of section 300 of MORTH specifications in all kinds of soil is check work/jumper work in soft and hard rock and intermediate classifications of soil including chiselling and wedging out of rock with in all depths and heights, stacking the useful materials and disposal of unserviceable materials upto the identified dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost. Providing and laying of boulders apron laid in wire crate made with 4 mm (Four millimetre) thick confirming to 1S 280 and 1S 4826 in 100x100 mm (hundred into hundred millimetre) thick materials by mechnical transport in all leads and lifts confirming with the MORTH Specification (Latest trevision) and as per direction of the Engineer-in-Charge.	Quantity 66.00 165.60	Rate In words.

Note:-Contractor will himself arrange the following materials:-

1.G.I.wire:-wire will be arranged by the contractor himself.

2.Accounting system will be same as is being followed as per present practice.

	Total:-					
	Per cubic meter.			129.60	Providing and laying of boulders apron laid in wire crate made with 4 mm (Four millimetre) thick G.I wire confirming to IS 280 and IS 4826 in 100x100 mm(hundred into hundred millimetre) mesh (Weaved diagonal) in all heights and depths including 10% extra for laps and joints laid with stone boulders weighing not less than 40Kg(Forty kilograms) each including carriage of materials by mechnical transport in all leads and lifts confirming with the MORTH Specification (Latest revision) and as per direction of the Engineer-in-Charge.	2
	Per cubic meter.			43.20	Earthwork in excavation for structures in all depths as per drawing and technical specifications as per Clause 304 of section 300 of MORTH specifications in all kinds of soils i.e.pick work, jumper work, blasting work in soft and hard rock and intermediate classifications of soil including chiselling and wedging out of rock with in all depths and heights, stacking the useful materials and disposal of unserviceable materials upto the identified dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	۔
Amount	Unit	Rate In words.	Rate In Figure	Quantity	Sub head/item of work	Sr, No.
Time:- Two month	Time:- Two mo	Ear				
489065.00	Estimated cost:- 489065.00	Est	0 3/364)	vall at RD 3/352 t	Name of work:- A/R & M/O on NH-505 A Km 0/00 to 17/00 (SH:- Construction of wire crate R/wall at RD 3/352 to	z
				1-	CONTROLL OF MONATOR	

Note:-Contractor will himself arrange the following materials:-

1.G.I.wire:-wire will be arranged by the contractor himself.

2.Accounting system will be same as is being followed as per present practice.

_	Name of work:- A/R & M/O on NH-505 A Km 0/00 to 17/00 (SH:- Construction of wire crate R/wall at RD 2/591 to 2/603)	all at RD 2/591 (to 2/603)	Es	Estimated cost:- 493365.00	st:-
				Ea	Earnest money:- 9900.00	9900
2					Time:- Two month	Two
1 of, NO.		Quantity	Rate In Figure	Rate In	Unit	Amount
,	per Clause 304 of section 300 of MORTH specifications in all kinds of soils i.e.pick work, jumper work, blasting work in soft and hard rock and intermediate classifications of soil including chiselling and wedging out of rock with in all depths and heights, stacking the useful materials and disposal of unserviceable materials upto the identified dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	51.84	ı		Per cubic meter.	
. 2	Providing and laying of boulders apron laid in wire crate made with 4 mm (Four milimetre) thick G.I wire confirming to IS 280 and IS 4826 in 100x100 mm (hundred into hundred milimetre) mesh (Weaved diagonal) in all heights and depths including 10% extra for laps and joints laid with stone boulders weighing not less than 40Kg(Forty kilograms) each including carriage of materials by mechnical transport in all leads and lifts confirming with the MORTH Specification (Latest revision) and as per direction of the Engineer-in-Charge.	126.90			Per cubic meter.	
				-	Total:-	
Noto:	Note: Contract ::::					

Note:-Contractor will himself arrange the following materials:-

1.G.I.wire:-wire will be arranged by the contractor himself.

2.Accounting system will be same as is being followed as per present practice.

		i								
		ω	١	S		N (?			
	pipe in weep holes in R/wall in requisite slopes for drainages as per the direction of the Engineer-in-charges including carriage of materials in all leads and lifts with mechanical means.	Providing and laving 100mm diameter (Hundred milimater) by 17.6	M-15 containing minimum contents of cement is 5.50 bags per cum in all heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the Engineer-in-Charge.	Providing and laying mochanically and the state of the st	Earthwork in excavation for structures in all depths as per drawing and technical specifications as per Clause 304 of section 300 of MORTH specifications in all kinds of soils i.e.pick work, jumper work, blasting work in soft and hard rock and intermediate classifications of soil including chiselling and wedging out of rock with in all depths and heights, stacking the useful materials and disposal of unserviceable materials upto the identified dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Sub head/item of work		Construction of R/wall in PCC at RD 15/828 to 15/7838)	Name of work:- A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 53/00 (SH:-	Name of the second seco
	20.00	8	37.40		18.00	Quantity		8)	0 to 53/00 (S	
					Figure	Rate In			3H:-	
	7 7 7				words.	Rate In		Earnes	Estima	
_	Per Running meter		Per cubic meter.		Per cubic meter.	llnit	Time:-	Earnest money:- 5200.00	ited cost:-	
						Amount	Two month	5200.00	Estimated cost:- 259857.00	

,		4
	and depths compacted to a firm condition complete including carriage of materials by mechnical transport in all leads and lifts and as per direction of the Engineer-in-Charge.	Providing and laying back filling behind Retaining walls satisfying the
		8.80
T		
Total:-	neter.	Per cubic

Note:-Contractor will himself arrange the following materials:-

1.Cement:-To be purchased from H.P. State Civil Supplies Corporation.

2.Accounting system will be same as is being followed as per present practice.

Executive Engineer, NH Division HPPWD,

	Name of work:- A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 53/00 (SH:-	to 53/00 (S	÷	Estima	ted cost:-	Estimated cost:- 386668.00
	Construction of R/wall in PCC at RD 10/025 to 10/040)			Earnes	Earnest money:- 7700.00	7700.00
Sr.					Time:-	Time:- Two month
No.	Sub head/item of work	Quantity	Rate In	Rate In	Unit	Amount
	technical specifications as per Clause 304 of section 300 of MORTH specifications in all kinds of soils i.e.pick work, jumper work blasting	27.00			Per cubic meter.	
	work in soft and hard rock and intermediate classifications of soil including chiselling and wedging out of rock with in all depths and heights, stacking the useful materials and disposal of unserviceable materials upto the identified dumping site as per the direction of the					
	Infaterials upto the identified dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of execution shall be the sole					
	responsibility of contractor which shall have to be duly compansated by him at his own cost.	·				
2	Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in	56.10	2		Per cubic	
•	all heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification	,		<u>_</u>		
	No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and court	,				
	of formwork required to complete the work to the satisfaction of the Engineer-in-Charge.					
ω	Providing and laying 100mm diameter (Hundred milimeter) P. V.C.	30 00				
	pipe in weep holes in R/wall in requisite slopes for drainages as per the direction of the Engineer-in-charges including carriage of materials in all leads and lifts with mechanical means.				Running meter	

	4
	Providing and laying back filling behind Retaining walls satisfying the requirement as per drawing and technical specifications in all heights and depths compacted to a firm condition complete including carriage of materials by mechnical transport in all leads and lifts and as per direction of the Engineer-in-Charge.
	13.20
Total:-	Per cubic meter.

Note:-Contractor will himself arrange the following materials:-

1.Cement:-To be purchased from H.P. State Civil Supplies Corporation.

2.Accounting system will be formed by the company of th

2.Accounting system will be same as is being followed as per present practice.

Executive Engineer,
NH Division HPPWD,

Rampur Bsr.

4

Engi	2 Prov M-1. all h foun No.1 lead	1 Eart tech spec worl include heig matter Enging publics.	Sr,	_
Providing and laying 100mm diameter (Hundred milimeter) P. V.C. pipe in weep holes in R/wall in requisite slopes for drainages as per the	Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all heights and depth as per drawing and technical specifications in foundation of retaining walls complete as per MORTH specification No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the Engineer-in-Charge.	Earthwork in excavation for structures in all depths as per drawing and technical specifications as per Clause 304 of section 300 of MORTH specifications in all kinds of soils i.e.pick work, jumper work, blasting work in soft and hard rock and intermediate classifications of soil including chiselling and wedging out of rock with in all depths and heights, stacking the useful materials and disposal of unserviceable materials upto the identified dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	Sub head/item of work	Name of work:- A/R & M/O on NH-305 Sainj Luhri Aut road Km 0/00 to 53/00 (SI Construction of R/wall in PCC at RD 9/945 to 9/952 and 10/00 to 10/005)
24.00	44.88	21.60	Quantity	00 to 53/00 (S 0 to 10/005)
			Rate In	ä
		**************************************	Rate In	Estima Earnes
Per Running meter	Per cubic meter.	Per cubic meter.	Unit	Estimated cost:- 309319. Earnest money:- 6200.00 Time:- Two mo
			Amount	Estimated cost:- 309319.00 Earnest money:- 6200.00 Time:- Two month

	4
	Providing and laying back filling behind Retaining walls satisfying the requirement as per drawing and technical specifications in all heights and depths compacted to a firm condition complete including carriage of materials by mechnical transport in all leads and lifts and as per direction of the Engineer-in-Charge.
	10.56
Total:-	Per cubic meter.

Note:-Contractor will himself arrange the following materials:-

- 1.Cement-To be purchased from H.P. State Civil Supplies Corporation.
- 2.Accounting system will be same as is being followed as per present practice.

Schedule of Quantity

5 Pro	4 Pro Hall Hall Pro	3 Property to page gramma Ma	2 Co un wi de bri	1 Co fro ree with	S.No.		Name	Name of w
Providing and applying Priming coat with bitumen emulsion using emulsion pressure distributor at the rate of 0.70 kg per sqm on the prepared bituminous/granular surface cleaned with mechanical broom.and as per the direction of the Engineer-in-Charge	Providing, laying, spreading and compacting stone aggregates of specific sizes(Grade-III) to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with 3 wheeled steel/vibratory roller 8-10 tonnes in stages to proper grade and camber, applying and brooming requisite type of screening/binding Materials to fill up the interstices of coarse aggregate, watering and compacting to the required density of MORTH road wing specification for road and bridge works (latest revision) and as per the direction of the Engineer-in-Charge.	Providing, laying, spreading and compacting stone aggregates of specific sizes(Grade-II) to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with 3 wheeled steel/vibratory roller 8-10 tonnes in stages to proper grade and camber, applying and brooming requisite type of screening/binding Materials to fill up the interstices of coarse aggregate, watering and compacting to the required density.of MORTH road wing specification for road and bridge works (latest revision) and as per the direction of the Engineer-in-Charge	Construction of granular sub-base by providing close graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with vibratory roller to achieve the desired density, complete as per clause 401.of MORTH road wing specification for road and bridge works (latest revision) and as per the direction of the Engineer-in-Charge	Construction of sub - grade and earthen shoulders with approved materials obtaining from borrow pits with all leads and lifts, transporting to site, spreading,grading to required slope and compacted to meet requirement of table No.300-2 of MORTH road wing specification for road and bridge works (latest revision) and as per the direction of the Engineer-in-Charge	Descriptions		name of work:- مرام ه ها/ O NH-305 SainJ Luhri Aut road Km 0/00 to 53/00 (SH:- M/T of road portion at RD 28/00 to 28/105)	ark: A/R & M/O NH-20c Caini I inhai Antagod V O /OC to 12 /00 / City at /2 / City
357.00	28.35	28.35	56.70	113.40	Quantity	T	3/00 to	
					In figure			
					Rate In words.	Time :- Two Mon	Estimated Cost: 498886.00	
Per Square meter.	Per Cubic meter.	Per Cubic meter.	Per Cubic meter.	Per Cubic meter.	Unit	Time:- Two Month	498886.0	
					Amount	ıth	00	

Total:-	Providing and laying 50 mm thick dense graded bituminous macadam with 60-90 TPH batch type HMP producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bitumen binder(VG-30) @ 4.0 to 4.5 percent by weight of total mix and filler transporting the hot mix material to work site in clean insulated vehicles covered while in transit or awaiting, tipping & laying with a hydrostatic paver finisher with sensor control to the required grade, level & alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRTH specification Clause 507 complete in all respects.	(Tack coat):-Providing and applying tack coat with RS-1(S 90) emulsion using emulsion pressure distributor at the rate of 0.25 kg/Sqm on the prepared bituminous/granular surface cleared with mechanical brooms of MORTH road wing specification for road and bridge works (latest revision) and as per the direction of the Engineer-in-Charge
Ÿ	'H 17.85	ion 357.00 ir
	Per Cubic meter.	Per Square meter.

Draft Schedule of Quantity

	P.C.C. at RD 281/260 to 281/265)		Ea	Earnest Money 10000.00	10000.00	٦
				Time :-	Time :- Two Month	th
S.No.	Doggistion		Ŧ	Rate		
_	Descriptions	Quantity	In figure	In words.	Unit	Amount
	and hard rock i.e. chiselling and wedging out of rock if required and saturated soils and their intermediate classifications in all heights and depths. Stacking the useful stone/materials and disposal of unserviceable materials upto the identified dumping site as per the direction of the Engineer-in-Charges including loading of truck for carrying the unserviceable materials. Any loss of public/private property during the course of execution shall be the sole responsibility of the contractor which shall have to be duly compansated by him at his own cost in all cases, the work shall be carried out as per clause 301 of section 300 of MORTH specifications to the entire satisfication and direction of Engineer-in-Charge.	35.00 Cum			Per cubic meter.	
2 E k iii w u u tt	Earthwork in excavation for structures in all depths as per drawing and technical specifications as per Clause 304 of section 300 of MORTH specifications in all kinds of soils i.e.pick work, jumper work, blasting work in soft and hard rock and intermediate classifications of soil including chiselling and wedging out of rock with in all depths and heights, stacking the useful materials and disposal of unserviceable materials upto the identified dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	17.75 Cum			Per cubic meter.	

Total Rs:-		Note:-Contractor will himself arrange the following materials:-	Note
cubic meter.		compacted to a firm condition complete including carriage of materials by mechnical transport in all leads and lifts and as per direction of the Engineer-in-Charge.	
Per	9.00 Cum.	Providing and laying back filling behind Retaining walls satisfying the requirement as per drawing and technical specifications in all heighteen distance.	Ŋ
Running meter		Engineer-in-charges including carriage of materials in all leads and lifts with mechanical means.	
Per	15.00 Rmt.	Providing and laying 100mm diameter (Hundred milimeter) P. V.C. pipe in weep holes in R/wall in requisite slopes for drainages as per the direction of the	+
		equipment and cost of formwork required to complete the work to the satisfaction of the Engineer-in-Charge.	
meter.		complete as per MORTH specification No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and	
Per cubic	77.70 Cum.	containing minimum contents of cement is 5.50 bags per cum in all heights and depth as per drawing and rechnical specifications is feed to be depth as per drawing and rechnical specifications is feed to be depth as per drawing and rechnical specifications is feed to be depth as per drawing and rechnical specifications is feed to be depth as per drawing and rechnical specifications is feed to be depth as per drawing and rechnical specifications is feed to be depth as per drawing and rechnical specifications is feed to be depth as per drawing and rechnical specifications is feed to be depth as per drawing and rechnical specifications is feed to be depth as per drawing and rechnical specifications is feed to be depth as per drawing and rechnical specifications is feed to be depth as per drawing and rechnical specifications.	
		Providing and laving mechanically mixed and with the last of the l	ω

1 for the following materials:-

1.Cement:-To be purchased from H.P. State Civil Supplies Corporation.

2.Accounting system will be same as is being followed as per present practice.