

HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

Office of the Executive Engineer, Division HPPWD Solan.

Email: ee-sol-hp@nic.in Land line NO:-Fax NO:-01792-223811

No.PW-SD/CB-Tender/-22-23-

Dated:-

To


15766-70

The Executive Engineer (IT Cell),
Nigam Vihar, Nirman Bhawan,
HPPWD, Shimla-2
Email ID:-cc-pwd-hp@nic.in

Subject: - Publication of e-Tender Notice.


Enclosed please find herewith the Tender Notice of the works as given in the Notice inviting Tender for uploading on departmental website as per Notification Pr. Secy(PW) to the Govt. of HP letter NO.PBW(B)A(3)1/2020 dated: 19th June, 2021 as the work mentioned in the tender notice are urgent in nature and in public interest.

Encl: - Schedule of quantities.


Executive Engineer,
Solan B & R Division,
H.P.P.W.D, Solan

Copy along with tender notice forwarded for information and necessary action please to:-

1. The Chief Engineer (S.Z), H.P.P.W.D., Nirman Bhawan, Nigam Vihar, Shimla.
2. The Superintending Engineer, 3rd Circle, HP.PWD, Solan.
3. The Drawing Branch & Accounts Branch of this office.
4. Notice Board.


Executive Engineer,
Solan B & R Division,
H.P.P.W.D, Solan

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
NOTICE INVITING TENDER
(Exigency)**

Sealed item rate tenders are hereby invited on Form No.6 &8 by the Executive Engineer, Solan B&R Division, H.P. PWD. Solan (H.P.) on behalf of the Governor of Himachal Pradesh for the following works from the registered contractors of appropriate class enlisted in H.P.PWD, whose registrations stood renewed as per revised instructions and also registered dealers under the Himachal Pradesh, General Sales Tax Act.1968. The important dates of tender are as under:

Sr.No.	Tender Schedule		
1	The last date for receipt of application for tender form.	25.02.2022	Upto 4.00 P.M.
2	The last date sale of tender forms.	26.02.2022	Upto 4.00 P.M.
3	The date for receipt of tender forms.	26.02.2022	Upto 10.30 A.M.
4	The date of opening of tender	28.02.2022	At 11.00 A.M.

The tender shall be received upto **10.30 A.M. on 28.02.2022** and will be opened on the same day at **11.00 AM** in the presence of office against cash payment as shown below (Non-refundable) during the working hours. The earnest money in the shape of National Saving Certificate, FDRs/Account/Saving account in any of the Post Office/ Nationalized Bank in H.P. duly intending contractors or their authorized representatives who may like to be present. The tender form can be had from this pledged in favour of the Executive Engineer, (B&R) Division, H.P.PWD, Solan must accompany with each tender, conditional tenders and the tenders received without earnest money will simultaneously be rejected. The offer of the tender shall be kept open for 120 days. The Executive Engineer reserves the right to reject the tender without assigning any reason.

Sr. No	Name of work	Estimated Cost. (Rs.)	Earnest Money (Rs)	Time	Cost of Form
1.	"Restoration of rain damages on Solan Rajgarh Bye pass road Km.0/0 to 5/410(SH:-C/o PCC R/wall at RD1/524.40 to 1/529".	4,86,946/-	9,750	Two Months.	Rs.350/-
2.	"Restoration of rain damages on Solan Rajgarh Bye pass road Km.0/0 to 5/410(SH:-C/o wing wall/retaining wall at RD2/365".	4,99,750/-	10,000/-	Two Months.	Rs.350/-
3.	"Construction of State Vigilance & Anti Corruption Beuro Solan(SH:-C/o PCC retaining wall on left side of SV & AC Beuro building".	4,23,752/-	8,500/-	Two Months.	Rs.350/-
4.	"Construction of Veterinary Dispensary building at Ser-Charg, Tehsil & Distt. Solan(SH:-Construction of PCC Breast wall".	3,30,498/-	6,650/-	Two Months.	Rs.350/-

TERMS & CONDITIONS:-

1. The tender form will not be issued to those contractors whose performance has been found unsatisfactory.
2. The contractor should have submitted the proof of registration, EPF No. & GST No. at the time of tender application. Failure should not be issued tender forms. Application without earnest money will not be
3. Application without earnest money will not be entertained.
4. Executive Engineer reserves the right to reject or cancel any or all the tenders without assigning any reasons.

SCHEDULE OF QUANTITY

Sr. No.	Description of work	Quantity	Unit	SCHEDULE OF QUANTITY		AMOUNT in Rs.
				RATE In		
				Figures	Words	
Job No. :- 1				Estimated Cost: -		486946.00
				Earnest Money: -		9750.00
				Time limit: -		Two Months
Name of Work :-Restoration of Rain damages on Solan Rajgarh Bye Pass road km 0/0 to 5/410 (SH:- C/O PCC R/Wall at RD 1/524.40 to 1/529)						
1	Earthwork in excavation for all type of road structures such as retaining wall, breast wall, culvert, drain and parapets etc. in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiesling / wedging out rocks (where blasting is prohibited). Dimesions and other particulars as per drawing and Technical Specification Clause 305.1(Three hundred Five point One) including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and its disposal including dressing of sides and bottom and backfilling in trenches with excavated suitable material, trimming, filling of unevenness blindages and finishing of the road to specified dimensions. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side, water pollutions etc., and to protect stability of hill side rock. Stacking of materials useful for construction at suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site (to be arranged by the contractor) or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.	37.950 m3	Per Cubic Meter			
2	Providing and laying concrete for P.C.C. grade M-10 (ten) nominal mix 1:3:6 (one cement isto three sand isto six graded stone aggregate 20mm (twenty millimeters) nominal size) mechanically mixed, vibrated and curing complete in open foundations complete including cost of form work as per drawings and technical specifications clause 802, 803,1202 and 1203 (eight hundred two, eight hundred three, one thousand two hundred two and one thousand two hundred three) curing complete as per PWD specifications including carriage of all labour, equipments and materials to various location through all modes of transportation in all lead, lift and all incidental charges	93.10 m3	Per cubic meter			

SCHEDULE OF QUANTITY

Sr. No.	Description of work	Quantity	Unit	RATE In		AMOUNT in Rs.
				Figures	Words	
3	Providing weep holes in brick masonry/stone masonry/plain reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia PVC pipe extending through the full width of the structure with slope of 1:20 (One verticle isto twenty horizontal) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7(six hundred fourteen, seven hundred nine, one thousand two hundred four point three point seven) or as directed by the Engineer-in-Charge including carriage of materials with in all lead and lift and other incidentals.	28.000 No.	Each.			
4	Backfilling behind abutment, wing wall and return wall, breast walls, retaining walls and parapets up to all heights, depths and levels complete as per HP.PWD. Specification clause 1204.3.8 (one thousand two hundred four point three point eight) Granular material, including carriage of all labour equipment and material to various locations through all modes of transportation in all lead and lift and all incidental charges.	16.560 m3	Per cubic meter			
Total:-						

Total in Words

T/S No. 298 for the 2021-22.

Sr. No. 377 for the year 2021-22.


 Executive Engineer
 B&R Division, HP.PWD. Solan.

SCHEDULE OF QUANTITY

Sr. No.	Description of work	Quantity	Unit	RATE In		AMOUNT in Rs.
				Figures	Words	
Job No. :- 2				Estimated Cost: -		499750.00
				Earnest Money: -		10000.00
				Time limit: -		Two Months
Name of Work :-Restoration of Rain damages on Solan Rajgarh Bye Pass road km 0/0 to 5/410 (SH:- C/O wing/ Retaining wall at RD.2/365)						
1	Earthwork in excavation for all type of road structures such as retaining wall, breast wall, culvert, drain and parapets etc. in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiesling / wedging out rocks (where blasting is prohibited). Dimesions and other particulars as per drawing and Technical Specification Clause 305.1(Three hundred Five point One) including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and its disposal including dressing of sides and bottom and backfilling in trenches with excavated suitable material, trimming, filling of unevenness blindages and finishing of the road to specified dimensions. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side, water pollutions etc., and to protect stability of hill side rock. Stacking of materials useful for construction at suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site (to be arranged by the contractor) or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.	48.600 m3	Per Cubic Meter			
2	Providing and laying concrete for P.C.C. grade M-10 (ten) nominal mix 1:3:6 (one cement isto three sand isto six graded stone aggregate 20mm (twenty milimeters) nominal size) mechanically mixed, vibrated and curing complete in open foundations complete including cost of form work as per drawings and technical specifications clause 802, 803,1202 and 1203 (eight hundred two, eight hundred three, one thousand two hundred two and one thousand two hundred three) curing complete as per PWD specifications including carriage of all labour, equipments and materials to various location through all modes of transportation in all lead, lift and all incidental charges	99.00 m3	Per cubic meter			

SCHEDULE OF QUANTITY

Sr No.	Description of work	Quantity	Unit	RATE In		AMOUNT in Rs.
				Figures	Words	
3	Providing weep holes in brick masonry/stone masonry/plain reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia PVC pipe extending through the full width of the structure with slope of 1:20 (One verticle isto twenty horizontal) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7(six hundred fourteen, seven hundred nine, one thousand two hundred four point three point seven) or as directed by the Engineer-in-Charge including carriage of materials with in all lead and lift and other incidentals.	18.000 No.	Each.			
Total:-						

Total in Words

T/S No. 299 for the 2021-22.

Sr. No. 379 for the year 2021-22.



Executive Engineer
B&R Division, HP.PWD, Solan.

SCHEDULE OF QUANTITY

Sr. No.	Description of work	Quantity	Unit	RATE In		AMOUNT in Rs.
				Figures	Words	

Job No. :- 3

Estimated Cost: -	423752.00
Earnest Money: -	8500.00
Time limit: -	Two Months

Name of Work :- Construction of State Vigilance and Anti Corruption Beruo Solan (SH:- C/O PCC R/Wall on left side of SV & AC Beruo building)						
1	Earthwork in excavation for all type of road structures such as retaining wall, breast wall, culvert, drain and parapets etc. in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiesling / wedging out rocks (where blasting is prohibited). Dimesions and other particulars as per drawing and Technical Specification Clause 305.1(Three hundred Five point One) including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and its disposal including dressing of sides and bottom and backfilling in trenches with excavated suitable material, trimming, filling of unevenness blindages and finishing of the road to specified dimensions. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side, water pollutions etc., and to protect stability of hill side rock. Stacking of materials useful for construction at suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site (to be arranged by the contractor) or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.	25.120 m3	Per Cubic Meter			
2	Providing and laying cement concrete 1:6:12 [One cement isto Six sand isto Twelve graded crushed hard stone aggregate 40 (Forty) millimeters nominal size] mechanically mixed and curing complete, excluding cost of form work in foundation and plinth, as per H.P.PWD. Specification including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges.	4.520 m3	Per cubic meter.			

SCHEDULE OF QUANTITY

Sr No.	Description of work	Quantity	Unit	RATE In		AMOUNT in Rs.
				Figures	Words	
3	Providing and laying Plain Cement Concrete nominal mix 1:4:8 (one cement isto four sand isto eight graded stone aggregate 25mm (twenty five millimeters) nominal size) Mechanically mixed, vibrated and curing complete in open foundations and plinths for all type of structure including the cost of form work complete as per drawing and technical Specification clause 802, 803, 1202 and 1203 (Eight hundred two, eight hundred three, one thousand two hundred two and one thousand two hundred three) or as directed by the Engineer-in-Charge including carriage of materials with in all lead and lift and other incidental charges.	87.200 m ³	Per Cubic Meter			
3	Providing weep holes in brick masonry/stone masonry/plain reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia PVC pipe extending through the full width of the structure with slope of 1:20 (One verticle isto twenty horizontal) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7(six hundred fourteen, seven hundred nine, one thousand two hundred four point three point seven) or as directed by the Engineer-in-Charge including carriage of materials with in all lead and lift and other incidentals.	24.000 No.	Each.			
4	Backfilling behind abutment, wing wall and return wall, breast walls, retaining walls and parapets up to all heights, depths and levels complete as per HP.PWD. Specification clause 1204.3.8 (one thousand two hundred four point three point eight) Granular material, including carriage of all labour equipment and material to various locations through all modes of transportation in all lead and lift and all incidental charges.	23.400 m ³	Per cubic meter			
Total:-						

Total in Words

T/S No. 286 for the 2021-22.

Sr. No. 374 for the year 2021-22.



Executive Engineer
B&R Division, HP.PWD, Solan.

SCHEDULE OF QUANTITY

Sr No.	Description of work	Quantity	Unit	RATE In		AMOUNT In Rs.
				Figures	Words	
Job No. :- 4						Estimated Cost: - 330498.00
						Earnest Money: - 6650.00
						Time limit: - Two Months
Name of Work :-Construction of Veterinary Dispensary building at Ser Charg Tehsil and Distt. Solan (SH:- Construction of PCC B/ Wall)						
1	Earthwork in excavation for all type of road structures such as retaining wall, breast wall, culvert, drain and parapets etc. in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiesling / wedging out rocks (where blasting is prohibited). Dimesions and other particulars as per drawing and Technical Specification Clause 305.1(Three hundred Five point One) including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and its disposal including dressing of sides and bottom and backfilling in trenches with excavated suitable material, trimming, filling of unevenness blindages and finishing of the road to specified dimensions. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side, water pollutions etc., and to protect stability of hill side rock. Stacking of materials useful for construction at suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site (to be arranged by the contractor) or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.	19.650 m3	Per Cubic Meter			
2	Providing and laying Plain Cement Concrete nominal mix 1:4:8 (one cement isto four sand isto eight graded stone aggregate 25mm (twenty five millimeters) nominal size) Mechanically mixed, vibrated and curing complete in open foundations and plinths for all type of structure including the cost of form work complete as per drawing and technical Specification clause 802, 803, 1202 and 1203 (Eight hundred two, eight hundred three, one thousand two hundred two and one thousand two hundred three) or as directed by the Engineer-in-Charge including carriage of materials with in all lead and lift and other incidental charges.	72.050 m3	Per Cubic Meter			

SCHEDULE OF QUANTITY

Sr. No.	Description of work	Quantity	Unit	RATE In		AMOUNT in Rs.
				Figures	Words	
3	Providing weep holes in brick masonry/stone masonry/plain reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia PVC pipe extending through the full width of the structure with slope of 1:20 (One verticle isto twenty horizontal) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7(six hundred fourteen, seven hundred nine, one thousand two hundred four point three point seven) or as directed by the Engineer-in-Charge including carriage of materials with in all lead and lift and other incidentals.	51.000 No.	Each.			
Total:-						

Total in Words

T/S No. 297 for the 2021-22.

Sr. No. 376 for the year 2021-22.




Executive Engineer
B&R Division, HP.PWD. Solan.

“Exigency Certificate”

It is certified that the tenders which were invited vide this Office Niq NO. PW.SD.CB.Tender/2022-23- 15766-70 dated: 21, Feb, 2022 are of emergent nature of work & in public interest.

Dated: 21. Feb, 2022

Place:-Solan.



**Executive Engineer,
Solan B & R Division,
HSP.W.D, Solan.**

