



**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT**



Office of the Executive Engineer, Outer Seraj Division, HP.PWD, Nirmand
Web: www.hppwd.gov.in, Email: ee-nir-hp@nic.in

Phone No.-01904-255140

Fax No. 01904-255740

Dated 19-03-2022

No.-PW/OSDN/ Tender-NIT/2021-22 17408-14
To

The Executive Engineer (IT Cell),
Nigam Bihar, H.P. Shimla-2.

Subject:-

Publication of Tender Notice.

Jai Hind


Enclosed please find herewith the Tender Notice of various works as given in the Tender Inviting Tender for uploading on departmental website as per Notification Pr. Secy (PW) to the Govt. of Himachal Pradesh Letter No.-PBW(B)A(3) 1/2020 Dated Shimla-2 the 16th July 2021 as the works mentioned in the tender Notice are urgent nature and public interest.

DA/ Notice inviting tender/Schedule of Quantity


Executive Engineer,
Outer Seraj Division,
HP.PWD, Nirmand.

Copy forwarded with its enclosure for information to :-

1. The Superintending Engineer, 11th Circle, HP.PWD, Rampur Bushahr.
2. The Assistant Engineer, Sub-Division, HP.PWD, Nirmand/Brow/Neethar/Dalash/Anni.
3. Drawing Branch in this office.
4. Accounts Branch in this office.
5. Suptt. of C Branch.
6. Notice Board.


Executive Engineer,
Outer Seraj Division,
HP.PWD, Nirmand.



**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT**

Office of the Executive Engineer, Outer Seraj Division, HP.PWD. Nirmand
Web: www.hppwd.gov.in, Email: ee-nir-hp@nic.in



Phone No.-01904-255140
Fax No. 01904-255740

NOTICE INVITING TENDER


Sealed item rate tender on form 6 & 8 are hereby invited by the Executive Engineer Outer Seraj Division HP. PWD. Nirmand on behalf of Governor of HP. from the approved eligible contractors enlisted in HP.PWD (B&R) in appropriate class "C and D", for the following works, so as to reach this office on **02.04.2022** up to 10.30 A.M. and same will be opened on the same day at 11.00 A.M in presence of the interested contractors or their authorized representative. The application for obtaining the tender form will be received on **01.04.2022** between 10.00 A.M. to 1.00 P.M. The tender form can be had from this office against cash payment (Non-refundable) on **01.04.2022** between 2.00 AM to 5.00 PM. The application must be accompanied with earnest money in shape of NSD/FDR/Time deposit etc. of any post office of HP. or Nationalized Bank duly pledged in the name of Executive Engineer Outer Seraj Division HP.PWD. Nirmand cash order will not be entertained, it may be ensure that the earnest money shall have to be prepared work wise otherwise forms will not be issued. The offer of tender shall be kept open for 90 days. The conditional tender or tender received by post will also be rejected. The undersigned reserves the right to reject any or all tenders without assigning any reason. All the approved eligible contractors should bring copy of their valid enlistment /renewal/exemption from earnest money with them. The tender documents will be issued only to those who fulfill the eligibility conditions. **The contractor should be registered as dealer under GST Act, Valid Copy of Registration as required, Copy of PAN Card, EPF failing which no tender form will be issued to him.**

Sr. No.	Name of work	Estimated cost (in Rupees)	Earnest Money	Time	Cost of tender form Rs.
1	A/R & M/O various roads under Anni Sub-Division. (SH:- Hiring of JCB for removal of slips and snow in various roads under Anni Sub-Division)	3,25,000/-	7000/-	Two Months	350/-
2	A/R & M/O road from Jn. of LDCK road to Jn. of NAS road km. 0/00 to 32/00. (Sub Head:- Construction of R/Wall at RD.23/130 to 23/142)	4,85,596/-	10,000-0	Two Months	350/-
3	C/O road from Phadhordhar to Uppper Sharti km. 0/00 to 4/00 under BASP (SH:- C/O 900 mm dia RCC Hume pipe culverts at RD 2/930)	3,79,977/-	8,000/-	Three Months	350/-
4	Construction of link road from Shigar to Tarala km. 0/00 to 1/350. (SH:-C/O PCC retaining Wall at RD. 1/297 to 1/315)	2,97,038/-	6,000/-	Two Months	350/-

5	A/R & M/O link road from Avera Devdhan to Ghatoo km. 0/00 to 10/600 (Sub Head:- Construction of B/Wall at RD. 8/450 to 8/465)	3,26,618/-	7,000/-	One Month	350/-
6	Construction of link road from Bagipul to village Bagi km. 0/00 to 1/120 under self Deposit (Sub Head:- Construction of R/Wall at RD 0/990 to 1/005)	4,78,670/-	10,000/-	One Month	350/-
7	Construction of link road from Sisri to Batot km. 0/00 to 2/500 under self deposit (Sub Head:- Construction of kutchra drain and edge Wall between RD. 0/00 to 2/500).	4,70,320/-	10000/-	Three Months	350/-
8	Construction of link road to village Shalog to Dugha via Lahut km. 0/00 to 1/700 under SCSP. (SH:- C/O wire crate B/Wall at RD 0/490 to 0/590)	4,94,260/-	10,000/-	Three Months	350/-
9	Construction of link road to village Shalog to Dugha via Lahut km. 0/00 to 1/700 under SCSP. (SH:- C/O wire crate B/Wall at RD 0/270 to 0/330)	4,49,021/-	10000/-	Three Months	350/-
10	C/O link road from Pipal Hatti to Bhatkiol km. 0/00 to 1/00 under BASP. (Sub -Head:- Removal of formation deficiency in km. 0/800 to 0/875)	1,88,186/-	4000/-	One Month	350/-
11	Stock storage (SH:-Providing and Laying Vitrified tiles , Kota stone flooring and Painting, Distempering of JE residence at Nirmand)	4,23,074/-	10,000/-	Two Months	350/-
12	Construction of Link road From Kandagai to Sour km 0/00 to 4/810. UNDER SCSP. (SH:- Construction of wire crate breast wall at RD 2/930 to 3/010 and 3/120 to 3/150)	4,97,030/-	10,000/-	Three Months	350/-
13	A/R & M/O of link road to Sports Stadium Nirmand km. 0/00 to 0/750. (SH:-C/O Retaining Wall at RD. 0/345 to 0/370)	3,89,176/-	8,000/-	Two Months	350/-
14	C/O approach road to PWD Rest House at Baga Sarahan km. 0/00 to 0/110 under BASP (SH:- P/L paver block in km. 0/00 to 0/110)	4,99,062/-	10,000/-	Three Months	350/-
15	Construction of link road from Shroo to Badari km. 0/00 to 0/720 (SH:- C/O wire crate R/Wall at RD 0/330 to 0/358 and 0/480 to 0/508) (MNP)	4,96,574/-	10,000/-	Three Months	350/-
16	Construction of link road from Nauni to Tirmidhar KM 0/00 to 2/330 under SCSP (SH:- Formation deficiency in km. 0/00 to 0/075)	4,73,168/-	10,000/-	Three Months	350/-
17	Construction of link road from Nauni to Tirmidhar KM 0/00 to 2/330 under SCSP (SH:- Formation deficiency in km. 0/285 to 0/780)	4,77,644/-	10,000/-	Three Months	350/-
18	Repair and Maintenance of Parshuram Mela ground at Nirmand District Kullu H.P. (SH:- P/L red sand stone flooring in Parshuram mela ground Nirmand portion stage side) under SDP deposit	4,17,591/-	10,000/-	Three Months	350/-

19	Repair and Maintenance of Parshuram Mela ground at Nirmand District Kullu H.P. (SH:- P/L red sand stone flooring in Parshuram mela ground Nirmand portion Parshuram kothi side) under SDP deposit	4,17,591/-	10,000/-	Three Months	350/-
20	A/R & M/O Kandagai Neether km. 0/00 to 18/345. (Sub Head:- Construction of B/Wall at RD. 13/555 to 3/565)	1,69,504/-	4,000/-	One Month	350/-

It is certified that the above tenders i.e Sr. No 1 to 20 are very urgent nature, So may be uploaded on department website in public interest


 Executive Engineer
 Outer Seraj Division
 H.P PWD, Nirmand
 on behalf of Governor of Himachal Pradesh

Name of work :- A/R & M/O various roads under Anni Sub-Division. (SH:- Hiring of JCB for removal of slips and snow in various roads under Anni Sub-Division) .

SCHEDULE OF QUANTITY

Estimated Cost Rs. 325000.00
Earnest Money Rs. 7000/-

Time :- Two months.

Sr. No.	Description of items.	Qty.	Rates in:		Unit.	Amount.
			Figure.	Words.		
1	Hiring of JCB machine for removal of slips and snow from various sites of work with in all leads and lifts to the entire satisfaction of the Engineer-in-charge. Any loss to the public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the JCB owner which shall have to be fully compensated by him in all cases. The fuel and JCB operator and stays for JCB operator will be provided by the JCB owner. The repair and spare including watch and ward of JCB and all admissible taxes also borne by the contractor/ owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge.	260.00			Per Hour	
					Total	

Executive Engineer
Outer Seral Division
HPPWD, Nirmal

2

2

Schedule of quantity

Name of Work: -A/R & M/O road from Jn. of LDCK road to Jn. of NAS road km. 0.00 to 32.00. (Sub Head:- Construction of R/Wall at RD.23/130 to 23/142)

Sl. No.	Description of work	Qty.	Unit	Estimated cost:-	
				Earnest Money	Two months
				Time	AMOUNT
				Words	
1	Excavation in soil in Hilly Area in all kinds of soil by all means including cutting and trimming of side slopes and disposing of excavated earth upto all leads and lifts as per drawing and technical Specification clauses 1603.1 and as per direction of The Engineer-In-Charge complete.	18.53	Cubic Metre		
2	Earthwork in excavation for foundation of structures upto all depth as per drawing and technical specification clauses 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and backfilling with approved material as per direction of The Engineer-In-Charge complete.	4.20	Cubic Metre		
3	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 nominal mix 1:1.5:3 (one cement : one point five sand : three graded stone aggregate 20 mm (twenty millimetre) nominal size) in open foundations including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	4.20	Cubic Metre		
4	Providing mild / tor steel reinforcement for RCC work including bending, binding and placing in position complete up to all heights including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	0.33	Per MT		
5	Providing and Laying cement concrete 1:3:6 (one cement : three sand : six graded stone aggregate 40 mm (forty millimetre) nominal size) and curing complete including the cost of farmwork for plain/reinforced concrete in retaining walls, breast walls, as per drawing and HP.PWD technical specifications including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	62.51	Cubic Metre		
6	Backfilling behind abutment, wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	5.28	Cubic Metre		
Total in Figures					

Signature of Tenderer with seal



 Executive Engineer
 Outer Sesi Division
 HPPWD, Nirmard

NAME OF WORK:- C/O road from Phadthordhar to Upper Sharti km. 0/00 to 4/00 under BASP (SH-7) 900 mm dia RCC
Hume pipe culverts at RD 2 930)

SCHEDULE OF QUANTITY

Sr. No	Sub-head and item of work	Quantity	Unit	Rate in Figures	Estimated Cost: 379977.00	
					Earnest money:- 8000.00	Amount
					Time:- Three months	
1	Earth work in excavation for structures as per drawing and technical specifications Clauses 305.1 & 1104 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto any lead, dressing of sides and bottom and back filling in trenches with excavated suitable material in all kind of soil upto any depth in earth work such as pick work, jumper work, pick jumper work, pick jumper blasting work, classification of soil including chiseling/ wedging out of rocks (where blasting is prohibited) and pumping or bailing watering/dewatering and disposal of all surplus excavated earth, up to all leads, lifts and through all modes of transportation, disposed earth to be levelled and neatly dressed including carriage of materials within in all leads, lifts and other incidentals as per direction of Engineer-in-charge.	48.32	Per Cubic Metre			
2	Providing and laying mechanically mixed and vibrated plain cement concrete of mix design to have characteristic strength of nominal mix 1:6:12 (one cement: six sand: twelve graded crushed stone aggregate 40mm (forty millimetre) nominal size) in open foundation including dewatering, curing, formwork complete as per drawing and technical specification clauses 802.803.1202 and 1203 including carriage of materials within all leads, lifts and other incidentals as per direction of Engineer-in-charge.	6.49	Per Cubic Metre			
3	Providing and laying mechanically mixed and vibrated plain cement concrete of mix design to have characteristic strength of nominal mix 1:4:8 (one cement: four sand: eight graded crushed stone aggregate 40mm (forty millimetre) nominal size) in open foundation including dewatering, curing, formwork complete as per drawing and technical specification clauses 802.803.1202 and 1203 including carriage of materials within all leads, lifts and other incidentals as per direction of Engineer-in-charge.	37.680	Per Cubic Metre			
4	Providing and laying mechanically mixed and vibrated plain cement concrete of mix design to have characteristic strength of nominal mix 1:3:6 (one cement: three sand: six graded crushed stone aggregate 40mm (forty millimetre) nominal size) in open foundation including dewatering, curing, formwork complete as per drawing and technical specification clauses 802.803.1202 and 1203 including carriage of materials within all leads, lifts and other incidentals as per direction of Engineer-in-charge.	11.500	Per Cubic Metre			

5	Providing and laying flooring laid over cement concrete bedding complete as per drawing and technical Specification in cement mortar 1:3 (one cement : three sand) including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	0.490	Per Cubic Metre			
6	Providing and laying reinforced cement concrete pipe 900mm (Nine hundred millimetre) dia NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 (One cement : two sand) but excluding excavation, protection work, back filling, concrete and masonry work in head walls and parapets Clause 1108 including carriage of materials with in all leads, lifts and other incidentals as per direction of Engineer-in-charge.	5.00	Per Running Metre			
7	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	14.00	Each			
8	Back filling behind abutment, wing wall and return wall complete as per drawings and technical specification Clause 1204.3.8. Granular material including carriage of materials with in all leads, lifts and other incidentals as per direction of Engineer-in-charge.	6.09	Per Cubic Metre			


 Executive Engineer,
 Outer Setai Division,
 HP.PWD. Narnand.

Schedule of quantity

Name of Work: Construction of link road from Shigar to Tarala km. 0/00 to 1/350. (SH-C/O PCC retaining Wall at RD. 1/297 to 1/315)


Estimated cost:- 297038.0

Earnest Money 6000

Time Two mon

Sl. No.	Description of work	Qty.	Unit	RATE		AMOUNT
				Figures	Words	
1	Excavation in soil in Hilly Area in all kinds of soil by all means including cutting and trimming of side slopes and disposing of excavated earth upto all leads and lifts as per drawing and technical Specification clauses 1603.1 and as per direction of The Engineer-In-Charge complete.	10.80	Cubic Metre			
2	Earthwork in excavation for foundation of structures upto all depth as per drawing and technical specification clauses 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and backfilling with approved material as per direction of The Engineer-In-Charge complete.	27.54	Cubic Metre			
3	Providing and Laying plain cement concrete 1:6:12 (one cement : six sand : twelve graded stone aggregate 40 mm (forty millimetre) nominal size) in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	5.22	Cubic Metre			
4	Providing and Laying plain cement concrete 1:5:10 (one cement : five sand : ten graded stone aggregate 40 mm (forty millimetre) nominal size) curing complete in retaining and breast walls as per drawing and technical specification including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	56.52	Cubic Metre			
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	11.00	Each			
6	Backfilling behind abutment, wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	8.10	Cubic Metre			
Total in Figures						

Signature of Tenderer with seal


Executive Engineer
 Outer Saraj Division
 HPPW, D.D. Mithamard

Name of Work: A.P. N. M.C. Ind. road from Ayra Deshaband to Chababon (999 to 1000) at Ayra Deshaband
 R.D. 8/1-50 to 8/1-51

Schedule of quantity

Sl. No.	Description of work	Qty.	Unit	Figures	Words	Estimated cost Lump sum Time	One month AMOUNT
1	Excavation in soil in Hilly Area in all kinds of soil by all means including cutting and turning of side slopes and deepening of excavated earth upto all leads and lifts as per drawing and technical Specification clauses, 1601.1 and as per direction of The Engineer in charge complete.	2.25	Cubic Metre				
2	Earthwork in excavation for foundation of structures upto all depth as per drawing and technical Specification clauses, 105.1 including setting out, construction of shooting and bearing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material as per direction of The Engineer in charge complete.	11.25	Cubic Metre				
3	Providing and Laying plain cement concrete 1:6:12 (one cement : six sand : twelve graded stone aggregate 40 mm (forty millimetre) nominal size) in open foundations complete as per drawing and technical Specification clauses, 802, 803, 1202 and 1203 including cutting and carriage of materials in all leads and lifts as per direction of The Engineer in charge complete.	4.53	Cubic Metre				
4	Stone masonry work in cement mortar in sub-structure complete as per drawing and technical Specifications (clauses 702, 704, 1202 & 1203. Random rubble masonry in cement mortar 1:5 (one cement : five sand) including cutting and carriage of materials in all leads and lifts as per direction of The Engineer in charge complete.	58.65	Cubic Metre				
Total in Figures							

32
 Executive Engineer
 Outer Setai Division
 H.P.W.D. District


Signature of Tenderer with seal

Schedule of quantity						
Name of Work: Construction of link road from Bagipul to village Bagi km. 0.00 to 1.120 under self Deposit (Sub Head:- Construction of R.Wall at RD. 0/990 to 1/0 1075)						
Sl. No.	Description of work	Qty.	Unit	Estimated cost:-		AMOUNT
				Earnest Money	Time	
				RATE		
				Figures	Words	
1	Excavation in soil in Hilly Area in all kinds of soil by all means including cutting and trimming of side slopes and disposing of excavated earth upto all leads and lifts as per drawing and technical Specification clauses 1603.1 and as per direction of The Engineer-In-Charge complete.	47.16	Cubic Metre			
2	Earthwork in excavation for foundation of structures upto all depth as per drawing and technical specification clauses 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and backfilling with approved material as per direction of The Engineer-In-Charge complete.	41.25	Cubic Metre			
3	Providing and Laying plain cement concrete 1:6:12 (one cement : six sand : twelve graded stone aggregate 40 mm (forty millimetre) nominal size) in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	12.00	Cubic Metre			
4	Stone masonry work in cement mortar in sub-structure complete as per drawing and technical specifications Clauses 702, 704, 1202 & 1203. Random rubble masonry in cement mortar 1:6 (one cement : six sand) including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	70.37	Cubic Metre			
5	Construction of dry rubble masonry for retaining walls, breast walls, revetment walls and parapets etc for sub-structures and super structure complete as per drawing and technical specification clauses 704.6 & 1302.5 including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	49.34	Cubic Metre			
6	Backfilling behind abutment, wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	10.05	Cubic Metre			
Total in Figures						


 Executive Engineer
 Outer Seral Division
 HPPWD, Miranand


Signature of Tenderer with seal

Schedule of quantity						
Name of Work: Construction of link road from Sisri to batot km. 0/00 to 2/500 under self deposit (Sub Head:- Construction of kutchha drain and edge Wall between RD. 0/00 to 2/500)						
Sl. No.	Description of work	Qty.	Unit	Estimated cost:-		AMOUNT
				Estimated Money	Three months Time	
				Figures	Words	
1	Construction of unlined surface drains of average cross-sectional area 0.40 sqm in all kinds of soil to specified lines, grades, levels and dimensions. Excavated material to be used in embankment with a lift upto all leads and lifts as per Technical Specification Clause 307, including carriage of materials in all leads and lifts as per entire satisfaction of the Engineer-In-Charge complete.	2250.00	Running Metre			
2	Earthwork in excavation for foundation of structures upto all depth as per drawing and technical specification clauses 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and backfilling with approved material as per direction of The Engineer-In-Charge complete.	19.68	Cubic Metre			
3	Construction of dry rubble masonry for retaining walls, breast walls, revetment walls and parapets etc for sub-structures and super structure complete as per drawing and technical specification clauses 704.6 & 1302.5 including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	61.38	Cubic Metre			
4	Construction of granular sub-base by providing well graded material, spreading in uniform layers with Tractor mount grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401, including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	213.40	Cubic Metre			
Total in Figures						


 Executive Engineer
 Outer Sarai Division
 MPWD, Bhopal

Signature of Tenderer with seal

Schedule of quantity						
Name of Work: Construction of link road to village Shalag to Dugha via Labut km. 0/00 to 1/700 under SCSP.						
(SH:- C/O wire crate B/Wall at RD 0/490 to 0/590)						
Sl. No.	Description of work	Qty.	Unit	RATE		AMOUNT
				Figures	Words	
1	Excavation in soil in Hilly Area in all kinds of soil by all means including cutting and trimming of side slopes and disposing of excavated earth upto all leads and lifts as per drawing and technical Specification clauses 1603.1 and as per direction of The Engineer-In-Charge complete.	54.00	Cubic Metre			
2	Earthwork in excavation for foundation of structures upto all depth as per drawing and technical specification clauses 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and backfilling with approved material as per direction of The Engineer-In-Charge complete.	81.00	Cubic Metre			
3	Providing and laying of boulder apron laid in wire crate with 4mm dia GI wire conforming to IS:280 and IS: 4826 in 100 mm x 100 mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg each as per drawing and technical specification including carriage of materials in all leads and lifts and as per directions of The Engineer – in – Charge complete. (Wire crate will be supplied by the department free of cost)	288.00	Cubic Metre			
Total in Figures						


 Executive Engineer
 Outer Sarai Division
 HPPW, Kharwar

Schedule of quantity									
Name of Work: Construction of link road to village Shalog to Dugha via Lahut km. 0/00 to 1/700 under SCSP.									
(SH:- C/O wire crate B/Wall at RD 0/270 to 0/330)									
Sl. No.	Description of work	Qty.	Unit	Estimated cost:-			Three months		
				Earnest Money					
				Time					
				RATE					
				Figures	Words	AMOUNT			
1	Excavation in soil in Hilly Area in all kinds of soil by all means including cutting and trimming of side slopes and disposing of excavated earth upto all leads and lifts as per drawing and technical Specification clauses 1603.1 and as per direction of The Engineer-In-Charge complete.	54.00	Cubic Metre						
2	Earthwork in excavation for foundation of structures upto all depth as per drawing and technical specification clauses 305.1 including setting out, matter, dressing of sides and bottom and backfilling with approved material as per direction of The Engineer-In-Charge complete.	81.00	Cubic Metre						
3	Providing and laying of boulder apron laid in wire crate with 4mm dia GI wire conforming to IS-280 and IS. 4826 in 100 mm x 100 mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg each as per drawing and technical specification including carriage of materials in all leads and lifts and as per directions of The Engineer – in – Charge complete. (Wire crate will be supplied by the department free of cost)	259.20	Cubic Metre						
Total in Figures									


 Executive Engineer
 Outer Saraj Division
 HPWD, Shimoga

Signature of Tenderer with seal

Name of Work: C/O link road from Pipal Hatti to Bhatriol km. 0/00 to 1/00 under BASP. (Sub-Head: Removal of formation deficiency in km. 0/800 to 0/875)

Schedule of quantity

Sl. No.	Description of work	Qty.	Unit	Estimated cost:-		
				RATE	AMOUNT	One month
Figures	Words	Time	Amount	One month	One month	One month
1	Excavation in earth work in hilly areas in all heights and depths in all kinds of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, widths, camber, super elevation and level as shown in the drawings or as directed by the Engineer-In-Charge, in conformity with the requirement of technical specifications for Rural Road, August 2004 and clause 16.2 of general conditions for contract of achieve designed formation width including hauling and stacking of materials useful for construction at suitable sites and safe disposal dumping to be arranged by the contractor of un-suitable cut materials in specified manner, trimming, filling of unevenness, blindage and finishing of the road to specified dimensions including disposal of surplus materials with all leads and lifts at the locations specified in the tender documents or as directed by the Engineer-In-Charge for smooth riding. The recovery of the stone, whether useful or not, for 258.95 cum. In all cases, @ Rs. 170/-only per Cum. Shall be effected on pro rata basis. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases.	802.5	Cubic Metre			
Total in Figures						

Name of work:- Stock storage (SH:-Providing and Laying Vitrified tiles, Kota stone flooring and Painting, Distemperring of JE residence at Nimrand)		Schedule of quantity				Estimated cost:-		423075.00
Sl. No.		Description of work	Qty.	Unit	RATE		Two months	AMOUNT
					Figures	Words		
1	Excavation in soil in Hilly Area in all kinds of soil by all means including cutting and trimming of side slopes and disposing of excavated earth upto all leads and lifts as per drawing and technical Specification clauses 1603.1 and as per direction of The Engineer-In-Charge complete.	14.80	Cubic Metre					10000
2	Providing and laying in position cement concrete of specified grade excluding the cost of teting and shuttering - All work up to plinth level : 1:5:10 (1 cement : 5 fine sand : 10 graded stone ate 40 mm nominal size) including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	14.80	Cubic Metre					
3	Painting wood work with Deluxe Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied 0.75 ltr/10 sqm of approved brand and manufacture including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	48.42	Cubic Metre					
4	Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two more coat applied @ 0.90 ltr/ 10 sqm over an under coat of primer applied @ .80 ltr/ 10 sqm of approved brand and manufacture including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	59.70	Square Metre					
5	Distemperring with oil bound washable distemper of approved brand and ufacture to give an even shade New work (two or more coats) over and including water thinnable priming coat with cement including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	265.20	Square Metre					
6	Finishing walls with water proofing cement paint of required shade : New work (Two or more coats applied @ 3.84 kg/ 10 sqm)including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	197.40	Square Metre					
7	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the nuñacter) with water absorption less than 0.08% and conforming to IS: 15622. of approved make, in all colors and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey lurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete Size of tile 600x600mm including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	119.61	Square Metre					
8	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	6.71	Square Metre					

Signature of Tenderer with seal

9	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	4.14	Square Metre			
10	Providing and fixing panelled or panelled and glazed shutters for doors, windows and ere-story windows separately, all complete as per direction of Engineer-in-charge. (Note:- Butt hinges and necessary screws shall be paid Second class teak wood 35 mm thick shutters including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	2.88	Square Metre			
11	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required W.C. pan with ISI marked white solid plastic seat and lid including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	1.00	Each			
12	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper bedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and weeping extra sand, complete all as per direction of Engineer-in-Charge 60mm thick cement concrete over block of M-35 grade with approved colour, design & pattern 60mm thick cement concrete over including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	148.00	Square Metre			
Total in Figures						


 Executive Engineer
 Outer Setai Division
 H.P.W.D. Himmatnagar

Signature of Tenderer with seal


SCHEDULE OF QUANTITY

NAME OF WORK :- Construction of link road from Kandagai to Sour in km 0/00 to 4/810(SH-C/O wire crate wall at Varios Rd 2/930 to 3/010 and 3/120 to 3/150)

Sr. No.	Sub-head and item of work	Quantity	Unit	Rate in Figure	Rate in words	Amount
1	Excavation in soil in Hilly Area by manual means including cutting and trimming of side slopes and disposing of excavated earth with a lift upto 1.5 m and a lead upto 20 m as per drawing and Technical Specification Clause 1603.1	207.7	CUM			
2	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material.	72.2	CUM			
3	Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS:280 and IS:4826 in 100 mm x 100 mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 (wire crate will be supplied by the deptt free of cost).	273.03	CUM			
Gross Amount						


Executive Engineer
Outer Sarai Division
HPPWD, Gandhinagar

Schedule of quantity						
Name of Work: A R & M O link road to Sports Stadium Nirmam km 0.00 to 0.750 (SH-6) Retaining Wall at RD 0.545 to 0.370						Estimated cost:-
						8000
						Two months
						AMOUNT
Sl. No.	Description of work	QTY.	Unit	RATE		
				Figures	Words	
1	Excavation in soil in Hilly Area in all kinds of soil by all means including cutting and trimming of side slopes and disposing of excavated earth upto all leads and lifts as per drawing and technical Specification clauses 1603.1 and as per direction of The Engineer-In-Charge complete	9.12	Cubic Metre			
2	Earthwork in excavation for foundation of structures upto all depth as per drawing and technical specification clauses 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and backfilling with approved material as per direction of The Engineer-In-Charge complete.	27.50	Cubic Metre			
3	Providing and Laying plain cement concrete 1:5:10 (one cement : five sand : ten graded stone aggregate 40 mm (forty millimetre) nominal size) curing complete in retaining and breast walls as per drawing and technical specification including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	76.50	Cubic Metre			
4	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	20.00	Each			
5	Backfilling behind abutment, wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	6.07	Cubic Metre			
Total in Figures						


 Executive Engineer
 Outer S&J Division
 HPPWD, Nirmam

Signature of Tenderer with seal


Name of work:- C/O approach road to PWD Rest House at Baga Sarahan km. 0/00 to 0/110 (SH- P/L cement concrete paver block in km. 0/00 to 0/110)						
SCHEDULE OF QUANTITY						
Sr. No.	Sub-head and item of work	Quantity	Unit	Rate in Figures	Estimated Cost:- 499062.00	
					Earnest money:- 10000.00	Time:- Three months
1	Providing and Laying plain cement concrete 1:5:10 (one cement : five sand : ten graded stone aggregate 40 mm (forty millimetre) nominal size) in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	16.5	Per Cubic Meter			
2	Providing and laying 80mm (eighty millimetre) factory made chamfered edge Cement Concrete paver blocks of NTC or equivalent in footpath, parks, lawns, drive ways or light traffic parking etc. of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand, complete all as per direction of Engineer-in-Charge and including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	330.00	Per Square Meter			
3	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 P.C.C. grade M 20 Nominal mix (1:2:4) (one cement : two sand: four graded stone aggregates twenty millimetre nominal size) including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	2.26	Per Cubic Meter			
4	Providing and laying reinforced cement concrete pipe 450mm (Four hundred fifty millimetre) dia NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 (One cement : two sand) but excluding excavation, protection work, back filling, concrete and masonry work in head walls and parapets Clause 1108 including carriage of materials with in all leads, lifts and other incidentals as per direction of Engineer-in-charge.	7.50	Per Running g Metre			
Total:-						


 Executive Engineer,
 Outer Section Division,
 HP PWD, Mirmand.

Schedule of quantity

Name of Work: Construction of link road from Shree to Badari km. 0.00 to 0.720 (SIH:- C/O wire crate R/Wall at RD 0.330 to 0.358 and 0.480 to 0.508) *crater mm GSY*,

Sl. No.	Description of work	Qty.	Unit	Estimated cost:-	
				Earnest Money	Three months
				Time	AMOUNT
1	Excavation in soil in Hilly Area in all kinds of soil by all means including cutting and trimming of side slopes and disposing of excavated earth upto all leads and lifts as per drawing and technical Specification clauses 1603.1 and as per direction of The Engineer-In-Charge complete.	35.28	Cubic Metre		
2	Earthwork in excavation for foundation of structures upto all depth as per drawing and technical specification clauses 305.1 including setting out, matter, dressing of sides and bottom and backfilling with approved material as per direction of The Engineer-In-Charge complete.	31.36	Cubic Metre		
3	Providing and laying of boulder apron laid in wire crate with 4mm dia GI wire conforming to IS:280 and IS: 4826 in 100 mm x 100 mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg each as per drawing and technical specification including carriage of materials in all leads and lifts and as per directions of The Engineer – in – Charge complete. (Wire crate will be supplied by the department free of cost)	302.40	Cubic Metre		
Total in Figures					


Executive Engineer
Outer Serai Division
HPPWD, Alimnari

Signature of Tenderer with seal

Name of Work: Construction of link road from Nauri to Timidhar KM 0/00 to 2/30, under S₂ S₁ Formation cutting 5/7 mtr. Wide road in km. 0/00 to 0/075.)

Sl. No.	Description of work	Qty.	Unit	Estimated cost:-		Three months
				Earnest Money	Time	
				Figures	Words	
1	Excavation in earth work in hilly areas in all heights and depths in all kinds of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, widths, camber, super elevation and level as shown in the drawings or as directed by the Engineer In Charge, in conformity with the requirement of technical specifications for Rural Road, August 2004 and clause 16.2 of general conditions for contract of achieve designed formation with including hauling and stacking of materials useful for construction at suitable sites and safe disposal dumping to be arranged by the contractor of unsuitable cut materials in specified manner, trimming, filling of unevenness, blindage and finishing of the road to specified dimensions including disposal of surplus materials with all loads and lifts at the locations specified in the tender documents or as directed by the Engineer In Charge for smooth riding. The recovery of the stone, whether useful or not, for 268.30 cum. In all cases, @ Rs. 170/-only per Cum. Shall be effected on pro rata basis. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases.	2012.28	Cubic Metre			168.00
Total in Figures						

Executive Engineer
Outer S₂ Division
HPPWD, Nauri

Signature of Tenderer with seal

Name of Work: Construction of link road from Naxal to Timbarbar P.M. 9/11/79, 2/3/79, order of 1980/11
 cutting 5/7 mtr. Wide road in Km. 9/22K to 9/720.)


Schedule of quantity

Sl. No.	Description of work	Qty.	Unit	Formation	Estimated cost:-		Three months
					Amount	Time	
		Figures			Words		AMOUNT
1	Excavation in earth work in hilly areas in all heights and depths in all kinds of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill, soil, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, with a camber, super elevation and level as shown in the drawings or as directed by the Engineer-In-Charge, in conformity with the requirement of technical specifications for Rural Road, August 2004 and clause 16.2 of general conditions for contract of achieve designed formation width including hauling and stacking of materials useful for construction at suitable sites and safe disposal dumping to be arranged by the contractor of unsuitable cut material, in specified manner, trimming, filling of unevenness, blinding and finishing of the road to specified dimensions including disposal of surplus materials with all leads and lifts at the locations specified in the tender documents or as directed by the Engineer-In-Charge for smooth riding. The recovery of the stone, whether useful or not, for 270.60 cum. In all cases, @ Rs. 170/-only per Cum. Shall be effected on pro rata basis. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases.	226.93	Cum				
Total in Figures							

Signature of Tenderer with seal

Exacting Engineer
 Outer Saezi Division
 HP/W/O, Timbarbar

Sr. No.	Sub head and item of work	Quantity	Unit	Rate in figures	Rate in words	Amount
NAME OF WORK : Repair and Maintenance of Parsuram Melagound at Nimand District Kullu H.P. (SIT- P/I)		SCHEME OF QUANTITY				
Red Sand flooring in Parsuram melagound Nimand portion stage side) under SDP deposit						
Sr. No.	Sub-head and item of work	Quantity	Unit	Rate in figures	Rate in words	Amount
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains in all depths including dressing of sides and ramming of bottoms, up to all leads and lifts including getting out the excavated soil and disposal of surplus excavated soil as directed within all leads in all kinds of soil as per direction of The Engineer-In-Charge complete.	20.40	Per Cubic Meter			
2	Providing and Laying plain cement concrete 1:5:10 (one cement : five sand : ten graded stone aggregate 40 mm (forty millimetre) nominal size) in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	20.40	Per Cubic Meter			
3	Providing and laying 40mm (forty millimetre) thick red sand stone slab flooring on 20mm (twenty millimetre) thick base of cement mortar 1:5 (one cement : five sand) with joints 3 mm (three millimetre) thick side buttered with cement mortar 1:2 (one cement : two sand) admixed with pigment to match the shade of stones and pointing with same mortar complete all as per direction of Engineer-in-Charge and including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	204.00	Per Square Meter			
Total:-						


 Executive Engineer,
 Outer Sees Division,
 H.P.W.D.-Nimand.

19

NAME OF WORK :- Repair and Maintenance of Parshuram Mela ground at Nimrand						
SCHEDULE OF QUANTITY						
Red sand stone flooring in Parshuram mela ground Nimrand portion Parshuram kothi side) under SDP deposit						
Sr. No.	Sub-head and item of work	Quantity	Unit	Rate in Figures	District Kullu H.P. (SH:- P/L	
					Estimated Cost:- 417591.00	Earnest money:- 10000.00
					Time:- Three months	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains in all depths including dressing of sides and ramming of bottoms, up to all leads and lifts including getting out the excavated soil and disposal of surplus excavated soil as directed within all leads in all kinds of soil as per direction of The Engineer-In-Charge complete.	20.40	Per Cubic Meter			
2	Providing and Laying plain cement concrete 1:5:10 (one cement : five sand : ten graded stone aggregate 40 mm (forty millimetre) nominal size) in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	20.40	Per Cubic Meter			
3	Providing and laying 40mm (forty millimetre) thick red sand stone slab flooring on 20mm (twenty millimetre) thick base of cement mortar 1:5 (one cement : five sand) with joints 3 mm (three millimetre) thick side buttered with cement mortar 1:2 (one cement : two sand) admixed with pigment to match the shade of stones and pointing with same mortar complete all as per direction of Engineer-in-Charge and including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	204.00	Per Square Meter			
Total:-						

Executive Engineer,
Outer Sanj Division,
HP, PWD, Nimrand.

20

Schedule of quantity

Name of Work: A/R & M/O Kandagai Neether km. 0/00 to 18/345. (Sub Head:- Construction of B/Wall at R/D. 13/555 to 3/565)

Sl. No.	Description of work	Qty.	Unit	Estimated cost:-	
				Earnest Money	One month
				Time	
Figures	RATE	Words	AMOUNT		
1	Excavation in soil in Hilly Area in all kinds of soil by all means including cutting and trimming of side slopes and disposing of excavated earth upto all leads and lifts as per drawing and technical Specification clauses 1603.1 and as per direction of The Engineer-In-Charge complete.	14.80	Cubic Metre		
2	Earthwork in excavation for foundation of structures upto all depth as per drawing and technical specification clauses 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and backfilling with approved material as per direction of The Engineer-In-Charge complete.	12.30	Cubic Metre		
3	Providing and Laying plain cement concrete 1:6:12 (one cement : six sand : twelve graded stone aggregate 40 mm (forty millimetre) nominal size) in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	7.06	Cubic Metre		
4	Stone masonry work in cement mortar in sub-structure complete as per drawing and technical specifications Clauses 702, 704, 1202 & 1203. Random rubble masonry in cement mortar 1:6 (one cement : six sand) including curing and carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	20.32	Cubic Metre		
5	Construction of dry rubble masonry for retaining walls, breast walls, revetment walls and parapets etc for sub-structures and super structure complete as per drawing and technical specification clauses 704.6 & 1302.5 including carriage of materials in all leads and lifts as per direction of The Engineer-In-Charge complete.	14.28	Cubic Metre		
Total in Figures					


 Executive Engineer
 Outer Serai Division
 HPPWD, KANDAGAI