## Himachal Pradesh Public Works Department

No. PW-SD-I-CTR- Tender-NIT/2021-22-31608-09 Dated: 29-3-2022

To

The Executive Engineer (IT Cell) Nigam Vihar Shimla.

Subject :-

Publication of Tender Notice.

Jai Hind

Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW (B)A(3)1/2020 dated Shimla-2 the 16<sup>th</sup> July 2021 as the works mentioned in the tender notice are urgent in nature and in public interest.

DA:- Notice Inviting Tender & Schedule of Quantity and Certificate.

Executive Engineer, Shimla Division No-I., HPPWD Shimla-3.

Copy forwarded to for further necessary action please.

1. The Superintending Engineer 4<sup>th</sup> Circle HPPWD Shimla.

Executive Engineer, Shimla Division No-I., HPPWD.,Shimla-3.

## HIMACHAL PRADESH **PUBLIC WORKS DEPARTMENT** NOTICE INVITING TENDERS

Executive Engineer B&R Division No-I HPPWD Shimla for the following works on behalf of the Government of Himachal Pradesh from the eligible contractors enlisted in HPPWD, so as to reach in the office as per time schedule given below:

Date of receipt of application for tender forms:-

2. Dated of Issue /sale of tender forms:-

3. Date of receipt of tender:-

4. Date of opening of tender:- 06-04-2022 upto 4:00 PM

07-04-2022 upto 4:00 PM

08-04-2022.up to 10:30 AM

08-04-2022 up to 11:00 AM

Sr. No.	Name of Work	Estimated	EMD(Rs.)	Cost of	Time	Eligible
		cost		Tender	Limit	class of
1	A/R & M/O to various roads under Shimla Division No.1 under Mashobra sub			(Rs.)		Contractor
47	Division (SH;- Repair of patches work in various in various RDs under Mashobra section).	482870/-	9700/-	350/-	30 days	Class-D
2	A/R & M/O to various roads under Shimla Division No-I Under Mashobra Sub Division (SH;- Repair of patches work in various road in various RDs. Under Cheog section).	482870/-	9700/-	350/-	30 days	Class-D
3	A/R & M/O to various roads under Shimla Division No-I under Junga Sub Division (SH;- Repair of patches work in various road in various RDs under Mehli section).	482870/-	9700/-	350/-	30 days	Class-D
4	A/R & M/O to various roads under Shimla Division No-I under Junga Sub Division (SH;- Repair of patches work in various road in various RDs under Junga Section).	482870/-	9700/-	350/-	30 days	Class-D
5	M/T and maintenance road in Shimla Town under Sub Division No. VIII (SH;-Repair of patches work in various road in various Rds under Kasumpti Sub Division).	482870/-	9700/-	350/-	60 days	Class-D
6	M/T and maintenance road in Shimla Town under Shimla Sub Division No-I (SH:- Repair of patches work in various road in various Rds under Shimla Sub Division No-i	482870	9700/-	350/-	30 days	Class-D

It is certified that the above works are required to be carried out immediately being emergent nature of work in public interest.

The tender documents shall be issued only to those contractor/Firm who fulfill the following documents with the application.

- The valid enlistment/Registration of contractor in Appropriate Class.
- 2. Permanent account No. (PAN NO).
- 3. G.S.T No.
- Earnest Money in the shape of National saving certificate/time deposit account in the any of the post office in HP. F.D.R from any Nationalized Bank duly pleaded in favour of the Executive Engineer Shimla Division No-I HPPWD Shimla.
- The earnest & cost of tender form for the above works should be submitted with the application for the purchase of the tender form . The application received without earnest money & cost of tender form shall summarily be rejected.
- 6. The officer of the tender shall remain valid up to 75 days after the opening of tender.
- 7. Ambiguous/telephonic /conditional tenders or tender by fax/E mail shall not be considered and will be summarily be rejected.
- 8. Executive Engineer reserve the right to reject or cancel any or all tenders without assigning any reasons.
- 9. If the date given above happens to be holiday the same shall be processed on next working day.
- 10. The Contractor/firms must quote their rates in words as well as in figures failing which EXN reserve the right to accept/reject any or all tenders.
- 11. The tender forms shall not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed the previous awarded works within the stipulated period of completion.
- 12. One contractor shall not have more than two major works in hand at a time.
- 13. Work should be completed by the contractor within stipulated period.

No.PW-SD-I/CB-Tender/21-22-Copy forwarded to :-

31610-20

- 1. Copy to the Deputy Commissioner Shimla Distt. Shimla.
- Copy to the Executive Engineer Shimla Division No-III HPPWD Shimla.
- 3. Copy to the Sub Divisional Magistrate (U) Shimla.
- Copy to the Sub Divisional Magistrate (R) Shimla. 4.
- 5. Copy to Municipal committee Shimla Distt. Shimla.
- Copy to Block Development officer Mashobra Dsitt. Shimla. 6.
- 7. All the Assistant Engineers under this Division, HPPWD Shimla-3.
- 8. Superintendent / HDM /DAO.
- Notice Board.

Executive Engineer, Shimla Division No-I., HPPWD., Mia-3.

Shimla Division No-I., HPPWD, Shimla.

	SCHEDULE OF QUANTITY										
_	Tender Inviting Authority: EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.F	_A-3.	Estimated Cost:- 4,82,870.00								
	AME OF WORK:- A/R & M/O to various roads under Shimla Division No.I Under M	Earnest Mone		,700.00							
SI	H: Repair of Patches work in various road in various RDs. Under Mshobra Section				Time:- One M						
Sr.		No.of Qty.		Estimated		Unit	Amount				
No				In figures	In words						
	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density <b>grading 3(three)</b> as per Technical Specification Clause 405 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	37.50	Cum			Per Cubic Metre					
	Providing and applying tack coat with Bitumen emulsion using distributor at the rate of 0.25 to 0.30 kg per sqm (zero point two five to zero point three zero kilogram per square metre) on the prepared bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503 including cost of Bitumen emlusion including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	2500.00	Sqm		-	Per Square Metre					
to t	Providing and laying bituminous concrete 30 mm (thirty milimetre) thick with 100-120 (one hunderd -one hundred twenty) TPH batch type hot mix plant producing an average output of 75 (seventy five) tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 5.4 to 5.6 (five point four to five point six) per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification clause No. 509 (five hundred nine) excluding cost of Bitumen (Bitumen will be supplied by the department free of cost at PWD Store) complete in all respects including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.		Sqm			Per Square Metre					
$\perp$						Total					

Executive Engineer, Shimla Division No.I, HP PWD Shimla-3.

Tender Inviting Authority: EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. Estimated Company of the company of								
	ME OF WORK:- A/R & M/O to various roads under Shimla Division No.I Under I	Earnest Money :- 9,700.00						
	l: Repair of Patches work in various road in various RDs. Under Cheog Section).				Time:- One N			
Sr.	Description of Work / Item (S)	No.of Qty.		Estimated	d Rate Unit		Amount	
lo				In figures	In words	]		
	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading 3(three) as per Technical Specification Clause 405 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	37.50	Cum			Per Cubic Metre		
F	Providing and applying tack coat with Bitumen emulsion using distributor at the rate of 0.25 to 0.30 kg per sqm (zero point two five to zero point three zero kilogram per square metre) on the prepared bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503 including cost of Bitumen emlusion including carriage of materials in all leads and ifts as per directions of the Engineer-in-Charge.	2500.00	Sqm			Per Square Metre		
h (b) tr to ro hu of	Providing and laying bituminous concrete 30 mm (thirty milimetre) thick with 100-120 (one nunderd -one hundred twenty) TPH batch type hot mix plant producing an average output of 75 seventy five) tonnes per hour using crushed aggregates of specified grading, premixed with ituminous binder @ 5.4 to 5.6 (five point four to five point six) per cent of mix and filler, ansporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control of the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem ollers to achieve the desired compaction as per MORTH specification clause No. 509 (five undred nine) excluding cost of Bitumen (Bitumen will be supplied by the department free cost at PWD Store) complete in all respects including carriage of materials in all leads and its as per directions of the Engineer-in-Charge.	2500.00	Sqm			Per Square Metre		

Executive Engineer, Shimla Division No.I, HP PWD Shimla-3.

	SCHEDULE OF QUAN	TITY					J.			
	Tender Inviting Authority: EXECUTIVE ENGINEER SHIMLA DIVISION No-I. H.P.P.W.D. SHIMI A.3.   Estimated Cost: 4.82.870.00									
NA	ME OF WORK:- A/R & M/O to various roads under Shimla Division No.I Under .	sion	Earnest Money :- 9,700.00							
	: Repair of Patches work in various road in various RDs. Under Mehli Section).	Time:- One Month								
Sr.	Description of Work / Item (S)	No.of Qty. Estimated			Rate	Unit	Amount			
No				In figures	In words	٦				
1	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density <b>grading 3(three)</b> as per Technical Specification Clause 405 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	37.50	Cum			Per Cubic Metre				
	Providing and applying tack coat with Bitumen emulsion using distributor at the rate of 0.25 to 0.30 kg per sqm (zero point two five to zero point three zero kilogram per square metre) on the prepared bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503 including cost of Bitumen emlusion including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	2500.00	Sqm			Per Square Metre				
t,	Providing and laying bituminous concrete 30 mm (thirty milimetre) thick with 100-120 (one hunderd -one hundred twenty) TPH batch type hot mix plant producing an average output of 75 (seventy five) tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 5.4 to 5.6 (five point four to five point six) per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification clause No. 509 (five hundred nine) excluding cost of Bitumen (Bitumen will be supplied by the department free of cost at PWD Store) complete in all respects including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	2500.00	Sqm			Per Square Metre				
						Total				

Executive Engineer, Shimla Division No.I, HP PWD Shimla-3.

	SCHEDULE OF QUANTITY									
	Tender Inviting Authority: EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.I		SHIMI	_A-3.	Estimated Co	st:- 4,82	2,870.00			
N/	ME OF WORK:- A/R & M/O to various roads under Shimla Division No.I Under	Junga Sul	Divi	sion	Earnest Mone	y :- 9	,700.00			
(S	H: Repair of Patches work in various road in various RDs. Under Junga Section	).			Time:- One N	lonth				
Sr		No.of Qty. Estimated			Rate	Unit	Amount			
No					In words					
1	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading 3(three) as per Technical Specification Clause 405 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	37.50	Cum			Per Cubic Metre				
2	Providing and applying tack coat with Bitumen emulsion using distributor at the rate of 0.25 to 0.30 kg per sqm (zero point two five to zero point three zero kilogram per square metre) on the prepared bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503 including cost of Bitumen emlusion including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	2500.00	Sqm			Per Square Metre				
3	Providing and laying bituminous concrete 30 mm (thirty milimetre ) thick with 100-120 (one hundred -one hundred twenty ) TPH batch type hot mix plant producing an average output of 75 (seventy five ) tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 5.4 to 5.6 (five point four to five point six) per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification clause No. 509 (five hundred nine ) excluding cost of Bitumen (Bitumen will be supplied by the department free of cost at PWD Store) complete in all respects including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	2500.00	Sqm			Per Square Metre	· · ·			
						Total				

Executive Engineer, Shimla Division No.I, IP PWD Shimla-3.

	SCHEDULE OF QUANTITY									
	Tender Inviting Authority: EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. Estimated Cost:- 4,82,870.00									
NAME OF WORK:- M/T and maintenance road in Shimla Town under Shimla Division No.I Under Sub					Earnest Mo	Earnest Money :- 9,700.00				
	Division No.VIII (SH: Repair of Patches work in various road in various RDs. Under Kasumpti Sub				Time:- One Month					
<b>CANCEL</b>	rision).			,						
Sr.	(-)	No.of Qty. Estimated		d Rate	Unit	Amount				
No				In figures	In words					
1	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density <b>grading 3(three)</b> as per Technical Specification Clause 405 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	37.50	Cum			Per Cubic Metre				
2	Providing and applying tack coat with Bitumen emulsion using distributor at the rate of 0.25 to 0.30 kg per sqm (zero point two five to zero point three zero kilogram per square metre) on the prepared bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503 including cost of Bitumen emlusion including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	2500.00	Sqm			Per Square Metre				
3	Providing and laying bituminous concrete 30 mm (thirty milimetre ) thick with 100-120 (one hunderd one hundred twenty ) TPH batch type hot mix plant producing an average output of 75 (seventy five ) tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 5.4 to 5.6 (five point four to five point six) per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification clause No. 509 (five hundred nine ) excluding cost of Bitumen (Bitumen will be supplied by the department free of cost at PWD Store) complete in all respects including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	2500.00	Sqm			Per Square Metre				
			-			Total				

Executive Engineer, Shimla Division No.1, HP PWD Shimla-3.

SCHEDULE OF QUANTITY										
Tender Inviting Authority: EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. Estimated Cost:- 4,82,870.00										
NA	ME OF WORK:- M/T and maintenance road in Shimla Town under Shimla Divis				Earnest Mone		,700.00			
ShimlaSub Division No.I (SH: Repair of Patches work in various road in various RDs. Under Shimla Sub Time: One Month										
Div	rision No.I).									
Sr.	Description of Work / Item (S)	No.of Qty.	No.of Qty. Estimated 1		Rate	Unit	Amount			
No				In figures	In words					
1	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound	37.50	Cum			Per				
	macadam specification including spreading in uniform thickness, hand packing, rolling with					Cubic				
	smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming,					Metre				
	stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the									
	required density grading 3(three) as per Technical Specification Clause 405 including carriage									
	of materials in all leads and lifts as per directions of the Engineer-in-Charge.									
<u> </u>						D.				
2	Providing and applying tack coat with Bitumen emulsion using distributor at the rate of 0.25 to	2500.00	Sqm			Per Square				
	0.30 kg per sqm (zero point two five to zero point three zero kilogram per square metre) on the			-5		Metre				
	prepared bituminous surface cleaned with Hydraulic broom as per Technical Specification					Wietre				
	Clause 503 including cost of Bitumen emlusion including carriage of materials in all leads and				9					
	lifts as per directions of the Engineer-in-Charge.	2500.00				Per				
3	Providing and laying bituminous concrete 30 mm (thirty milimetre ) thick with 100-120 (one	2500.00	Sqm			Square				
	hunderd -one hundred twenty ) TPH batch type hot mix plant producing an average output of 75					Metre				
	( seventy five ) tonnes per hour using crushed aggregates of specified grading, premixed with					Wietre				
	bituminous binder @ 5.4 to 5.6 (five point four to five point six) per cent of mix and filler,				1					
	transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control									
	to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem									
	rollers to achieve the desired compaction as per MORTH specification clause No. 509 (five			i .						
	hundred nine) excluding cost of Bitumen (Bitumen will be supplied by the department free									
	of cost at PWD Store) complete in all respects including carriage of materials in all leads and									
	lifts as per directions of the Engineer-in-Charge.									
$\dashv$						Total				
- 1		1	1							

Executive Engineer, Shimla Division No.I, OHP PWD Shimla-3.