HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

"NOTICE INVITING TENDERS"

HP-PWD. Ghumarwin for the following works from the registered contractors of appropriate class enlisted in HP-PWD, whose Tax Act. 1968. The important date of tender are neglected dealers under the Himachal Pradesh, General Sales Tax Act. 1968. The Important date of tender are as under:-

Date of application

Date of application
Date of sale of tender.

The tender shall be received up to 11:00A.M. on 23/03/2022 and will be opened on the same tender form can be had from this office against cash payment as shown below (Non-refundable) during the working hours on 22/03/2022.

/Account/ In any of the Post-Office /Nationalized Bank in H.P. duly pledged in favour of Executive Engineer, Ghumarwin Division, money will simultaneously be rejected. The offer of the tenders shall be kept open for 120 days. The XEN reserve the right to Sr. Name of work

Sr,	Name of work				
1	Clabel	Estimated Cost	Earnest Money	Time Period	Tender Cost
-	C/o balance work of PHC building at Hatwar tehsil Ghumarwin distt. Bilaspur HP (Sh: P/L interlocking tiles sock oil Mediumarwin distt.	4000451	10000		
2	Sanitary inetallation and the same of the	498845/-	10000/-	Three Month	350/-
~	A/R & M/O to bhager Panol Berthin road km 0/0 to 7/0 (Sh:	2550227		<u> </u>	
3	C/o Amarpur Hadeas Data	355923/-	7200/-	One Month	350/-
4	0/0 to 9/640 (SH: c/o hurne pipe culvert at RD 0/225) OTMNP	212117/-	4300/-	Two Month	350/-
5	P/L C.C. pavement at RD 0/550 to 0/620 and 0/720 to 0/780) Deposit 5.00lakh	484341/-	9700/-	Two Month	350/-
	R/R damages oin JNSG road km 95/0 to 103/200 (clearance of drain and maintenance of berms in km 95/075 to 102/400)	150136/-	3000/-	One Month	350/-
6	YV IIIK (UMI II/DASTI KAMAMA DAMA KA BUAL KAMAMA KA K	499835/-	100001		ļ
	at RD 0/340 to 0/485)	499835/-	10000/-	Two Month	350/-
7	C/o link road Amarpur to Daryana near house of Annat Ram 0/0 to 1/0 (5h: P/L GSB, wearing, Tarring work at RD 0/0 to 0/300 and C/o u-shape drain at RD 0/200 to 0/277)	485058/-	10000/-	Two Month	350/-
8	Comstruction of link road to jamwai basti from hirapur to serwa	487621/-			
	road at RD 1/030 to house of sh. Ram singh etc. G.P. hirapur (Sh: construction of R/wall at RD 0/0 to 0/025)	48/621/-	9800/-	One Month	350/-
9	A/R & M/O koth) to barota via Gatore km 0/0 to 4/0 (Sh. repair of pot holes in km 0/800 to 1/800)	290642/-	5900/-	One Month	350/-
10	Construction of link road from Hirapur to serve road at RD 1/030	441164/-	8900/-	Опе Month	350/-
	to house of Sh. Ram Singh jamwal, Sh. Shankar singh, Sh. Shashi	'		One Honer	330/-
	pal & Sh. Inder Singh jamwal (Sh: construction o paver block				Ì
	pavement 80mm thick ISI tiles including GSB, C.C. 1:4:8 and				
	cutting work complete at RD 0/0 to 0/040 (balance work)				
11	C/o bridge over barchhu nallah on dakri chuwari road km 0/0 to	484694/-	9600/-	Two Month	350/-
	0/500 (Sh; c/o approaches both side at RD 0/095.45 to 0/117.45				
	and dakri site 0/030.50 to 0/045.50)				
12	C/o of link road from Hirapur to serwa road at RD 1/030 to house	173418/-	3500/-	One Month	350/-
	of sh. Ram singh jamwal, sh. Shamkar singh, sh. Shashi pal and				
	sh. Inder singh jamwal (sh: c/o paver block pavement 80mm thick				
	ISI tiles including GSB, C.C. 1:4:8 and cutting work complete at RD				
	0/040 to 0/060 (balance work)				
13	C/o 45.437 mtr span bridge over Drug Khad on Bara-da-ghat	499482/-	10000/-	Two Month	350/-
	Saloun to Nun road (SH:- ROFD at R.D 0/0 to 0/020 & Granular filling at R.D 0/0 to 0/035 on Burn side apparoahes (SH:-				l
	Improvement widening in km 0/0 to 0/150).]
	C/o link road from char to dhinwa ghatian road km 0/0 to 3/0 (Sh; c/o	4002217	10000	 	
14	PCC U-shape road side drain and CC pavement at rd 0/682 to 0/840)	499331/-	10000/-	Two Month	350/-
	SCSP				
15	RRD on Kallar Papiah Jhorghat Dangar Barota Ladrour road km 0/0 to 22/165(SH:- C/o R/wall at R.D 5/980 to 5/989).	425193/-	8600/-	One Month	350/~
	C/o link road from Samiohal to H/basti Chadol via Pickle Factory				
16	1 km 0/0 km 3/600 (SH:- C/o R/Wall at R.D 1/990 to 3/003)	496524/-	10000/-	Two Month	350/-
17	Control of the Miles of Smith Disparate	151310/-	3100/-	Two Month	350/-
1,	n // Interiorized CONCICUE DIDCY MON Highway 2-1 1				,
	I A A A C A A A WALL AL ROD WILLIAM DINATE				
18		296700/-	5900/-	One Month	350/-
18	C/o Padyalag Donro Ralya Panol km 0/0 to 4/450 in Distr. Bilaspur Dakhut road km 0/0 to 6/450 in Distr. Bilaspur		0300,	One (nema)	555,
	Dakhut road km 0/0 to 6/430 in olds. Bilaspur C/o Kularu Shoqi Bag Balda Panol km 0/0 to 4/0	184000/-	3700/-	One Month	350/-
19	C/o Kularu Shoqi Bag Balua Fush Mayo to 4/0 Special repair to the Veterinary Hospital building at Hatwar (Galahi) Special repair to the Veterinary HP (SH:- Providing and fiving	152254/-	3100/-	One Month	350/-
20	Sub-Teshil Bharan Block		3-00,	Jane Profitor	333,1
	celling). AMP for the year 2021-22 on Joginder Nagar, Dharampur, AMP for the year 2021-22 on Joginder Nagar, Dharampur,	196365/-	10001	+	L
21	AMP for the year 2021-22 on Jograder Nagar, Dharampur, AMP for the year 2021-22 on Jograder Nagar, Dharampur, Sarkaghat, Ghumarwin road km 95/0 to 103/300 under Ghumarwin Sarkaghat, Ghumarwin ghum	. 20303/-	4000/-	One Month	350/-
	Sarkaghat, Ghumarwin road km 95/0 to 103/300 under Ghumarwin Sub-Division (SH:- Providing and fixing Glow stud (cat eyes) In fog				1
- 1	Cub-Division (311)			1	1

	prone area in scattered reaches km 100/500 to 101/500 & 102/500 C/o link road peac 51/500				
	to 103/300).				
22	C/o link road near SVGDC Ghumarwin to house of Sh. Pradeep cement concrete payers shool Kalari km 0/0 to 3/00/Sh. gr				
	Kumar ula Guillear SVGDC Ghumarwin to				
	cement concrete middle school Kalari km 0/0 Pradeep	278991/-	5600/-	One Month	350/-
	1 Parellelle in km 0/155 to 0/255	}		1	
23	C/O link mad his 10 0/230).				
	R.D. 0/570 to 0/5/20 to Village Badgryin (SH:- C/o 0			_ 	7501
	C/o link road Naiti to village Badgryin (SH:- C/o C.C pavement at	291719/-	5900/-	Two month	350/-
24	C/o Parklog In West V				
	Bilaspur HP(SH:-Balance work of parking 6mm cement plaster, Putty, painting and R/wall at R.D. 0/060 to 0/013 co.	3510551	5300/	One month	350/-
		261869/-	5300/-	Olde Inguity	3307
25			}	1	
	to 3/500 (SH:-C/o R/wall at R.D 0/060 to 0/076).	445641/-	9000/-	One month	350/-
		443041/-	9000/~	One monor	200,
26	AVR 7 m/o mold		1		
	A/R 7 m/o residential building/Non-residential accommodation in ground).	490554/-	9800/-	Three	350/-
	Taiodid).	120201,	1	month	
27	Repair and Maria		}		
	to 8/0(SH:-Making up loss material at R.D 0/800 to 6/0 and unlined drain at R.D 1/500 to 3/100 & 5/100 to 6/0 and	199668/-		One month	350/-
	L dillined drain at h h time the dillined drain at h h		4000/-		
28	AMP for the year 30-	[
	of pot holes at R.D 0/0 to 2/060).	170273/-	3500/-	One month	350/-
	2/060).	,	,	}	
29	AMD for all	}	1		1
	AMP for the year 2021-22 Dhaloh Mundhkar road(SH:-Repair of pot holes at R.D 0/0 to 1/500)	117783/-	2400/-	One month	350/-
30	holes at R.D 0/0 to 1/500).	11//03/-	2400/	One mene	
30	Got Football stadium and all	499456/-	10000/-	One month	350/-
	Dakhult G.P.Dangar Tehsil Ghumarwin Distt. Bliaspur HP (SH:-C/o stadium).	155450)	10000,		
31	stadium).	1	1		
	C/o football stadium and playground at Govt. Primary School	499785/-		One month	350/-
			10000/-		
32		ł			
32	I W W IN TOOL O VIII AND MAITA G O MANAGE LAN ALA LA LA COLLEGA DA	428080/-	8600/-	Two month	350/-
	CC pavement at R.D 0/0 to 0/107) Deposit work	}	1	}	1
33					+
33	AMP for the year 2022-23 on Dehra Kot Kangri Dasmai road (SH:-	477103/-	9600/-	One month	350/~
	C/o solld cause way at R.D.1/020 to 1/250).	1	1		
34	AMP for the year 2021-22 for rural road (village road) other	498978/-	10000/-	One Month	350/-
	than PMGSY (SH:-P/L 20 mm thick Premix Carpet on RAHIAN	130370,] 20020,)
	TO VIJAY PUR AUHAR road in km 0/0 to 1/0 & 0/0 to 0/850).	1		}	
	10 VISAT FOR ADTIAN 1080 III KIII 0/0 to 1/0 d 0/0 to 0/830).	1	}	1	
35	AMP for the year 2021-22 for rural road (village road) other	498978/-	10000/-	One Month	350/-
32	AMP for the year 2021-22 for fural food (village food) other	4303707	} 20020,		
	than PMGSY (SH;-P/L 20 mm thick Premix Carpet on RAHIAN	}	1		
	TO VIJAY PUR AUHAR road in km 0/0 to 1/0 & 3/0 to 3/850)	498978/-	10000/-	One Month	350/
36	AMP for the year 2021-22 for rural road (village road) other	4909/0/-	10000/	One Hone	1 333,
	than PMGSY (SH:-P/L 20 mm thick Premix Carpet on RAHIAN	1]		
	TO VIJAY PUR AUHAR road in km 0/0 to 1/0 & 3/850 to	[1		
	4 (700)	2641667	5300/-	One Month	350/
37	the season 2021-22 for rural road (village road) other	264165/-	2300/-	One Holla	1 330/
3/	than PMGSY (SH:-P/L 20 mm thick Premix Carpet on RAHIAN		1	1	1
	than PMGSY (SH:-P/L 20 min tinck Fleting copy of the 1/0) TO VIJAY PUR AUHAR road in 4/700 to 5/0 to 0/850 to 1/0)	1	1	1	

1.

The XEN reserve the right to accept or reject the tenders without assigning any reason.

The tender forms will not be issued to those contractors whose performance is not found satisfactory.

The contractors should have executed two similar type of works 1/3 of each amount put to tender or single work of 3.

amount equal to the amount put to tender within last tive years.

The list of similar type of work executed & work done performance certificate issued by the concerned Executive Engineer/GST/EPF No should be accompanied with application. Earnest money should be accompanied with application. Application without earnest money will not be entertained.

Certified that the tenders have been invited in exigencles/ emergency

Executive Engineer Ghumarwin Division HPPWD Ghumarwin

1113) 222

No.PW/GHD/CB/Tender/2021
No.PW/GHD/CB/Tender/2021
Copy along with Notice Inviting Tender list is forwarded to:
Copy along with Notice Inviting Tender list is forwarded to:-The Engineer-In-Chief HPPWO Shimla-2

The Chief Engineer (HZ) HPPWD Hamirpur
The Superintending Engineer, 10th Circle, HPPWD Bilaspur
The Superintending Engineer, 10th Circle, HPPWD Shimla-2 eelct-pwd-shi[at]hp[dot]gov.in a/w schedule of
The Executive Engineer (IT) O/O Engineer-in-Chief HPPWD Shimla-2 eelct-pwd-shi[at]hp[dot]gov.in a/w schedule of
The Executive Engineer (IT) O/O Engineer-in-Chief HPPWD Shimla-2 eelct-pwd-shi[at]hp[dot]gov.in a/w schedule of

quantity to download on the department portal.

Drawing Branch 3.

Account Branch

Executive Engineer Ghumarwin Division HPPWD Ghumarwin

Sile MA

					complete, carriage of material within all leads and lifts as directed by the Engineer-in- charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the	
						,
	Square Metre		31	27.31	foil tax. GST or other taxis imposed by the Government. 6 Providing and laving Duro stone vetrified tiles (300x300mmx10mm) in grey/coloured or of	
-	metre				milimetre) as per drawing and technical specification including carriage of material within all leads and life as directed by the Engineer-in-charge. The rate including actrol royality. Malkana	
	iper square		5 6 :	411.56	5 Providing and laying interlocking concrete block pavement having thickness 80mm (sixty	
					including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	
	Metre				carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre	
	Per cubic		_0	32.10	4 Providing and laying cement concrete 1:3:6 (1 cement:3 sand:6 graded stone aggregate 40mm	
	•				all height/depth as per directed by the Engineer-in-charge including all leads and lifts.	
	is of the				including curring complete but excluding cost of form work in foundation and plinth including	
	Per cubic		<u> </u>	1.88	stone aggregate 40 mm. (forty millimeter nominal size) mechanically mixed and vibrated	_
	10				imposed by the Government	T
	84			s	Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis	
	· -	-			manual means, including, carriage of material within all leads and lifts as directed by the	
	10		•		stone screening/binding materials to fill up the interstices of course aggregae watering and	
	*. *. *. *. *. *. *. *. *. *. *. *. *. *				smooth wheel roller 80-100 KN in stages to proper grade and camber, applying and brooming	
	Per Cubic	,		23.45	r roviding, laying, spreading and compacting stone aggregae of sipecific sizes to water bound macadam specification including spReading in uniform thickness, hand packed, rolling with	
	15				Government.	
	E				dressed. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the	
	í e				Engineer-in-charge up to all leads and lifts disposed earth to be leveled and of neathy.	
	Y				laye: by ramming ,watering and then disposal of surplus excavated each as disposal by	
	. ``				of excavation with in all leads and lifts and then returning the stacked soil in fifteen centimeter	
					water clacking the serviceable excavated materials 30 Meter(Three meter) clear from the edge	
	Metro				prohibited or in conditionerate rock and saturated soil drocks but of rock where blasting is	
	Per Cubic			72.80	Texcavation in foundation trenches etcetera in earth work in all kinds of soil such as pick work,	
		Words.	Figures			
Amount	Unit	Rates IN		Quantity	Description of item	Sr. No.
etc.)	anitary installation	sock pit, Medical Bio waste, sa	cking tiles,	-P/L interfo	NAME OF WORK:-C/O Balance work of PHC building at Hatwar Tehsil Ghumarwin Diatt Bilaspur (HP) (SH:-P/L interlocking tiles, sock pit, Medical Bio waste, sanitary installation etc.	XAME
				TY	SCHEDULE OF QUANTITY	
	hree MONTH	TIME ALLOWED:-Three MONTH				
y.	(:- Rs. 10000/-onl	EARNEST MONETY:- Rs. 100001-only.				
						İ




14 Providing and fixing PTMT jet spray of approved quality and colour make of Prayag with one metre tube in all height including carriage of materials within all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octroi. Malkhana, Toll tax, Goods Service Tax, building and other constriction worker, welfare cess royalty or any other tax, leavy or cess in respect of input for or output by this contract shall be payable by the confractor and Government shall not entertain any claim whatsoever in this respect of the same.	13 Providing and fixing PTMT waste coupling of approved quality and colour 32 mm nominal bore. i) 32 mm nominal bore including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	Providing and laying M-20 grade concrete with cement concrete work 1:2:4(O cement 1 wo nsand:Four graded stone aggregate 20mm(Twenty millimetre nominal size) and curing complete excluding cost of form work and reinforcement for reinforced concrete including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	12 Providing and laying tor steel reinforcement for reinforced cement concrete work including bending binding and straightening and placing in position complete in all heights in any floor	b) Suspended floor,roofs, landing shelves and their supports, balconies,beams, girders, bressumers and cantilevers upto floor, all level.	11 Providing and laying M-20 grade concrete with cement concrete work 1:2:4(O cement:Tyoonsand:Four graded stone aggregate 20mm(Twenty millimetre nominal size) and curing complete excluding cost of form work and reinforcement for reinforced concrete Providing and laying M-20 grade concrete with cement concrete work 1:2:4(O cement:Two nsand:Four graded stone aggregate 20mm(Twenty millimetre nominal size) and curing complete excluding cost of form work and reinforcement for reinforced concrete	10 Brick bats in side for sock pit including carriage of materials with in all leads lifts and other incldentals, including carriage of material within all leads and lifts as directed by the Engineer-incharge. The ratre including octroi, royality; Malkana toll tax, GST or other taxis imposed by the Government.	9 Providing 15mm thick cement plaster in single coat on rough side brick/concrete/walls for interior plastering upto floor two level including arrises, internal rounded angles, chamfers and/or rounded angles not exceeding 80mm in girth and finished even and smooth in cement mortar 1:6(1 cement:6 sand) and curing complete including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	8 Steel work welded in built up section, trusses and framed work including cuiting, hoisting fixing in position and applying a priming coat of red lead paint in beam joints channels, angles, tee, flats with connection plates or angle cleats as in main and cross beams, hip and jack rafters, purlins connected to common rafters and the likeincluding carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	A Brick work using conventional 2nd class common brunt clay building brick in super strucutre above plinth level upto all floors level in cement mortar 1:6(1 cement: 6 sand)//c curing completeincluding carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality. Malkana toll tax, GST or other taxis imposed by the
5,00	15.00		27.00	0.18		2.12	7.50	1.13	7.34
each	each		Per kilogramme	Per Culbic Metre		Per Culbic Metre	Per Square Metre.	per qti	Per Culbic Metre
		· · · · · ·							

	2	20	19 9 7 5 5 7 7	16 18 8 P	17 Pr. 6hr	16 Pro and	15 Prov
TOTAL=	Providing and Fixing brass full way valve with wheel 15mm (fifteen mincluding carriage of materials with in all leads lifts and other incider Engineer-in-Charge. The rate includes, octroi, Malkhana, Toll tax building and other constrction worker, welfare cess royalty or any ot respect of input for or output by this contract shall be payable by the shall not entertain any claim whatsoever in this respect of the same.	Providing and fixing 1 t0 mm. (One hundred ten fixing with approved adhesive etc. complete including as directed by the Engineer-in-charge. The recipits as directed by the Engineer by the Government.	Providing and laying cement concrete 1:1.5:3 (1 cement :1.5: Sand :20 mm numinal size and curing complete excluding cost of form wor including carriage of materials within all leads lifts and other incident Engineer-in-Charge. The rate includes, octroi; Malkhana, Toll tax building and other constrcution worker, welfare cess royalty or any of respect of input for or output by this contract shall be payable by the same shall not entertain any claim whatsoever in this respect of the same	Providing and fixing aluminium sliding door screws electra, complete (i)300x16mm (The carriage of material within all leads and lifts including octrol, royality, Malkana toll tax, (Providing corrugated G.I. sheet roofing fixed with galemm(Eight millimetra) dia metres with bitumen and to complete excluding the cost of purlins rafters and to millimetra) thick sheet	per the direction of Engineer-in-Charge. Providing and fixing 100 mm nominal diamel and fifts as directed by the Engineer-in-charge.	ing and fixing chromium plated brass sen cleats with C.P. Brass screws inclu
	21 Providing and Fixing brass full way valve with wheel 15mm (fifteen millimeter) nominal bore including carriage of materials with in all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octroi, Malkhana , Toll tax , Goods Service Tax, building and other constrction worker, welfare cess royalty or any other tax, leavy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	20 Providing and fixing 110 mm. (One hundred ten millimeter) PVC plain bend ISI marked including fixing with approved adhesive etc. complete including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	19 Providing and laying cement coincrete 1:1.5:3 (1 cement :1.5: Sand : 3 graded stone aggregate :20 mm numinal size and curing complete excluding cost of form work. Foundation and plinth : including carriage of materials within all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octroi; Malkhana, Toll tax, Goods Service Tax, building and other construction worker, welfare cess royally or any other tax, leavy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Providing and fixing aluminium sliding door bolt anodized colouror-shade with bolt and nuts screws etcetra, complete (i)300x16mm (Three hundred into sixteen milimetre) including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	(iax, GS1 or ditter taxis introduced by the Government. 17 Providing corrugated G.I. sheet roofing fixed with galvanised iron. J or L hooks bolts and nuts 8 mm(Eight millimetre) dia metres with bitumen and G.I.limpet washers filled with white lead complete excluding the cost of purlins rafters and trusses in 0.63mm(Zero point sixty three millimetra) thick shoot.	per the direction of Engineer-in-Charge. 16 Providing and fixing 100 mm nominal diameter including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octrol, royality, Malkana toll	15 Providing and fixing chromium plated brass soap dish with C.P. Brass brackets fixed to wooden cleats with C.P. Brass screws including carriage of material with in all leads and lifts as
	2.00 ent	ng · 10.00	7.76	2.00	18	_	20.00
	8						
	Each	each	Metre	Each	Per Square Metre	each	each
	<i>:</i>		<i>:</i>				

Executive Engined
Ghumarwin Division
Ghumarwin Ghumarvin



Earn Estimated Cost:- Rs. 3.55 92:



Time :-	nest Money:- Rs.	3,55,923,00
One Month	7,200.00	3,55,923.00

		_				, —			1			77	-
	re:	30	S = 5	8 7 8 O	<u> </u>		<u>ड</u>	8 7 A 8 6	N 6	0 = 7 =	-6	X 0,	Sr.
and covernment shall not entertain any claim	Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in whatsoever in this respect of the contract shall be payable by the contractor and contract of the contract shall be payable by the contractor and contract of the contract of the contract shall be payable by the contractor and contract of the contract of	compacted in layers to meet requirement of Tables 300.1 and 300.2 for the subgrade level, watered graded and	input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in toosening of the ground.	crushed stone aggregate) 20mm(Twenty millimetre size) in or under water and curing complete including pumping of bailing out heights/depths including the cost of form work as per drawing and M.O.R.D. technical specification clause 802,803,1202 and 1203 an	Providing and laying mechanically mixed and vibrated cement concrete for plain/reinforced concrete in open foundations for the type of structure complete of plain cement concrete concrete for plain/reinforced concrete in open foundations for the type of structure complete of plain cement concrete concrete for plain/reinforced concrete in open foundations for the type of structure complete of plain cement concrete concrete for plain reinforced concrete in open foundations for the type of structure complete of plain cement concrete concrete for plain reinforced concrete in open foundations for the type of structure complete of plain cement concrete for plain reinforced concrete in open foundations for the type of structure complete of plain reinforced concrete for plain reinforced concrete in open foundations for the type of structure complete of plain reinforced concrete for plain reinforced concrete in open for the type of structure complete of plain reinforced concrete for plain reinforced concrete for plain reinforced concrete for the type of structure concrete for the type of struc	bottom and back filling in trenches with excavated suitable material and disposal upto all leads and lift dressing of sides and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of	with a lift upto all height and all lead as per Technical Specification Clause 1603.1 including carriage of material with in all leads and lifts as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax. Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in whatsoever in this respect of the same.	entertain any claim whatsoever in this respect of the same. Excavation in soil in Hilly Area by mechanical means including out to and related to the same.	unserviceable material and stacking the serviceable material within all lifts and lead as per Technical Specification Clause 202.By Mechanical Means Cement Concrete as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octrol, Malkhana, Toll tax., Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be naveled by the contract and Communication.	concrete, wood work steel work including T&P and scaffolding wherever necessary, sorting the dismantled material, disposal of		Description Item
	120.83			27.50		61.61	21	54.00			2.83		Ouantity
No. of the last	Per cubic metre		·	Per cubic metre		metre		Per cubic metre			Per cubic		(Init
												in figure	
										_		In words	
	5											Amount	

					~~~~	, , 6
12 Providing laying and rolling of open graded premix carpet of 20mm (Twenty millimeter) thickness composed of 13.2mm to 5.6mm (thirteen point two to five point six millimetre) aggregate either using penetration grade bitumen V-G-10 (viscosity grade-ten) to required line grade and level to serve as wearing course on a previously prepared base including mixing in a suitable plant, laying and rolling with three wheel 80-100 KN(eighty to hundred KN) static roller capacity, finished to required level and grades to be followed by seal coat of either type-B as per technical specification clause 508 by mechanical means using bitumen V-G-10(viscosity grade-ten) as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	11 Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.20 to 0.25 kg (zero point two zero to zero point two five kilogram) per sqm on the prepared bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503. including carriage of materials with in all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octroi, Malkhana, Toll tax, Goods Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	surface and spraying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per Technical Specification Clause 502 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	9 Providing laying spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming stone screening/binding materials to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading 2 as per Technical Specification Clause 405. By Manual Means as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	8 Providing and Laying of Interlocking Concrete Block Pavements having thickness 60 mm (sixty millimetre) as per drawings and Technical Specification Clause 1504 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Proyiding and Laying concrete 1:4:8 (one cement: four sand: eight crushed stone aggregate) (40mm forty millimetre) for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax; Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Construction of granular sub-base by providing well graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401.For Grading I Material including carriage of material with in all leads and lifts as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octrol, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.
Per square metre	Per square metre	Per square metre	Per cubic metre	Per square metre	Per cubíc metre	metre

$\overline{}$	16	15	14	. 13
Total	Providing and fixing ridges or hips 60cm (Sixty centimeters) over all with 0.60mm (Zero point sixty millimetre) thick prepainted steel sheets in roofing with hot dipped metallic zinc coated sheet with top coat of regular modified polyster organic coating 20 (Twenty) microns over 5(Five) microns primer coating plus back coat of polyester of 5(Five) micron over 5(Five) microns primer coating including fixing with prepainted iron for L hooks bolts and nuts 6mm (Six millimeters) diameter and prepainted GI limpet & Bitumen washers complete with all accessories as required as per the the direction of Engineer in Charge including carriage of materials within all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, leavy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Providing and fixing 0.60 mm (point sixty millimeter). thick prepainted steel sheet in roofing with hot dipped metalic zinc coated sheet with top coat of regular modified polyster (RNP) organic coating of 20 (twenty) microns over 5 (five) microns primer coating to back coat of plyster of 5 (five) microns over 5 (five) microns primer coating including fixing with prepainted iron J of L hooks, bolts and nuts 6 mm (six millimeter). dia meter with prepainted limpet and rubber washers complete with all accesories as required including carriage of materials with in all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octroi. Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, leavy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Steel work welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of red lead paint in gratings framed guard bars, ladders, railling, brackets and similar works. including carriage of materials with in all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, leavy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Providing and laying seal coat sealing the voids in a bituminous surface laid to the specified levels, grade and cross fall using Type A, Type B and Type C as per Technical Specification Clause 510 Type B Bitumen (S-90) as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.
	4.40	3.80	8.13 h	366.00
	Per running metre	Per square metre	Per Quintal	Per square metre



O
æ
옦
┪
S
모
应
ŀΥ
اج
١,٠.
읶
۱ <u>.</u> "
اح
Į∑
lΞ
I≍
ı≺

NAME OF WORK-C/O Amarpur, Hadsar, Dahad, Jaman, Road vc C.D and Soling km 0/0 to 9/640 (SH:-(SH:-C/O hume pipe culver at RD. 0/225) OTMNP

ESTIMATED COST:- Rs. 212117/40NLY.
EARNEST MONELY:- Rs.4300 Only.
TIME ALLOWED:- TWO MONTH:

.7	. 6	ហ				•	S No.
Providing weep holes in brickmasonrly/stone masonry/plain reinforced and concrete abutment wing wall R/Wall B/Wall with 100mm dia (Hundred millimetre) PVC pipe and complete providing and technical specification clause 614,709,12043.7 including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.		Providing concrete for plainfreinforced concrete in substanting contrete in plainfreinforced concrete in substanting contrete including carriage of specification clause 802,803, 1202 & 1203 grade M-10 (1:3:6) including carriage of leads and lifts as directed by the Engineer-in-charge. The ratre including octrol, royalit GST or other taxis imposed by the Government.	4 Providing and laying coment concrete 1:4:8(One cement: four sand: eight graded crushed stone aggregate 40mm (Forty millimeter) nominal size plain/reinforced concrete in open foundation committee as per drawing and HP.PWD., technical opecification clause 802, 803, 1202 & 1203 includion corriage of material within all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Christian all leads and lifes as per direction of socioest-in-Chri	3 Providing and cement concretre 1:5;10 (One cement:Five sand:Ten graded stone aggregate of form work for plain/reinforced concrete in retining walls, breast walls, as per drawing and H.P.P.W.D., specification including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxls imposed by the Government.	2. Earth work is excavation for structures as per drawings and technical specifications cloause 303.1 including setting out construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto a lead of 50 metres dressing of sides and bottom and back filling in trenches with excavated suitable materials(i) upto 3 metredepth MORD specification page NO.126SP.No.11.1 MORD specification 300 including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	1 Excavation in hilly soil by mechanical means including cutting and trimming of side slopes and disposal of excavated earth with a lift upto 1.50 metre and lead upto 20 metre as per technical specification clause 1603.1. including carriage of material within all leads and lifts as directed by the Engineer-incharge GST, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim, whatsoever in this respect of the same	Sub-Head and item of work
, 16.00		<b>74</b>	1.54	6d.	6.20	44.80	Quantity
, ,	<u> </u>				•	·_ <del></del>	Figures
		,		· manual p	·······	!	rates in Words.
ng G	Running Metra	metre	meter	metre	vetre cook	Per cubic metre	Unit

8 Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octrol, royality, Malkana toll tax, GST or other taxis imposed by the Government Total= 20.90 Per cubic

Ghuiriet ...

metre

			0 100 to 0 100	י		
NAME OF WORK-C/O link road Rana Basti Barota Domehar road km 0/0 to 1/0 (SH:-P/L C.C. pavement at RD. 0/550 to 0/620 and 0//20 to 0/60/purposit 5.00lakh	(D. 0/55	אָט נס טיסי		ode⊈al-{n	sn 5.00Jaki	
			İ			
Sub Boad and item of work	Quantity		rates in		Unit A	Amount
	ŦI	Figures	Words.			
the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	59.48			7 . 3- P	Per cubic	
Some some process that is processed and camber including spreading watering and rolling of				. , <u>«</u> m	metre.	· ·
hinding material moorm or earth etc. complete as per HPPWD specification 100mm spread				3	; ,	
thildness (fin ished work i/c material and labour including carriage of material within all leads and				:		
-	-			╁		
increte of specified grade excluding the cost of	29.74			· <u>`</u>	Per cubic	
centaring and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand): 6 graded	_		•	!	шеше	
stone aggregate 40 mm nominal size) including carriage of material within all leads and lifts as						
<u> </u>				_	:	
3)Providing and laying cement concrete in retaining walls, return walls, walls (any thickness)	39.65		•		Per cutic	
including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or			-	_	тесте	
lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets; sunken						
to flow for level excluding the cost of centering shuttering and finishing: 1:1%-3 (1)	_				' 	
אים וואס וואס האפון באכונים ווען בוב כשני פו כבווכוווין, מומניכווין מוש ווויים וויים וויים לין						
cement : 1½ coarse sand) : 3 graded stone aggregate 20 mm nominal size).including carriage						
cement: 1½ coarse sand): 3 graded stone aggregate 20 mm nominal size).including carriage of material within all leads and lifts as directed by the Engineer-in-charge.						

Executive Engineer
Ghumarwin Division
HPPWD Ghuraarwin

Total=



Estimated Cost:- Rs. 1,50,136.00 Earnest Money:- Rs. 3,000.00

Time: One Month Name of Work: R/R damages on J.N.S.G road km 95/0 to 103/200 (SH:- clearance of drain and maintenance of berms in km 95/075 to 102/400)

_		•		
4	2		No.	SE
Total:-	Maintenance of Earthen shoulder (filling with fresh selected soil) Making up loss of material/irregularities on shoulders to the design level by adding fresh approved selected soil and compacting it with appropriate equipment at OMC upto a lead of 1000 m (one thousand metre) as per technical specification Clause 1903 as per direction of Engineer-In-Charge including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The rate Includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	The maintenance of drains include erosion, repair, cleaning, cleaning, reshaping, regrading, deepening of side drains as well as catch water drains as per technical specification Clause 1907 as per direction of Engineer-In-Charge including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.		Description Item
	6399.90	1915.00		Quantity
	Per square metre	Per running metre		Unit
			In figure	
			in words	Rates
				Amount



NAME OF WORK:-che link road H/basti Karngoda Patta to Puai (panol) to Balhu Bani via Tikker Dad km 0/0 to 8/0 (SH:-P/L C.C. interlocking paver Block at RD. 0/340 to 0/485 & V-shape drain 145mtr.)	TIME ALLOWED:-TWO MONTH.	EARNEST MONELY:- Rs 10000/- Only.	ESTIMATED COST:- Rs 499835/-NLY.	SCHEDULE OF QUANTITY	

-				TOTAL=	$\top$
				octrol, royality, maikana toli taxi, OST of other taxis imposed by the Committee.	-
			_	calliage of material within an izage and me as an eccess by the Covernment	
				Corridge of material within all leads and lifts as directed by the Engineer-in-charge. The rates including	_
				Coment concrete 1.9.4 (1cament: sand: 4graded stone aggregate 20mm nominal size) including	
	metre			and technical specefication clouse 802, 803, 1202 & 1203 PCC grade M20 (1:2:4) nominal mix	
	Per cubic		22.13	4 Providing laying concrete for plain / Rainforced concrete in open foundation complete as per drawing	_
				taxis imposed by the Government.	
	metre			directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other	_
	square	_	<u>.</u>	per drawing and technical specification including carriage of material within all leads and lifts as	_
	per		442.25	netre) as	
				Malkana toll tax. GST or other taxis imposed by the Government.	
				within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, reyality,	
	metre			technical specification clause 802,803, 1202 & 1203 grade M-10 (1:3.6) including carriage of material	
	Per cubic		55.39		
	,			laxis imposed by the Government.	
	100		`.	directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other	
•	4	,		NO.126Sr.No.11.1 MORD specification 300 including carriage of material within all leads and lifts as	
	:	-		trenches with excavated suitable materials(i)upto 3 metredepth MORD specification page	
				materials and disposal upto a lead of 50 metres dressing of sides and bottom and back filling in	
• .	metre		-	lincluding setting out construction of shoring and bracing, removal of stumps and other deleterious	
	Per cubic		10.30	1 Earth work is excavation for structures as per drawings and technical specifications cloause 305.1	_
	<u></u>	s Words.	Figures		
Amount.	Unit	rates in	Quantity	Sub-Head and item of work.	Sr. No.
	Ī				

Executive Enginees
Ghumarwin Division
Ghumarwin Ghumarwin

		-				1
	SCHEDULE OF QUANTITY					
Ţ.,		EARN	ATED COS	ESTIMATED COST:- Rs .485056-ONLY.	-	
-ŋ-		TIME	ALLOWED	TIME ALLOWED:- TWO MONTH.		
Z A S	현유사는 OF WORK:-GO Link Road Amarpur to Drayana near house of Annat Ram 0/0 to 1/0 (SH:- P/L GSB, wearing, Tarring v	ork at RD. 0.	/0 to 0/300 a	Tarring work at RD. 0/0 to 0/300 and C/O U-shape drain at RD. 0/200 to 0/277)	(D. 0/200 to 0/2	
Sr.No.	lo. Sub-Head and item of work.	Quantity		rates in	Unit	Amount.
			Figures	Words.		
	1 Earth work is excevation for structures as per drawings and technical specifications cloause305.1 including setting out construction of shoring and bracing, removal of stumps and other deleterious materials and disposal	46.2		(P	Per cubic metre	:
	upto a lead of 50 metres dressing of sides and bottom and back filling in trenches with excavated suitable materials(i)upto 3 metredepth MORD specification page NO.126Sr.No.11.1 MORD specification 300including carriage of material within all leads and lifts as directed by the Engineer-In-charge. The ratre including octroi.				n A .	- ·
	royality, Malkana toll tax, GST or other taxis imposed by the Government.				/ \	: *
	2 Providing and taying cement concrete 1:4:8(One coment, four sand: eight graded crushed stone aggregate 40mm	10.97			Per cubic	
	HP_PWD., technical specification clause 802, 803, 1202 & 1203including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	•			\$ . T &	\$* <u></u>
•	3 Providing concrete for plain/reinforced concrete in sub-structure complete as per drawing and technical specification clause 802,803, 1202 & 1203 grade M-10 (1:3:6)including carriage of material within all leads and	. 23.1			Per cubic	
	into as directed by the Engineer-in-charge. The ratre including octrol, royality, Malkana toll tax, GS1 or other taxis imposed by the Government.		~;	-		
	4 Praparation of sub-grade by dressing to chamber (Earth work) for the cutting involved for sub-grade to be paid for separately depending upon the classification of soil completed as per HP.PVVD., specification including carriage of material within all leads and lifts as directed by the Engineer-In-charge. The rate including octroi.	1005.00			metre metre	
	rcyality. Makana toll tax. GST or other taxis imposed by the Government.					
	5 Consolidation of sub-grade with road roller including making good the undulation etcetra with earth or quarry soil etcetra and re-rolling the sub grade completed including carriage of material within all leads and lifts as directed by the factor of the carrier including carriage of material within all leads and lifts as directed by the	1005.00		,	Per Square metre	
	Government	150.7			Per cubic	
	6 Granular sub-base/base/surface course with local materials (Table 400.13) by mix in place method normal Construction of granular subbase by providing local material spreading in uniform layers with motor grader on prepared surface, moting by mix in place method with rotavator at once and compacting with smooth wheel roller	150./5			meter	
	to achieve the cesired density complete as per Clause 401.4 as per Technical Specification Clause 400.(1) Using naturally including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octrol, royality, Malkana toll tax, GST or other taxis imposed by the Government occurring gravel	. ;				<u> </u>
<u> </u>	7 Providing, leitying spreading and compacting stone aggregate of specific sizes to water bound macadam specification including spreading in uniform thirdness hand packing rolling with three wheel 80-100 KN in static to specification including spreading in uniform thirdness hand packing rolling with three wheel 80-100 KN in static to	104.62	×		metre	
	coanse aggregate watering and compacting to the required density grade-II as per technical specification clause 405 with in all leads and lifts as per direction of Engineer-in-charge.	-73		意義の言葉とは		
	8 Providing and applying primer coat with bitumen emutsion (SS-1) on prepared surface of granular base including cleaning of road surface and spreading primer at the rate of 0.70-1.0 kg/Sqm using mechanical means as per	976.5	5.5		Per square Metre	
٦						

Totals	11 Providi cross b materia		wheel 8	aggregi wearing wheel E type-A
	11 Providing and laying seet cost seeking the voids in a bitumenious surface laid to the specified levels, grade and cross ball using type-A, type-B and type-C as per technical specification clause 510 including entire carriage of meterial in all leads and lifts as per directed by the Engineer-In-charge.	makerial in all leads and lifts as per directed by the Engineer-in-charge.	wheel 80-100 KN static roller's apacity finished to required level and grades to be followed by seal coat of either type-A or type-B or type-C as per technical specification clause 508(Bitument CS.90)including entire carriage of	aggregate asfter-using entration grade holtumen or emulsion to required line, grade and level to serve as wearing course on a previously prepared base including mixing in a suitable plant, laying and rolling with a three wheel 80-100 KN static roller's apacity finished to required level and grades to be followed by seal coat of either type-A or type-B or type-C as per technical specification clause 508(Bitument CS.90)Including entire carriage of
10 Including entire carriage of	a specified levels, grade and	ro)including shirts can age of	followed by seal coat of either	nposed of 13.2 to 5.6 mm de and level to serve as laying and rolling with a three followed by seal coat of either productions of the coat of either productions of the coat of either productions of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of the coat of t
e of	nd 976,50	of i	her	ree
		• •		
_	Per square Metre		_	Metre

Executive Engineer Ghumarwin Division HPPWD Ghumarwin



Estimated Cost:- Rs. 4,87,621.00 Earnest Money:- Rs. 9,800.00

ime : One Month

at RD 0/0 to 0/025) Name of Works Construction of link road to Jamwal hasti from Hirapur to serwa road at RD 1/030 to house of Sh. Ram singh etc. G.P. Hirapur (SH:- construction of R/wall

		ω	ы	.,	Sr.
Total:-	Back filling behind abutment, wing walls return wall complete as per drawings and technical specification clause 1204.3.8 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi. Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Providing weep holes in brick masonary / stone masonary / plain reinforced concrete abutment, wing wall, return wall with 100 mm (one hundred millimetre), dia PVC pipe extending through the full with of the structures with slop of 1(V): 20(H) towards drawing face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi. Malkhana, Toll tax. Goods and Service Tax, building and other construction worker, welfare cess royalty or any other cax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Providing and Laying concrete 1.5:10 (one cement: five sand:ten crushed stone aggregate) 40 mm (forty millimetre) for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi. Malkhana, Toll tax. Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess. In respect of imput for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shorting and bracing removal of stumps and other deleterious material and disposal upto all leads and lift dressing of sides and bottom and back filling in trenches with excavated suitable material as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi. Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Sr. Description Item
	116.25	48.00	194.00	142.50	Quantity
	Per cubic metre	Each	Per cubic metre	Per cubic metre	Unit
					In figure
					Rates In words
					Amount



Earnest Money:- Rs. 5,900.00 Estimated Cost:- Rs. 2,90,642.00

Time :-

One Month

Name of Work: A/R & M/O Kothi to Baota via Gatore km 0/0 to 4/0 (SH:- repair of pot holes in km 0/800 to 1/800)

T	N		No.	Sr.
Total:-	Maintenance of WBM road including filling up of pot holes, ruts and rectifying corrugated surface, damaged edges and ravelling as per technical specification Clause 1906.as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Repair to pot holes and removal of loose material trimming of sides, cleaning of surface by providing tack coat, 20mm (Twenty Millimeter) thick premix carpet and seal coat type B specification clause 1904.2.503 and 508.1 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, leavy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.		Description Item
	271.94	1530.99		Quantity Unit
	Per square metre	Per square metre		Unit
			In figure	
-			in words	Rates
				Amount



Jamwal-{SH:- construction of paver block pavement 80mm thick ISI tiles including GSB, C.C. 1:4:8 and cutting work complete at RD 0/0 to 0/040 (balance work))

Estimated Cost:- Rs. 4,41,164.00 Earnest Money:- Rs. 8,900.00

Name of Work:- Construction of link road from Hirapur to serwa road at RD 1/030 to house of Sh. Ram singh Jamwal, Sh. Shankar sing, Sh. Shashi pal & Sh. Inder singh Time:-One Month

	5	4	· ·	s ~	_	Sr.
Providing and Laying of Interlocking Concrete Block Pavements having thickness 80 mm (eighty millimetre) as per drawings and Technical Specification Clause 1504 as per direction of Englineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Providing and laying cement concrete for plain / reinforced concrete in open foundations complete as per technical specifications clauses 802,803, 1202 and 1203 1:1.2:3 (one cement :one and half sand:three crushed stone aggigate) PCC Grade M-20 (twenty) as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrution worker, welfare cess royalty or any other tax, levy or cess in respect of Input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Providing and laying cement concrete 1:4-8 (one cement: four sand: eight graded stone aggregate 40mm (forty millimeter) nomial size and curing complete excluding cost of centering and sturting in foundation and plinth mechanically mixed and vibrated as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	construction of granular sub-base by providing well graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401. For Grading II Material as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octrol, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Consolidation of sub grade with road roller including making good the undulation etc. with earth or quarry soil etc. and rerolling the sub-grade completed as per HP.PWD specifications as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Excavation in foundation, trenches etc., in all classification of soil such as pick work, jumper work, blasting work, soft rock and hard rock including chiselling wedging and any other mixed variety of soil in dry or saturated conditions up to any depth and lift including pumping and bailing out water where required including stacking the serviceable and unserviceable material separately as directed and then returing the stacked soil in fifteen centimeters layers when required into plinth and sides of foundation extertra consolidating each deposited layer by ramming and watering and then disposing of all surplus un-serviceable excavated earth as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax. Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Description Item
240.00	1.86	83.20	39.60	253.20	108.22	Quantity
square metre	Per cubic metre	Per cubic metre	Per cubic metre	Per square metre	Per cubic metre	Unit
М						In figure
						Rates In words
						Amount

	_	_	-	_	-	œ		_		_				_	
Total:-	respect of the same	for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this	Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input	direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax,	claimes 802,803, 1202 and 1203 1:2:4 (one cement thro sand:four crushed stone aggigate) PCC Grade M-20 (twenty) as per	Providing and laying cement concrete for plain / reinforced concrete in open foundations complete as per technical specifications	daim whatsoever in this respect of the same.	cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any	Malkbana, Toll tax. Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or	posts and struts as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi,	thickness) partitions and the like including attached pillasters buttresses, plinth and string courses and the like Columns, pillars,	we tre) and removal of the same for insity-reinforced concrete & plain concrete work in: Vertical surfaces such as walls (any	etc. walli wooden battens and ballies, height of propping and centring below supporting floor to ceiling not exceeding 4 Mtrs (four	Sound (thirty into thirty into five millimetre) so as to give a fair finish including centring, shuutering, strutting and propping	Providing form work with steel plates 3.15mm (three point one five millimetre) thick welded with angle iron in frame
						9.48									129.69
					metre	Per cubic						_	metre	square	Рег
														_	
									_				_		



4 Providing	3 Back filling clause 1204 Engineer-in- Government	2 Providin plain/reir carriage royality, 1	1 Earth wo setting or upto a le materials l'carriage royality, l'	Sr.No.	NAME OF WORK		
4 Providing weep hotes in brickmasonrty/stone masonry/plain reinforced and concrete abutment wing wall R/Wall B/Wall with 100mm dia (Hundred millimetre) PVC pipe and complete providing and technical specification clause 614,709,12043.7. including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxls imposed by the Government.	3 Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST on other taxis imposed by the Government.	2 Providing and cement concrete 1:5;10 (One cement:Five sand:Ten graded stone aggregate of form work for plain/reinforced concrete in retining walls, breast walls, as per drawing and H.P.P.W.D., specification including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	Earth work is excavation for structures as per drawings and technical specifications cloause305.1 including setting out construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto a lead of 50 metres dressing of sides and bottom and back filling in trenches with excavated suitable materials(t)upto 3 metredepth MORD specification page NO.126Sr.No.11.1 MORD specification 300including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octrol. Toyality, Malkana toll tax, GST or other taxis imposed by the Government.	Sub-Head and Item of work.	NAME OF WORK-C/O Bridge over Barchhu Nallab on Dakri Chuwari road km 0/0 to 0/500 (SH:-C/O approaches both side at RD.0/095.45 to 0/117.45 & Dakri site 0/030.50 to 0/045.50)	SCHEDULE OF QUANTITY	
95.00	68.22	200.67	99.36	Quantity	at RD.0/095.	S3	
	•	,		Figures	45 to 0/117.	TIMATED C	
				rates in Words.	95.45 to 0/117.45 & Dakri site 0/030.50 t	ESTIMATED COST:- Rs .484694/-ONLY. EARNEST MONELY:- Rs 9600/- Only.	
Each	Per cubic metre	Per cubic metre	Per cubic metre	Unit	10 0/045.50)		
				Amount.			( // )

Executive Enginear
Ghumarwin Division
HPPWD Ghumarwin

Total=

Earnest Money:- Rs. 3,500,00 Estimated Cost:- Rs. 1,73,418.00

Name of Work: Construction of link road from Hirapur to serwa road at RD 1/030 to house of Sh. Ram singh Jamwal, Sh. Shankar sing, Sh. Shashi pal & Sh. Indersingh Jamwal (SH:- construction of paver block pavement 80mm thick ISI tiles including GSB, C.C. 1:4:8 and cutting work complete at RD 0/040 to 0/060 (balance work)) Time :-One Month

Sr.	Sr.	Description Item	Quantity	Unit	In figure	Rates In words	Amount
<u>.]:</u>		Excavation in foundation, trenches etc., in all classification of soil such as pick, work, immorr work, blasting work, soft rock and hard	54.11	Per cubic	0	11.00.00	
		rock including chiselling wedging and any other mixed variety of soil in dry or saturated conditions up to any depth and lift		metre			
	mclud as dir	factuding pumping and batting out water where required including stacking the serviceable and unserviceable material separately are directed and then returing the stacked soil in fifteen centimeters layers when required into plinth, and sides of foundation					
	etcetr						
_	Toll to	Toll tax. Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in					
_	respec	respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim					
	whats	whatsoever in this respect of the same.					
2		Consolidation of sub grade with road roller including making good the undulation etc. with earth or quarry soil etc. and rerolling the	126.60	Рег			
	sub-gr	sub-grade completed as per HP.PWD specifications as per direction of Engineer-In-Charge with in all leads and lifts and other inclidentals. The rate includes, octroi. Malkhana. Toll tax. Goods and Service Tax, building and other construition worker welfare		square			
	cess ro	cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and					
Ţ	VOVE	Government shall not entertain any claim whatsoever in this respect of the same.					
س	Constr	Construction of granular sub-base by providing well graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired	19.80	Per cubic			
	density all lead	density, complete as per Technical Specification Clause 401. For Grading II Material as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi. Malkhana, Toll tax, Goods and Service Tax, building and other					
	constr	constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be					
	payabl	payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.					
4	Provid Size an	Providing and laying cement concrete 1:4:8 (one cement : four sand : eight graded stone aggregate 40mm (forty millimeter) nomial size and curing complete excluding cost of centering and sturting in foundation and plinth mechanically mixed and vibrated as per	23.60	Per cubic			
	Goods	direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana , Toll tax , Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input					
	for or c	s contract shall be payable by the contractor and Government shall not entertain any claim whats					
5	Providi	Providing and laying cement concrete for plain / reinforced concrete in open foundations complete as per technical specifications	0.80	Per cubic			
	clauses	clauses 802,803, 1202 and 1203 1:1.2:3 (one cement :one and half sand:three crushed stone aggigate) PCC Grade M-20 (twenty) as		тете			
	per din	per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax.					
	for or o	for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this					
	геѕрес	respect of the same.					
6	Providi	Providing and Laying of Interlocking Concrete Block Pavements having thickness 80 mm (eighty millimetre) as per drawings and	120,00	Per			
	include	includes, octroi. Malkhana , Toll tax , Goods and Service Tax, building and other constrbution worker, welfare cess royalty or any		metre			
	other t	its contract shall be payable by the contractor and Gover					1
ĺ	Tenrel 19	erici Win any ciaim whatsoever in this respect of the same.					

			_		ے,	-	and the same	approximate to		-
Щ	· 	ص ص	<u>.</u>		ú	a.	=	9	30	7
Total:-	direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	8 iProviding and laying cement concrete for plain / reinforced concrete in open foundations complete as per technical specifications clauses 802,803, 1202 and 1203 1:2:4 (one cement two sand:four crushed stone aggigate) PCC Grade M-20 (twenty) as per	claim whatsperer in this respect of the same.	Malkhana , Toll tax . Goods and Service Tax building and other constriction worker, welfare cess royalty or any other tax, levy or except of mout for or output by this contract shall be navable by the contract and Government shall not entertain any	posts and struts as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi.	thickness) partitions and the like including attached pillasters buttresses, plinth and string courses and the like Columns, pillars,	metre) and removal of the same for insitu-reinforced concrete & plain concrete work in: Vertical surfaces such as walls (any	etc. with wooden batters, and ballies, height of propping and centring below supporting floor to ceiling not exceeding 4 Ntrs (four	30x30x5mm (thirty into thirty into five millimetre) so as to give a fair finish including centring, shuutering, strutting and propping	7 (Providing form work with steel places 3.15mm; (three point one live midianetre) thick we deed with angle from in frame
	_	4.68								34.40
		Per cubic			_		_	metre	square	7
									_	
ſ										

Executive Engineer
Ghumarwin Division
HPPWD Ghumarwin

ESTIMATED COST:- Rs 499482/-NLY

EARNEST MONELY:- Rs 10000/- Only.

NAME OF WORK: C/O 45.437 mtr. Span bridge over Drug Khad on Bara-Da-Ghat Saloun to Bum road (SH:-ROFD at RD. 0/0 to 0/020 & Granular filling at RD. 0/0 to 0/035 on Bum side approaches) TIME ALLOWED: - One MONTH.

Sr. No. 2 Back filling of granular sub-base/base/surface course behind abutinent wing wall and returns walls complete as per drawiong and technical specifications clause 1204.3.8 including carriage of material within all leads and lifts as saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling / wedging out of rock (where  $\mathbb E$ xcavation in hilly area in all heights and depths in all kinds of soit by manual /mechanical means including through all modes of transportation including head load or animals transport or mechanical means, along and sorting out useful material and stecking the same in all leads and lifts in acquired width of the road and graded width cutting and trimming of side slopes and level as shown on the drawing and as directed by the blasting is prohibited) and other intermediate classification of soil setting out true to the required line, cubic metre shall be done on pro-rae basis in ekach running bill for this item rate including octrol, rolyality, Makrana, toil tax, sale tax or other taxes imposed by the Government. A cases as perdirection of Engineer-in-charge including carriage of material with In all leads and lifts. The be the absolute responsibility of all the contractor which shall have to be duly compensated by him in all with its teveling fine dressing and carriage of machinenes, materials toots equipments and execution shall disposal of all useful/surplus. materials to required width of the road or on approved dumping sites transportation of material for filling in road way, camber embankments for grade improvements and Engineer-in-charge at site according to the M.O.R.D. Technical specification clause 300,1603.1,1603.2 recovery of useful stone for 69.43cubic metre at the rate of Rs. 170/(Rupes one lhundred seventy) per directed by the Engineer-in-charge. The ratre including octroi, royality. Malkana toll tax, GST or other taxis imposed by the Government Sub-Head and item of work 416.60 Quantity 921,40 Figures Words. rates in Per Cubic metre Per cubic Z Z Amount

Executive Engineer
Ghumanwin Division
HPPVVD Ghumanwin

-/

, ,

			-	-	Total=	
	Per cubic metre	:	37,92	raded	Providing concrete for plain/reinforced concrete in sub-structure complete as per drawing and technical specification clause 802,803, 1202 & 1203 grade M-25 (1:1.5:3) (One cement one point five sand:three graded specification clause 802,803, 1202 & 1203 grade M-25 (1:1.5:3) (One cement one point five sand:three graded specification clause 802,803, 1202 & 1203 grade M-25 (1:1.5:3) (One cement one point five sand:three graded by the Engineer-Instance 302 graded M-25 (1:1.5:3) (One cement one point five sand:three graded M-25 (1:1.5:3) (One cement one point five sand:three graded M-25 (1:1.5:3) (One cement one point five sand:three graded M-25 (1:1.5:3) (One cement one point five sand:three graded M-25 (1:1.5:3) (One cement one point five sand:three graded M-25 (1:1.5:3) (One cement one point five sand:three graded Store aggregate) including carriage of material within all leads and lifts as directed by the Engineer-Including carriage of material within all leads and lifts as directed by the Engineer-Including carriage of material within all leads and lifts as directed by the Government charge. The rathe including outroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	9
	Per abic meter .	- ·	50.56	eads other	5 Providing and laying comment concrete 1:4:8(One coment four sand: eight graded crushed stone aggregate 40mm - (Forty millimeter) nominal size plain/reinforced concrete in open foundation copmiete as per drawing and HP.PWD., technical specification clause 802, 803, 1202 & 1203 I including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	. 5
	Per cubic meter		75.84	on roller Using Fatre	Crianular Sub-Dase/Sase/surface course with local materials (Table 400.13) by mix in place method normal Construction of granular subbase by providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rolavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per Technical Specification Clause 408.(i) Using naturally including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octrol, royality; Malkana toll tax, GST or other taxis imposed by the Government.	
	Per Square metre	1	529.3		Preparation of sub-grade by dressing to chamber (Earth work) for the cutting involved for sub-grade to be paid for separately depending upon the classification of soil completed as per HP PWO, specification including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Maikana toll tax, GST or other taxis imposed by the Government.	
	Per cubic metre		60.04	u.	2 Providing concrete for plain/reinforced concrete in sub-structure complete as per drawing and technical specification datuse 802,803, 1202 & 1203 grade M-10 (1:3:6)including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	2
	metre		377.75	), 	1 Earth work is excevation for structures as per drawings and technical specifications cloause305.1 including setting out construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto a lead of 50 metres dressing of sides and bottom and back filling in tranches with excevated suitable materials(f) upto 3 metredepth MORD specification page NO.126Sr.No.11.1 MORD specification 300including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octrol, royality. Malkana toll tax, GST or other taxis imposed by the Government.	
Amount.	Unit	rates in res Words.	Quantity Figures		Sub-Head and item of work.	Sr.No.
SP.	32 to 0/840)SC	ad side drain and C.C. pavement at RD. 0/682 to 0/840)SCSP	ie drain and	nape road sid	NAME OF WORK:-C/O link road from Chhat to Dhinwa Ghatian road km 0/0 to 3/0 (SH:-C/O P.C.C. U-shape ro	NAME
	Only	EARNEST MONELY: Rs 10000/- Only	EARN			K
	ONLY.	ESTIMATED COST:- Rs .499331/-ONLY	ESTIN	}=	SCHEDULE OF CHANGE	ارد
77				₹    -		

Executive Engineer
Ghumanwin Division
HPPWD Ghanarwin

Estimated Cost:- Rs. 4,25,193.00 Earnest Money:- Rs. 8,600.00

One Month

Name of Work: Restoration of rain damage on Kallar Paplah Jhorghat Dangar Barota Ladrour road km 0/0 to 22/165 (SH:- construction of retaining wall at RD 5/980 to 5/989)

S Back fill	5 Providis mm (on drawing leads an constron payable	4 Centerir thickness In-Chary building contract	3 Providin 2 piers, ab sills, fille coarse s: leads an constrou payable	2 Providing and laying plinth level 1:5:10 (direction of Enginee Goods and Service T for or output by this respect of the same		5/989) Sr.
Back filling behind abutment, wing walls return wall complete as per drawings and technical specification clause 1204.3.8 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Coods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input	Providing weep holes in brick masonary /stone masonary / plain reinforced concrete abutment, wing wall, return wall with 100 mm (one hundred millimetre). dia PVC pipe extending through the full with of the structures with slop of 1(V): 20(H) towards drawing face complete as per HPPWD specification clauses 614,709,1204.3.7 .as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Centering and shuttering including strutting, propping etc. and removal of form work for Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc. as per direction of Engineer-In-Charge with in ail leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to all floor level, excluding the cost of centering, shuttering and finishing 1:5:10 (one cement: five coarse sand: ten graded stone aggregate 40 mm (forty millimetre) nominal size as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:5:10 (one cement: five coarse sand): ten graded stone aggregate 40 mm (forty millimetre) nominal size as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains not exceeding 1.5 m (one point five metre) in width or 10 sqm (ten square metre) on plan, including dressing of sides and ramming of bottoms, lift upto 1.5 m (one point five metre), including getting out the excavated soil and disposal of surplus excavated soil as directed, within any lead All kinds of soil as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax. Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Description Item
10.91	23.00	112.61	58.96	4.33	27.45	Quantity
Per cubic metre	Each	Per square metre	Per cubic metre	Per cubic metre	Per cubic metre	Unit
nic :				n		In figure
						Rates In words
						Amount

Ghumarwin Division Executive Engined

SCHEDULE OF QUANTITY  ESTIMATED COST. Rs. 495624/ONLY.  EARNEST MONELY: Rs. 100000: Only.  TWE ALLOWED: TWO MONTH:  Twe Allowed: Tw		·					-7
A/-ONLY  A/-ONLY  I- Only  Per cubic metre  Per cubic metre  Per cubic metre  Each  Each						NASAE	-
A/-ONLY  A/-ONLY  I- Only  Per cubic metre  Per cubic metre  Per cubic metre  Each  Each	Providing weep holes in brickmasonrty/stone masonry/plain reinforced and concrete abuwing wall R/Wall B/Wall with 100mm dia (Hundred millimetre) PVC pipe and complete and technical specification clause 614,709,12043.7. including carriage of material witl leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, toll tax, GST or other taxis imposed by the Government	A Centering and shuttering including strutting, propping etc. and removal of form work for; Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc.ncluding carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	3 Providing and jaying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing: 1:5:10 (1 cement: 5 coarse sand): 10 graded stone aggregate 40 mm nominal size).ncluding carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	2 Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttening - All work up to plinth level :1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40 mm nominal size)including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.All kinds of soil. Inclusing carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	OF WORK:-C/o link road from Samlohal to H/basti Chadol Via Pickle Factory km 0/0 to 2/660 (SH:-	
A/-ONLY  Unit  Per cubic metre  Per cubic metre  Per cubic metre  Fer cubic metre  Fer cubic metre	26,00	122.2	68.7:	4.97	27.82	C/O R/Wa	
A/-ONLY  A/-ONLY  I- Only  Per cubic metre  Per cubic metre  Per cubic metre  Each  Each						ESTIMAT EARNES TIME AL all at RD.	
Y. V. Y. Y. Y. Y. A. A. C. Metre metre metre metre metre metre metre metre metre					Words.	ED CÖST:- Rs .496524 T MONELY:- Rs.100007 LOWED:- TWO MONT 1/990 to 2/003) L/Side.	
	, Each	Per cubic metre	#er cubic metre	Per cubic metre	Per cubic metre		

Total=	and lifts as directed by the Engineer-in-charge. The fatte including over the charge imposed by the Government.	Back filling behind abutiliers, wing were including carriage of material within all leads specification clause 1204.3.8 granular material including carriage of material within all leads specification clause 1204.3.8 granular material including carriage of material within all leads	wing wall and return wall complete as per drawing and technical	
			71.00	30 00
				-
			metre	Per cubic

Executive Engineer "
Chumanvin Division
Known Chumanvin

7

DELET SCHEDULE OF QUANTITY

ESTIMATED COST: Rs. 151310/-ONLY

TIME ALLOWED: TWO MONTH

NAME OF WORK:- C/O link road from Vijaypur Chowk to house of Smt. Puspa Devi at Amarpur (SH:-P/L interlocking concrete Block and U-shape drain at RD, 0/0 to 0/015, Ed at RD, 0/020 to 0/035)

	-		-		यां हा श्री तह हो ने हिंदि है ।	Ļ
<u> </u>				ü	imposed by the Government.)including carriage of material with in all leads and lifts as per directed by	. Pri
	No. of Street, or other Persons, or other Person				sand: Four graded stone aggretate including carnage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis	·
	metre				technical specification clause 602,803,1202 and 1203(P.C.C. grade M-20 1:2:4 mix)(One cement two	
-+	Per cubic.		3		Other laxis imposed by the Government.	<u> </u>
	<u></u>		.;		lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or	
	metre				(NTC) as per drawing and technical specification including carriage of material within all leads and	-
	per square		6		5 Providing and laying interlocking concrete block pavement having thickness 60mm (sudy milimetre)	5
			<del></del> ,		Malkana toll tax, GST or other tax's imposed by the Government.	
					within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality,	_
	metre				technical specification clause 802.803, 1202 & 1203 grade M-10 (1:3:6) including carriage of material	
	Per cubic		5.47		4 Providing concrete for plain/reinforced concrete in sub-structure complete as per drawing and	4
-	i.		,		Government	_
		:	-		charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the	_
<del>,</del>					specification including carriage of material within all leads and lifts as directed by the Engineer-in-	
-	metre		·. ·		work for plaist/reinforced concrete in retining walls, breast walls, as per drawing and H.P.P.W.D.	,
<u>-</u>	Per cubic		19.13	15	3 Providing and cement concretre 1:5;10 (One cement: Five sand: Ten graded stone aggregate of form	ω
<u> </u>	,					_
J. 1			_		constructor and Concernment shall not entertain any claim, what spended strain on poyage by the	
14.	•		5.5		of the chighted and classes in respect of input for or ordered by this contact shall be payable by the	_
٠.					Dr.No. 11.1 MURU specimention 300 including carnage of material within all feads and lifts as directed	
			_		trenches with excavated suitable materials (i)upto 3 metredepth MORD specification page NO.126	
	·,.:		_		materials and disposal upto a lead of 50 metres dressing of sides and bottom and back filling in	_
	metre		_		including setting out construction of shoring and bracing, removal of stumps and other deleterious	
7	er cubic		18.30	18	2 Earth work is excavation for structures as per drawings and technical specifications closuse305.1	2
_	\				Government shall not entertain any claim whatsoever in this respect of the same	
					levy or cess in respect of input for or output by this contract shall be payable by the contractor and	_
	: '				Engineer-in-charge.GST, building and other construction worker, welfare cess royally or any other tax,	
	,				specification clause 1603.1. including carriage of material within all leads and lifts as directed by the	,
•	metre				disposal of excavated earth with a lift upto 1.50 metre and lead upto 20 metre as per technical	
7	Per cubic	, . <del>\</del>	5.25	5	1 Excavation in hilly soil by mechanical means including cutting and trimming of side slopes and	
	- (.,	Words.	Figures			
Amou	Unit	rates in	núty	Quantity	Sub-Head and item of work.	SINO



Total I taxis imposed by the Government directed by the Engineer-in-charge; The ratre including octroi, royality. Malkana toll tax, GST or other brackets and similar work upto any higheight including carriage of material within all leads and lifts as position and applying a priming coat of red lead paint in grating framed guards bars ladders, railing, Steel work welded in built up section, trusses and framed work including cutting, hoisting fixing in other taxis imposed by the Government. technical specification clause 614,709,12043.7. including carriage of material within all leads and wall R/Wall B/Wall, with 100mm dia (Hundred millimetre) PVC pipe and complete providing and Providing weep holes in brickmasonrly/stone masonry/plain reinforced and concrete abutment wing lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or 16.00

Each

Per quintal.

Executive:

HR, PWD, Shamarwing

· <u>· ,</u>

Schedule of Quantity

Clo Rudyaday Dohnin Maryam Chandoh School Dowlhol Kallan Rutter Dakhwitearness Money: Rs.

Name of Work:- Rend K.m. ofor to 6/450 in Dist. Bilizapur One Month

-10065

_				
4	2		S.	-
₹otal:-	Processing the case for prepration of forest diversion under forest conservation Act 1980 including prepration of revenue papers of land acquire in the project and collection of other field data all relevant document/ formats mandatory required to be attached with the case as per latest requirement of Ministery of Environment and forest conservation Govt. of India Dehradun after getting the joint inspection of site including computer typing of 6 copies of the case binding complete and getting it through from DFO including all the observation if raised at any time by any office and to pursue and resubmitt the same by neatly and accurately filling in all formats/doucments online submission rectifing observations (if any) and receiving approvals in all respect as per direction and complete satisfaction of user Agency and Forest Department.	Prepration of Geo Reference Digital Map and colection of the data for proposed site including field visit preparation KML files with Geo coordinates along with marking of Habitation and Dumping area for proposed site marking the alignment in soft copy and submission in hard copy including carriage of all equipment within in all leads and lifts in all respect as per direction and complete statisfaction of Engineer in Charge		Description Item
		_		Quantity Unit
				Unit
			In figure	Į.
			In words	Rates
				Amount

Note: GST will be paid extra as applicated as per Government rate @ 18%

#### Tarms and condition

- Contractor will supply both soft and hard copy of the complete case to the department
- The contractor will got checked the detailed FCA case from the competent authority.
- 30% payment on receipt of acknowledgement from MOEF website.
- 50% payment on transger of case from Nodal office to C.F. Bliaspur
- 20% payment of receipt of principal opprovat



Schedule of Quantity

Name of Work: 4/0 Kulosu Shoyhi Bag Baloka Ranal K.m. 0/0 To 4/0

Earnest Money:- Rs. Estimated Cost:- Rs. 184000/-One Month 3700/-

_				т —				,,
Ц	0 = 1	<del></del>		1 45	s ^		No.	Sr.
Total:	all the observation if raised at any time by any office and to pursue and resubmitt the same by neatly and accurately filling in all formats/doucments online submission rectifing observations (if any) and recieving approvals in all respect as per direction and complete satisfaction of user Agency and Forest Department.	the case as per latest requirement of Ministery of Environment and forest conservation Govt. of India Dehradun after getting the joint inspection of site including computer typing of 6 copies of the case binding complete and getting it through from DFO including	land acquire in the project and collection of other field data all relevant document/ formats mandatory required to be attached with	statisfaction of Engineer in Charge	Geo coordinates along with marking of Habitation and Dumping area for proposed site marking the alignment in soft copy and submission in hard copy including carriage of all equipment within in all leads and lifts in all respect as per direction and complete	1 Prepration of Geo Reference Digital Map and colection of the data for proposed site including field visit preparation KML files with		Description Item
		_						Quantity
								Unit
							In figure	
							In words	Rates
								Amount

Note: GST will be paid extra as applicated as per Government rate @ 18%

#### Terms and condition

- Contractor will supply both saft and hard copy of the complete case to the department.
- The contractor will got checked the detailed FCA case from the competent authority.
- 30% payment on receipt of acknowledgement from MOEF website.
- 50% payment on transger of case from Nodal office to C.F. Bilaspur.
- 20% payment of receipt of principal approval.

# **Draft Schedule of Quantity**

Earnest Money:- Rs. 3,100.00 Estimated Cost:- Rs. 1,52,254.00


One Month

Name of Work: Special repair to the Veterinary Hospital Buidling at Hatwar (Galahi) Sub-Tehsil Bharari Distt. Bilaspur HP (SH:- Providing and fixing celling).

٢		M-1-1	44 7000								_	•	•					_		ر~	:
	~-	:;-	~:-	-			(~				_		2	_	h	٠ د	~	<u>~</u>	<u>-</u>	No.	Sr.
	Total:	respect of the same.	for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this	Coods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input	strection of Engineer-in-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax,	materials within any lead (wooden/concrete joists to be measured and paid for separately) Stone slab/flagged floors as per	Dismanding tiled floors laid in mortar upto all floor level including stacking of serviceable materials and disposal of un-serviceable	respect of the same.	for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this	Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input	direction of Engineer In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, 'Malkhana, Toll tax,	soffics/ cealing including cutting . fixing and welding to steel roof men bers and applying a coat of red lead primer complete as per	Providing and fixing M.S. BP sheet 1.66 mm (one point sixty six milling eter) . to 2 mm (two millimeter), thick in eaves board. Facia/	payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be	and lifts and other incidentals. The rate includes, octroi, Malkhana , Toll tax , Goods and Service Tax, building and other	beams,hip and jack rafters,purlins connected to common rafters and the like as per direction of Engineer-In-Charge with in all leads	coat of red lead paint. In beams joists channels ,angles , tee ,flats with connecting plates or angle cleats as in main and cross	Steel work welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming		Description Item
							43.70						82.94						6.81		Quantity
					metre	square	Рег				metre.	square	Per	  -  -				quientel	Рег		Unit
ι			_					-												In figure	
	)																			In words	Rates
					,				,-						•						Amount



						_	
Sr.	(SH:- P	NAME (					
Description of item	(SH:- Providing and fixing Glow studs (cat eyes) in fog prone area in scattered reaches km 100/500 to 101/500 & 102/500 to 103/300).	NAME OF WORK:-AMP for the year 2021-22 on JNSG road km 95/0 to 103/300 under Ghumarwin Sub Division	SCHEDULE OF QUANTITY	TIME ALL	EARNEST	ESTIMATE	
Quantity	to 101/5	Sub Divi		WED:-O	MONEY:	O COST	
Quantity Rates IN Figures Words.	00 & 102/500 to 103/300).	ision		TIME ALLOWED:-ONE MONTH	EARNEST MONEY:- Rs. 4000/- only	ESTIMATED COST:- Rs. 196365/-Only.	
Unit							
Amount							







Estimated Cost:- Rs. 2,78,991.00 Earnest Money:- Rs. 5,600.00

One Month

						_	
0	<b>ሪ</b> ካ	4	. ω	2	, _	No.	Cer Ma
Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:3:6 (one centent: three coarse sand: six graded stone) aggregate 20 mm (twenty millimetre) nominal size as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana. Toll tax. Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:4:8 (one cement: four coarse sand: eight graded stone aggregate) 40 mm (forty millimetre nominal size) as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare coss royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Construction of granular sub-base by providing close graded Material conforming to specifications, mixing in a mechanical mix plant at OMC, carriage of mixed material by dippers to work site, for all leads & lifts, spreading in uniform layers of specified thickness with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge. With material conforming to Grade-I size range 75 mm to 0.075 mm (seventy five to zero point zero seven five millimetre) having CBR Value-30 (thirty) as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne (eight to twelve tonne) capacity after excavating earth to an average of 22.5 cm (twenty two point five centimetre) depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub grade and disposal of surplus earthwith upto any lead as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octrol, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Centering and shuttering including strutting, propping etc. and removal of form work for Foundations, footings, bases for columns as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, lovy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains not exceeding 1.5 m (one point five metre) in width or 10 sqm (ten square metre) on plan, including dressing of sides and ramming of bottoms, lift upto 1.5 m (one point five metre), including getting out the excavated soil and disposal of surplus excavated soil as directed, within any lead. All kinds of soil as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Description Item	Maine of Work:- Construction of link road near SVGDC Ghumarwin to house of Sh. Pradeep kumar via Govt. middle school Kalari km 0/0 to 0/300 (SH:- Providing and laying cernent concrete pavement in km 0/155 to 0/230).
6.19	9.00	29.70	198.00	32.25	5.06	Quantity	e school K
Per cubic metre	Per cubic metre	Per cubic metre	Square metre	Per square metre	Per cubic metre	Unit	alari km
ř.		c	_			In figure	m 0/0 to 0/30
·						Rates In words	00 (SH:- Provídir
						Amount	ng and laying



	4		1	_		7
Total:	(respect of the same.	for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this	Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input	direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax,	plinth level 1:2:4 (one cement : two coarse sand : four graded stone) aggregate 20 mm (twenty millimetre) nominal size as per	7 Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to
		his	input			6
						16.87
					metre	Per cubic
					,	
	_			_	_	

Executive Engineer
Glumarwin Division
R.P.P. W. D. Ghumarwin

W ORAFT SCHEDULE OF QUANTITY ESTIMATED COST: Rs. 291719/-only.

EARNEST MONEY:-5900/-only.

TIME ALLOWED:-TWO Month.

Sub-Head and item of work.	Quantity	Figures. Words.	Unit
Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after	231.80		Per Square
excavating earth to an average of 22.5 cm depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub grade and disposal of			metre
surplus earthwith lead upto 50 metres. Including carnage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.			
Supplying and stacking at site.90 mm to 45 mm size stone aggregate including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality. Malkana toll tax. GST or other taxis imposed by the Government.	23.18		Per cubic metre
Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density	23.18	·	Per cubic metre
including carriage of material within all leads and lifts as directed by the Engineer-in-charge.The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	·	<b>y</b>	-
4 Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:4:8 (1 Cement : 4 coarse sand) : 8 graded stone aggregate 40 mm nominal size) including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.	23.18	-	Per cubic metre
Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:2:4 (1 Cement : 2 coarse sand) : 4 graded stone aggregate 40 mm nominal size) including carriage of material within all leads and lifts as directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government	17.385		Per cubic metre
one wone improve of the continuent.			

Mod Ghumatwin




Estimated Cost:- Rs. 2,61,869,00 Earnest Money:- Rs. 5,300,00

District Bilaspur HP (SH:- Balance work of parking 6mm cement plaster, Putty,	Time:- One Month	
, Putty,		(

repairs to scratches complete as per direction of Engineer- includes, octroi, Malkhana, Toll tax. Goods and Service T other tax, leavy or cess in respect of input for or output by entertain any claim whatsoever in this respect of the same.  4 Wall painting(one coat) with plastic emulsion paint of appr give an even shade including thoroughly brushing the surfa smooth as per direction of Engineer-In-Charge with in all le Toll tax, Goods and Service Tax, building and other constra respect of input for or output by this contract shall be payal whatsoever in this respect of the same.  5 Extra item for every sub sequent coat of wall painting with direction of Engineer-In-Charge with in all leads and lifts an Goods and Service Tax, building and other constraution wor for or output by this contract shall be payable by the contrautespect of the same.	<del> </del> _^	L	3  Removing dry or all bound diste	<u> </u>		Name of Work: Construction of Parking in Verbainting and R/wall at RD 0/060 to 0/012.60)  Sr. No.
Wall painting (two coats) with plastic emulsion paint of approved brand and manufacture on undecorated wall surfaces to give an even shade including thoroughly brushing the surface free from mort; droppings and other foreign matter and sand papered	Extra item for every sub sequent coat of wall painting with plastic emulsion paint of approved brand and manufacture as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax. levy or cess in respect of Input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Wall painting(one coat) with plastic emulsion paint of approved brand and manufacture on decorated wall surface to give an even shade including thoroughly brushing the surface clean of all dirt grease, loose pieces of scale and sand papered smooth as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Removing dry or oil bound distemper by washing and scraping and sand papering the wall surface smooth including necessary repairs to scratches complete as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi. Malkhana, Toll tax. Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, leavy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Applying birla white wall care putty over plaster surrace after thoroughly brushing the surface free from mortar drops, dust, loose materials and other foreign matters sand papered smooth to give final matter finish to the surface complete including carriage of materials with in all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	as per HP.PWD specification 1990 volume-1 including carriage of materials with in all leads lifts and other incidentals as per HP.PWD specification 1990 volume-1 including carriage of materials with in all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octrof. Malkhana, Toll tax, Goods and Service Tax, building and other constrction worker, welfare cess royalty or any other tax, leavy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Vard No. 2 Near Rahan Basera at Ghumarwin District  Description Item
658.76	40.73	40.73	269.38	765,36	\$0.80 \$0.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80 \$1.80	H:- Balanc Quantity
Per square metre	Per square metre	Per square metre	Per square metre	Per square metre	square metre	ce work of
						of parking 6
						Bilaspur HP (SH:- Balance work of parking 6mm cement plaster, Putty,  Quantity Unit Rates Amou
	,					Amount

	140			Ÿ	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
-	\$ 7 8 4 5 5 E	8 2 5 2 5 2	ω .	, 00	
Total:-	iConstruction of embankment with approved material obtained from borrow pits with a lift upto any height/depth transporting to site, spreading grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 as per Technical Specification Clause 301.5 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Providing weep holes in brick masonary / stone masonary / plain reinforced concrete abuttment, wing wall, return wall with 100 mm (one hundred millimetre), dia PVC pipe extending through the full with of the structures with slop of 1(V): 20(H) towards drawing face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Back filling behind abutment, wing walls return wall complete as per drawings and technical specification clause 1204.3.8 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Providing and Laying concrete 1:5:10 (one cement five sand:ten crushed stone aggregate ) 40 mm (forty millimetre) for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax , Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	shorting and bracing removal of stumps and other deleterious material and disposal upto all leads and lift dressing of sides and bottom and back filling in trenches with excavated suitable material as per direction of Engineer-In-Charge with in all leads and lift dressing of sides and bottom and back filling in trenches with excavated suitable material as per direction of Engineer-In-Charge with in all leads and lift and other incidentals. The rate includes, octroi. Malkhana, Toll tax. Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy of cess in respect of input for or output by this contract shall be payable by the contract and Government shall not entertain any daim whatsoever in this respect of the same.
	247.18	50.00	16.51	5229	23.70
	Per cubic metre	Each	Per cubic metre	Per cubic metre	metre _
_					



Estimated Cost:- Rs. 4,45,641.00

Earnest Money:- Rs. 9,000.00

One Month

Name of Work: Construction of link road from upper Bhager to Kalari Sarti Panoh from km 0/0 to 3/500 (SH:- construction of R/wall at RD 0/060 to 0/076) ى 2 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains not Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering. All work up to Providing weep holes in brick masonary /stone masonary / plain reinforced concrete abutment, wing wall, return wall with 100 Centering and shuttering including structing, propping etc. and removal of form work for Retaining walls, return walls, walls (any directed, within any lead. All kinds of soil as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The bottoms, lift upto 1.5 m (one point five metre), including getting out the excavated soil and disposal of surplus excavated soil as rate includes, octroi. Malkhana, Toll tax., Goods and Service Tax, building and other constrcution worker, welfare cess royalty or exceeding 1.5 m (one point five metre) in width or 10 sqm (ten square metre) on plan, including dressing of sides and ramming of Construction of granular sub-base by providing close graded Material conforming to specifications, mixing in a mechanical mix plant drawing face complete as per HPPWD specification clauses 614,709,1204.3.7. as per direction of Engineer-In-Charge with in all |mm| (one hundred millimetre), dia PYC pipe extending through the full with of the structures with slop of 1(V): 20(H) towards contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana , Toll tax , Goods and Service Tax, thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc. as per direction of Engineer respect of the same. for or ouput by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi. Malkhana, Toll tax. plinth level 1.5.10 (one cement : live coarse sand): ten graded stone aggregate 40 mm (forty millimetre) nominal size as per not entertain any claim whatsoever in this respect of the same. any other tax, lavy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. at OMC, carriage of mixed material by uppers to work site, for all leads & lifts, spreading in uniform layers of specified thickness constroution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be leads and lifts and other incidentals. The rate includes, octroi, Malkhana , Toll tax , Goods and Service Tax, building and other payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. constrution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be and lifts and other incidentals. The rate includes, octroi. Malkhana , Toll tax , Goods and Service Tax, building and other five to zero point zero seven five millimetre) having CBR Value-30 (thirty) as per direction of Engineer-In-Charge with in all leads specifications and directions of Engineer-in-Charge. With material conforming to Grade-L size range 75 mm to 0.075 mm (seventy with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per Description Item Quantity | 119.04 66.56 23.47 Unit Per cubic Per cubic Per cubic square metre Rates In words Amount

Executive Engineer R.P.P. V.D. Ghumarwit Glumertin Division

Estimated Cost: 44,90,307/ Earnest Money: 459,800.00

Three Month

Name of work: - A/R & M/O residential buildings/ Non-residential accomodation in PWD Office complex at Ghumarwin (SH:- P/L

Paver I	Paver Block in Ground)					
Sr. No.	Description Item	Quantity	Unit	In figure	In words	Amount
	Excavation in foundation, trenches etc., in all classification of soil such as pick work, jumper work, blasting work, soft rock and hard rock including chiselling wedging and any other mixed variety of soil in dry or saturated conditions up to any depth and lift including pumping and bailing out water where required including stacking the stacked soil in fifteen centimeters layers when required into plinth and sides of foundation etxetra consolidating each deposited layer by ramming and watering and then disposing of all surplus un-serviceable excavated earth as per direction of Engineer In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constricution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	163.29	Per cubic metre			
2	Stone filling of selected hard stone under floors with at least one broken face hand packed properly up to in all height as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	79.88	Per cubic metre			
ట	Providing and laying coment concrete 1:4-8 (one coment: four sand: eight graded stone aggregate 40mm (forty millimeter) nomial size and curing complete excluding cost of centering and sturting in foundation and plinth mechanically mixed and vibrated as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Walkhara, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	45,86	Per cubic metre			

	_	თ	.4
manufacture on undecorated wall surfaces to give an even shade ceiling and/or sloping roofs including thoroughly brushing the surface free from mortar droppings and other foreign matter and sand papered smooth including applying of putty as required for making the surface including carriage of materials with in all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octroi, Malkhana, Toll tax, Goods Service Tax, building and other constrction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	6 Applying priming coat on new concrete / masonary/asbestos cement/ plastered surfaces after and including preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and sand papering as required with readymixed primer of ICI, Nerolac, Berger, Asian, Shalimar including carriage of materials with in all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octroi, Malkhana, Toll tax, Goods Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same as per HP.PWD specification 1990 volume-1 clause 16.	15 mm(fifteen millimetre) cement plaster in single coat on rough side of brick/concrete/stone walls for interior plastering upto floor all level including arrises, internal rounded angles, chamfers and/ or rounded angles not exceeding 80 mm(eighty millimetre) in girth and finished even and smooth Cement mortar 1:6 (One cement: six sand) including carriage of materials with in all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same as per HP.PWD specification 1990 volume-1 clause 17.4.3.	Brick work using 2nd class common brunt clay building bricks in super-structure above plinth level upto all floor level in cement mortar 1:6 (one cement: six sand) as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.
56.70	56.70	56.70	6.52
square metre	Per square metre	Per square metre	Per cubic metre

				[
			shall not entertain any claim whatsoever in this respect of the same.	_
			input for or output by this contract shall be payable by the contractor and Government	_
_			constitution worker, welfare cess royalty or any other tax, levy or cess in respect of	
			lincludes, octroi. Malkhana, Toll tax, Goods and Service Tax, building and other	
	metre		direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate	
_	square		mm (eighty millimetre) as per drawings and Technical Specification Clause 1504 as per	
_	Рег	532 <b>50</b>	Providing and Laying of Interlocking Concrete Block Pavements having thickness 80	

Executive Engineer, Ghumarwin Division, HP, PWD, Ghumarwin.

ME OF WORK: Repair and Maintenance Ghumarwin Dabla Morsinghi road km 0/0 to 8/0 (SH:-Making up losss Material at RD. 0/800 to 6/00 and unlined drain at RD. 1/500 to 100 & 5/100 to 5/995) Making up loss of Material/irregularities on shoulders to the design level by adding fresh Sub-Head and item of work Construction of unlined surface drains of average cross-sectional are 0.40 Sqm (Zero point all leads and lifts as per directed by the Engineer-in-charge. The ratre including octroi, of 1000 m as per technical specification clause 1903, including carriage of material within approved selected soil and compacting it with appropriate equipment at OMC upto a lead (Fifty meter)(average lead 25 m) (Twenty five Meter) as per technical specification clause material to be used in embankment with a lift up to 3 m(Three meter) and lead of 50 m royality, Malkana toll tax, GST or other taxis imposed by the Government by the Government in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other tax is imposed 307 including carriage of material within all leads and lifts as per directed by the Engineerforty square meters) in soil to specified lines, grades, levels and dimensions. Excavated BRANTISCHEDULE OF QUANTITY TOTAL Quantity 7180.00 1150.00 Figures EARNEST MONELY:- Rs. 4000/- Only. ESTIMATED COST:- Rs. 199668/- ONLY TIME ALLOWED:- ONE MONTH חביים וחד בכ Rates Words. Unit Keculive unningMe square Amount Milds WITT.

Executive Vinginos, Ghumarwin Division, HP, PWD, Ghumarwin

ESTIMATED COST:- Rs.117783/-Only.
EARNEST MONETY:-Rs. 2400 /-Only.

TIME ALLOWED: ONE MONTH.

Rate In

Unit

Amount

Words.

Per Square Metre ME OF WORK:-AMP for the year 2021-22 Dhaloh Mundhkhar road (SH:- Repair of pot holes at RD.0/0 to 1/500)

		, · No.
Repair to pot holes of bitumenious surface road and removal of loose material, trimming of sides, cleaning of surface by providing tack coat, 20mm (Twenty millimetre) thick pre-mix carpet and seal coat type B specification clause 1904.2. 503 and 508.1 including carriage of material within all leads and lifts as per directed by the Engineer-in-charge. The ratre including octroi, royality, Malkana toll tax, GST or other taxis imposed by the Government.		: No. Description of item
690.00		Quantity
	Figures	

Executive Engineer, Ghumarwin Division, HR, PWD, Chumarwin

...

**~~**∀~ 5.

i

Estimated Cost:- Rs. 4,99,456.00

Earnest Money:- Rs. 10,000.00 One Month

Sr.	Description Item	Quantity	Unit	F	Rates
No.				In figure	In words
	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window	68.62	Per cubic metre		
	sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing 1:3:6 (one cement: three coarse sand: six graded stone aggregate) 20 mm (twenty millimetre) nominal size as per direction of Engineer-In-Charge with in all	_			
	leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax. building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be				
	payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.				
~	Centering and shuttering including strutting, propping etc. and removal of form work for Retaining walls, return walls, walls (any	117.00	Per		
	In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax. Goods and Service Tax,		тепе		
_	building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this				
	contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.				
_					

Ghumarwin Division
HPPWD Ghumarwin Executive Engineer



Name of Work: Construction of Football stadium and playground at Govt. Primary School Dakhuit G.P. Dangar Tehsil Ghumarwin District Bilaspur HP (SH:- construction of R/wall first portion RD 0/0 to 0/015 and stadium had about Primary School Dakhuit G.P. Dangar Tehsil Ghumarwin District Bilaspur HP (SH:- construction of R/wall first portion RD 0/0 to 0/015 and stadium had about Primary School Dakhuit G.P. Dangar Tehsil Ghumarwin District Bilaspur HP (SH:- construction of R/wall first portion RD 0/0 to 0/015 and stadium had about Primary School Dakhuit G.P. Dangar Tehsil Ghumarwin District Bilaspur HP (SH:- construction of R/wall first portion RD 0/0 to 0/015 and stadium had about Primary School Dakhuit G.P. Dangar Tehsil Ghumarwin District Bilaspur HP (SH:- construction of R/wall first portion RD 0/0 to 0/015 and stadium had about Primary School Dakhuit G.P. Dangar Tehsil Ghumarwin District Bilaspur HP (SH:- construction of R/wall first portion RD 0/0 to 0/015 and stadium had about Primary School Dakhuit G.P. Dangar Tehsil Ghumarwin District Bilaspur HP (SH:- construction of R/wall first portion RD 0/0 to 0/015 and stadium had about Primary School Dakhuit G.P. Dangar Tehsil Ghumarwin District Bilaspur HP (SH:- construction of R/wall first portion RD 0/0 to 0/015 and stadium and playground at Govt. Earnest Money:- Rs. 10,000.00 One Month

Estimated Cost:- Rs. 4,99,785.00

Un Un	14	12	1-1		No.	? ?
Filling available entrasted earth (excluding rock) in treaches, plinth, sides of foundations etc. in layers not exceeding 20cm (twenty centimetre) in depth, coasolidating each deposited layer by ramming and watering, upto any lead and lift as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana. Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Covernment shall not entertain any claim whatsoever in this respect of the same.	Centering and shuttering including strutting propping etc. and removal of form work for Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillers, kerbs and steps etc. as per direction of Engineer———————————————————————————————————	Silk, fillers, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing 1:3:6 (one cement: three coarse sand: six graded stone aggregate) 20 mm (twenty millimetre) nominal size as per direction of Engineer-In-Charge with in all leads and lifes and other incidentals. The rate includes, octrol, Malkhana. Toll tax, Goods and Service Tax, building and other millimetre cass royalty or any other tax, levy or cass in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Philable Lib. 18 concrete stands tenserit concrete of specified grade excluding the cost of centering and shuttering - All work up to philable cost in centering and shuttering - All work up to philable cost of centering and shuttering - All work up to philable cost of centering and shuttering as per direction of Engineer-In-Charge with in all leads and lifes and other incidentals. The rate includes, octroi. Malkhana. Toll tax., and Scruce Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for an output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm (thirty centimetre) in depth, 1.5 m (one point five metre) in width as well as 10 sqm (ten square metre) on plan) including getting out and disposal of excavated earth upto any lead and lift as directed by Engineer-in-charge. All kinds of soil as per Technical Specification Clause 3015 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax. Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Description Item	sy men max per men and o/o to 0/015 and stadium bed etc.)
70.20	84.50	1728	75.23	59.30	Quantity	
Per cubic metre	Per square metre	Per cubic metre	Per cubic metre	metre	Unix	
					In figure	
					In words	Rates
			-			Amount

0.72	
Providing weep holes in brick masonary / stone masonary / plain reinforced concrete abutment, wing wall, return wall providing weep holes in brick masonary / stone masonary / plain reinforced concrete abutment, wing wall, return wall (V): 20(H) towards providing weep holes in brick masonary / stone masonary / plain reinforced concrete abutment, with slop of 1(V): 20(H) towards for providing weep holes in brick masonary / stone masonary / plain reinforced concrete abutment, slop of 1(V): 20(H) towards for providing with in all law for any specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all drawing face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all drawing face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all drawing face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all drawing face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all law face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all law face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all law face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all law face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all law face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all law face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all law face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all law face complete as per HPPWD specification clauses 614,709,1204	
g weep hundt face co hd lifts union v	
holes holes red mil omplet and otl and otl worker e contr	
in brid limetr le as pe her inc welfa	
ck mas e), dia er HPP identa re cess	
onary PVC pi PVC pi WD sp Is. The vernm	
/stone /stone lpe ex ecifica ecifica erate it y or an	
maso: maso: tendin tion cl tion cl nclude nclude all not	
nary / g thro auses s, octr er tax, enter	
plain i ugh th ugh th 614,70 oi, Ma levy o tain an	
reinfor e full v 9,120 9,120 alkhan r cess ry clair	
ced cowith of 4.3.7 .a Toll in responsible what in what	
ncrete the stips per contract tax, (contract)	
abuth ructur ructur directi directi input l r in thi	
nent, or or or or or or or or or or or or or	
wing v in slop prvice prvice h slop h	
wall, rof 1() of 1() er-in- er-in- Tax, by the the sa	
eturn V): 20 Charg uildin is con me.	
(H) to e with g and tracts	ا الدين
wards in all other hall by	<u> </u>
6 8	00
	18.00
	8
	Each
	() 
7	
.	

Exacutive Engineer Ghumarvin Ghumarvin

SCHEDULE OF QUANTITY

-ر-

ESTIMATED COST:- Rs. 4280807-ONLY.

EARNEST MONELY:- Rs. 86007- Only.

TIME ALLOWED: TWO MONTH.

HP, PWD, Grainarvin.

Estimated Cost:- Rs. 4,77,103.00

Earnest Money:- Rs. 9,600.00

Name of Work:- AMP for the year 2022-23 on Dehra Kot Kangri Dasmal road km 0/0 to 2/500 (SH:-construction of solid cause way at RD 1/020 to 1/0250 One Month

T	ω	2	_	No.
Total:-	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 R.C.C. grade M 25 (twenty five) 1:1/1/2:3 (one cement: one and half sand: three crushed stone aggregate) as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Providing and laying mechanically mixed and vibrated cement concrete for plain/reinforced concrete in open foundations for all type of structure complete of plain cement concrete grade M-10(M-Ten) nominal mix 1:3:6(One cement: Three sand: Six graded crushed stone aggregate) 20mm(Twenty millimetre size) in or under water and curing complete including pumping of bailing out water, dewatrering, removal of slush as required at site which may arise at the time of laying under water complete for all heights/depths including the cost of form work as per drawing and M.O.R.D. technical specification clause 802,803,1202 and 1203 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax. Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	puressing the ground including cutting and filling upto any depth Spade Work as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Description Item
	60.38	80.50	805.00	Quantity
	Per cubic metre	Per cubic metre	Per square metre	Unit
			_	Rates In figure In words
P. C.				Amount

Executive Englaces
Chamarwin Division
Chamaryin Di Chamaryi

Earnest Money:- Rs. 10,000.00 Estimated Cost:- Rs. 4,98,978.00

1-17		-	-	-	otal:	
		n 70	Per square metre	2739.98	Providing and laying seal coat sealing the voids in a bituminous surface laid to the specified levels grade and cross fall using Type-B as per Technical specification 510 by mechanical means using bitumen V-G-10 (Viscosity grade ten) having bitumen @6.8 Kg (six point eight kilogram) premix with 0.06 cum (zero point zero six cubic meter) of fine aggrigate 10 sqm (ten square metre) as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	5
				-	rolling with three wheel 80-100 KN(eighty to hundred KN) static roller capacity, finished to required level and grades to be followed by seal coat of either type-B as per technical specification clause 508 by mechanical means using bitumen V-G-10(viscosity grade-ten) as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octrol, Malkhana, Toll tax, Goods and Service Tax, building and other constrution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of	
·. :	.,		square metre	2739.98	Providing laying and rolling of open graded premix carpet of 20mm( Twenty millimeter) thickness composed of 13.2mm to 5.6mm (thirteen point two to five point six millimetre) aggregate either using penetration grade bitumen V-G-10 (viscosity grade-ten) to required line grade and level to serve as wearing course on a previously prepared base including mixing in a suitable plant, laying and	<b>A</b>
			Per square metre	2739.98	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.20 to 0.25 kg (zero point two zero to zero point two five kilogram) per sqm on the prepared bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503. including carriage of materials with in all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octroi, Malkhana, Toll tax, Goods Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	ω
			Per square metre	150.70	Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per Technical Specification Clause 502 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkbana, Toll tax, Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of	N
			Per square metre	150.70	realiteriance of WBM road including filling up of pot holes, ruts and rectifying corrugated surface, damaged edges and ravelling as per technical specification Clause 1906.as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	
Amount	Rates In words	In figure	Unit	Quantity		
n RAHIAN	One Month ck premix carpet o	me :- ; 20mm thic	Ti id laying	roviding ar	Name of Work:— Annual Maintenace Plan for the year 2021-22 for rural road (village road) other than PMGSY (SH:-Providing and laying 20mm thick premix carpet on RAHIAN St.    Sr.	Nam To v

Earnest Money:- Rs. 10,000.00
Time :- One Month Estimated Cost:- Rs. 4,98,978.00

Ŋ

Name of Works: Annual Maintenace Plan for the year 2021-22 for rural road (village road) other than PMGSY (SH:-Providing and laying 20mm thick premix carpet on RAHIAN TO VIJAY PUR AUHAR road in km 3/0 to 3/850)

wind many up or por mines, this and recitlying corrigated surface, dainaged edge	many many of or bornes, the and technyold correspond surface, damaged edges and laveling	WILLIAM THE WILLIAM THE PARTY OF THE PARTY PROPERTY OF THE PARTY AND THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF T	_	15070	150.70
includes, extract matter and that, Goods and Service Tax, building and other construction worker, welfare control of the sand other in the sand other construction worker, welfare control or construction worker, welfare control or construction worker, welfare control or control of the same.  Tax, levy or coss in respect of input for or output by this contract shall be payable by the contractor and Government, whatsoever in this respect of the same.	1906.as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The I olf tax. Goods and Service Tax, building and other construction worker, welfare cess royalty or a uput for or output by this contract shall be payable by the contractor and Government shall not e expect of the same.	texhnical specification Clause 1906 as per direction of bugineer-in-Charge with in all leads and lifts and other incidentals. The rate includes octive, Malkhana, Toll tax, Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Inding thing up of pot holes, ruts and rectifying corrugated surface, damaged edges and ravelling as per 1906. TYPOS. TYPOS. TYPOS. TYPOS. THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE	pot holes, ruts and rectifying corrugated surface, damaged edges and ravelling as per on of Bingineer-In-Charge with in all leads and lifts and other incidentals. The rate Service Tax, building and other construction worker, welfare cess royalty or any other by this contract shall be payable by the contractor and Government shall not entertain	pot holes, ruts and rectlifying corrugated surface, damaged edges and ravelling as per on of bingineer-in-Charge with in all leads and lifts and other incidentals. The rate Service Tax, building and other construction worker, welfare cess royalty or any other by this contract shall be payable by the contractor and Government shall not entertain
No. as per unrection of bingtheer-in-Charge with in all leads and lifts and other in two, Goods and Service Tax, building and other construction worker, welfare cet for or output by this contract shall be payable by the contractor and Government of the same.  at with bituinen emulsion (SS-1) on prepared surface of granular base including the with bituinen emulsion (SS-1).	NAME per unection of bugineer-in-Charge with in all leads and lifts and other incidentals. The interest per unection of bugineer-in-Charge with in all leads and lifts and other incidentals. The item, Goods and Service Tax, building and other constriction worker, welfare cess royalty or a tip or output by this contract shall be payable by the contractor and Government shall not extremely of the same.  At with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of restrictions.	tax, foods and Service Tax, building and other constriction worker, welfare cess royalty or any other to, foods and Service Tax, building and other constriction worker, welfare cess royalty or any other it for or output by this contract shall be payable by the contractor and Government shall not entertain ect of the same.  at with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road	ther	ain 150.70	ain 150.70
bods and Service Tax, building and other constrcution worker, welfare controlled by this contract shall be payable by the contractor and Governmente same.  1 bitunien emulsion (SS-1) on prepared surface of granular base including the same.	bods and Service Tax, building and other constriction worker, welfare cess royalty or a routput by this contract shall be payable by the contractor and Government shall not eache same.  1 bitumen emulsion (5S-1) on prepared surface of granular base including cleaning of routput to the same.	bods and Service Tax, building and other constriction worker, welfare cess royalty or any other routput by this contract shall be payable by the contractor and Government shall not entertain the same.  1 bitumen emulsion (5S-1) on prepared surface of granular base including cleaning of road	ain	ain 150.70	ain 150.70
s and service (ax, building and other constriction worker, welfare contractor and Governments by this contract shall be payable by the contractor and Governments.  The contract shall be payable by the contractor and Governments.  The contract of the contract of granular base including the contract of granular base including the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the cont	s and service tax, building and other construction worker, welfare cess royalty or a sput by this contract shall be payable by the contractor and Government shall not e same.  anne.  union emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning of rounion emulsion (SS-1) on prepared surface of granular base including cleaning  memory of the contract of the tax, who was all service tax, building and other construction worker, welfare cess royalty or any other tax, key or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.  Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per Technical Specification Clause 502 as per	put by this contract shall be payable by the contractor and Government shall not entertain ame.  150.70  150.70  150.70  150.70  150.70	150.70	150.70	
vice Tax, building and other constriction worker, welfare color contract shall be payable by the contractor and Governments contractor and Governments contract of granular base including a list on prepared surface of granular base including a list on prepared surface of granular base including a list of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of t	vice Tax, building and other constriction worker, welfare cess royalty or a lis contract shall be payable by the contractor and Government shall not e usion (SS-1) on prepared surface of granular base including cleaning of re/sqnn using mechanical means as per Technical Specification Clause 502 at 185 and other incidentals. The rate includes, octroi, Malkhana, Toll tax, other, welfare cess royalty or any other tax, levy or cess in respect of input for any other tax, levy or cess in respect of input for any other tax.	includes, octroi. Malkhana, Toll tax, Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.  Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and applying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per Technical Specification Clause 502 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constriction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of Providing and applying task cost with Estaman and Covernment shall not entertain any claim whatsoever in this respect of Providing and applying task cost with Estaman and Covernment shall not entertain any claim whatsoever in this respect of Providing and applying task cost with the contractor and Government shall not entertain any claim whatsoever in this respect of Providing and applying tasks.	'	150.70 150.70	150.70
n-charge with in all leads and lifts and other in Iding and other construction worker, welfare chall be payable by the contractor and Governmenally on prepared surface of granular base including inchanical means as per Technical Specification incidentals. The rate includes, octroi, Malkhers royalty or any other tax, levy or cess in respectively.	n-Charge with in all leads and lifts and other incidentals. The Iding and other construction worker, welfare cess royalty or a hall be payable by the contractor and Government shall not e on prepared surface of granular base including cleaning of renechanical means as per Technical Specification Clause 502 ar incidentals. The rate includes, octroi, Malkhana, Toll tax, ocess royalty or any other tax, levy or cess in respect of input for	If the payable by the contractor and Government shall not entertain on prepared surface of granular base including of cleaning of road on prepared surface of granular base including cleaning of road nechanical means as per Technical Specification Clause 502 as per rincidentals. The rate includes, octroi, Malkhana, Toll tax, Goods cess royalty or any other tax, levy or cess in respect of input for or	in	ner 150.70	ner 150.70
the in all leads and lifts and other in the construction worker, welfare controlled by the controlled and Governments by the controlled base including the surface of granular base including neans as per Technical Specifications. The rate includes, octroil Malkh.	ith in all leads and lifts and other incidentals. The interconstruction worker, welfare cess royalty or able by the contractor and Government shall not enable by the contractor and Government shall not end surface of granular base including cleaning of roneans as per Technical Specification Clause 502 and S. The rate includes, octroided Malkhana and Toll tax and some contractions.	th in all leads and lifts and other incidentals. The rate her constrcution worker, welfare cess royalty or any other able by the contractor and Government shall not entertain distribute of granular base including cleaning of road neans as per Technical Specification Clause 502 as per s. The rate includes, octroi. Malkhana. Toll tax. Goods	ain der	her ain 150.70	her ain 150.70
is and lifts and other in ition worker, welfare contractor and Government of the contractor and Government of the contractor of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract o	Is and lifts and other incidentals. The Ition worker, welfare cess royalty or a outractor and Government shall not e granular base including cleaning of refrential Specification Clause 502 and cludes, octroi, Malkhana, Toll tax, or	Is and lifts and other incidentals. The rate ution worker, welfare cess royalty or any other ontractor and Government shall not entertain granular base including cleaning of road r Technical Specification Clause 502 as per cludes, octroi, Malkhana, Toll tax, Goods	her	ain 150.70	ain 150.70
welfare con welfare con welfare con Governme including the recification it, Malkh	welfare cess royalty or a Welfare cess royalty or a Government shall not e including cleaning of repetition Clause 502 a ecification Clause 502 a i, Malkhana, Toll tax, i ess in respect of input for	welfare cess royalty or any other Welfare cess royalty or any other Government shall not entertain in including cleaning of road ecification Clause 502 as per i. Malkhana, Toll tax, Goods ess in respect of input for or	in	150.70	150.70
3 1 6 E C C	dentals. The solution of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectangle of rectan	dentals. The rate s royalty or any other nt shall not entertain cleaning of road Clause 502 as per a, Toll tax, Goods	s ain	ain 150.70	ain 150.70
150.70		square metre Per square metre			
150.70		square metre Per square metre			

#### $\frac{2}{3}$

### Schedule of Quantity

Estimated Cost:- Rs. 4,98,978.00
Earnest Money:- Rs. 10,000.00
Time:- One Month

Name of Work: Annual Maintenace Plan for the year 2021-22 for rural road (village road) other than PMGSY (SH:-Providing and laying 20mm thick premix carpet on RAHIAN TO VIJAY PUR AUHAR road in km 3/850 to 4/700)

	<b>U</b> I	th.	w	6.3		
Total:-	Providing and laying seal coat sealing the voids in a bituminous surface laid to the specified levels grade and cross fall using Type-B as per Technical specification 510 by mechanical means using bitumen V-G-10 (Viscosity grade ten) having bitumen @6.8 Kg (six point eight bildogram) premix with 0.06 cum (zero point zero six cubic meter) of fine aggrigate 10 sqm (ten square metre) as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any daim whatsoever in this respect of the same.	Providing laying and rolling of open graded premix carpet of 20mm (Twenty millimeter) thickness composed of 13.2mm to 5.6mm (thirteen point two to five point six millimeter) aggregate either using penetration grade bitumen V-G-10 (viscosity grade-ten) to required line grade and level to serve as wearing course on a previously prepared base including mixing in a suitable plant, laying and rolling with three wheel 80-100 KN(eighty to bundred KN) static roller capacity, finished to required level and grades to be followed by seal coat of either type-8 as per technical specification clause 508 by mechanical means using bitumen V-G-10(viscosity grade-ten) as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of incompanies.	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.20 to 0.25 kg (zero point two zero to zero point two five kilogram) per sqm on the prepared bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503, including carriage of materials with in all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octroi. Malkhana, Toll tax, Goods Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Provious and applying primer coat with bitumen emulsion (\$5-i) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per Technical Specification Clause 502 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of	Line 1906. It is a control of Engineer-in-Charge with in all leads and lifts and other incidentals. The rate take in case octor. Malability is a control of Engineer-in-Charge with in all leads and lifts and other incidentals. The rate take octor, walking and other construction worker, welfare cess royalty or any other take of the same.	
	2739.98	2739.98	2739.98	150.70	.50.70	(Ammin)
	equare metre	Per square metre	Per square metre	Per square metre	square metre	Jnit
			_			in figure
						Rates In words
						Amount

Earnest Money:- Rs. 5,300.00 Estimated Cost:- Rs. 2,64,165.00

Time: One Month 37

Name of Work: Annual Maintenace Plan for the year 2021-22 for rural road (village road) other than PMGSY (SH:-Providing and laying 20mm thick premix carpet on RAHIAN TO VILLAGE TO THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PR TO VIJAY PUR AUHAR road in km 4/700 to 5/0 & 0/850 to 1/0

	رب د	4	ω	2		ST.
Total:-	Providing and laying seal coat sealing the voids in a bituminous surface laid to the specified levels grade and cross fall using Type-B as per Technical specification 510 by mechanical means using bitumen V-G-10 (Viscosity grade ten) having bitumen @6.8 Kg (six point per Technical specification 510 by mechanical means using bitumen V-G-10 (Viscosity grade ten) having bitumen @6.8 Kg (six point per Technical specification) premix with 0.06 cum (zero point zero six cubic meter) of fine aggrigate 10 sqm (ten square metre) as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toil tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same.	Providing laying and rolling of open graded premix carpet of 20mm( Twenty millimeter) thickness composed of 13.2mm to 5.6mm (thirteen point two to five point six millimetre) aggregate either using penetration grade bitumen V-G-10 (viscosity grade-ten) to required line grade and level to serve as wearing course on a previously prepared base including mixing in a suitable plant, laying and rolling with three wheel 80-100 KN(eighty to hundred KN) static roller capacity, finished to required level and grades to be followed by seal coat of either type-B as per technical specification clause 508 by mechanical means using bitumen V-G-10(viscosity grade-ten) as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.20 to 0.25 kg (zero point two zero point two five kilogram) per sqm on the prepared bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503. including carriage of materials with in all leads lifts and other incidentals as per direction of Engineer-in-Charge. The rate includes, octroi, Malkhana, Toll tax, Goods Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim what specter in this respect of the same.	Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per Technical Specification Clause 502 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octrol, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same	Naintenance of WBM road including filling up of pot holes, ruts and rectifying corrugated surface, damaged edges and ravelling as per technical specification Clause 1906.as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsnever in this respect of the same	Description Item
	1450.58	1450.58	1450.58	79.78	79.78	Quantity
	Per square metre	Per square metre	Per square metre	Per square metre	Per square metre	Unit
						In figure
						Rates In words
						Amount