HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

No. PW-MDI-E-Tender-NIT/2021-22- 27 335- 37

Dated: 19/03/2022

To

The Executive Engineer (IT Cell), Nigam Bhhar, Shimla-2.

Subject: -

Publishing of tender notice.

Dear Sir,

Enclosed please find herewith the Tender Notice of work as given in the Notice Inviting Tender for uploading on department website as per notification Pr. Sec (PW) to the Govt. of H.P. letter No. PBW(B) A(3)1/2020 dated Shimla-2 the 16th July, 2021 as the work mentioned in the tender notice are urgent in nature and in public interest.

DA:- Notice Inviting Tender.

Executive Engineer, Mandi Division No.I, HP. PWD Mandi.

Copy forwarded the Superintending Engineer, 1st Circle,

HPPWD, Mandi for information please.

Copy forwarded to the Computer Cell O/O Executive Engineer (IT Cell) Nigam Bihar, Shimla-2 for information and further necessary action please.

Executive Engineer, Mandi Division No.I, HP. PWD. Mandi.

HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

NOTICE INVITING TENDER

Sealed item rate tender on form No. 6 & 8 are hereby invited by the Executive Engineer, Mandi Division No.I, HP. PWD., Mandi on behalf of the Governor of Himachal Pradesh for the below noted works from eligible Contractors/firms registered in H.P.P.W.D. in appropriate class as per revised enlistment rules, so as to reach in this office on or before 26.03.2022 up to 12:00 Noon and the same shall be opened on the same day at 12:30 P.M. in the presence of the Contractors or their authorized representatives who may be present. The tender form can be held from this office against cash payment (Non Refundable) on 25.03.2022 upto 12:00 Noon.

The tender shall accompany with Earnest Money which should be in the shape of NSC/Time Deposit/Saving Bank account in the Post Office/bank in H.P. duly pledged in the favour of undersigned.

Conditional tenders, telegraphic and tender without earnest money will not be entertained. The Executive Engineer, Mandi Division No.I, HP. PWD., Mandi reserves the right to accept or reject the tenders. The tender shall remain valid for 90 days from the date of opening of the tenders. If any of the date mentioned above happens to be local/ Gazetted Holiday the same shall be process on next date.

Sr. No.	Name of work.	Estimated Cost (in Rs.)	Earnest Money (in Rs.)	Cost of Tender Form (in Rs.)	Time
1	Restoration of rain damages on Aut Takoli Prasher road Km 0/0 to 27/0. (SH:-Construction of wire crate Retaining wall at RD 0/320 to 0/330)	3,16,173/-	6,300/-	350/-	One month

1. <u>Certified that tender of above works are being called of emergent nature in exigency of public interest.</u>

TERMS AND CONDITIONS:-

- 1. The Contractor/Firm shall have his GST. No. & copy of the same be attached with the application.
- 2. The intending Contractor/Firm Should have attached copy of registration/renewal.
- 3. The earnest money & cost of tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money & cost of tender form shall summarily be rejected.
- 4. The intending Contractors are requested to see the site of the work before submitting the tender.
- 5. The tender form will be issued to those contractors who have not more than two works at the time of issue of tender forms. In this regard, contractor has to submit an affidavit that he is not having more two works.
- 6. The offer of the tender shall remain valid upto 90 days after the opening of tender.
- 7. The tender shall be awarded to the lowest bidder if his tendered amount is within limit of (+) 5% to (-) 30% of the amount put to tender, otherwise the tender will be cancelled and recalled.
- 8. The Executive Engineer reserves the right to reject/accept any or all the tenders without assessing any reason.

HIM SUCHANA AVAM JAN SAMPARK

Executive Engineer, Mandi Division No. I, HPPWD., Mandi Distt. Mandi (H.P.) Schedule of Quantity

on Aut Takoli Prasher road Km. 0/0 to 27/0. Name o

Estimated Cost:-Earnest Money:-Time:-

316173.00 6300.00 One Month Rs.

Name of workt-Restoration of rain damages on Auri Taxon Frasher Toda Name of workt-Restoration of rain damages on Auri Taxon Frasher Toda Name of Workt-Restoration of wire crate Retaining well at RD 0/320 to 0/330. Earth work in excavation for structures for all kinds of soil by mechanical/manual means over areas upto any and the region of structures for all kinds of soil by mechanical/manual means over areas upto any and the region of structures for all kinds of soil by mechanical/manual means over areas upto any and the region of structures for all kinds of soil by mechanical/manual means over areas upto any and the region of structures for all kinds of soil by mechanical/manual means over areas upto any and the region of structure with mechanical property and interest of soil of centering and shuttering shutering shuttering shutter		Amount					
Item Oty In Figure by mechanical/manual means over areas upto any action of Engineer-in-Charge. cement: four sand : eight graded stone aggregate tering and shuttering -all works up to all level curing cidental as per direction of Engineer-in-Charge. The Double Twisted Hexagonal Shaped Wire mesh of required size, Mesh Type 10x12 (ten into twelve) of required size, Mesh Type 10x12 (ten into twelve) and rechanically edged / selvedged with partitions at fopenings per meter of mesh perpendicular to twist, ree point two) (ID/OD), supplied @3% (at the rate of ers with least dimension of 200 mm (two hundred carriage of material and other incidentials as per		Unit		Per cubic metre	Per cubic metre	Per cubic metre	Total:-
ltem y mechanical/manual means over areas upto any mechanical/manual means over areas upto any solor Cum. ted earth complete within all leads, lifts, carriage of earth complete within all leads, lifts, carriage of cement: four sand : eight graded stone aggregate community and shuttering -all works up to all level curing cidental as per direction of Engineer-in-Charge. The Double Twisted Hexagonal Shaped Wire mesh of required size, Mesh Type 10x12 (ten into twelve) (of required size, Mesh Type 10x12 (ten into twelve) (of required size, Mesh Type 10x12 (ten into twelve) (of required size, Mesh Type 10x12 (ten into twelve) (openings per meter of mesh perpendicular to twist, ree point two) (ID/OD), supplied @3% (at the rate of error with least dimension of 200 mm (two hundred carriage of material and other incidentials as per		Rate	In words				
Item by mechanical/manual means over areas upto any ted earth complete within all leads, lifts, carriage of ection of Engineer-in-Charge. cement: four sand: eight graded stone aggregate tering and shuttering -all works up to all level curing cidental as per direction of Engineer-in-Charge. For Double Twisted Hexagonal Shaped Wire mesh of required size, Mesh Type 10x12 (ten into twelve) of required size, Mesh Type 10x12 (ten into twelve) swith percent)) Zinic + PVC coated, Mesh wire mechanically edged / selvedged with partitions at fopenings per meter of mesh perpendicular to twist, ree point two) (ID/OD), supplied @3% (at the rate of err with least dimension of 200 mm (two hundred carriage of material and other incidentials as per			In Figure				
Description of large crate Retaining wall at RD 0/320 to 0/330. Bearth work in excavation for structures for all kinds of soil by mechanical/manual means over areas upto any depth and width including getting out and disposal of excavated earth complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge. Providing and laying in position cement concrete 1:4:8 (one cement: four sand : eight graded stone aggregate 40mm (forty millimetre) nominal size excluding the cost of centering and shuttering -all works up to all level curing complete within all leads, lifts, carriage of material and other incidental as per direction of Engineer-in-Charge. Providing & making Gabion structure with Mechanically Woven Double Twisted Hexagonal Shaped Wire mesh Gabion Boxes as per IS 16014:2012, MORTH Clause 2500, of required size, Mesh Type 10x12 (ten into twelve) (D=100 mm (two point sevent/ three point seven), mechanically edged / selvedged with partitions at even ty minterval and shall have minimum 10 (ten) numbers of openings per meter of mesh perpendicular to twist, tying with lacing wire of diameter 2.27 3.7mm (two point two point two three point two) (ID/OD), supplied @3% (at the rate of three percent) by weight of Gabion boxes, filled with boulders with least dimension of 200 mm (two hundred millimetre), as per drawing, complete within all leads, lifts, carriage of material and other incidentials as per direction of Engineer-in-Charge.		Qty		30.87 Cum.	23.63 Cum.		
E 0 1: 6	e of work:- Restoration of rain damages on Aut Takoli Prasher I day Aut. 370 to 2770. Head:- Construction of wire crate Retaining wall at RD 0/320 to 0/330.	Docorintion	o liondinged	Earth work in excavation for structures for all kinds of soil by mechanical/manual means over areas upto any depth and width including getting out and disposal of excavated earth complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.			
Sul Sul	Name Sub F	3	Sr.	O	2	m	

Executive Engineer, Mandi Division No.1, HP-PWD. Mandi.