Office of



Executive Engineer B&R Division HP.PWD. Joginder Nagar

Himachal Pradesh Public Works Department, Mandi-175015 Phone & Fax No. 01908-222033 E-Mail:- ee-jog-hp@nic.in

"NOTICE INVITING TENDER"

Sealed item rate tender for the following works are hereby invited by the Executive Engineer, B&R Division HP.PWD., Joginder Nagar District Mandi (H.P) from the eligible contractors of the appropriate class registered in HP.PWD. as per revised enlistment rules so as to reach in the office of under signed on 13/04/2022 up to 11:30 A.M. and will be opened on the same day at (12:00 noon) in the presence of intending contractors. The tender application will be received in this office against cash payment on 11/04/2022 up to 10.00 A.M. to 12:30 P.M. and tender form can be had from this office on 12/04/2022 from 2.00 P.M. to 5.00 Pm. The earnest money as shown against each in the shape of F.D.R of any bank in Himachal Pradesh duly pledged in the name of the under signed must accompany with each tender. The tender form will be issued to contractor giving proof of enlistment, GST, work done certificate, proof of machinery etc. Conditional tender and tender received without earnest money will be out rightly rejected. The offer of the tender shall be kept open for 90 days. The Executive Engineer reserves the right to reject any or all the tenders without assigning any reasons.

The draft NIT and other specifications and conditions of the tender can be seen by the

contractors in the	office of the	under	signed on any	working day o	luring the office hours.

Sr. No.	Name of work	t	nount put to ender/ Est. cost		Earnest money	T	ost of ender Form	Eligible Class of Contractor	Time
1	Construction of Govt.Degree College at Lad-Bharol District Mandi (H.P.) (Sub Head:- Construction of Boundary wall back side)	₹	4,47,229/-	₹	8,900/-	₹	350/-	Class "D"	Three months
2	Construction of Govt.Degree College at Lad-Bharol District Mandi (H.P.) (Sub Head:- Construction of retaining wall at Km. 0/0 to 0/015) Front side of Block-I	₹	4,98,054/-	₹	10,00/-	₹	350/-	Class "D"	Three months

Certified that tender of above left out work is of exigency nature in order to get complete the building in public interest Terms and conditions:-

1. The contractor should produce a copy of enlistment / renewal letter at time of application.

Executive Engineer reserves the right to reject/cancel any or all the tenders without assigning any reasons. 2 3. The contractor/Firm shall have his registration and GST No, the copy of same be attached with the application.

The earnest money shall be deposited duly pledged in favour of Executive Engineer B&R Division HPPWD., Joginder 4. Nagar & cost of tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money & cost of tender form shall summarily be rejected.

5. No tender form will be issued to the contractor without producing the work done certificate from the Executive Engineer concerned.

The Contractor/Firms must have executed minimum one civil /similar nature of work done of amount not less than 6. 40% (forty percent) of the estimated cost (without Liquidated Damage or compensation) in last five years.

7. The contractor/firms are requested to insert the rate of each item in words as well as in figures failing which XEN reserves the right to accept/reject any tender without assigning any reason at any stage.

8. The tender shall be issued to those contractors who have not more than two works in hand.

> **Executive Engineer, B&R Division HP PWD.**, Joginder Nagar. District Mandi (HP) on behalf of Governor of Himachal Pradesh

No. PW-JND-B&R-EA-I/NIT/Press/2021-22- 968 -79

Ph. 01908-222033 Dated:-4-4-2022

- Copy to the F.C. Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
- The Engineer-in-Chief, HPPWD, Shimla.
- The Chief Engineer (MZ), HPPWD, Mandi.
- The Superintending Engineer, Joginder Nagar Circle HPPWD, Joginder Nagar.
- The Deputy Commissioner, Mandi, Distt. Mandi (HP) for wide publicity.
- The Sub-Divisional Officer (Civil)/Executive Officer, Municipal Council, Joginder Nagar for wide publicity...
- The Block Development Officer, Chauntra & Drang for wide publicity
- All the Executive Engineer in HPPWD for wide publicity.
- All the Assistant Engineer working under this Division.
- 10. Drawing Branch in this office.
- 11. Notice Board.
- 12. The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental

Executive Engineer, **B&R Division HP PWD.**, Joginder Nagar.

E/240. 454

Estimate Cost: Earnest Money:

4,47,22 8,90

SCHEDULE OF QUANTITY

Name of Work : Construction of Govt. Degree Collage at Lad Bharol Distt. Mandi (H.P.) (SH: Construction of Boundary Wall Back Side)

(2)	0: ((SH: Collsti denon of Doubleary wan buch Sine)			Time Limit:
2		Description of work	No. or	Unit	Rate
Z ·			Qty.		Figures Words
-		Excavation in foundation, trenches etcetera in earth work involving all classification of soil such as pick work, pick jumper work, blasting work, soft or hard rocks including chiseling/wedging out of rocks where blasting work is prohibited or any other mixed variety of intermediate soil, dewatering and removal of slush if arrisen work is prohibited or any other mixed variety of intermediate soil, dewatering and removal of slush if arrisen	32.01	Per cubic metre	
	B B G	meters clear from the edge of the excavation and then returning the stacked soil in 15 cm (fifteen centimeters) thick layers when required into plinths, sides of foundation etcetera consolidating each deposited layer by			
	172	ramming and watering and then disposing of all surplus excavation earth within all leads, lifts by any mode of transportation and other incidental, as per the direction and entire satisfaction of Engineer-In-Charge. Any loss			
	to 11	to the private and public property during course of construction shall be absolute responsibility of the			
	gg CC	government.			
12		Providing and laying cement concrete 1:6:12 (One cement isto six sand isto twelve aggregate) graded	5.82	Per cubic metre	
	9 9	excluding cost of form work in foundation and plinth. The rates are inclusive cost and carriage of materials			
	22 X	Random rubble masonry/polygonal rubble masonry (uncoursed/brought to courses) with hard stone of	20.38	Per cubic	
-		approved quality in foundation and plinth including leveling up with cement concrete 1:6:12 (one cement : six		metre	
-	S	sand : twelve graded stone aggregate 20mm (twenty) millimeter nominal size mechanical mixed in cement			
-	: H	mortor 1:6 (one cement six sand) including curring and carriage of material within all leads and illis complete in all respect as per direction of Engineer in Charge.			
	4 P	Providing form work with steel plates of 3.15mm (three decimal one five milimeter) thick, welded with angle	54.00	Per square	
-	_	iron in frames of 30x30x5mm (thirty into thirty into five millimeter) so as to give a fair finish including		metre	
-	2 0	centring, shuttering strutting and propping etc, with wooden battens and battles for all neighbored concrete			
	מ כ	and plain concrete work in columns, pillars, posts and struts, square, rectangular, polygonal in plain including and plain concrete work in columns, pillars, posts and struts, square, rectangular, polygonal in plain including and plain concrete work in columns, pillars, posts and struts, square, rectangular, polygonal in plain including and plain concrete work in columns, pillars, posts and struts, square, rectangular, polygonal in plain including and plain concrete work in columns, pillars, posts and struts, square, rectangular, polygonal in plain including and plain concrete work in columns, pillars, posts and struts, square, rectangular, polygonal in plain including and plain concrete work in columns, pillars, posts and struts, square, rectangular, polygonal in plain including and plain concrete work in columns, pillars, posts and struts, square, rectangular, polygonal in plain including and plain concrete work in columns, pillars, posts and struts, square, rectangular, polygonal in plain including and plain concrete work in columns, pillars, posts and struts, square, rectangular, polygonal in plain including and plain concrete work in columns, pillars, posts and struts, square, rectangular, polygonal in plain including and plain concrete work in columns, pillars, posts and struts, square, rectangular, polygonal in plain including and plain			
-	0.0	Charge.			
_	5	Providing mild steel/Tor steel reinforcement for R.C.C. work including bending, binding and placing in	471.95	Per Kilogram	
		Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.			
1					

	Description of work	No. or	Unit	H	Rate	AMOUNT
No.		Qty.	4	Figures	Words	Rs. P
6	Providing and laying cement concrete work 1:2:4 (one Cement isto two Sand isto four graded stone aggregate	5.67	Per cubic			
	twenty milimeter nominal size) and curing complete excluding cost of form work and reinforcement for		metre			
	reinforced concrete work in columns, pillars, posts and struts, square, rectangular, polygonal in plain upto floor two level as per PWD specification including curring and carriage of material within all leads and lifts					
	complete in all respect as per direction of Engineer in Charge.					
7		2.19	Per cubic			
_	twenty milimeter nominal size) and curing complete excluding cost of form work and reinforcement for		metre			
	but tresses, pilasters, and their caps and bases and string courses etc. upto floor two levell as per PWD					
	specification including curring and carriage of material within all leads and lifts complete in all respect as per					
	direction of Engineer in Charge.					
8		11.16	Per cubic			
	thick with cement concrete hollow blocks of size 40cmx10cmx20cm (fourty by ten by twenty centimeter)		metre			ý
H	including quion block jamb blocks and closers etc. made of cement concrete 1:3:6 (one cement isto three sand					
	lists six graded stone aggregate 20mm (twenty milimeter) nominal size) laid with cement mortar 1:4 (one					
-						
	direction of Engineer in Charge.					
9	15mm (Fifteen milimeter) cement plaster in single coat on the rough side in cement mortar 1:6 (one	175.20	Per square			
-	isto six Sand). of brick/concrete/stone walls for interior plastering upto floor twol level including arrises, internal rounded angles, chamfers and/or rounded angles not exceeding 80mm in girth and finished even and		metre			
+	smooth.including curring and carriage of material within all leads and lifts complete in all respect as per					
	direction of Engineer in Charge.					
_	10 Steel work welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position in	483.60	Per			
	in position & applying a priming coat of red lead paint complete including entire carriage of materials within		Kilogramme			
_	all leads and lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge.					

ittis attu outer itteracitatis, as per

CITA CHI CANTO CITATO CONTO CO

-	othe	12 Prov	In-Charge	mate	seve	sq.n	(2.5)	iron,	with	poin	6 (si	milin	11 Prov	No.	1
Total	other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge.	12 Providing PVC Pipe 2" dia (Two inch diameter) for electircal installation condut within all leads and lifts and	arge.	materials within all leads and lifts and other incidentals, as per the direction and entire satisfaction of Engineer-	seven eight) gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately) including entire carriage of	sq.mm with tape (0.52 mm (zero point five two milimeter) thick) and weight 43.478 (fourty eight point four	(2.5mm (two point five milimeter) thick) wire of high tensile strength of 165 (one hundred sixty five) kg/	iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core	with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle	point four) or 3.00 (three) meter apart and with 9 (nine) horizontal R.B.T. reinforced barbed wire, stud tied	6 (six) metre length, upto 3 meter (three) height of wall with existing angle iron 'Y' shaped placed 2.4m (two	milimeter) dia 10 (ten) metre openable length (total length 90 meter (Ninty)), having 50 (fifty) nos rounds per	11 Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm (Six hundred		Description of work
		51.00											97.00	Qty.	No. or
	meter	51.00 Per Running								*		meter	97.00 Per Running	-	Unit
														Figures	
														Words	Rate
														Rs. P	LANDOMA

Executive Engineer
B & R Division HP.PWD,
Joginder Nagar

_	SCHEDULE OF QUANTITY				
Man	Name of Work: Construction of Govt. Degree Collage at Lad Bharol Distt. Mandi (H.P.)			Estimate Cost:	4,98,054.0
(SH	(SH: Construction of Retaining wall at RD 0/00 to 0/015)(Front Side of Block-I)		X	Earnest Money: Time Limit:	10,000.0 Three Month
Sr.	Description of work	No. or	Unit	Rate	AMOUNT
	specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Enginer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or		metre		
И	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty milimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including.	87.38	Per cubic metre		
	pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.				
ω	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentials.	18.00	Per cubic metre		

No. or Unit Rate Oty. P.V.C. pipe extending through drainage face complete as per 206.6 and as per the directions all leads and lifts and other						Total
Oty. Unit Rate Oty. Figures Words 42.00 Each						incidentals and to the entire satisfaction of the Engineer-in-Charge.
Oty. Unit Rate Oty. Figures Words 42.00 Each						of Engineer-in-Charge including carriage of material within all leads and lifts and other
Oty. Unit Rate Oty. Figures Words 42.00 Each						drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions
Oty. Unit Rate Oty. Figures Words 42.00 Each						the full width of the structures with slope of I (v): 20(H) towards drainage face complete as per
No. or Unit Rate Oty. Figures Words 42.00 Each						wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through
No. or Unit Rate Oty. Figures Words	No. of the last		•	Each	42.00	4 Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment,
No. or Unit Rate	Rs. P	Words	Figures		Qty.	
	AMOUNT	Rate	K	Unit	No. or	Description of work

Executive Engineer
B & R Division HP.PWD,
Joginder Nagar