

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
NOTICE INVITING TENDER**

Sealed items rate tender on form No. 6 and 8 are hereby invited on behalf of Governor of HP for the following works from approved and eligible contractor enlisted in HPPWD, so as to reach in this office on 17.5.2022 up to 11.30 AM and shall be opened on the same day at 12.00 Noon in the presence of intending contractors or their authorized representative who may like to be present. The tender form can be had from this office against cash payment (non refundable) up to 10.30 AM on 17.5.2022.

The earnest money in the shape of FDR/TDR in HP duly pledged in favour of Executive Engineer Nahan Division HP.PWD Nahan must be accompanied with the each tender. Conditional tender and tender received without earnest money will be rejected. The undersigned reserves the right to reject any or all tenders without assigning the reason. The offer of the tender will be kept opened for 75 days.

Sr. No.	Name of works	Estimated Cost	Earnest Money	Time Limit	Cost of Form
1	C/O L/R to Village Jhajjar Km.0/0 to 1/745.(SH:-P/L Kharanja soling & CC pavement in Km. 0/500 to 0/790)	4,99,815/-	10,000/-	02 Month	350/-
2	Improvement of Kala amb trilokpur road Km.0/0 to 6/300.(SH:-P/L GSB, WBM-II, III & M/T in various RD's)	4,99,416/-	10,000/-	02 Month	350/-
3	Repair work of Distt. & session Judge residence at Nahan.(SH:-P/F steel shed & other Misc. repair works)	4,50,506/-	10,000/-	02 Month	350/-
4	C/O L/R Salani to banka Bara road 0/0 to 3/165. (SH: Improvement of curves, C/O road side drain at RD.0/405 to 0/434 & 1/690 to 1/755)	4,91,591/-	10,000/-	02 Month	350/-
5	C/O L/R Nihog to Borlighat Khanda Km.0/0 to 6/0.(SH:-ROFD at RD 0/900 to 1/520)	4,99,729/-	10,000/-	02 Month	350/-
6	C/O Salani Tedi Baroti road Km.0/0 to 5/555. (SH:-C/o balance work of wing wall for slab culvert at RD.3/0).	4,99,922/-	10,000/-	02 Month	350/-
7	R/R damages on Sainwala Burma papri road km.0/0 to 11/0 & L/R Lehi Jangla Bhud to Mahidhar Km.0/0 to 5/0.(SH:-Hiring of Excavator-cum-Loader for r/o slips)	4,99,700/-	10,000/-	02 Month	350/-

CERTIFICATE:- It is certified that the tenders of above works are exigency/emergent nature and in public interest.

Terms & Conditions:-

1. The Contractors/Bidders must submit their Permanent Income Tax Account Number/ GST number on the tender alongwith copy of the same be attached with the application.
2. The Contractors/Firms should attach copy of the Registration/Renewal with the application.
3. The contractor/bidders should quote his rates Both in Figures and words, where there is any discrepancy between the rates in figures and words, the rates in words will be governed.
4. The contractors/bidders must inspect the site to ascertain/familiar the site conditions, accessibility etc. before quoting the bid/tender.
5. Conditional and telegraphic tender shall not be accepted and rejected straightway. Tender received after due date and time will be rejected.
6. The contractor/firms should have to produce the details of works in hand in HP. PWD, and its position thereof alongwith application.
7. The tender documents shall be issued to only those contractors who does not have more than two works in hand in any HP PWD Circle/ Division worth Rs. 1.00 Crore each.
8. The Contractor shall have to establish testing laboratory at site for the day to day testing of material.
9. The offer shall remain valid upto 75 days.
10. The provisions of guidelines issued vide the Principal Secretary (PW) to the Govt. of HP, Shimla vide notification No.PBW(B)A(3)1/2020 dated.Shimla-2 the 22nd July, 2020 regarding adoption of CPWD works manual 2019 & other publication of CPWD in HPPWD shall also be applicable.
11. The Executive Engineer reserve the right to reject any or all the tenders without assigning any reason.

Executive Engineer,
Nahan Division,
HPPWD Nahan.

For & on behalf of Governor of Himachal Pradesh.

Copy forwarded to the following for information & further necessary action:-

1. The Engineer-in-Chief, HP.PWD., Shimla please.
2. The Chief Engineer(SZ), HP.PWD., Shimla-2 please.
3. The Deputy Commissioner, Sirmaur Distt. at Nahan please.
4. The Superintending Engineer, 12th Circle, HP.PWD., Nahan please.
5. ☒ The Executive Engineer (IT Cell), Nigam Vihar, HPPWD., Shimla-2 for uploading of Notice Inviting Tenders on departmental website please.
6. The S.D.M. Nahan please.
7. The Distt. Panchayat Officer, Nahan please.
8. The Executive Officer, M.C., Nahan please..
9. All the Assistant Engineers under this division to display on their respective Notice Boards.
10. The Notice Board.

Executive Engineer,
Nahan Division,
HPPWD Nahan.



SCHEDULE OF QUANTITY

Name of Work:-C/O Link road to village Jhajjar Km 0/0 to 1/745 (SH:-P/L Kharanja soling & CC Pavement in km 0/500 to 0/790)

Estimated Cost :- Rs.4,99,815/- only

Earnest money:- Rs 10,000/- only

Time:- Two Months

Sr. No	Sub Head/Item of work	Quantity	Unit	Rate in figure	Rate in world	Amount
1	Preparation of sub grade by dressing to combor (Earth work for the cutting involved for sub-grade to be paid for separately depending upon the classification of soil completed as per HP.PWD including carriage of materials with in all leads,lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge. specifications.	870.00	Per Square metre			
2	Consolidation of sub grade with road roller including making good the undulation etc. with earth or quarry soil etc. and rerolling the sub-grade completed as per HP.PWD specifications including carriage of materials with in all leads,lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	870.00	Per Square metre			
3	Stone soling properly hand-packed filling interstices with Kharanja stone and consolidating with power road roller to the requested gradient and comber including spreading watering and rolling of binding materials moorum or earth etc. complete as per HP.PWD specification including carriage of materials with in all leads,lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	130.50	Per Cubic metre			
4	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 nominal mix C.C. 1:2:4 (one cement is to two sand is to four crushed aggregates) including carriage of materials with in all leads,lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	65.25	Per Cubic metre			
Total :-						

Executive Engineer
Nahan Division,
HP,PWD, Nahan.

Schedule of Quantity

Name of work:- Improvement of Kala Amb Trilokpur road Km 0/0 to 6/300 (SH :-P/L GSB,WBM-II,III & M/T in various RD's)

Estimated Cost:- Rs.4,99,416/-only

Earnest Money:- Rs.10,000/-only

Time allowed:- Two months

Sr. No.	Sub Head and item of work	Qty	Unit	Rate In		Amount
				figure	Words	
1	Construction of granular sub-base by providing well graded material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per technical specification clause 401 including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	30.00	Per cubic metre			
2	Providing Laying, spreading and compacting stone aggregate of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing rolling with 3-wheeled static roller 8-10 tonnes in stages to proper grade and camber applying and brooming crushable screening/binding materials to fill up the interstices of coarse aggregate, watering and compacting to the required density WBM Grading-II (two) as per technical specification clause 405 including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge. means.	56.00	Per cubic metre			
3	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density WBM Grading-III (Three) as per Technical Specification Clause 405 including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	56.00	Per cubic metre			
4	Providing and applying priming coat with paving bitumen of VG10 graded conforming to IS:73 to be applied by heating in oil fired and self propelled or towed bitumen boiler and spraying the material uniformly with pressure sprayer at the rate of 1.00 (one) kg per sqm on prepared surface of granular base surface cleaned with hydraulic broom as per PWD technical specification including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	938.00	Per Square metre			
5	Providing, laying and rolling of open graded premix carpet of 20 mm thickness composed of 13.2 mm to 5.6 mm aggregates either using penetration grade bitumen (VG-10) to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheeled 80-100 kN static roller capacity, finished to required level and grades to be followed by seal coat of either Type A or Type B as per technical specification clause 508 including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	938.00	Per square metre			
6	Providing and laying seal coat sealing the voids in a bituminous surface laid to the specified levels, grade and cross fall using Type-B as per Technical Specification Clause 510. Bitumen (VG-10) grade including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	938.00	Per square metre			
Total :-						

Executive Engineer,
HP.PWD., Division
Nahan.

(3)

SCHEDULE OF QUANTITY

Name of Work:-Repair work of Distt.Session Judge residence at Nahan (SH :- P/F Steel shed & other miscellaneous repair works)

Estimated Cost:- Rs.4,50,506/- only

Earnest money:- Rs 10,000/- only

Time:- Two Months

Sr No	Sub Head/Item of work	Quantity	Unit	Rate in		Amount
				figure	word	
1	Steel work welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of red lead paint in gratings framed guard bars, ladders, railing, brackets and similar works including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	19.85	Per Quintal			
2	Providing and fixing M.S. BP Sheet 1.66mm to 2mm thick in eaves board/ fascia/ soffits/ ceiling including cutting, fixing and welding to steel roof members and applying a coat of red lead primer complete as per the instruction of Engineer-in-charge (Base members of steel work shall be measured & paid separately) including all leads, lifts and carriage of materials and other incidental charges complete as per entire satisfaction of the Engineer-in-charge.	16.30	Per Square metre			
3	Providing and fixing 0.60mm thick prepainted steel sheet in roofing with hot dipped metallic zinc coated sheet with top coat of regular modified polyester (RNP) organic coating of 20 microns over 5 microns primer coating to back coat of polyester of 5 microns over 5 microns primer coating i/c fixing with prepainted iron J or L hooks, bolts and nuts 6mm dia metre with prepainted limpet and rubber washers complete with all accessories as required as per the direction of Engineer-in-charge including all leads, lifts and carriage of materials and other incidental charges complete as per entire satisfaction of the Engineer-in-charge.	7.86	Per square metre			
4	Providing and fixing steel wire gauge shutters using galvanised M.S. wire gauge of I.S. gauge designation 85 G. with wire of dia 0.56 mm for doors windows and clerestorey windows of standard rolled steel section joints fixing clips or with bolts & nuts as required in iron fitting complete including applying a priming coat of red lead paint & fixing metal beading of approved shape & section with necessary screws etc. including all leads, lifts and carriage of materials and other incidental charges complete as per entire satisfaction of the Engineer-in-charge.	11.50	Per Square Metre			
5	Painting two coats (excluding priming coat) on new steel and other metal surface under coat with ready mixed paint, brushing to give an even shade including cleaning of all dirt, dust and other foreign matter sand papering and stopping. Ready mixed paint other than white including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	253.72	Per Square metre			
6	Providing and fixing plain square edged cover fillets (beading) 40mmx12mm section with wood screws in ceiling and lining. 1st class deodar wood including mitring at junctions including all leads and lifts as per the direction of Engineer-in Charge.	390.40	Per Rmt			
7	Painting two coats (excluding priming coat) on new wood and wood based surfaces, with ready mixed paint, brushing to give an even shade including cleaning of all dirt, dust and other foreign matter sand papering and stopping. Ready mixed paint other than white including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	67.21	Per Square metre			
8	Providing and fixing PVC transparent sheet approved quality in window and ventilator tongued and grooved jointing and screws (frame work and fillets to be measured paid for separately) including all leads, lifts and carriage of materials and other incidental charges complete as per entire satisfaction of the Engineer-in-charge.	7.47	Per Square metre			
9	Providing and fixing 19mm thick Commercial Board water proof shutters for up boards i/c fixing with nickel plated piano hinges with screws etc complete) including all leads and lifts as per the direction of Engineer-in Charge.	4.00	Per Square metre			

10	Providing and fixing in position collapsible steel shutters with vertical channels 20 mm X10 mmX2mm and braced with flat iron diagonals 20 mm X5 mm size with top and bottom rails of T.Iron 40 mm X40 mm X6 mm with 38 mm dia steel pulley complete with bolts and nuts locking arrangements, stoppers,handles,including applying a priming coat of red lead paint.Including all leads,lifts and carriage of materials and other incidental charges complete as per entire satisfaction of the Engineer-in-charge.	2.30	Per Square Metre		
11	Providing and fixing inter linked wire mesh of size 25mm X 25mm (chicken mesh) including cutting, fixing and welding to steel and applying a coat of red lead primer complete as per the instruction of Engineer-in-charge (Base members of steel work shall be measured & paid separately) including all leads,lifts and carriage of materials and other incidental charges complete as per entire satisfaction of the Engineer-in-charge.	41.20	Per square metre		
12	Applying Birla white wall care putty over plaster surface after thoroughly brushing the surface free from mortar drops, dust, loose materials and other foreign matters sand papered smooth to give final matter finish to the surface complete including all leads, lifts and carriage of materials and other incidental charges complete as per entire satisfaction of the Engineer-in-charge.	54.20	Per square metre		
13	Applying priming with cement primer coat on new concrete/Masonry/ asbestors cement/plastered surface and including preparing the surface by thoroughly cleaning oil,grease,dirt and other foreign matter and sand papering as required with : Ready Mixed primer including carriage of materials with in all leads and other incidental complete as per entire satisfaction of the Engineer-in-Charge.	54.20	Per square metre		
14	Distempering (two coats) with oil bound washable distemper of approved brand and manufacture and of required shade on undecorated wall surfaces to give an even shade over and including a priming coat with distemper primer of approved brand and manufacture after thoroughly brushing the surface free from mortar droppings and other foreign matter and also including preparing the surface even and sand papered smooth. Priming coat with distemper primer including all leads, lifts and carriage of materials and other incidental charges complete as per entire satisfaction of the Engineer-in-charge including carriage of materials with in all leads and other incidental complete as per entire satisfaction of the Engineer-in-Charge.	54.20	Per square metre		
15	Finishing wall with weather proof exterior grade emulsion of approved design (apex ultima) or its equarled on undecorated wall surface (two coats) to give an even shade and final finish after thoroughly cleaning the surface to remove all dir, dust and other foreign matter etc including sand paper smooth complete including carriage of materials with in all leads,lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	27.90	Per Square metre		

Executive Engineer
Nahan Division,
HP,PWD, Nahan.

Name of work:-C/O Salani to Banka Bara road Km 0/0 to 3/165(SH:- Improvement of curves ,C/O road side drain at RD 0/405 to 0/434 & 1/690 to 1/755)

Schedule of Quantity

Estimated Cost:- Rs.4,91,591 /-only
Earnest Money:- Rs.10,000/- only
Time allowed:- Two months

Sr. No	Sub Head and item of work	Qty	Unit	Rate in		Amount
				figure	Words	
1	Excavation in earthwork in hilly area all heights and depths, in all kind of soils including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting / excavation, including rock excavation shall be carried out true to lines, grades, side slopes, width, camber, super-elevation and level as shown on the drawings or as directed by the Engineer-in-charge, in conformity with the requirement of technical specification of Ministry of Rural Development for Rural Roads August, 2004 (Two Thousand Four),C-1603.1, 1603.2 (Clause - One Thousand Six Hundred Three point One, One Thousand Six Hundred Three point Two) to achieve designed formation width including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut materials by all modes of transportations in all leads and lifts at specified places. in specified manner, systematically with due consideration to avoiding adverse effects on environment, trimming, filling of unevenness, blind age and finishing of the road to specified dimensions to the entire satisfaction as directed by the Engineer-in charge for smooth plying of traffic. All useful material such as stones, shingle, aggregate and slates shall be sorted out and stacked along the road side not less than 43.68 cubic metre in all cases, failing which recovery at the rate of Rupees 170/- only (Rupees one hundred seventy only) per cubic meter shall be effected. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases.including haulage of material with in all leads, lifts and carriage of materials and as directed by the Engineer in-charge.	595.67	Per Cubic metre			
2	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal , dressing of sides and bottom and backfilling in trenches with excavated suitable material. including all leads, lifts and carriage of materials complete as per entire satisfaction of the Engineer in charge.	187.95	Per Cubic metre			
3	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 Nominal mix 1:3:6 (one cement isto three sand isto six graded stone aggregate) including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	67.61	Per Cubic metre			
Total:-						

Executive Engineer,
HP.PWD., Division
Nahan.

Schedule of Quantity

Estimated Cost:- Rs.4,99,729/-only
 Earnest Money:- Rs.10,000/- only
 Time allowed:- Two months

Name of work:-C/O link road Nihog to Bortighat Khanda Km 0/0 to 6/0(SH:- ROFD at RD 0/900 to1/520)

Sr. No	Sub Head and item of work	Qty	Unit	Rate In		Amount
				figure	Words	
1	Excavation in earthwork in hilly area all heights and depths, in all kind of soils including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting / excavation, including rock excavation shall be carried out true to lines, grades, side slopes, width, camber, super-elevation and level as shown on the drawings or as directed by the Engineer-in-charge, in conformity with the requirement of technical specification of Ministry of Rural Development for Rural Roads August, 2004 (Two Thousand Four), C-1603.1, 1603.2 (Clause - One Thousand Six Hundred Three point One, One Thousand Six Hundred Three point Two) to achieve designed formation width including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut materials by all modes of transportations in all leads and lifts at specified places. in specified manner, systematically with due consideration to avoiding adverse effects on environment, trimming, filling of unevenness, blind age and finishing of the road to specified dimensions to the entire satisfaction as directed by the Engineer-in-charge for smooth plying of traffic. All useful material such as stones, shingle, aggregate and slates shall be sorted out and stacked along the road side not less than 173.01 cubic metre in all cases, failing which recovery at the rate of Rupees 170/- only (Rupees one hundred seventy only) per cubic meter shall be effected. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases, including haulage of material with in all leads, lifts and carriage of materials and as directed by the Engineer in-charge.	2994.00	Per Cubic metre			

Executive Engineer,
 HP.PWD., Division
 Nahan.

Schedule of Quantity

Name of work:-C/O Salani Tedi Baroti Trilokpur road Km 0/0 to 5/555(SH:-C/O balance work of wing wall for slab culvert at RD 3/0)

Estimated Cost:- Rs.4,99,922/-only

Earnest Money:- Rs.10,000/- only

Time allowed:- Two months

Sr. No	Sub Head and item of work	Qty	Unit	Rate In		Amount
				figure	Words	
1	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal, dressing of sides and bottom and backfilling in trenches with excavated suitable material. including all leads, lifts and carriage of materials complete as per entire satisfaction of the Engineer in charge.	48.84	Per Cubic metre			
2	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 nominal mix C.C. 1:4:8 (one cement is to four sand is to eight crushed aggregates) including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	131.23	Per Cubic metre			
3	Providing weep holes in bricks/stone masonry plain/reinforced concrete abutment wing wall return wall with 100mm dia PVC pipe extended through the full width of the structure with slope of 1 vertical and 20 in horizontal towards drawing face complete as per specification clause 614, 709, 1204, 3.7. including carriage of materials with in all leads, lifts and other incidentals complete as per entire satisfaction of the Engineer-in-charge.	3.00	Each			
Total:-						

Executive Engineer.

HP.PWD., Division

Nahan.

(7)

Schedule of Quantity

Name of work:- Restoration of rain damages on Sainwala Burma Papri road Km 0/0 to 11/0 & Link road Lehi Jangla bhood to Mahidhar
Km 0/0 to 5/0(SH:-Hiring of excavator cum loader for removal of slips)

Estimated Cost Rs.4,99,700/- Only

Earnest money: Rs.10,000/- Only

Time:- Two Months.

Sr.No	Sub Head and item of work	Qty	Unit	Rate		Amount
				Figure	Words	
1	Hiring of Excavator Cum loader for Formation Cutting/ excavation of earth work in all kinds of soil/ removal of slips in all depths and heights including saturated soil and disposal of surplus soil with in all leads and lifts as per direction of the Engineer-in- Charge and making surface smooth including P.O.L. Charges and other expences etc also including carriage of machinery and Labour upto all leads, lifts etc.,	526.00	Per hour			

Note :- The cost of P.O.L. charges wear and tear of machinery salary and livery charges of operator and cleaner and repair of machinery etc, shall be born by the contractor himself and nothing will be paid for the same.

Executive Engineer,
HP.PWD., Division
Nahan.