



"NOTICE INVITING TENDER"

Sealed item rate tender for the following works are hereby invited by the Executive Engineer, B&R Division HP.PWD., Joginder Nagar District Mandi (H.P) from the eligible contractors of the appropriate class registered in HP.PWD. as per revised enlistment rules so as to reach in the office of under signed on **05/08/2022 up to 11:30 A.M.** and will be opened on the same day at **(12:00 noon)** in the presence of intending contractors. The tender application will be received in this office against cash payment on **03/08/2022 up to 10.00 A.M. to 12:30 P.M.** and tender form can be had from this office on **04/08/2022 from 2.00 P.M. to 5.00 Pm.** The earnest money as shown against each in the shape of F.D.R of any bank in Himachal Pradesh duly pledged in the name of the under signed must accompany with each tender. The tender form will be issued to contractor giving proof of enlistment, GST, work done certificate, proof of machinery etc. Conditional tender and tender received without earnest money will be out rightly rejected. The offer of the tender shall be kept open for 90 days. The Executive Engineer reserves the right to reject any or all the tenders without assigning any reasons.

The draft NIT and other specifications and conditions of the tender can be seen by the contractors in the office of the under signed on any working day during the office hours.

Sr. No.	Name of work	Amount put to tender/ Est. cost	Earnest money	Cost of Tender Form	Eligible Class of Contractor	Time
1	Construction of Science Lab in Govt. Sen. Sec. School (Girls) Joginder Nagar (Sub Head:- Left out Aluminum work in Science lab)	₹ 1,82,190/-	₹ 3,600/-	₹ 350/-	Class "D"	One month
2	Construction of Dead House road in Govt. Civil Hospital Joginder Nagar District Mandi (Sub Head:- Providing and laying interlocking paver block at RD. 0/0 to 0/039)	₹ 3,92,870/-	₹ 7,900/-	₹ 350/-	Class "D"	One month
3	M/T on Jhamehar Banoun road including cross drainage work Km. 0/0 to 3/100. (Sub Head:- Providing and laying wearing grade-II at Km. 2/700 to 3/100).	₹ 2,98,645/-	₹ 6,000/-	₹ 350/-	Class "D"	Three months
4	Construction of Industrial Training Institute Joginder Nagar at Dohag (Sub Head:- Construction of sitting steps and G.I. Chain Fencing at Basket Ball ground)	₹ 4,94,506/-	₹ 9,900/-	₹ 350/-	Class "D"	Three months
5	M/T on Dramann Kun Ka Tar road km. 0/0 to 7/225 (Sub Head:- Providing and laying wearing G-II and cement concrete pavement in Km. 6/720 to 6/798)	₹ 4,96,823/-	₹ 9,900/-	₹ 350/-	Class "D"	Three months

1. Certified that tender of above works are being called of emergent nature in exigency of public interest

Terms and conditions:-

1. The contractor should produce a copy of enlistment / renewal letter at time of application.
2. Executive Engineer reserves the right to reject/cancel any or all the tenders without assigning any reasons.
3. The contractor/Firm shall have his registration and GST No. the copy of same be attached with the application.
4. The earnest money shall be deposited duly pledged in favour of Executive Engineer B&R Division HPPWD., Joginder Nagar & cost of tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money & cost of tender form shall summarily be rejected.
5. No tender form will be issued to the contractor without producing the work done certificate from the Executive Engineer concerned.
6. The Contractor/Firms must have executed minimum one civil /similar nature of work done of amount not less than 40% (forty percent) of the estimated cost (without Liquidated Damage or compensation) in last five years.
7. The contractor/firms are requested to insert the rate of each item in words as well as in figures failing which XEN reserves the right to accept/reject any tender without assigning any reason at any stage.
8. The tender shall be issued to those contractors who have not more than two works in hand.

Executive Engineer,
B&R Division HP PWD.,
Joginder Nagar.

District Mandi (HP) on behalf of
Governor of Himachal Pradesh
01908-222033

No. PW-JND-B&R-EA-I/NIT/Press/2022-23-

10927-36

Dated:-

19-7-2022

1. Copy to the F.C. Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
2. The Engineer-in-Chief, HPPWD, Shimla.
3. The Chief Engineer (MZ), HPPWD, Mandi.
4. The Superintending Engineer, Joginder Nagar Circle HPPWD, Joginder Nagar.
5. All the Executive Engineer in HPPWD for wide publicity.
6. All the Assistant Engineer working under this Division.
7. Drawing Branch in this office.
8. Notice Board.
9. The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer,
B&R Division HP PWD.,
Joginder Nagar.

SCHEDULE OF QUANTITY

7050102

**Name of Work : Construction of Dead House road in Govt. Hospital Joginder Nagar
(SH: Providing and laying Interlocking Paver Block at RD 0/00 to 0/039)**

Sr. No.	Description of work	No. or Qty.	Unit	Estimate Cost:		AMOUNT Rs.
				Figures	Rate Words	
1	Providing and laying cement concrete 1:4:8 (One cement isto four sand isto eight aggregate) graded crushed/broken stone aggregate 40mm (fourty millimeter) nominal size mechanically mixed and curing complete, excluding cost of form work in foundation and plinth. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge.	13.95	Per cubic metre			
2	Providing and laying reinforced cement concrete in super structure as per drawing and technical specifications clauses 800, 1205.4 & 1205.5. Reinforced cement concrete M-20 (1:2:4) (one cement : two sand : four graded stone aggregate 20mm (twenty millimetre) nominal size) upto any height complete within all leads, lifts carriage of material and other incidentals.	7.22	Per cubic metre			
3	Providing and Laying Interlocking Concrete Block Pavements having thickness 60 mm (sixty millimeter) as per drawings and Technical Specification Clause 1504, and to the entire satisfaction and direction of Engineer - in-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	185.95	Per Square metre			
Total						


 Executive Engineer
 B & R Division HP, PWD,
 Joginder Nagar

Estimate Cost: 3,92,475
 Earnest Money: 7,50,000
 Time Limit : Three Months

SCHEDULE OF QUANTITY

705203

Name of Work : Metelling and Tarring on Jhamehar Banoun Road Including Cross drainage work km 0/00 to 3/100

(SH: Providing and laying Wearing Grade-II at km 2/700 to 3/100)

Estimate Cost: 2,98,64
 Earnest Money: 6,00
 Time Limit : Three Mo

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Providing, laying, spreading and compacting stone aggregates by manual means of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 KN (eighty-hundred kilo newton) static roller in stages to proper grade and camber applying and brooming, stone screening/ binding materials to fillup the interstics of course aggregate watering and compacting to the required density Grading-2 (two) as per technical specification clause 405 complete within all leads, lifts, carriage of material and other incidentals charges.	96.08	Per cubic metre			
Total						


 Executive Engineer
 B & R Division HP.PWD,
 Joginder Nagar

SCHEDULE OF QUANTITY

Job No 4


**Name of work : Construction of Industrial Training Institute Joginder Nagar at Dohag
(SH: Construction of Sitting Steps and G.I. Chain Fencing at Basket Ball Ground)**

Sr. No.	Description of work	No. or Qty.	Unit	Estimate Cost:		AMOUNT Rs.
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.	8.10	Per cubic metre			
2	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete as per the direction of Engineer-in-charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge.	936.00	Per Kilogramme			
3	Providing and fixing G.I. chain link fabric fencing Made of G.I. wire of dia 4 mm (four millimeter) required width in mesh size 50x50 mm (fifty by fifty millimeter) including strengthening with 2 mm dia (two millimeter diameter) wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge.	112.50	Per square metre			
4	Providing and laying mechanically mixed and vibrated reinforced cement concrete work grade M-20 design mix to obtain the minimum compressive strength of M-20 N/mm ² with cement contents not less than of 330kg/m ³ (three hundred thirty kilogramme per cubic metre) excluding cost of form work and reinforcement for reinforced concrete work in foundation footing, basis of columns and the like mass concrete upto floor all level and curing complete including carriage of material within all leads, lifts and other incidental charges complete in all respect as per direction of Engineer-in-Charge.	13.13	Per cubic metre			

Estimate Cost: 4,94
Earnest Money: 9
Time Limit : Three N

Description of work

	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs.
				Figures	Words	
5	Providing, laying, spreading and compacting stone aggregates by manual means of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 KN (eighty-hundred kilo newton) static roller in stages to proper grade and camber applying and brooming, stone screening/ binding materials to fillup the interstics of course aggregate watering and compacting to the required density Grading-1 (one) as per technical specification clause 405 complete within all leads, lifts, carriage of material and other incidentals charges.	8.75	Per cubic metre			
6	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	40.50	Per cubic metre			
	Total					


 Executive Engineer
 B & R Division HP.PWD,
 Joginder Nagar

Jobno 5

SCHEDULE OF QUANTITY

Name of Work : M/T on Draman Kun Ka Tar Road km 0/00 to 7/225
(S.H. : Providing and laying wearing G-II and Cement Concrete pavement in Km 6/720 to 6/798)

Estimate Cost: 4,96,8
 Earnest Money: 9,9
 Time Limit : Three M

AMOUN
 Rs. P

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUN Rs. P
				Figures	Words	
1	Providing, laying, spreading and compacting stone aggregates by manual means of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN (eighty-hundred kilo newton) static roller in stages to proper grade and camber applying and brooming, stone screening/ binding materials to fillup the interstics of course aggregate watering and compacting to the required density Grading-2 (two) as per technical specification clause 405 complete within all leads, lifts, carriage of material and other incidentials charges.	27.65	Per cubic metre			
2	Construction of un-reinforced, dowel jointed at expansion and construction joint only, plain cement concrete pavement of thickness as per design, over a prepared sub base with 43(forty three) grade cement M-30 (thirty) grade, design mix cement concrete, coarse and fine aggregates conforming to IS:383(three hundred eighty three), maximum size of coarse aggregate not exceeding 25mm(twenty five millimeter) mixed in a concrete mixer of not less than 0.2 (zero point two) cubic meter capacity and appropriate weight batcher using approved mix design, laid in approved fixed side form work (steel channel) laying and fixing of 125(one hundred twenty five) micron thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant,dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs using curing compound (where specified) and water, finishing to line and grade as per drawing and as per M.O.R.D. technical specification clause 1501 and as per directions of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	55.28	Per cubic metre			
Total						


 Executive Engineer
 B & R Division HP, P.W.D.,
 Joginder Nagar