



"NOTICE INVITING TENDER"

Sealed item rate tender for the following works are hereby invited by the Executive Engineer, B&R Division HP.PWD., Joginder Nagar District Mandi (H.P) from the eligible contractors of the appropriate class registered in HP.PWD. as per revised enlistment rules so as to reach in the office of under signed on **27/07/2022 up to 11:30 A.M.** and will be opened on the same day at **(12:00 noon)** in the presence of intending contractors. The tender application will be received in this office against cash payment on **25/07/2022 up to 10.00 A.M. to 12:30 P.M.** and tender form can be had from this office on **26/07/2022 from 2.00 P.M. to 5.00 Pm.** The earnest money as shown against each in the shape of F.D.R of any bank in Himachal Pradesh duly pledged in the name of the under signed must accompany with each tender. The tender form will be issued to contractor giving proof of enlistment, GST, work done certificate, proof of machinery etc. Conditional tender and tender received without earnest money will be out rightly rejected. The offer of the tender shall be kept open for 90 days. The Executive Engineer reserves the right to reject any or all the tenders without assigning any reasons.

The draft NIT and other specifications and conditions of the tender can be seen by the contractors in the office of the under signed on any working day during the office hours.

Sr. No.	Name of work	Amount put to tender/ Est. cost	Earnest money	Cost of Tender Form	Eligible Class of Contractor	Time
1	Improvement of Sanda Makan road Km. 0/0 to 3/0. (Sub Head:- Construction of retaining wall at Km. 0/600 to 0/603).	₹ 1,09,715/-	₹ 2,200/-	₹ 350/-	Class "D"	One month
2	Construction of Khaddar Khudi Panian Ra Galu Ras Kalehru to Kolang road Km. 0/0 to 1/600. (Sub Head:- Providing and laying 20mm thick premix carpet at Km. 0/637 to 0/697 & construction of U-shape drain at Km. 0/150 to 0/190 & Km. 0/527 to 0/557).	₹ 2,08,371	₹ 4,200/-	₹ 350/-	Class "D"	One month
3	Construction of Mukhya Mantri Lok Bhawan at Chauntra Tehsil Joginder Nagar District Mandi (H.P). (Sub Head:- Construction of septic tank).	₹ 1,73,824/-	₹ 3,500/-	₹ 350/-	Class "D"	Three months
4	Construction of Bhujru Nallah to Harizan Basti Bhalyandra road Km. 0/0 to 1/500. (Sub Head:- Providing and laying wearing grade-II in Km. 0/250 to 0/600 and cement concrete pavement at Km. 0/525 to 0/600).	₹ 4,92,072/-	₹ 9,800/-	₹ 350/-	Class "D"	Three months
5	Construction of Canteen block & Hall at Govt. Degree College Joginder Nagar District Mandi (H.P). (Sub Head:- Construction of retaining wall at Km. 0/024 to 0/033). Science Block side.	₹ 99,999/-	₹ 2,000/-	₹ 350/-	Class "D"	One month
6	Construction of link road to village Drob. (Sub Head:- Construction of 900mm dia RCC hume pipe culvert along with both side wing wall at Km. 0/050 and cement concrete pavement from Km. 0/00 to 0/020)	₹ 2,92,084/-	₹ 5,800/-	₹ 350/-	Class "D"	Three months

1. Certified that tender of above works are being called of emergent nature in exigency of public interest

Terms and conditions:-

- The contractor should produce a copy of enlistment / renewal letter at time of application.
- Executive Engineer reserves the right to reject/cancel any or all the tenders without assigning any reasons.
- The contractor/Firm shall have his registration and GST No. the copy of same be attached with the application.
- The earnest money shall be deposited duly pledged in favour of Executive Engineer B&R Division HPPWD., Joginder Nagar & cost of tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money & cost of tender form shall summarily be rejected.
- No tender form will be issued to the contractor without producing the work done certificate from the Executive Engineer concerned.
- The Contractor/Firms must have executed minimum one civil /similar nature of work done of amount not less than 40% (forty percent) of the estimated cost (without Liquidated Damage or compensation) in last five years.
- The contractor/firms are requested to insert the rate of each item in words as well as in figures failing which XEN reserves the right to accept/reject any tender without assigning any reason at any stage.
- The tender shall be issued to those contractors who have not more than two works in hand.

Executive Engineer,
B&R Division HP PWD.,
Joginder Nagar.
District Mandi (HP) on behalf of
Governor of Himachal Pradesh
. 01908-222033

No. PW-JND-B&R-EA-I/NIT/Press/2022-23-

10365-79

Dated:-

13-07-2022

- Copy to the F.C. Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
- The Engineer-in-Chief, HPPWD, Shimla.
- The Chief Engineer (MZ), HPPWD, Mandi.
- The Superintending Engineer, Joginder Nagar Circle HPPWD, Joginder Nagar.
- All the Executive Engineer in HPPWD for wide publicity.
- All the Assistant Engineer working under this Division.
- Drawing Branch in this office.
- Notice Board.
- The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer,
B&R Division HP PWD.,
Joginder Nagar.

SCHEDULE OF QUANTITY

Name of Work : Improvement of ~~Streets~~ Sanda Makan Road km 0/00 to 3/00
(SH: Construction of Retaining wall at km 0/600 to 0/603)

Sr. No.	Description of work	No. or Qty.	Unit	Estimate Cost:		
				Figures	Rate Words	AMOUNT Rs. P
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.	8.81	Per cubic metre			
2	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	19.66	Per cubic metre			


Estimate Cost:
Earnest Money:
Time Limit :

1,09,714

2,200

Three Mon

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
3	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge.	5.04	Each			
4	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals.	5.00	Per cubic metre			
	Total					


 Executive Engineer
 B & R Division HP.PWD.
 Jodhpur Nagar

SCHEDULE OF QUANTITY


(2)

Name of Work : Construction of Khaddar Khuddi Panian Ra Galu Ras Kalaharu to Kolang Road km 0/00 to 1/600
(Sub Head:- Providing and laying 20mm thick Premix Carpet at km 0/637 to 0/697 & U-shape Drain at km 0/150 to 0/190 & 0/527 to 0/557)

Sr. No.	Description of work	No. or Qty.	Unit	Estimate Cost: Earnest Money: Time Limit :		
				Figures	Rate Words	AMOUNT Rs.
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .	30.80	Per cubic metre			
2	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications clause 802, 803, 1202 & 1203. Plain cement concrete Grade M-10 complete within all leads, lifts carriage of material and other incidentals.	18.64	Per cubic metre			
3	Providing and applying primer/tack with bituminous primer (VG-10) at the rate of 1.00 (one point zero zero) kilogram per square metre on existing WBM (Water bound macadam) surface cleaned with mechanical brooms as per HP.PWD./MORD specification complete within all leads, lifts, carriage of material and other incidentals charges.	186.00	Per square metre			

Description of work

	Description of work	No. or Qty.	Unit	Rate		AMOU Rs.
				Figures	Words	
	Providing, laying and rolling by mechanical means bitumen (VG-10) of open graded premix carpet of 20mm (twenty millimetre) thickness composed of 13.2mm to 5.6mm (thirteen point two millimetre to five point six millimetre) aggregates either using penetration grade bitumen at the rate of 1.46 (one point four six) kilograme per square metre to required line, grade and level to surer as wearing course on a previously prepared base, including mixing in suitable plant, laying and rolling with a three wheel 80-100 kN (eighty-hundred kilo newton) static roller capacity, finished to required level and grades to be followed by seal coat of Type-B as per technical specification Clause 508 including all corrective measures such as patching pot holes, sealing of cracks including all profile correction for all depths and hauling of material with in all leads and lifts by all modes of transportation.	186.00	Per square metre			
5	Providing and laying seal coat Type-B by mechanical means sealing the voids in a bituminous surface laid to the specified levels, grade and crossfall using Bitumen (VG-10) at the rate of 0.68 (zero point six eight) kilograme per square metre as per technical specification Clause 510 including hauling of material with in all leads and lifts by all modes of transportation.	186.00	Per square metre			
	Total					


 Executive Engineer
 B & R Division HP, PWD,
 Joginder Nagar

SCHEDULE OF QUANTITY

3

Name of Work : Construction of Mukhya Mantri Lok Bhavan at Chauntra Tehsil Joginder Nagar Distt. Mandi (H.P.)
(SH: Construction of Septic Tank)

Estimate Cost: 1,73,835
Earnest Money: 3,500
Time Limit : Three Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs.
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .	45.88	Per cubic metre			
2	Providing form work with steel plates of 3.15mm (three decimal one five millimeter) thick, welded with angle iron in frames of 30x30x5mm (thirty into thirty into five millimeter) so as to give a fair finish including centring, shuttering strutting and propping etc, with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in flat surfaces such as soffits of suspended floors roofs, landings and the like floor etc. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge	10.54	Per Square metre			

S. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs.
				Figures	Words	
3	Providing and laying cement concrete work 1:2:4 (one Cement isto two Sand isto four graded stone aggregate twenty millimeter nominal size) and curing complete excluding cost of form work and reinforcement for reinforced concrete work in Suspended Floor roofs, landing and shelves and their support balconies, beams, girders, brassums and cantilever upto floor two level as per PWD specification including curing and carriage of material within all leads and lifts complete in all respect as per direction of Engineer in Charge.	2.50	Per cubic metre			
4	Second class brick work using common burnt clay building bricks in cement mortar 1:5 (one cement isto five sand) in foundation and plinth as per PWD specification including curing and carriage of material within all leads and lifts complete in all respect as per direction of Engineer in Charge.	1.38	Per cubic metre			
5	Random rubble masonry/polygonal rubble masonry (uncoursed/brought to courses) with hard stone of approved quality in foundation and plinth including leveling up with cement concrete 1:6:12 (one cement : six sand : twelve graded stone aggregate 20mm (twenty) millimeter nominal size mechanical mixed in cement mortar 1:5 (one cement five sand) including curing and carriage of material within all leads and lifts complete in all respect as per direction of Engineer in Charge.	20.64	Per cubic metre			
6	Providing and fixing on wall face PVC (D-plast) rain water pipes of working pressure not less than 4.5 kg (four decimal five kilogram) per square meter including filling the joints with approved adhesive complete 100 mm (one hundred millimeter) dia. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge.	25.00	Per running metre			
7	Providing and fixing on wall face PVC (D-plast) accessories for rain water pipes including filling the joints with approved adhesive complete 110mm (one hundred ten millimeter) dia PVC plain bend as per PWD specification. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge.	6.00	Each			
	Total					

Executive Engineer
B & R Division HP.PWD,
Joginder Nagar

SCHEDULE OF QUANTITY

Name of Work : Construction of Bhujru Nallah to Harizan Basti Bhalendra Road km 0/00 to 1/500
(S.H. : Providing and laying of Wearing G-II in km 0/250 to 0/600 & Cement Concrete pavement at km0/525 to 0/600)

Sr. No.	Description of work	No. or Qty.	Unit	Estimate Cost:		Three M
				Figures	Rate Words	AMOUN Rs. F
1	Providing, laying, spreading and compacting stone aggregates by manual means of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN (eighty-hundred kilo newton) static roller in stages to proper grade and camber applying and brooming, stone screening/ binding materials to fillup the interstics of course aggregate watering and compacting to the required density Grading-2 (two) as per technical specification clause 405 complete within all leads, lifts, carriage of material and other incidentals charges.	84.06	Per cubic metre			
2	Construction of un-reinforced cement concrete pavement as per design and drawing with expension and construction joints, over a prepared sub base, with 43 (forty three) grade cement as per technical clause and specifications M-20 (twenty) grade course and fine aggregate conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm (twenty five millimetre) mixed in a concrete mixer of not less than 0.2 cum (zero point two cubic metre) capacity including form work with steel channels and plates and entire carriage of material with in all leads and lifts complete as per the direction of Engineer-in-charge.	36.03	Per Cubic metre			
Total						

Executive Engineer
B & R Division HP.PWD,
Joginder Nagar

Schedule of Quantity

Name of work: Construction of Canteen block & Hall at Govt. Degree college Joginder Nagar Distt. Mandi (HP) (Sub head:- Construction of retaining wall at RD 0/024 to 0/033)

Estimated Cost:- Rs. 99699.00
Earnest Money:- Rs. 2000.00
Time:- ~~Over~~ ^{Over} ~~Three~~ Months

Sr. No.	Description of Item	Qty	Rate		Unit	Amount
			In Figure	In words		
1	Earth work in excavation for structures as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts carriage of material and other incidentals.	11.52			Per cubic metre	
2	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:5:10 (one cement : five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidentals.	40.35			Per cubic metre	
3	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals.	19.62			Per cubic metre	
4	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment , wing wall, return wall with 100mm dia.(one hundred millimetre diameter) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentals.	21.00			Each	
	Total					

Executive Engineer
B & R Division HPPV
Joginder Nagar (H.P.)

SCHEDULE OF QUANTITY

Name of Work : Construction of Link Road to Village Drob


(Sub Head:- Construction of 900mm dia RCC Hume Pipe Culvert along with both side wing wall at km 0/050 & Cement Concrete Pavement from km 0/00 to 0/020)

Estimate Cost: 2,92,084.00
Earnest Money: 5,800.00
Time Limit : Three Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		
				Figures	Words	AMOUNT Rs. P
1	Each work in excavation for structures in all depths as per drawing and M.O.R.D. technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.	41.91	Per cubic metre			
2	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:4:8 (one cement : four sand : eight graded stone aggregate 40mm (forty millimetre) nominal size) complete within all leads, lifts carriage of material and other incidentals.	3.03	Per cubic metre			
3	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications clause 802, 803, 1202 & 1203. Plain cement concrete Grade M-10 complete within all leads, lifts carriage of material and other incidentals.	10.88	Per cubic metre			

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
4	Providing and laying 900mm (nine hundred millimetre) diameter reinforced cement concrete pipe NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 (one cement : two sand) but excluding excavation, protection work, back filling, concrete and masonry work in head walls and parapets clause 1108 complete within all leads, lifts carriage of material and other incidentals.	5.00	Per running metre			
5	Providing and laying flooring laid over cement concrete bedding complete as per drawing and technical specification. Rubble stone laid in cement mortar 1:5 (one cement : five sand) complete within all leads, lifts carriage of material and other incidentals.	0.49	Per cubic metre			
6	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:5:10 (one cement : five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) complete within all leads, lifts carriage of material and other incidentals.	18.90	Per cubic metre			
7	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment , wing wall, return wall with 100mm dia.(one hundred millimetre diameter) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentals.	12.00	Each			
8	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals.	9.48	Per cubic metre			
9	Stone soling properly handpacked filling interstices with Kharanja stone and consolidating with power road roller to the requested gradient and comber including spreading watering and rolling of binding materials moorum or earth etc. complete as per HP.PWD specification. 100 mm (one hundred millimeter) spread-thickness (finished work including materials and labour) and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	8.40	Per cubic metre			

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
10	Construction of un-reinforced cement concrete pavement as per design and drawing with expension and construction joints, over a prepared sub base, with 43 (forty three) grade cement as per technical clause and specifications M-20 (twenty) grade course and fine aggregate conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm (twenty five milimetre) mixed in a concrete mixer of not less than 0.2 cum (zero point two cubic metre) capacity including form work with steel channels and plates and entire carriage of material with in all leads and lifts complete as per the direction of Engineer-in-charge.	5.60	Per Cubic metre			
Total						


 Executive Engineer
 B & R Division HP.PWD,
 Joginder Nagar