



Telephone No: 01782-233214

E-mail: [eenh-ram-hp@nic.in](mailto:eenh-ram-hp@nic.in)

No. PW/EE/NH/RMP-CB-Tender /2022-23-  
To

3516-18


Dated:- 13/07/2022

The Executive Engineer, (IT)  
Nigam Vihar Shimla-2.

Subject: - Publication of Tender notice


Enclosed please find herewith NIT for uploading on department website as the work mentioned in the NIT are urgent nature and in public interest.

DA:- Copy of NIT and schedule of quantity

  
Executive Engineer,  
NH Division HPPWD,  
Rampur Bushahr.

Copy forwarded to the Superintending Engineer NH Circle HPPWD Shimla for information, please.

Copy forwarded to the Computer Cell O/O Executive Engineer (IT) Cell), Nigam Vihar Shimla-2 for information and further necessary action, please.

  
Executive Engineer,  
NH Division HPPWD,  
Rampur Bushahr.

**HIMACHAL PRADESH  
PUBLIC WORKS DEPARTMENT  
NOTICE INVITING TENDER**

Sealed percentage rate tender(s) on PWD form No.6 &8 are hereby invited by the Executive Engineer, NH- Division, HP.PWD, Rampur Distt. Shimla (H.P) on behalf of the Governor of H.P for the following works from the registered contractors in HP.PWD in appropriate class to reach in this office on **23-07-2022** up to 10.30 A.M. and will be opened on the same day at 11.00A.M. in the presence of Contractors or their authorized representative who wish to be present at that time. The application for obtaining the tender form will be received on **22-07-2022** i.e. 11.00 AM to 1.00 PM and the tender form can be had from this office against this cash payment (Non- refundable) on the same day from 2.00P.M. to 5.00 P.M. No application shall be entertained without **earnest money** or through FAX.


Earnest money shall be in shape of NSC/FDR duly pledged in favour of Executive Engineer NH-Division HP.PWD Rampur Bushahr Distt. Shimla H.P. Ambiguous /Telegraphically/conditional tenders or tender through FAX shall not be entertained/ considered in any case.

Sr. No.	Name of Work	Estimated Cost	Earnest Money	Time	Form No.	Cost of form
1	A/R & M/o on NH- 305 Sainj Luhri Aut road Km 0/0 to 97/0 (SH:-improvement of road geometrics by cutting of narrow reaches at RD 87/200 to 87/350).	460120/-	9200/-	Two months	6&8	350/-
2	A/R & M/o on NH- 305 Sainj Luhri Aut road Km 0/0 to 97/0 (SH:-improvement of road geometrics by cutting of narrow reaches at RD 86/870 to 86/900).	383526/-	6000/-	Two months	6&8	350/-
3	A/R & M/o on NH- 305 Sainj Luhri Aut road Km 0/0 to 97/0 (SH:-improvement of road geometrics by cutting of narrow reaches at RD 85/905 to 85/950).	383526/-	9200/-	Two months	6&8	350/-
4	A/R & M/o on NH- 305 Sainj Luhri Aut road Km 0/0 to 97/0 (SH:-improvement of road geometrics by cutting of narrow reaches at RD 85/855 to 85/900).	370645/-	7500/-	Two months	6&8	350/-
5	A/R & M/o on NH- 305 Sainj Luhri Aut road Km 0/0 to 97/0 (SH:-improvement of road geometrics by cutting of narrow reaches at RD 85/560 to 85/590).	343986/-	6900/-	Two months	6&8	350/-
6	A/R & M/o on NH- 305 Sainj Luhri Aut road Km 0/0 to 97/0 (SH:-improvement of road geometrics by cutting of narrow reaches at RD 84/495 to 84/600).	496171/-	10000/-	Two months	6&8	350/-
7	A/R & M/o on NH- 305 Sainj Luhri Aut road Km 0/0 to 97/0 (SH:-Formation cutting at RD 73/870 to 73/942).	274990/-	5500/-	Two months	6&8	350/-
8	A/R & M/o on NH- 305 Sainj Luhri Aut road Km 0/0 to 97/0 (SH:-improvement of road geometrics by cutting of narrow reaches at RD 62/662 to 62/735).	499153/-	10000/-	Two months	6&8	350/-
9	A/R & M/o on NH- 305 Sainj Luhri Aut road Km 0/0 to 97/0 (SH:-improvement of road geometrics by cutting of narrow reaches at RD 62/630 to 62/660).	289528/-	5800/-	Two months	6&8	350/-
10	A/R & M/o on NH- 305 Sainj Luhri Aut road Km 0/0 to 97/0 (SH:-improvement of road geometrics by cutting of narrow reaches at RD 62/585 to 62/627).	499341/-	10000/-	Two months	6&8	350/-

**SPECIAL CONDITIONS**

- The material shall be arranged by the contractor himself.
- The detail of documents to be attached with the application is given below.
  - Latest copy of renewal enlistment.
  - Copy of Pan Card.
  - Copy of GST No.
- The offer of the tender shall be kept open for 90 days
- Tender received after the specified time/date shall not be opened.

5. Executive Engineer NH-Division HP.PWD Rampur Distt. Shimla H.P. reserves the right to reject any or all tender/s without assigning any reasons.
6. If due to any unforeseen reasons the office of the Executive Engineer NH-Division HP.PWD Rampur remain closed on the notified date of sale and receipt of tender, tender will be sold and received/opened the next working day of same specified time.
7. Tenderers may contact the Executive Engineer for any further information they may require during the working day/ office hours.
8. The contractor/ firms are requested to insert the rate of each in words as well as in figures failing which Executive Engineer reserves the right to reject any or all tenders.
9. The labourcess shall allow/ deduction @ 2% TDS amount of GST (1% CGST and 1% SGST).
10. The labour cess @ 1% will be deducted from the gross amount of the bill
11. A contractor enlisted in a particular class shall be eligible to tender for his own class and one step below as per Govt. notification No.PBW (B) 22-1/2002 dated 26-05-2015.
12. The Contractor will have to submit the proof of registration under Employees Provident Funds & Miscellaneous Provision Act.1952 before award of work.
13. Cement should be purchased from H.P. State Civil Supply Corporation
14. GST will be deducted from each bill as per latest instruction of the Government.


  
Executive Engineer,  
NH Division, H.P.PWD,  
Rampur Bushahr.

Dated:- 13/07/2022

No.PW/EE/NH/RMP/CB-Tender Notice/2022-23-  
Copy forwarded for information to the:-

3505-15


1. Engineer-in-Chief, HP.PWD, Shimla
2. Chief Engineer (NH) HP.PWD, Shimla-1
3. Superintending Engineer, NH-Circle, HP.PWD, Shimla. It is requested to kindly issue the certificate the tender of above emergent nature in public interest.
4. All the Assistant Engineer working under this division
5. A/B & D/B in this office.
6. Notice board of this office.

  
Executive Engineer,  
NH Division, H.P.PWD,  
Rampur Bushahr



## Certificate


Certified that the tenders of the work invited vide this office NIT No. PW/EE/NH/RMP/CB-tender/2022-23- 3505-15 dated 15-07-2022 is of urgent nature and in public interest.

  
Executive Engineer  
NH Division HPPWD,  
Rampur Bushahr.

Schedule of Quantity


Name of work:- A/R & M/O NH-305 Sainj Luhri Aut road Km 0/0 to 97/00. (SH:-  
Improvement of road geometrics by cutting of narrow reaches at RD 87/200 to 87/350).

Name of work:- A/R & M/O NH-305 Saini Luhri Aut road Km 0/0 to 97/00. (SH:- Improvement of road geometrices by cutting of narrow reaches at RD 87/200 to 87/350).		Estimated cost		298956.00		
		Earnest money		9200.00		
		Time		Two Month		
S.No.	Descriptions	Qty	Rate		Unit	Amount
			In figure	In words.		
1	Excavation in soil in hilly area by mechanical means in all heights and depths, in all kinds of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformity with the requirement of technical specification of rural roads clause 1603.1. Minimum quantity of useful material such as stones, shingles, aggregates and slates etc. i.e 179.45 cubic metre, shall be sorted out and stacked along the road side properly, otherwise recovery @ Rs. 300/- per cubic metre shall be effected from the bills of the contractor. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	872.10	342.80	(Rs three hundred forty two & paisa eighty) only.	Per cubic meter.	298956.00
Total Rs:- 298956.00						
Quoted rate in figures		+/-		(.....)	.....%	
Quoted rate in words						

  
 Executive Engineer,  
 N.H.Division, HP. PWD,  
 Rampur Bsr


## Schedule of Quantity

Name of work:- A/R & M/O NH-305 Saini Lubri Aut road Km 0/0 to 97/00. (SH:- Improvement of road geometrics by cutting of narrow reaches at RD 86/870 to 86/900).					
			Estimated cost		298956.00
			Earnest money		6000.00
S.No.	Descriptions	Qty	Rate		Two Month
			In figure	In words.	
1	Excavation in soil in hilly area by mechanical means in all heights and depths, in all kinds of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformity with the requirement of technical specification of rural roads clause 1603.1. Minimum quantity of useful material such as stones, shingles, aggregates and slates etc. i.e 110.478cubic metre, shall be sorted out and stacked along the road side properly, otherwise recovery @ Rs. 300/- per cubic metre shall be effected from the bills of the contractor. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	872.10	342.80	(Rs three hundred forty two & paisa eighty )only.	Per cubic meter.
Total Rs:-					298956.00
Quoted rate in figures			+/ -	(.....)	.....%
Quoted rate in words					

  
 Executive Engineer,  
 N.H.Division, HP. PWD,  
 Rampur Bst

Schedule of Quantity


Name of work:- A/R & M/O NH-305 Sainj Luhri Aut road Km 0/0 to 97/00. (SH:- Improviment of road geometrices by cutting of narrow reaches at RD 85/905 to 85/950).					
			Estimated cost		343986.00
			Earnest money		9200.00
S.No.	Descriptions	Qty	Time		Two Month
			In figure	Rate In words.	Unit Amount
1	Excavation in soil in hilly area by mechanical means in all heights and depths, in all kinds of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformity with the requirement of technical specification of rural roads clause 1603.1. Minimum quantity of useful material such as stones, shingles, aggregates and slates etc. i.e 231.04 8cubic metre, shall be sorted out and stacked along the road side properly, otherwise recovery @ Rs. 300/- per cubic metre shall be effected from the bills of the contractor. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	923.70	372.40	(Rs three hundred seventy two & paia forty )only.	Per cubic meter. 343986.00
Total Rs:-					343986.00
Quoted rate in figures			+/-	(.....)	.....%
Quoted rate in words					

  
 Executive Engineer,  
 N.H.Division,HP.PWD,  
 Rampur Bsr.



Schedule of Quantity


Name of work:- A/R & M/O NH-305 Sainj Luhri Aut road Km 0/0 to 97/00. (SH:- Improviment of road geometrices by cutting of narrow reaches at RD 85/855 to 85/900).		Estimated cost		343986.00		
		Earnest money		7500.00		
		Time		Two Month		
S.No.	Descriptions	Qty	Rate		Unit	Amount
1	Excavation in soil in hilly area by mechanical means in all heights and depths, in all kinds of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformity with the requirement of technical specification of rural roads clause 1603.1. Minimum quantity of useful material such as stones, shingles, aggregates and slates etc. i.e 223.28cubic metre, shall be sorted out and stacked along the road side properly, otherwise recovery @ Rs. 300/- per cubic metre shall be effected from the bills of the contractor. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	923.70	In figure 372.40	In words. (Rs three hundred seventy two & paia forty )only.	Per cubic meter.	343986.00
Total Rs:- 343986.00						
Quoted rate in figures		+/-	(.....)	.....%		
Quoted rate in words						

  
 Executive Engineer,  
 N.H.Division, HP.PWD,  
 Rampur Bsr




Schedule of Quantity

Name of work:- A/R & M/O NH-305 Sainj Luhri Aut road Km 0/0 to 97/00. (SH:- Improviment of road geometrices by cutting of narrow reaches at RD 85/560 to 85/590).		Estimated cost		343986.00		
		Earnest money		6900.00		
		Time		Two Month		
S.No.	Descriptions	Qty	Rate		Unit	Amount
			In figure	In words.		
1	Excavation in soil in hilly area by mechanical means in all heights and depths, in all kinds of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformity with the requirement of technical specification of rural roads clause 1603.1. Minimum quantity of useful material such as stones, shingles, aggregates and slates etc. i.e 138.56 cubic metre, shall be sorted out and stacked along the road side properly, otherwise recovery @ Rs. 300/- per cubic metre shall be effected from the bills of the contractor. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	923.70	372.40	(Rs three hundred seventy two & paia forty )only.	Per cubic	343986.00
Total Rs:- 343986.00						
Quoted rate in figures		+/-	(.....)	.....%		
Quoted rate in words						

  
 Executive Engineer,  
 N.H.Division, HP.PWD,  
 Rampur Bst

Schedule of Quantity


Name of work:- A/R & M/O NH-305 Sainj Luhri Aut road Km 0/0 to 97/00. (SH:- Improviment of road geometrices by cutting of narrow reaches at RD 84/495 to 84/600).		Estimated cost		496171.00		
		Earnest money		10000.00		
		Time		Two Month		
S.No.	Descriptions	Qty	Rate		Unit	Amount
			In figure	In words.		
1	Excavation in soil in hilly area by mechanical means in all heights and depths, in all kinds of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformity with the requirement of technical specification of rural roads clause 1603.1. Minimum quantity of useful material such as stones, shingles, aggregates and slates etc. ie 165.28 cubic metre, shall be sorted out and stacked along the road side properly, otherwise recovery @ Rs. 300/- per cubic metre shall be effected from the bills of the contractor. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	1652.80	300.20	(Rs Three hundred & paia twenty)only.	Per cubic meter.	496171.00
Total Rs:- 496171.00						
Quoted rate in figures			+/ -	(.....)	.....%	
Quoted rate in words						

  
 Executive Engineer,  
 N.H.Division, HP. PWD,  
 Rampur Bsr.

## Schedule of Quantity

Name of work:- A/R & M/O NH-305 Saini Luhri Aut road Km 0/0 to 97/00. (SH-Formation cutting at RD 73/870 to 73/942).


Name of work:- A/R & M/O NH-305 Sainj Luhri Aut road Km 0/0 to 97/00. (SH- Formation cutting at RD 73/870 to 73/942).		Estimated cost		274990.00				
		Earnest money		5500.00				
		Time		Two Month				
		S.No.	Descriptions	Qty	In figure	In words.	Unit	Amount
1	Excavation in soil in hilly area by mechanical means in all heights and depths, in all kinds of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformity with the requirement of technical specification of rural roads clause 1603.1. Minimum quantity of useful material such as stones, shingles, aggregates and slates etc. i.e 109.91 cubic metre, shall be sorted out and stacked along the road side properly, otherwise recovery @ Rs. 300/- per cubic metre shall be effected from the bills of the contractor. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	942.07	291.90	(Rs Two hundred ninety one & paia ninty)only.	Per cubic meter.	274990.00		
Quoted rate in figures		+/-		(.....)		.....%	Total Rs:-	274990.00
Quoted rate in words								

  
Executive Engineer,  
N.H.Division, HP.PWD,  
Rampur Bstg




Schedule of Quantity

Name of work:- A/R & M/O NH-305 Sainj Luhri Aut road Km 0/0 to 97/00. (SH:- Improviment of road geometrices by cutting of narrow reaches at RD 62/662 to 62/735).		Estimated cost		499153.00		
		Earnest money		10000.00		
		Time			Two Month	
		Rate		Unit	Amount	
S.No.	Descriptions	Qty	In figure	In words.		
1	Excavation in soil in hilly area by mechanical means in all heights and depths, in all kinds of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformity with the requirement of technical specification of rural roads clause 1603.1. Minimum quantity of useful material such as stones, shingles, aggregates and slates etc. ie 238.11 cubic metre, shall be sorted out and stacked along the road side properly, otherwise recovery @ Rs. 300/- per cubic metre shall be effected from the bills of the contractor. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	1082.69	461.03	(Rs Four hundred sixty one & paisa three)only.	Per cubic meter.	499153.00
Total Rs:- 499153.00						
Quoted rate in figures		+/-	(.....)	.....%		
Quoted rate in words						

  
 Executive Engineer,  
 N.H.Division, HP.PWD,  
 Rampur Bsr


## Schedule of Quantity

Name of work:- A/R & M/O NH-305 Sainj Luhri Aut road Km 0/0 to 97/00. (SH:- Improvement of road geometrics by cutting of narrow reaches at RD 62/630 to 62/660).		Estimated cost		289528.00	
		Earnest money		5800.00	
S.No.	Descriptions	Qty	Rate		Two Month
			In figure	In words.	Unit
1	Excavation in soil in hilly area by mechanical means in all heights and depths, in all kinds of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformity with the requirement of technical specification of rural roads clause 1603.1. Minimum quantity of useful material such as stones, shingles, aggregates and slates etc. i.e 171.72 cubic metre, shall be sorted out and stacked along the road side properly, otherwise recovery @ Rs. 300/- per cubic metre shall be effected from the bills of the contractor. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	532.73	543.48	(Rs Five hundred forty three & paia forty eight)only.	Per cubic meter.
Total Rs:-		289528.00			
Quoted rate in figures		+/-	(.....)	.....%	
Quoted rate in words					

  
 Executive Engineer,  
 N.H.Division, HP.PWD,  
 Rampur Bsr

Schedule of Quantity

Name of work:- A/R & M/O NH-305 Sainj Luhri Aut road Km 0/0 to 97/00. (SH:- Improvement of road geometrics by cutting of narrow reaches at RD 62/585 to 62/627).		Estimated cost		499341.00	
		Earnest money		10000.00	
		Time		Two Month	
S.No.	Descriptions	Qty	Rate		Amount
			In figure	In words.	Unit
1	Excavation in soil in hilly area by mechanical means in all heights and depths, in all kinds of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out of rock (where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformity with the requirement of technical specification of rural roads clause 1603.1. Minimum quantity of useful material such as stones, shingles, aggregates and slates etc. i.e 238.20 cubic metre, shall be sorted out and stacked along the road side properly, otherwise recovery @ Rs. 300/- per cubic metre shall be effected from the bills of the contractor. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	1082.70	461.20	(Rs four hundred sixty one & paisa seventy) only.	Per cubic meter.
Total Rs:-					499341.00
Quoted rate in figures		+/-	(.....)	.....%	
Quoted rate in words					

  
 Executive Engineer,  
 N.H.Division, HP.PWD,  
 Rampur Bsr