HPPWD TENDER

Sealed item rate tenders are hereby invited by the Executive Engineer, Sundernagar Division, H.P.P.W.D. Sundernagar on behalf of Governor of H.P. for the below noted works from eligible contractors registered in HPPWD in appropriate class so as to reach in this office on or before 11.07.2022 upto 11.00 AM and the same will be opened on the same day at 11:30 AM in the presence of the contractors or their authorized representatives who may be present. The tender form can be had from this office against cash payment (Non refundable) upto 1:00 PM on 08.07.2022.

The tender shall accompany with earnest money which should be in shape of NSC/ Time deposit/ saving bank account in the post office/ Bank in HP duly pledged in favour of the Executive Engineer, Sundernagar Division, H.P.P.W.D. Sundernagar. Conditional tenders, telegraphic tenders and tenders without earnest money will not be entertained. The executive Engineer reserves the right to accept or reject the tenders. The tender shall remain valid for 75 days from the date of opening of tenders.

Sr. No.	Name of work	Estimated cost (Rs.)	Earnest Money	Tender Cost	Time
1	RRD on Dhawal Batwara road KM 0/0 to 11/300 (SH: Hiring of JCB for removal of slips and road side debris at various RDs).	158360	3500	350	Two Month
2	RRD on Slapper Tattapani road KM 0/0 to 31/0 (SH: Hiring of JCB for removal of slips and road side debris at various RDs)	187250	4000	350	Two Month
3	A/R & M/O on various roads und erSuket Sub Division HPPWD Sundernagar (SH: P/L G-II for correction layer and repair of pot holes in various roads in Maloh Section).	499170	10000	350	Three Months
4	RRD on Chanol Samon road KM 0/.0 to 8/300 (SH: Hiring of JCB for removal of slips and road side debris at various RDs).	162640	3600	350	Two Month
5	RRD on Jachh Pressi Pangna road KM 0/0 to 20/0 (SH: Hiring of JCB for removal of slips and road side debris at various RDs).	155150	3200	350	Two Month
6	RRD on Slapper Serikothi road KM 0/0 to 18/0 (SH: Hiring of JCB for removal of slips and road side debris at various RDs)	155150	3500	350	Two Month
7	A/R & M/O Bangaloo Luhanoo road Km 0/0 to 7/600 (SH: P/L G-II correction layer and repair of pot holes in various RDs at KM 5/600 to 7/600).	99681	2000	350	Three Months
8	RRD on Pandar Tattapani road Km 0/0 to 32/0 (SH: Hiring of JCB for removal of slips and road side debris at 0/0 to 7/0).	174410	4000	350	Two Month
9	RRD on Kateru Slapper road via Paurakothi KM 6/0 to 16/0 (SH: Hiring of JCB for removal of slips and road side debris at RD 12/0 to 16/0).	149800	3000	350	Two Month
10	RRD on Jarol Behna road KM 7/0 to 16/800 (SH: Hiring of JCB for removal of slips and road side debris at various RDs).	149800	3000	350	Two Month
11	RRD on Pandar Tattapani road KM 0/0 to 32/0 (SH: Hiring of JCB for removal of slips and road side debris at RD 12/0 to 22/0)	185110	4000	350	Two Month
12	RRD on Pungh Ghangnoo road KM 0/0 to 19/0 (SH: Hiring of JCB for removal of slips and road side debris at RD 0/0 to 10/0).	160500	4000	350	Two Month
13	RRD on Sundernagar Maloh Kateru road KM 0/0 to 14/0 (SH: Hiring of JCB for removal of slips and road side debris at various RDs).	187250	4000	350	Two Month
14	RRD on Jarol Behna road KM 0/0 to 7/0 (SH: Hiring of JCB for removal of slips and road side debris at RD 0/0 to 7/0).	155150	3500	350	Two Months
15	A/R & M/O on Bhawana Maloh road KM 0/0t o 10/0 (SH: P/L G-II for correction layer and repair of pot holes in KM 0/0 to 1/0)	248092	5000	350	Three Month

Certified that the above works are of urgent nature and require to be executed immediately in the public interest.

Executive Engineer, Sundernagar Division, H.P.P.W.D. Sundernagar. No: - PW/SNR-E-Tender/Giriraj/2022- 56 41 - 60

Copy forwarded to the following for information and publicity:

- 1. The Superintending Engineer, 1st Circle H.P.P.W.D. Mandi.
- 2. The Executive Engineer (I.T) O/o Engineer-in-Chief, HPPWD Shimla (HP) <u>eeict-pwd-shi@hp.gov.in</u> for uploading the NIT on departmental website please.
- 3. All the Assistant Engineers working under this Division.
- 4. Various Contractors working under Sundernagar Division.

5. Notice Board.


Executive Engineer, Sundernagar Division, H.P.P.W.D. Sundernagar.

Dated: 01.07.2022

Estimate Cost :Rs. 1,58,360/-only
Earnest Money: Rs 3500/- only
Time: Two Months

Name of work: RRD on Dhawal Batwara km 0/0 to 11/300 (SH:-Hiring of JCB for removal of slips and road side debris at various RDs.)

																1		S.N
		the Engineer-in charge.	book will be maintained at site which should be dully verified by	excavator also be borne by the contractor /owner. The daily log	be provided by the owner, the repair and spare watch and ward of	by him in all cases the fuel and operational staff for excavator will	the JCB/excavator owner which shall have to be fully compensated	course of hiring period execution shall be absolute responsibility of	public/private property of any accident etc. happened during the	least 25.00 cum. Quantity of slips per hour. Any lose to the	minimum 7.00 hours from 9.00A.M to 5.00 P.M. daily and remove at	satisfaction of Engineer- in charge. The machine/JCB should work	surface up to any leads and lifts as per direction and entire	all excavated earth or un- serviceable materials from the road	kinds of soil including rocky potion and saturated and disposing of	1 Hiring of JCB /excavator for removal of slips and boulder in all 148 Hours		S.N Sub Head and item of work
																148 Hours		Quantity
-																	Figure	Rate in
-																	words	
	Total														Hours	Per		Unit
																		Amount



Estimate Cost :Rs. 1,87,250/-only
Earnest Money: Rs 4000/- only
Time : Two Months

various RDs.) Name of work: RRD on Slapper Tatapani km0/0 to 31/00 (SH:- Hiring of JCB for removal of slips and road side debris at

П	نـــ		S.N
	Hiring of JCB /excavator for removal of slips and boulder in all kinds of soil including rocky potion and saturated and disposing of all excavated earth or un- serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 7.00 hours from 9.00A.M to 5.00 P.M. daily and remove at least 25.00 cum. Quantity of slips per hour. Any lose to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.		Sub Head and item of work
	175 Hours		Quantity
		Figure	Rate in
		words	
Total	Per Hours		Unit
			Amount

Executive Engineer, Sunder Nagar Division, HPPWD Sunder Nagar

Schedule of Quantity

Estimated Cost:- Rs 4,99,170/-Earnest money:- Rs 10,000/-Time allowed:- Two Months


Name of Work: A/R & M/O on various roads under Suket Sub Division HPPWD Sundernagar.

No. Description of item Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel rollar 80-100 kN static roller in stages to proper grade and camber, applying and brooming, stone screening/binding materials to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading- II as per Technical Specification Clause 405 by manual means including haulage of materials in all leads and lifts with all modes of transportation and as per direction and entire satisfaction of Engineer-in-charge and seal coat type B specification Clause 1904.2,503 and 508.1 and 508.2 including haulage of materials in all leads and lifts with all modes of transportationand as per direction of Engineer-in-charge.	lotal:-				
e in words	The second secon			Repair to pot holes and removal of loose material, trimming of sides, cleaning c surface by providing tack coat, 20 mm thick pre-mix carpet and seal coat type B specification Clause 1904.2,503 and 508.1 and 508.2 including haulage of materials in all leads and lifts with all modes of transportationand as per direction and entire satisfaction of Engineer-in-charge.	N
Rate in words	matrice matrice		23.88	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel rollar 80-100 kN static roller in stages to proper grade and camber, applying and brooming, stone screening/binding materials to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading- II as per Technical Specification Clause 405 by manual means including haulage of materials in all leads and lifts with all modes of transportation and as per direction and entire satisfaction of Engineer-in-	_
	7		Quantity	Description of item	No.
		ate		P/L G-II for correction layer and Repair of Pot Holes in various roads	100

Estimate Cost :Rs. 1,62,640/-only
Earnest Money: Rs 3600/- only
Time : Two Months

various RDs.) Name of work: RRD on Chanol to Samon km 0/0 to 8/300 (SH:- Hiring of JCB for removal of slips and road side debris at


T		T	S.N
	kinds of soil including rocky potion and saturated and disposing of all excavated earth or un- serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 7.00 hours from 9.00A.M to 5.00 P.M. daily and remove at least 25.00 cum. Quantity of slips per hour. Any lose to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.	E ICD (consistent for	S.N Sub Head and item of work
	152 Hours		Quantity
		Figure	Rate in
		words	
Total	Per		Unit
			Amount



Estimate Cost :Rs. 1,55,150/-only
Earnest Money: Rs3200/- only
Time : Two Months

Name of work: RRD on Jachh Pressi Pangna km 0/0 to 20/00 (SH:- Hiring of JCB for removal of slips and road side debris at rious RDs)

		S.N	Vall
kinds of soil including rocky potion and saturated and disposing of all excavated earth or un-serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 7.00 hours from 9.00A.M to 5.00 P.M. daily and remove at least 25.00 cum. Quantity of slips per hour. Any lose to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.	1 Hiring of ICB /excavator for removal of slips and boulder in all 145 Hours	S.N Sub Head alla Itelli ol wolk	various resi
	145 Hours	Sugmere	Onantity
		Figure	Rate in
		words	
Hours Total	Per		Unit
			Amount



Estimate Cost :Rs. 1,55,150/-only Earnest Money: Rs 3500/- only Time : Two Months

Name of work: - RRD on Slapper to Serikothi km 0/0 to 18/00 (SH:- Hiring of JCB for removal of slips and road side debris at various RDs.)

rious RDs.) Sub Head and item of work	Quantity	Rate in	words	Unit	Amount
1 Hiring of JCB /excavator for removal of slips and boulder in all kinds of soil including rocky potion and saturated and disposing of all excavated earth or un- serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 7.00 hours from 9.00AM to 5.00 P.M. daily and remove at least 25.00 cum. Quantity of slips per hour. Any lose to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.	the second of th	Figure	Worlds	Per Hours	tal

Executive Engineer, Sunder Nagar Division, H.P.P.W.D. Sunder Nagar

Sundet Nagar Division

555

Name of Work:-A/R & M/o Bangaloo Luhnoo road km 0/00 to 7/600

Estimated Cost:- 99681/Earnest Money: 2000/Time:- One month

(SH:-P/L G-II for correction layer and repair of pot holes in various RDs at Km $\,5/600$ to $\,7/600$)

T					
		2	1.	No.	Sr.
COSC OF IMPOSE / Octob	(Note:- Bitumen will be supplied by the department at plant site, the	Repair to pot holes and removal of loose material, trimming of sides, cleaning of surface by providing tack cost 20mm thick (Twenty millimeter) premix carpet and seal coat type B specification clause 1904.2, 503 and 508 complete in all respect as per direction and entire satisfaction of Engineer in charge with in all leads, lift and carriage of material and other incidentals.	Providing, Laying, spreading and compacting stone aggregates of specific sizes 53mm to 22.4mm (Fifty three to twenty two point four millimetre) to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100kN static roller in stages to proper grade and camber, applying and brooming, stone screening/ binding materials to fill-up the interstices of course aggregate, watering and compacting to the required density Grading III as per technical specification clause 405 (By manual means) including all leads, lift, carriage of material and other incidentals complete in all respect.		Description of item
		415.50 Sqm	5.38cum		Qty.
				Figure	
				word	Rate
lotal:-					Unit
					Amount

Sundernagar Division, HPPWD Sundernagar.

Estimate Cost :Rs. 1,74,410/-only
Earnest Money: Rs3500/- only
Time : Two Months

Name of work: RRD on Pandar Tattapani km 0/0 to 32/00 (SH:-Hiring of JCB for removal of slips and road side debris at RD. 0/0 to 7/00)

-	4	S.N
kinds of soil including rocky potion and saturated and disposing of all excavated earth or un-serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 7.00 hours from 9.00A.M to 5.00 P.M. daily and remove at least 25.00 cum. Quantity of slips per hour. Any lose to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.		S.N Sub Head and item of work
163 Hours		Quantity
	Figure	Rate in
	words	
Hours		Unit
		Amount

Estimate Cost :Rs. 1.49.800/-only
Earnest Money: Rs3000/- only
Time : Two Months

debris at RD.12/0 to 16/00) Name of work:- RRD on Kateru Slapper via Paurakothi km 6/0 to 16/00 (SH:- Hiring of JCB for removal of slips and road side

	CT C -	4	Z
	kinds of soil including rocky potion and saturated and disposing of all excavated earth or un-serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 7.00 hours from 9.00A.M to 5.00 P.M. daily and remove at least 25.00 cum. Quantity of slips per hour. Any lose to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.		S.N Sub Head and item of work
	Hours Hours		Quantity
		Figure	Rate in
		words	
Total	Per		Unit
			Amount

Executive Engineer, Sunder Nagar Division, H.P.P.W.D. Sunder Nagar

Estimate Cost :Rs. 1;49,800/-only
Earnest Money: Rs 3500/- only
Time : Two Months

RDs.) Name of work: RRD on Jarol Behna km 7/0 to 16/800 (SH:-Hiring of JCB for removal of slips and road side debris at various

		_	4	N.C
	all excavated earth or un-serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 7.00 hours from 9.00A.M to 5.00 P.M. daily and remove at least 25.00 cum. Quantity of slips per hour. Any lose to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.	kinds of soil including rocky potion and saturated and disposing of		Sub Head and item of work
	A ad of Tr. H.	140 Hours		Quantity
			Figure	Rate in
			words	
Total	nours	Per		Unit
al				Amount

Estimate Cost :Rs. 1,85,110/-only
Earnest Money: Rs3750/- only
Time : Two Months

Name of work: RRD on Pandar Tattapani km 0/0 to 32/00 (SH:-Hiring of JCB for removal of slips and road side debris at RD.12/0 to 22/00)

															1		S.N
		the Engineer-in charge.	book will be maintained at site which should be dully verified by	be provided by the owner, the repair and space water and water of the provided by the contractor owner. The daily log	by him in all cases the fuel and operational staff for excavator will	the JCB/excavator owner which shall have to be fully compensated	course of hiring period execution shall be absolute responsibility of	public/private property of any accident etc. happened during the	least 25.00 cum. Quantity of slips per hour. Any lose to the	minimum 7.00 hours from 9.00A.M to 5.00 P.M. daily and remove at	satisfaction of Engineer- in charge. The machine/JCB should work	surface up to any leads and lifts as per direction and entire	all excavated earth or un- serviceable materials from the road	kinds of soil including rocky potion and saturated and disposing of	1 Hiring of JCB /excavator for removal of slips and boulder in all 173 Hours		S.N Sub Head and item of work
															173 Hours		Quantity
																Figure	Rate in
																words	
A	Total													Hours	Per		Unit
\	1																Amount
														1			

Estimate Cost :Rs. 1,60,500/-only Earnest Money: Rs 4000/- only Time : Two Months

Name of work: RRD on Pungh Ghanganu km 0/0 to 19/00 (SH:- Hiring of JCB for removal of slips and road side debris at RD. 0/0 to 10/00)


.N	Sub Head and item of work	Qu	antity	Rate in		Unit	Amount
				Figure	words		
	Hiring of JCB /excavator for removal of slips and boulder in all kinds of soil including rocky potion and saturated and disposing of all excavated earth or un- serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 7.00 hours from 9.00A.M to 5.00 P.M. daily and remove at least 25.00 cum. Quantity of slips per hour. Any lose to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.	i f	Hours			Per Hours	
			0.000			Tota	ıl

Executive Engineer, Sunder Nagar Division, HPPWD Sunder Nagan

Estimate Cost :Rs. 1,87,250/-only
Earnest Money: Rs 4000/- only
Time : Two Months

debris various RDs. Name of work: RRD on Sundernagar Maloh Kateru km 0/0 to 14/00 (SH:-Hiring of JCB for removal of slips and road side

for removal of slips and boulder in all 175 Hours potion and saturated and disposing of n- serviceable materials from the road and lifts as per direction and entire charge. The machine/JCB should work 9.00A.M to 5.00 P.M. daily and remove at y of slips per hour. Any lose to the any accident etc. happened during the ecution shall be absolute responsibility of and operational staff for excavator will the repair and spare watch and ward of by the contractor /owner. The daily log tritte which should be dully verified by Tot				S.N
Rate in Unit Figure words Per Hours		surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 7.00 hours from 9.00A.M to 5.00 P.M. daily and remove at least 25.00 cum. Quantity of slips per hour. Any lose to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward o excavator also be borne by the contractor /owner. The daily look will be maintained at site which should be dully verified be the Engineer-in charge.	Hiring of JCB /excavator for removal of slips and boulder in all kinds of soil including rocky potion and saturated and disposing of	S.N Sub Head and item of work
words Per Hours Tot		Q 69 Fr 11 11 15 0 0 1	175 Hours	Quantity
Per Hours				Rate in Figure
Tot				words
al	Tot		Per Hours	Unit
nt	al			Amount



Estimate Cost :Rs. 1,55,150/-only Earnest Money: Rs 3500/- only Time : Two Months

Name of work: RRD on Jarol Behna km 0/0 to 7/00 (SH:- Hiring of JCB for removal of slips and road side debris at RD. 0/0 to 7/00)

Sub Head and item of work	Quantity	Rate in		Unit	Amount
Hiring of JCB /excavator for removal of slips and boulder in all kinds of soil including rocky potion and saturated and disposing of all excavated earth or un- serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineers in	145 Hour		words	Per Hours	Amount
satisfaction of Engineer- in charge. The machine/JCB should work minimum 7.00 hours from 9.00A.M to 5.00 P.M. daily and remove at least 25.00 cum. Quantity of slips per hour. Any lose to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.					
				Tota	

Executive Engineer, Sunder Nagar Division, HPPWD Sunder Nagar.

Schedule of Quantity

Estimated Cost:- Rs 2,48,092/-Earnest money:- Rs.5,000/-Time allowed:- Two Months

Name of Work: A/R & M/O on Bhawana Maloh road km 0/0 to 10/0.

>	(SH: P/L G-II for correction layer and Repair of Pot Holes in km 0/0 to 1/0).
	100
	3-1
	for c
	orre
	ectic
	on la
	yer
	and
	Re
	pair
	of P
	ot H
	oles
	in
	km (
)/0 to
	0 1/0
	۳
Dat	1
D	18

-	Total:-					
					direction and entire satisfaction of Engineer-in-charge.	
					materials in all leads and lifts with all modes of transportationand as per	
	metre				specification Clause 1904.2,503 and 508.1 and 508.2 including haulage of	
	square				surface by providing tack coat, 20 mm thick pre-mix carpet and seal coat type B	
	Per			926.02	Repair to pot holes and removal of loose material, trimming of sides, cleaning of	2
					charge.	
					of transportation and as per direction and entire satisfaction of Engineer-in-	
					manual means including haulage of materials in all leads and lifts with all modes	
					to the required density grading- II as per Technical Specification Clause 405 by	
					materials to fill-up the interstices of coarse aggregate, watering and compacting	
					proper grade and camber, applying and brooming, stone screening/binding	
			A STATE OF THE STA		hand packing, rolling with three wheel rollar 80-100 kN static roller in stages to	
	metre				to water bound macadam specification including spreading in uniform thickness,	
	Per cubic			13.25	Providing, laying, spreading and compacting stone aggregates of specific sizes	_
		in words	in Figure	Quantity	Ceach Prior of Rem	No.
Amount	Ilnit			Ougantitu	Door sixting of the same	
		Rate	71			2
					The state of the s	

