



"NOTICE INVITING TENDER"

Sealed item rate tender for the following works are hereby invited by the Executive Engineer, B&R Division HP.PWD., Joginder Nagar District Mandi (H.P) from the eligible contractors of the appropriate class registered in HP.PWD. as per revised enlistment rules so as to reach in the office of under signed on **18/08/2022 up to 11:30 A.M.** and will be opened on the same day at **(12:00 noon)** in the presence of intending contractors. The tender application will be received in this office against cash payment on **16/08/2022 up to 10.00 A.M. to 12:30 P.M.** and tender form can be had from this office on **17/08/2022 from 2.00 P.M. to 5.00 Pm.** The earnest money as shown against each in the shape of F.D.R of any bank in Himachal Pradesh duly pledged in the name of the under signed must accompany with each tender. The tender form will be issued to contractor giving proof of enlistment, GST, work done certificate, proof of machinery etc. Conditional tender and tender received without earnest money will be out rightly rejected. The offer of the tender shall be kept open for 90 days. The Executive Engineer reserves the right to reject any or all the tenders without assigning any reasons.

The draft NIT and other specifications and conditions of the tender can be seen by the contractors in the office of the under signed on any working day during the office hours.

Sr. No.	Name of work	Amount put to tender/ Est. cost	Earnest money	Cost of Tender Form	Eligible Class of Contractor	Time
1	A/R & M/O Kundani Kass road Km. 0/0 to 6/785 (Sub Head:- Removal of Lad Slide slips, Maintenance of Earthen Shoulder, C/O road side Unlined drain at Various).	₹ 4,30,772/-	₹ 8,600/-	₹ 350/-	Class "D"	Three months
2	Special repair to Govt. Degree College at Joginder Nagar District Mandi (H.P). (Sub Head:- Providing and fixing G.I. fencing).	₹ 4,97,831/-	₹ 10,000/-	₹ 350/-	Class "D"	Three months
3	Special repair to Govt. Degree College at Joginder Nagar District Mandi (H.P). (Sub Head:- Construction of sitting steps from RD. 0/0 to 0/015).	₹ 4,26,788/-	₹ 8,500/-	₹ 350/-	Class "D"	Three months

1. Certified that tender of above works are being called of emergent nature in exigency of public interest

Terms and conditions:-

1. The contractor should produce a copy of enlistment / renewal letter at time of application.
2. Executive Engineer reserves the right to reject/cancel any or all the tenders without assigning any reasons.
3. The contractor/Firm shall have his registration and GST No, the copy of same be attached with the application.
4. The earnest money shall be deposited duly pledged in favour of Executive Engineer B&R Division HPPWD., Joginder Nagar & cost of tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money & cost of tender form shall summarily be rejected.
5. No tender form will be issued to the contractor without producing the work done certificate from the Executive Engineer concerned.
6. The Contractor/Firms must have executed minimum one civil /similar nature of work done of amount not less than 40% (forty percent) of the estimated cost (without Liquidated Damage or compensation) in last five years.
7. The contractor/firms are requested to insert the rate of each item in words as well as in figures failing which XEN reserves the right to accept/reject any tender without assigning any reason at any stage.
8. The tender shall be issued to those contractors who have not more than two works in hand.

Executive Engineer,
B&R Division HP PWD.,
Joginder Nagar.
District Mandi (HP) on behalf of
Governor of Himachal Pradesh
Ph. 01908-222033

No. PW-JND-B&R-EA-I/NIT/Press/2022-23-

11638-47

Dated:-

25-7-2022

1. Copy to the F.C. Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
2. The Engineer-in-Chief, HPPWD, Shimla.
3. The Chief Engineer (MZ), HPPWD, Mandi.
4. The Superintending Engineer, Joginder Nagar Circle HPPWD, Joginder Nagar.
5. All the Executive Engineer in HPPWD for wide publicity.
6. All the Assistant Engineer working under this Division.
7. Drawing Branch in this office.
8. Notice Board.
9. The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer,
B&R Division HP PWD.,
Joginder Nagar.

SCHEDULE OF QUANTITY

Job No = ①

Name of Work : A/R & M/O Kundani Kass Road km 0/00 to 6/785

(SH: Removal of Lad Slide slips, Maintenance of Earthen Shoulder, C/O Road Side Unlined Drain at Various Reaches)

Estimate Cost: 4,30,772
Earnest Money: 8,600
Time Limit : Three Mon

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Maintenance of earthen shoulder making uploss of materials /irregularities on shoulder to the desin level by adding fresh approved selected soil as per technical specification clause 1903 including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge.	5762.95	Per Square Meter			
2	Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slops and disposal of cut material as per technical specification clause 302.3.5 and 1611. within all leads, lifts carriage of material and other incidentals.	300.00	Per cubic metre			
3	Construction of unlined surface drains of average cross-sectional area 0.40 sqm by mechanical means in soil to specified lines, grades, levels, and dimensions. Excavated material to be used in embankment with a lift upto 3m and lead of 50m (average lead 25m) as per technical specification clause 307 including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge.	655.00	Per Running Meter			
4	Cutting in earth work in all heights and depths in all kinds of soil including saturated soil comprising of pick, jumper and blasting work both in soft and hard rock with chiseling wedging out of rock (where blasting is prohibited) and their intermediate classification of soil setting out time to the required line, grades, side slopes trimming bottoms and level as shown in the drawing as per the direction of Engineer-In-Charge at site as per technical specification clause 1603.1, 1603.2 and sorting out useful/un-useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful materials for filling in road ways camber embankments for grades improvements and disposal of all un-useful materials to required width of the road or on approved dumping sites through all modes of transportation including head load or animal transport or mechanical means along with its leveling fine dressing and carriage of all labour machineries, materials, tools equipments and safety measures and incidentals necessary to complete the work by mechanized means and or labour if required all useful materials such as stones, shingles, aggregates, land slates shall be sorted out and stacked along road side. Any loss to the public/private property during the course of execution shall be absolute responsibility of the contractor which shall be duly compensated by him in all cases.	759.38	Per cubic metre			
5	Less credit for excavated rock found suitable for use, the recovery of useful rock shall be done on pro-rata basis in each running bill for item No.4	38.00	Per cubic metre			
Total						

Executive Engineer
B & R Division HP.PWD,
Joginder Nagar

SCHEDULE OF QUANTITY


Name of Work :Special Repair to Govt. Degree Collage at Joginder Nagar Distt. Mandi (H.P.)
(SH: Providing and Fixing G.I. Chain Fencing)

Job No ②

Sr. No.	Description of work	No. or Qty.	Unit	Estimate Cost:		AMOL Rs.
				Figures	Rate Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .	7.81	Per cubic metre			
2	Providing and laying mechanically mixed and vibrated reinforced cement concrete work grade M-20 design mix to obtain the minimum compressive strength of M-20 N/mm2 with cement contents not less than of 330kg/m3 (three hundred thirty kilogramme per cubic metre) excluding cost of form work and reinforcement for reinforced concrete work in foundation footing, basis of columns and the like mass concrete upto floor all level and curing complete including carriage of material within all leads, lifts and other incidental charges complete in all respect as per direction of Engineer-in-Charge.	7.81	Per cubic metre			
3	Structural steel work in single section, fixed with or without connecting plate,including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete as per the direction of Engineer-in-charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge.	2176.98	Per Kilogramme			

Estimate Cost: 4,97
Earnest Money: 10
Time Limit : Three

S.No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs.
				Figures	Words	
4	Providing and fixing G.I. chain link fabric fencing Made of G.I. wire of dia 4 mm (four millimeter) required width in mesh size 50x50 mm (fifty by fifty millimeter) including strengthening with 2 mm dia (two millimeter diameter) wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge.	324.00	Per square metre			
Total						


 Executive Engineer
 B & R Division HP.PWD,
 Joginder Nagar


SCHEDULE OF QUANTITY

Job No. - 3

Name of Work : Special Repair to Govt. Degree Collage at Joginder Nagar Distt. Mandi (H.P.)
(SH: Construction of Sitting Steps from 0/00 to 0/015)

Name of Work :Special Repair to Govt. Degree Collage at Joginder Nagar Distt. Mandi (H.P.)					Estimate Cost: 4,200	
(SH: Costruction of Sitting Steps from 0/00 to 0/015)					Earnest Money: 8	
					Time Limit : Three	
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs.
				Figures	Words	
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transporation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost.	41.00	Per cubic metre			
2	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .	4.50	Per cubic metre			

No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs.
				Figures	Words	
3	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications clause 802, 803, 1202 & 1203. Plain cement concrete Grade M-10 complete within all leads, lifts carriage of material and other incidentals.	65.25	Per cubic metre			
Total						


 Executive Engineer
 B & R Division HP.PWD,
 Joginder Nagar