

HIMACHAL PRADESH
PUBLIC WORK DEPARTMENT
NOTICE INVITING TENDER

Sealed items rates tender on form No. 6 and 8 are hereby invited on behalf of Governor of HP for the following works from approved and eligible contractor enlisted in HPPWD so as to reach in this office 03.09.2022 upto 10:30 AM and shall be opened on the same day at 11:00 AM in the presence of intending contractors or their authorised representative who may link to be present. The tender form be had from his office against cash payment (non refundable) during working hours.

The earnest money in the shape of FDR/TDR in HP duly pledged in favour of Executive Engineer Rajgarh Division HPPWD Rajgarh must be accompanied with the each tender. Conditional tender and tender received without earnest money will be rejected. The undersigned reserves the right to reject any or all tenders without assigning the reason. The offer of the tender will be kept opened for 75 days.

Sr. No.	Tender Sechedule	
1	Last date for tender receipt of application for tender form	01.09.2022 upto 4:00 PM
2.	Last date of sale of tender forms.	02.09.2022 upto 4:00 PM
3.	Date of receipt of tender forms	03.09.2022 upto 10:30AM
4.	Date of opening of tenders	03.09.2022 at 11:00 AM


Sr. No	Name of Work	Estimated cost	Earnest Money	Time Limit	Cost of form
1	Construction of Bhalta to Chambigharat road km 0/00 to 4/600 (SH:- Providing and laying WBM Grading -I & Unlined drain between km 1/500 to 2/00)Under SCSP.	4,25,458.00	8,600.00	Three months	350/-
2	Restoration rain damages on Solan Meenus road km 24/345 to 61/00 (New Chainages 9/345 to 46/00) (SH:- Construction of Unlined drain between km 40/00/00 to 49/00(New Chainages between km 25/00 to 34/00).	2,78,189.00	6,000.00	Two months	350/-
3	Restoration rain damages on Banethi Bagthan Chandol road km 48/00 to 87/00 (SH:- Construction of Unlined drain between km 70/00 to 72/00 and 74/00 to 78/00).	2,41,015.00	5,000.00	Two months	350/-
4	A/R & M/O Neripul Pulbahal road km 0/00 to 14/565(SH :- Providing & Laying G-III and patch work between km 0/00 to 2/00).	4,97,654.00	10,000.00	One month	350/-
5	A/R & M/O Neripul Deothi Majhgaon road km 0/00 to 12/00(SH :- Providing & Laying G-III and patch work between km 3/00 to 6/00).	4,97,228.00	10,000.00	One month	350/-
6	Restoration rain damages on Restoration rain damages on Banethi Bagthan Chandol road km 48/00 to 87/00(SH:- Constuction of unlined drain & maintenance of earthan shoulder between km 48/00 to 50/00).	2,33,700.00	5000.00	One month	350/-
7	Restoration rain damages on Restoration rain damages on Banethi Bagthan Chandol road km 48/00 to 87/00(SH:- Constuction of unlined drain & maintenance of earthan shoulder between km 50/00 to 52/00).	2,33,700.00	5000.00	One month	350/-
8	Restoration rain damages on Restoration rain damages on Banethi Bagthan Chandol road km 48/00 to 87/00(SH:- Constuction of unlined drain & maintenance of earthan shoulder between km 52/00 to 54/00).	2,33,700.00	5000.00	One month	350/
9	Restoration rain damages on Restoration rain damages on Banethi Bagthan Chandol road km 48/00 to 87/00(SH:- Constuction of unlined drain & maintenance of earthan shoulder between km 54/00 to 56/00).	2,33,700.00	5000.00	One month	350/
10	Restoration rain damages on Solan Meenus road km 24/345 to 61/00 (New Chainage 9/345 to 46/00) (SH:- Constuction of unlined drain & maintenance of earthan shoulder between km 55/00 to 57/00).(New Chainage between km 40/00 to 42/00).	2,33,700.00	5000.00	One month	350/
11	Restoration rain damages on Solan Meenus road km 24/345 to 61/00 (New Chainage 9/345 to 46/00) (SH:- Constuction of unlined drain & removal of slips between km 24/345 to 33/0).(New Chainage between km 9/345 to 18/0).	2,73,500	5500.00	One month	350/
12	Restoration rain damages on Solan Meenus road km 24/345 to 61/00 (New Chainage 9/345 to 46/00) (SH:- Constuction of unlined drain, maintenance of eathan shoulder & removal	2,89,386	6000.00	One month	350/

	of slips between km 33/0 to 38/0).(New Chainage between km 18/0 to 23/0).				
13	Restoration of rain damages on Churwadhar Gadol Pirag road Km 0/0 to 10/750 (SH:- C/O Wire crate Brest wall between Km 5/696 to 5/721).	3,93,289/-	8,000/-	Two months	350/-
14	Construction of link road to village Anji km 0/0 to 5/0 (SH:- C/O 5/7 mtr wide formation cutting in km 0/510 to 0/720) under SCSP	3,01,020/-	6100/-	One Month	350/-
15.	R/R damages on Solan Meenus road km 24/345 to 61/0 (As per Chainage 9/345 to 46/0 (SH:- Mainatenance of eaten shoulder in km 24/345 to 28/0) RD as per new chainage (9/345 to 13/0)	277780/-	5600/-	15 th days	350/-
16.	R/R Damages on Neripul Pulbhal road km 0/0 to 14/565 (SH:- Mainatenance of eaten shoulder in km 4/0 to 7/0)	228000/-	5000/-	One months	350/-

Certificate :-It is certified that the tender of above work are exigency/emergent nature and in public interest.

Terms & conditions:-

1. The contractors/Bidders must submit their Permanent Income Tax Account Number/GST number on the tender along with copy of the same be attached with the application.
2. The contractor/Firms should attached copy of the Registration/Renewal with the application
3. The contractor/bidder should quoted his rates both in Figures and words, where there is any discrepancy between the rates in figures and words, the rates in words will be governed.
4. The contractors/bidders must inspect the site to ascertain/familiar the site conditions, accessibility etc. Before quoting the bid/tender.
5. Conditional and telegraphic tender shall be accepted and rejected straightway. Tender received after due date and time will be rejected.
6. The contractor/firm should have to produce the detail of work in hand in HPPWD and its position therefore along with application.
7. The tender document shall be issued to only those contractors who dose not have more than two works in hand in HPPWD Circle/ Division.
8. The contractor shall have to establish testing laboratory at site for the day to day testing of material.
9. The offer shall remain valid upto 75 days.
10. The above Job is on present market rates and tender will be processed as per instruction issued by the Add. Chief Secretary (PW) to the Govt. of H.P notification No. PBW)B)A(3)1/2020 dt. 22.07.2020. Regarding adoption of CPWD works manual 2019 & other publication of CWP in HPPWD shall also be applicable.
11. The Executive Engineer reserve the right any or all the tenders without assigning any reason.
12. The tender document shall be issued to only those contractors who submit registration of GST No.


Executive Engineer
HPPWD Division Rajgarh
Distt Sirmour HP

on behalf of Governor of Himachal Pradesh
Tel. No. 01799-221023
Mail. ee-raj-hp@nic.in


Dated:- 27-08-2022

No.PW/RGH/Estt-Tender/2022-23-

5765-5815

Copy forwarded for information and necessary action to:-

1. The Engineer-in-Chief, HP.PWD.Shimla-1.
2. The Chief Engineer (South) HP.PWD.Shimla-1.
3. The Superintending Engineer, 12th Circle HPPWD Nahan.
4. The Executive Engineer (IT Cell), Nigam Vihar, HPPWD Shimla-2 for uploaded of Notice Inviting Tenders on Departmental wesite please.
5. All the Assistant Engineers working under this Division.
6. All Head of Branches of this office.
7. All Intending Bidders/Contractors.
8. Notice Board.


Executive Engineer,
Rajgarh Division,
HP.PWD. Rajgarh.

Name of work:-Construction of Bhalka to Chambigharat road km 0/00 to 4/600 (SH:- Providing and laying WBM Estimated cost - Rs.4,25,458/-
Grading -I & Unlined drain between km 1/500 to 2/00) Under SCSP.

SCHEDULE OF QUANTITY

Earnest money:- Rs. 8600/-

Time Limit:- Three Months

Sr. No	Sub-Head and Items of work	Qty.	Unit	Rate		Amount
				in figures.	in words	
1	Preparation of sub grade by dressing to camber (Earth work for the cutting involved for sub-grade to be paid for separately) depending upon the classification of soil complete as per HP.PWD. Specification and direction of the Engineer-in Charge, including carriage of all labour equipments and materials to various locations through all modes of transportation in all leads and lifts to the entire satisfaction of the Engineer-in-Charge including all incidental charges.	1842.50	Per Squar Metre.			
2	Consolidation of sub-grade with road roller including making good the undulation etc. with earth or quarry soil etc. and rerolling the sub-grade completed as per HP.PWD. specification/ technical Specification and direction of the Engineer-in Charge, including carriage of all labour equipments and materials to various locations through all modes of transportation in all leads and lifts to the entire satisfaction of the Engineer-in-Charge including all incidental charges	1842.50	Per Squar Metre.			
3	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 (Eighty- One hundred) kN static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading -I as per Technical Specification Clause 405. (Clause Four Hundred Five) By Manual Means , including carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in- Charge.	184.25	Per Cubic Metre.			
4	Construction of unlined surface drain of average cross-sectional area 0.2 sqm in ordinary rock to specified lines, grades, levels and dimensions as per approved design and Technical Specification Clause 307. Excavated material to be used in embankment at site. by mechanical means as per H.P.PWD. specification, including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads and lifts including all incidental charges.	500.00	Per running Metre.			

Executive Engineer

Rajgarh Division


HPPWD Rajgarh

SCHEDULE OF QUANTITY

Name of Work:- Restoration rain damages on Solan Meenus road km 24/345 to 61/00 (New Estimated cost:- Rs.2,78,189/- Chainages 9/345 to 46/00) (SH:- Construction of Unlined drain between km 40/00/00 to 49/00(Earnest money:- Rs.6000/- New Chainages between km 25/00 to 34/00).

Time Limit: - Two Months


Sr No	Description Items of work	Qty.	Unit	Rate		Amount
				in figures	in words	
1	2	3	4	5	6	7
1	Surface Drains in Ordinary Rock Construction of unlined surface drain of average cross-sectional area 0.4 sqm (Point four Square metre) in ordinary rock to specified lines, grades, levels and dimensions as per approved design and Technical Specification Clause 307 (three hundred seven). Excavated material to be used in embankment at site. B) Mechanical Means in all leads and lifts as per direction of the Engineer-in-Charge , as per H.P.PWD. specification, including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads and lifts including all incidental charges.	6810.00	Per Rmt			


Executive Engineer,
Rajgarh Division,
HPPWD Rajgarh.

SCHEDULE OF QUANTITY

Name of Work:- Restoration rain damages on Banethi Bagthan Chandol road km 48/00 to 87/00 Estimated cost:- Rs.2,41,015/-
(SH:- Construction of Unlined drain between km 70/00 to 72/00 and 74/00 to 78/00).
Earnest money:- Rs. 5000/-
Time Limit:- Two Months

Sr No	Description Items of work	Qty.	Unit	Rate		Amount
				in figures	in words	
1	2	3	4	5	6	7
1	Surface Drains in Ordinary Rock Construction of unlined surface drain of average cross-sectional area 0.4 sqm (Point four Square metre) in ordinary rock to specified lines, grades, levels and dimensions as per approved design and Technical Specification Clause 307 (three hundred seven). Excavated material to be used in embankment at site. B) Mechanical Means in all leads and lifts as per direction of the Engineer-in-Charge , as per H.P.PWD. specification, including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads and lifts including all incidental charges.	5900.00	Per Rmt			


Executive Engineer,
Rajgarh Division,
HPPWD Rajgarh.


SCHEDULE OF QUANTITY

Name of work : A/R & M/O Neripul Pulbahal road Km. 0/0 to 14/565 (SH:- Providing and Laying patch work between Km. 0/0 to 2/0).

Estimated cost:-Rs.4,97,654/-
Earnest money:- Rs. 10,000/-

Time Limit:- One Month.

Sr. N	Description Items of work	Qty.	Unit	Rate in figures.	in words	Amount
1	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density 53mm to 22.4mm (fifty three millimetre to twenty two point four millimetre) size Grading -III as per Technical Specification Clause 405.by Manual means.including carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in- Charge.	13.61	Per Cubic Metre.			
2	Providing and applying primer coat with bitumen emulsion (SS-I) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70- 1.0 (zero point seventy to one point zero) kg/sqm using mechanical means as per Technical Specification Clause 502.including carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in- Charge.	181.50	Per Square metre.			
3	Repair to pot holes and removal of loose materials, trimming of sides, cleaning of surfaces providing tack coat with bitumen emulsion, 20mm thick premix carpet using cationic bitumen emulsion and seal coat type-B with bitumen emulsion as per technical specification clause 1904.2, 503 and 508.2.including carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in- Charge.	1234.20	Per Square metre.			


Executive Engineer
Raigarh Division
JHPPWD Raigarh

SCHEDULE OF QUANTITY


Name of work : A/R & M/O Neripul Deothi Majhgaon road Km. 0/0 to 12/0 (SH:- Providing and Laying patch work between Km. 3/0 to 6/0).

Estimated cost:-Rs.4,97,228/-

Earnest money:- Rs. 10,000/-

Time Limit:- One Month.

Sr. N	Description Items of work	Qty.	Unit	Rate in figures.	in words	Amount
1	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density 53mm to 22.4mm (fifty three millimetre to twenty two point four millimetre) size Grading -III as per Technical Specification Clause 405.by Manual means.Including carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in- Charge.	13.88	Per Cubic Metre.			
2	Providing and applying primer coat with bitumen emulsion (SS-I) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70- 1.0 (zero point seventy to one point zero) kg/sqm using mechanical means as per Technical Specification Clause 502.Including carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in- Charge.	185.13	Per Square metre.			
3	Repair to pot holes and removal of loose materials, trimming of sides, cleaning of surfaces providing tack coat with bitumen emulsion, 20mm thick premix carpet using cationic bitumen emulsion and seal coat type-B with bitumen emulsion as per technical specification clause 1904.2, 503 and 508.2.Including carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in- Charge.	1230.8	Per Square metre.			



 Executive Engineer
 Rajgarh Division
 HPPWD Rajgarh

SCHEDULE OF QUANTITY

Name of Work:- Restoration rain damages on Restoration rain damages on Banethi Bagthan Estimated cost:-Rs.2,33,700/-
Chandol road km 48/00 to 87/00(SH:- Construction of unlined drain & maintenance of earthan Earnest money: - Rs. 5000/-
shoulder between km 48/00 to 50/00).

Time Limit: - One Month


Sr No	Description Items of work	Qty.	Unit	Rate		Amount
				in figures	in	
1	2	3	4	5	6	7
1	Maintenance of Earthan shoulder (Filling with fresh selected soil) making uploss of material/irregularities on shoulders to the design level by adding fresh approved selected soil and compacting it with appropriate equipment at OMC upto a lead of 1000 m as per technical specification clause 1903.	4000.00	Per square metre.			
2	Surface Drains in Ordinary Rock Construction of unlined surface drain of average cross-sectional area 0.4 sqm in ordinary rock to specified lines, grades, levels and dimensions as per approved design and Technical Specification Clause 307. Excavated material to be used in embankment at site. B) Mechanical Means.	2000.00	Per Rmt			
					G.Total	


 Executive Engineer,
 Rajgarh Division,
 HPPWD Rajgarh.

SCHEDULE OF QUANTITY

Name of Work:- Restoration rain damages on Restoration rain damages on Banethi Bagthan Estimated cost:-Rs.2,33,700/-
Chandol road km 48/00 to 87/00(SH:- Construction of unlined drain & maintenance of earthan Earnest money: - Rs. 5000/-
shoulder between km 50/00 to 52/00). Time Limit: - One Month

Sr No	Description Items of work	Qty.	Unit	Rate		Amount
				in figures	in	
1	2	3	4	5	6	7
1	Maintenance of Earthan shoulder (Filling with fresh selected soil) making uploss of material/irregularities on shoulders to the design level by adding fresh approved selected soil and compacting it with appropriate equipment at OMC upto a lead of 1000 m as per technical specification clause 1903.	4000.00	Per square metre.			
2	Surface Drains in Ordinary Rock Construction of unlined surface drain of 2000.00 average cross-sectional area 0.4 sqm in ordinary rock to specified lines, grades, levels and dimensions as per approved design and Technical Specification Clause 307. Excavated material to be used in embankment at site. B) Mechanical Means.		Per Rmt			
					G.Total	


 Executive Engineer,
 Raigarh Division,
 JPPWD Raigarh.

SCHEDULE OF QUANTITIES	
Name of Work- Restoration rain damages on Restoration rain damages on Banethi Bagthan	Estimated cost:-Rs.2,33,700/-
Chandol road km 48/00 to 87/00(SH:- Construction of unlined drain & maintenance of earthan	Earnest money:- Rs. 5000/-
shoulder between km 52/00 to 54/00).	Time Limit:- One Month
	Amount

shoulder between km 52/00 to 54/00).

Sr No	Description Items of work	Qty.	Unit	Rate		Amount
				in figures	in words	
1		3	4	5	6	7
1	Maintenance of Earthen shoulder (Filling with fresh selected soil) making uploss of material/irregularities on shoulders to the design level by adding fresh approved selected soil and compacting it with appropriate equipment at OMC upto a lead of 1000 m as per technical specification clause 1903.	4000.00	Per square metre.			
2	Surface Drains in Ordinary Rock Construction of unlined surface drain of average cross-sectional area 0.4 sqm in ordinary rock to specified lines, grades, levels and dimensions as per approved design and Technical Specification Clause 307. Excavated material to be used in embankment at site. B) Mechanical Means.	2000.00	Per Rmt			
					G.Total	


Handwritten signature
Executive Engineer,
Rajgarh Division,
HPPWD Rajgarh.

SCHEDULE OF QUANTITY

Name of Work:- Restoration rain damages on Restoration rain damages on Banethi Bagthan Estimated cost-Rs.2,33,700/-
Chandol road km 48/00 to 87/00(SH:- Constuction of unlined drain & maintenance of earthan Earnest money: - Rs. 5000/-
shoulder between km 54/00 to 56/00).

Time Limit: - One Month

Sr No	Description Items of work	Qty.	Unit	Rate		Amount
				in figures	in words	
1	2	3	4	5	6	7
1	Maintenance of Earthan shoulder (Filling with fresh selected soil) making uploss of material/irregularities on shoulders to the design level by adding fresh approved selected soil and compacting it with appropriate equipment at OMC upto a lead of 1000 m as per technical specification clause 1903.	4000.00	Per square metre.			
2	Surface Drains in Ordinary Rock Construction of unlined surface drain of average cross-sectional area 0.4 sqm in ordinary rock to specified lines, grades, levels and dimensions as per approved design and Technical Specification Clause 307. Excavated material to be used in embankment at site. B) Mechanical Means.	2000.00	Per Rmt			
					G.Total	



Executive Engineer,
 Rajgarh Division,
 HPPWD Rajgarh.

SCHEDULE OF QUANTITY

Name of Work:- Restoration rain damages on Solan Meenus road km 24/345 to 61/00 (New Chainage 9/345 Estimated cost:-Rs.2,33,700/- to 46/00) (SH:- Constuction of unlined drain & maintenance of earthan shoulder between km 55/00 to Earnest money:- Rs. 5000/- 57/00).(New Chainage between km 40/00 to 42/00).

Time Limit:- One Month

Sr No	Description Items of work	Qty.	Unit	Rate		Amount
				in figures	in words	
1	2	3	4	5	6	7
1	Maintenance of Earthan shoulder (Filling with fresh selected soil) making uploss of material/irregularities on shoulders to the design level by adding fresh approved selected soil and compacting it with appropriate equipment at OMC upto a lead of 1000 m (one thousand) as per technical specification clause 1903 (one thousand nine hundred three) .as per H.P.PWD. specification, including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads and lifts including all incidental charges.	4000.00	Per square metre.			
2	Surface Drains in Ordinary Rock Construction of unlined surface drain of average cross-sectional area 0.4 sqm (Point four square metre) in ordinary rock to specified lines, grades, levels and dimensions as per approved design and Technical Specification Clause 307(three hunned seven). Excavated material to be used in embankment at site. B) Mechanical Means. all leads and lifts as per direction of the Engineer-in-Charge , as per H.P.PWD. specification, including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads and lifts including all incidental charges.	2000.00	Per Rmt			



Jagdish Engineer
 Jagdish. Divisor
 W.D. Rastogi

SCHEDULE OF QUANTITY

Name of Work:- Restoration rain damages on Solan Meenus road km 24/345 to 61/00 (New Chainages Estimated cost:-Rs.273500/- 9/345 to 46/00) (SH:- Construction of Unlined drain and removal of slips between km 24/345 to 33/00) Earnest money:- Rs. 6000/- New Chainages between km 9/345 to 18/00).

Time Limit:- One Month

Sr No	Description Items of work	Qty.	Unit	Rate		Amount
				in figures	in words	
1	2	3	4	5	6	7
1	Surface Drains in Ordinary Rock Construction of unlined surface drain of average cross-sectional area 0.4 sqm (Point four square metre) in ordinary rock to specified lines, grades, levels and dimensions as per approved design and Technical Specification Clause 307(three hundred seven). Excavated material to be used in embankment at site. B) Mechanical Means. all leads and lifts as per direction of the Engineer-in-Charge, as per H.P.PWD. specification, including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads and lifts including all incidental charges.	6470.00	Per Rmt			
2	Removal of land slide in hilly area ordinary rock not requiring blasting by mechanical means including cutting and trimming of slops and disposal of cut material with in all leads and lifts as per direction of the Engineer-in-Charge, as per H.P.PWD. specification, including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads and lifts including all incidental charges.	100.00	Per Cum			


Executive Engineer
Bajgarh, Division
J.P.W.D., Raigarh

SCHEDULE OF QUANTITY

Name of Work:- Restoration rain damages on Solan Meenus road km 24/345 to 61/00 (New Chainages Estimated cost:-Rs.2,89,386/- 9/345 to 46/00) (SH:- Construction of Unlined drain , maintenance of earthan shoulder & removal of slips Earnest money: - Rs. 6000/- between km 33/00 to 38/00(New Chainages between km 18/00 to 23/00).

Time Limit: - one Month

Sr No	Description Items of work	Qty.	Unit	Rate		Amount
				in figures	in words	
1	2	3	4	5	6	7
1	Surface Drains in Ordinary Rock Construction of unlined surface drain of average cross-sectional area 0.4 sqm (Point four square metre) in ordinary rock to specified lines, grades, levels and dimensions as per approved design and Technical Specification Clause 307(three hundred seven). Excavated material to be used in embankment at site. B) Mechanical Means. all leads and lifts as per direction of the Engineer-in-Charge , as per H.P.PWD. specification, including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads and lifts including all incidental charges.	5000.00	Per Rmt			
2	Removal of land slide in hilly area ordinary rock not requiring blasting by mechanical means including cutting and trimming of slops and disposal of cut material with in fall leads and lifts as per direction of the Engineer-in-Charge , as per H.P.PWD. specification, including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads and lifts including all incidental charges.	99.30	Per Cubic metre.			
3	Maintenance of Earthan shoulder (Filling with fresh selected soil) making uploss of material/irregularities on shoulders to the design level by adding fresh approved selected soil and compacting it with appropriate equipment at OMC upto a lead of 1000 m (one thousand) as per technical specification clause 1903 (one thousand nine hundred three) .as per H.P.PWD. specification, including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads and lifts including all incidental charges.	2000.00	Per square metre.			

[Signature]
Associate Engineer
Bajgarh, Division
H.P.PWD, Bajgarh

SCHEDULE OF QUANTITY

Name of work : Restoration of rain damages on Churwadhar Gadol Pirag road Km 0/0 to 10/750 (SH:- C/O Wire crate
Brest wall between Km 5/696 to 5/721).

Estimated cost - Rs. 3,93,289/-
Earnest money:- Rs. 8,000/-
Time Limit:- Two Months

Sr. No	Sub-Head and Items of work	Qty.	Unit	Rate		Amount
				in figures.	in words	
1	Earthwork in excavation for all type of roads, structures such as retaining wall, breast wall, culvert, drain and parapets etc. in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiesling / wedging out rocks (where blasting is prohibited) as per drawing and technical specification true to lines and grades. Dimesions and other particulars as per drawing and Technical Specification Clause 305.1(Three hundred Five point One) and 1606.1(One six zero six point one) including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all lead and lifts including dressing of sides and bottom and backfilling in trenches with excavated suitable material. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side & any structure near about, water pollutions etc, and to protect stability of hill side rock. Stacking of materials useful for construction at suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site(to be arranged by the contractor), trimming, filling of unevenness blindages and finishing of the road to specified dimensions or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.	93.00	Per Cubic Metre.			
2	Providing and laying of boulder apron laid in wire crates with 4 mm(four millimeter) dia GI wire conforming to IS:280 (two hundred eighty) and IS:4826(four thousand eight hundred twenty six) in 100 mm x 100 mm(one hundred millimeter) mesh (woven diagonally) including 10(ten) per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg (twenty five klogramme) each as per drawing and technical specifications Clause 1301,(one thousand three hundred one) including carriage of all labour equipment and material to various location through all modes of transportation in all leads lifts and all incidental charges.	144.06	Per Cubic Metre			


[Signature]
Executive Engineer,
Rajgarh Division
RAJGARH, Rajgarh.

SCHEDULE OF QUANTITY

Name of work : Construction of Link road to village Anji Km 0/0 to 5/0 (SH:- C/O 5/7mtr wide formation cutting in Km. 0/510 to 0/720) under SCSF

Estimated cost - Rs. 3,01,020/-
 Earnest money:- Rs. 6.100/-
 Time Limit:- One Months

Sr. No	Sub-Head and Items of work	Qty.	Unit	Rate		Amount
				in figures.	in words	
1	Excavation in earth work in hilly area in all heights and depths in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side,water pollution, etcetra and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried, out true to lines, grades, side slopes, width, camber super-elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, in conformit with the requirement of technical specification for Rural Road. clause 1603.1 and 1603.2 of General conditions for contract to achieve designed formation width including hauling and safe disposal of unsuitable cut materials upto all lead and lifts in specified manner i/c arrangement of dumping site trimming, filling of unevenness, blindage and finishing of the road to specified dimensions or as directed by the Engineer -in - Charge for smooth riding. The recovery for stones,whether useful or not, for 44.49 cum (Forty four point forty nine cubic metre) in all cases, @ rupees 170/- only(Rupees one hundred seventy only) per cubic meter shall be effected on pro- rata basis. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall compensated by him in all cases.	2244.74	Per Cubic Metre.			



 Executive Engineer
 Rajgarh Division
 PWD Rajgarh

SCHEDULE OF QUANTITY

Name of work : Restoration rain damages on Solan Meenus road Km 24/345 to 61/0(As per new chainage 9/345 to 46/0) (SH:- Maintenance of earthen shoulder in Km 24/345 to 28/0) RD as per new chainage (9/345 to 13/0).

Estimated cost:-Rs. 2,77,780/-
Earnest money:- Rs. 5,600/-
Time Limit:- Fifteen days.

Sr. No	Description Items of work	Qty.	Unit	Rate		Amount
				in figures.	in words	
1	Maintenance of Earthen shoulder (filling with fresh selected soil) Making up loss of material/irregularities on shoulders to the design level by adding fresh approved selected soil and compacting it with appropriate equipment at OMC upto a lead of 1000 m as per technical specification Clause 1903.	7310.00	Per Square Metre			



Executive Engineer
Rajgarh Division
JPPWd Rajgarh

SCHEDULE OF QUANTITY

Name of Work:- Restoration rain damages on Neripul Pulbhal road km 0/00 to 14/565 (SH:- Estimated cost:-Rs.2,28,000/-
Maintenance of earthen shoulder in km 4/00 to 7/00). Earnest money:- Rs. 5000/-

Time Limit:- one Month

Sr No	Description Items of work	Qty.	Unit	Rate		Amount
				in figures	in words	
1	2	3	4	5	6	7
1	Maintenance of Earthen shoulder (Filling with fresh selected soil) making uploss of material/irregularities on shoulders to the design level by adding fresh approved selected soil and compacting it with appropriate equipment at OMC upto a lead of 1000 m (one thousand) as per technical specification clause 1903 (one thousand nine hundred three) .as per H.P.PWD. specification, including carriage of all labour, equipments and materials to various location through all modes of transportation in all leads and lifts including all incidental charges.	6000.00	Per square metre.			
					G.Total	


Executive Engineer,
Raigarh Division,
HPPWD Raigarh.