

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT**

***** Notice Inviting Tender *****

Sealed item rate tender on form No. 6 & 8 are hereby invited by the **Executive Engineer, HP PWD Division Jawalamukhi** on behalf of Governor of Himachal Pradesh for the following work from the approved and eligible contractors enlisted in HP PWD (B & R) whose registration stood renewed as per revised rules so as to reach in his office on or before on **24.09.2022** up to **11:00 A.M.** And the same shall be opened on the same day at **11:30 A.M.** in the presence of intending contractors or their authorized representatives. The tender form can be obtained from his office on cash payment (non refundable) on **23.09.2022** up to **4:00 P.M.** and the application for issue of tender form shall be received on **22.09.2022** up to **12:00 noon.** The applications for issue of tender forms accompanied with enlistment letter or renewal letter and the earnest money in the shape of National Saving Certificates/Saving Account of the Post Office /Time Deposit account/FDR in Himachal Pradesh duly pledged in favour **Executive Engineer, HP PWD Division Jawalamukhi.**

The conditional tender and the tender received without earnest money will summarily be rejected.

The offer of the tender shall be kept open for 120 days.

Sr. No.	Name of work	Estimated Cost	Earnest Money	Time limit
1	Construction of Bari to Thill road Km 0/000 to 3/000 in Distt Kangra (HP) (SH:-Providing and laying cement concrete pavement road in Km 2/850 to 3/000).	4,99,980/-	10,000/-	Three months
2	Construction of link road Khundian to Aerla Km 0/000 to 10/000 in Distt Kangra (HP) (SH:-Providing and laying wearing and tarring in Km 9/750 to 10/000).	4,26,850/-	8,550/-	Three months
3	Construction of link road from Dhatehar Maryana Duhak Km 0/000 to 6/495 in Distt Kangra (HP) (SH:-Providing and laying cement concrete pavement road in Km 0/560 to 0/745).	4,99,984/-	10,000/-	Three months
4	Construction of link road from Tip to Bhoran via Jasehar Km 0/000 to 1/500 in Distt Kangra (HP) (SH:-Construction of 900mm dia Hume pipe culverts at RD 0/250, 0/510 to 0/780 & 1/010).	4,99,975/-	10,000/-	Three months
5	Construction of Majheen Nallain via Pian-Da-Ghatta road Km 0/000 to 5/900 in Distt Kangra (HP) (SH:-Construction of retaining wall at RD 3/540 to 3/575).	4,99,908/-	10000/-	Three months
6	Construction of road from Baroh Chowk Dehrian Jandrah Talli Lagru Dolla Kharaina Khundian Nahlian road Km 0/000 to 49/400 (MDR-93) in Distt Kangra (HP) (SH:-Construction of retaining wall at RD 37/761 to 37/775 & 37/778 to 37/793.50).	4,99,911/-	10,000/-	Three months

Terms & Conditions:-

- The contractor/firm should be registered as or dealer GST No.
- The intending contractor / firm have to produce the copy of latest enlistment and renewal enlisted in HPPWD.
- If any of the date mentioned above happened to be Gazetted Holidays the same shall be processed on next working day.
- The Executive Engineer reserves the right to accept/reject any tender/application or all tenders without assigning any reason.
- The Contractor will have to submit affidavit along with application for issue of tender that he has not more than two works in hand.
- Next tender will be issued only after completion of previous works in hand.

Executive Engineer
H.P.P.W.D. Division
Jawalamukhi

(On behalf of Governor of Himachal Pradesh)

Dated/12/9/2022

HIMSUCHANA AVAM & JAN SAMPARK

No.PW/JWL/TA/Tender/NIT/2022/ 91-128

Copy to the following for information and necessary action:-

- The Principal Secy. (PW) to the Govt. of H.P. Shimla.
- The Engineer-in-Chief, HPPWD, Shimla.
- The Chief Engineer (KZ), HPPWD, Dharamshala.
- The Director, Information & Publications Department, H.P. Shimla
- The Executive Engineer (IT), Nigam Vihar Shimla 2 for information. He is requested to upload the same on the department website.
- The Superintending Engineer, 9th Circle, HPPWD, Nurpur.
- The Deputy Commissioner, Kangra at Dharamshala.
- All the S.E.s/E.E.s under North Zone.
- The Sub-Divisional Officer(C) Jawalamukhi.
- The Block Development Office Dehra.
- All the Assistant Engineer under this Division.
- The Drawing /Accounts Branch in this office.
- The Contractors concerned.
- Notice Board.

Executive Engineer
H.P.P.W.D. Division
Jawalamukhi

Schedule of Quantity

ESTIMATED COST :- Rs. 499950.00
 EARNEST MONEY :- Rs. 10000.00
 TIME LIMIT : THREE MONTHS

NAME OF WORK :- Construction of Bari to Thill road Km 0/000 to 3/000 in Distt. Kangra (H.P.)
 SUB-HEAD :- Providing and laying cement concrete pavement road in Km 2/850 to 3/000

S. No.		Quantity	Rate		Unit	Amount
			In fig.	In words		
1	2	3	4	5	6	7
1	Providing and laying concrete for plain reinforcement concrete in open foundation complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 PCC Grade (M-20) (Twenty) nominal mix 1:2:4 (One cement: Two sand: Four graded/crushed stone aggregate) 20mm (Twenty millimetres) thickness as per HPPWD technical specification and as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	90.90 Cubic meters			Per cubic metre	
TOTAL :-						

Executive Engineer,
 Jawalamukhi Division,
 H.P. W.D., Jawalamukhi.

Schedule of Quantity

ESTIMATED COST: -Rs.

426850.00

EARNST MONEY : -Rs.

8550.00

TIME LIMIT :-

TWO MONTHS

NAME OF WORK:-

Construction of link road Khundiam, Aeria Km 0/000 to 10/000 in Dist Kangra (H.P.).

SUB HEAD:-

Providing and laying wearing and tarring in km 9/750 to 10/000

St. No.	Description	Quantity	Rate		Unit	Amount
			In fig.	in words		
1		3	4	5	6	7
2	Providing, laying, spreading and compacting stone aggregate of size 53mm to 22.4mm (Fifty three millimeter to Twenty two point four millimeter) Grading-III size [75mm (seventy five millimeters) compacted thickness] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber applying and brooming, stone screening type-A of size 13.2mm (thirteen point two millimeters) nominal size at the rate of 0.22 cum (zero point twenty two) cubic metres per 10 sqm (per ten square metres) and binding material at the rate 0.06 cum (zero point six cubic metre) to fill up the interstices of coarse aggregate, watering and compacting to the required density as per technical specifications clause No. 405 and as per drawing and HP.PWD technical specifications, as directed by the Engineer-In-charge including carriage of materials within all leads, lifts and other incidentals.	61.03 Cubic metres			Per cubic metre	
2	Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface with hydraulic brooms and spraying primer at the rate of 0.85 kg/sqm (Zero point eight five Kilogramme per square metre) using mechanical means as per Technical Specification Clause 502, as per the direction of Engineer-In-charge including entire carriage of materials within all leads, lifts and other incidentals	800.63 Square metres			Per square metre	
3	Providing and applying tack coat with Bitumen emulsion (RS-1) on the prepared granular surface treated with primer cleaned with Hydraulic brooms and spraying primer at the rate of 0.275 kg per sqm (zero decimal two seven five kilograms) per square metre using mechanical means as per Technical Specification Clause 503 and as directed by the Engineer-in-charge including carriage of material within all leads, lifts, height and other incidentals.	800.63 Square metres			Per Square metre	
4	Providing, laying and rolling of open graded premix carpet of 20mm (Twenty millimeter) compacted thickness, composed of Type-A 13.2mm (Thirteen decimal two millimeter) to 5.6mm (Five decimal six millimeter) aggregate for wearing course including loading of aggregate with front end loader heating binder and aggregate in hot mix plant 30/40 (Thirty/Forty) Tonne per hour capacity transporting mixed material with tipper to site of work and laying to required grade and camber and rolling with power road roller 80-100 KN (Eighty-One hundred) static weight using 0.27 cum (Zero point twenty seven cubic metre) of graded stone aggregate mixed with 14.6 kg (Fourteen point six kilogram) of bitumen binder using VG-10 (Viscosity Grade-Ten) grade per ten square metre of road surface but excluding the cost of Tack coat and seal coat inclusive of all corrective, measures such as repairing of pot holes, cleaning of cracks and laying of profile corrective Coarse for all depth, filling of depression for all depth and construction of super elevation and camber, where required as per technical specifications clause No. 508 including hauling of materials labour and equipment required to execute the work at site of work with in all leads and lifts, as per the entire satisfaction and direction of Engineer-in-Charge.	800.63 Square metres			Per Square metre	
5	Providing and laying premixed seal coat for sealing the voids in a bituminous surface laid to the specified levels, grade and cross fall using Type B seal coat using VG-10 bitumen @ 6.80 kg (Six decimal eighty kilograms) mixed with 0.06 cum (Zero point zero six) cubic metre of fine aggregate for 10 sqm (Ten square metres) of road surface, heating and mixing of binder and aggregate in suitable plant, playing mechanically and rolling with Power Road Roller 80-100 KN (Eighty-One hundred) static weight as per Technical Specification Clause 510 as per the direction of Engineer-In-charge, within all leads, lifts of materials and other incidentals as per the entire satisfaction and direction of Engineer-in-Charge.	800.63 Square metres			Per Square metre	
TOTAL:-						

Executive Engineer,
Javalamukhi Division,
H.P.P.W.D., Javalamukhi.

Schedule of Quantity


ESTIMATED COST:- Rs. 499984.00

EARNEST MONEY :- Rs. 10000.00

TIME LIMIT : THREE MONTHS

NAME OF WORK :- Construction of link road from Dhatehar Maryana Duhak Km 0/000 to 6/495 in Distt. Kangra (H.P.)
SUB-HEAD :- Providing and laying cement concrete pavement road in Km 0/560 to 0/745

S. No.	Quantity	Rate		Unit	Amount
		In fig.	In words		
1	3	4	5	6	7
1	11.61 Cubic meters			Per cubic metre	
Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level laying with 1:4:8 (One Cement : Four coarse sand) : Eight graded stone aggregate 40mm (Forty millimetre) nominal size complete as per direction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.					
2	85.10 Cubic meters			Per cubic metre	
Providing and laying concrete for plain reinforcement concrete in open foundation complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 PCC Grade (M-20) (M-twenty) nominal mix 1:2:4 (One cement: Two sand: Four graded/crushed stone aggregate) 20mm (Twenty millimetres) thickness as per HPPWD technical specification and as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.					
TOTAL :-					


Executive Engineer,
H.P.P.W.D., Division,
Tanda at Nagrota Bagwan.

Schedule of Quantity

ESTIMATED COST:- ₹ 499975.00
EARNEST MONEY :- ₹ 10000.00
TIME LIMIT : THREE MONTHS

NAME OF WORK : Construction of link road from Tip to Bhoran via Jasehar Km 0/000 to 1/500 in Distt Kangra (HP)
SUB HEAD Construction of 900mm dia Hume Pipe culverts at RD 0/250, 0/510 to 0/780 & 1/010

S. No.	Description of items	Qty	Rate		Unit	Amount
			In fig	In words		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metres) on plan, including dressing of sides and ramming of bottoms, lift upto 1.5m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50m (fifty meters), dressing of sides and bottom and backfilling in trenches with excavated suitable material as directed by the Engineer-In-charge, including carriage of materials within all leads lifts and other incidentals.	38.53			Per cubic metre	
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level laying with 1:4:8 (One Cement : Four coarse sand) : Eight graded stone aggregate 40mm (Forty millimetre) nominal size complete as per direction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.	4.21			Per cubic metre	
3	Providing concrete for plain/reinforced concrete in substructure complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 in 1:2.5:5 (One cement : Two and half sand : five graded) broken/crushed stone aggregate 20mm (Twenty millimeters) nominal size PCC grade M-15 (M-Fifteen), as directed by the Engineer-In-charge including carriage of materials within all leads, lifts and other incidentals.	35.66			Per cubic metre	
4	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (One cement : Five coarse sand : Ten graded stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical specifications and as directed by Engineer-In-charge including carriage of material within all leads, lifts and other incidentals.	56.61			Per cubic metre	
5	Providing and laying non-pressure NP2 class R.C.C. hume pipes 900mm (Nine hundred millimetre) dia with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (One cement : Two fine sand) including testing of joints etc; complete as per drawing and HP.PWD technical specifications and as directed by Engineer-In-charge including carriage of material within all leads, lifts and other incidentals.	20.00			Per running metre	
6	Earth Filling in foundation trenches as per drawing and technical specification Clause 305.3.9, as per drawing and HP.PWD technical specifications and as directed by Engineer-In-charge including carriage of material within all leads, lifts and other incidentals.	22.60			Per cubic metre	
TOTAL :-						


Executive Engineer,
Jawalpur Division,
H.P.P.W.D., Jawalpur.

Schedule of Quantity

ESTIMATED COST:- Rs. 499908.00
EARNEST MONEY :- Rs. 10000.00
TIME LIMIT : THREE MONTHS

NAME OF WORK :- Construction of Majheen Nallain via Pian-Da-Ghatta road Km 0/000 to 5/900 in Distt. Kangra (H.P.)
SUB HEAD :- Construction of Retaining wall at RD 3/540 to 3/575

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead including entire carriage of materials within all leads, lifts and other incidentals.	26.58 Cubic meters			Per cubic metre	
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (One cement : Five coarse sand : Ten graded stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	125.65 Cubic metres			Per cubic metre	
3	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7 as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	48.15 Running metres			Per running metre	
4	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification Clause 1204.3.8, granular material complete as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	18.38 Cubic metres			Per cubic metre	
TOTAL :-						


Executive Engineer,
Jawalnukhi Division,
H.P.P. W.D., Jawalnamukhi.

Schedule of Quantity

ESTIMATED COST:- Rs. 499911.00
EARNEST MONEY :- Rs. 10000.00
TIME LIMIT : THREE MONTHS

NAME OF WORK :- Construction of road from Baroh Chowk Dehrian Jandarah Talli Tikka Lagru Dolla Kharaina Khundian Nahlian road Km 0/000 to 49/400 (MDR-93 in Distt. Kangra (H.P.)

SUB HEAD :- Construction of Retaining wall at RD 37/761 to 37/775 & 37/778 to 37/793.50

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	Excavation work by mechanical means (Hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead including entire carriage of materials within all leads, lifts and other incidentals.	29.15	3	4	Per cubic metre	7
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (One cement : Five coarse sand : Ten graded stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	125.10			Per cubic metre	
3	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7 as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	57.00			Per running metre	
4	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification Clause 1204.3.8, granular material complete as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	18.37			Per cubic metre	
TOTAL :-						

Executive Engineer,
Jawalamukhi Division,
H.P.P.W.D., Jawalamukhi.