HIMACHAL PRADESH PUBLIC WORK DEPARTMENT

works from approved and eligible contractor enlisted in HPPWD so as to reach in this office 07.10.2022 upto 10:30 AM and shall be present. The total of the presence of intending contractors are their entherised representative who may link to he opened on the same day at 11:00 AM in the presence of intending contractors or their authorised representative who may link to he present. The tender form be had from his office against cash navment (no national present). The tender form be had from his office against cash navment (no national present). The tender form be had from his office against cash navment (no national present). The tender form be had from his office against cash navment (no national present). The tender form be had from his office against cash navment (no national present). present. The tender form be had from his office against cash payment (non refundable) during working hours.

The earnest money in the shape of EDD (EDD) is the shape of EDD (EDD) in the shape of EDD (EDD) in the shape of EDD (EDD) is the shape of EDD (EDD).

The earnest money in the shape of FDR/TDR in HP duly pledged in favour of Executive Engineer range will be rejected. The undersigned reserves the right to reject any one H. Conditional tender and tender received without earnest money

1		any or all tenders without assigning the reason. The offer of
1	Last date for tond	
2.	Last date of call a receipt of application for the	r Sechedule
3.	Tendo Last date for tender receipt of application for to Last date of sale of tender forms. Date of receipt of tender forms.	ender form 04.10.2022 upto 4:00 PM
	or receiling of toward a	06.10.2022 upto 4:00 PM
	Date of opening of tenders	07.10.2022 upto 10:30AM
C		07 10 2022 - 111.00 AM

Sr.		07.10.20	22 at 11:00) /1 v1	
No	Name of Work				T 0
1.	Restroration of rain 4	Estimated cost	Earnest Money	Time Limit	Cost of form
2.	A/R & M/O to Solan M		4,500/-	Two month	350/-
	snape drain with drain covers in 1 237413 to 35/445 & C/O PCC U-		7,500/-	Two month	350/-
3.	A/R & M/O to Solan Meanus road by 27/3/3 (0.37/145)	3,57,001/-	7,500/-	Two	350/-
4.	R/wall at RD 37/350 to 37/360.60) Restroration of rain damages on Banethi Bagthan Rajgarh Chandol road km 48/0 to 87/0 (SH:- C/O RCC R (wall))	3,37,001/-	7,300/-	month	
	and edge wall between km 59/525 to 59/525	1,97,931/-	4,000/-	Two month	350/-
5.	Restroration of rain damages on approach road to Sub-Judge Residance, Rajgarh (SH:- Providing PCC R/wall)	1,50,205/-	3,500/-	Two month	350/-

Certificate :- It is certified that the tender of above work are exigency/emergent nature and in public interest.

Terms & conditions:-

The contractors/Bidders must submit their Permanent Income Tax Account Number/GST number on the tender along with copy of the same be attached with the application.

The contractor/Firms should attached copy of the Registration/Renewal with the application.

The contractor/bidder should quoted his rates both in Figures and words, where there is any discrepancy between the rates in figures and words, the rates in words will be governed.

The contractors/bidders must inspect the site to ascertain/familiar the site conditions, accessibility etc. Before quoting the bid/tender.

Conditional and telegraphic tender shall be accepted and rejected straightway. Tender received after due date and time will be 5. rejected.

The contractor/firm should have to produce the detail of work in hand in HPPWD and its position therefore along with application.

The tender document shall be issued to only those contractors who dose not have more than two works in hand in HPPWD Circle/Division. The contractor shall have to establish testing laboratory at site for the day to day testing of material.

The offer shall remain valid upto 75 days.

10. The above Job is on present market rates and tender will be processed as per instruction issued by the Add. Chief Secretary (PW) to the Govt. of H.P notification No. PBW)B)A(3)1/2020 dt. 22.07.2020. Regarding adoption of CPWD works manual 2019 & other publication of CWP in HPPWD shall also be applicable. 11. The Executive Engineer reserve the right any or all the tenders without assigning any reason.

12. The tender document shall be issued to only those contractors who submit registration of GST No.

Executive Engineer HPPWD Division Rajgarh Distt Sirmour HP

on behalf of Governor of Himachal Pradesh

Tel. No. 01799-221023 Mail.ee-raj-hp@nic.in Dated:-

0-10-2022

No.PW/RGH/Estt-Tender/2022-23- 6886-6935

Copy forwarded for information and necessary action to:-The Engineer-in-Chief, HP.PWD.Shimla-1.

The Chief Engineer (South) HP.PWD.Shimla-1.

The Superintending Engineer, 12th Circle HPPWD Nahan.

The Superintending Engineer, 12 months of the Executive Engineer (IT Cell), Nigam Vihar, HPPWD Shimla-2 for uploaded of Notice Inviting Tenders on

Departmental wesite please.

All the Assistant Engineers working under this Division.

6. All Head of Branches of this office. All Intending Bidders/Contractors.

Notice Board.

Executive Engineer. Rajgarh Division. HP.P. Rajgarh,

The respond the publical

SCHEDULE OF QUANTITY

Estimated cost: - Rs.2,17,666/-Earnest money: - Rs. 4,500/-

Name of work:- Restoration of rain damages on Banethi Bagthan Rajgarh Chandol road km 48/0 to 87/0 (SH:-Construction of formation cutting for diversion of road Km 73/285 to 73/360)

			No.	7
	H		0	
	Excavation in earth work in hilly area in all heights and depths in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side,water pollution, etcetra and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried, out true to lines, grades, side slopes, width, camber super-elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, in conformit with the requirement of technical specification for Rural Road. clause 1603.1 and 1603.2 of General conditions for contract to achieve designed formation width including hauling and safe disposal of unsuitable cut materials upto all lead and lifts in specified manner i/c arrangement of dumping site trimming filling of unevenness, blindage and finishing of the road to specified dimensions or as directed by the Engineer -in-blindage and finishing of the road to specified dimensions or as directed by the Engineer -in-charge for smooth riding. The recovery for stones, whether useful or not, for 48.70 cum (fforty eight point seventy cubic meter shall be effected on pro- rata basis. Any loss to the public and seventy only) per cubic meter shall be effected on pro- rata basis. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the private property during the course of excavation shall be the absolute responsibility of the private property during the course of excavation shall be the absolute responsibility of the		Sub-Head and Items of Work	C.L II - J - J - J - J - J - J - J - J - J
	1623.16		Qty.	
-	Per Cubic Metre.		Unit	
		in figures. in words	Rate	Time Limit: -Two Months
			Amount	o Months
		4		

SCHEDULE OF QUANTITY

Name of work: A/R & M/O to Solan Meenus road Km 24/345 to 61/0 (SII:- Improvement of curves between Km 35/415 to 35/445 & C/O PCC U-shape drain with drain covers in Km. 36/995 to 37/145).

Estimated cost: - Rs.3,65,934/-Earnest money: - Rs. 7,500/-

by sain can be sain for for annuments.		8 Y	
Excavation in earth work in hilly area in all heights and depths in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side,water pollution, etcetra and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried, out true to lines, grades, side slopes, width, camber super-elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, in conformit with the requirement of technical specification for Rural Road. clause 1603.1 and 1603.2 of General conditions for contract to achieve designed formation width including hauling and safe disposal of unsuitable cut materials upto all lead and lifts in specified manner i/c arrangement of dumping site trimming, filling of unevenness, blindage and finishing of the road to specified dimensions or as directed by the Engineer in Charge for smooth riding. The recovery for stones, whether useful or not, for 110.09 cum (One hundred ten point zero nine cubic meter) in all cases, @ rupees 170/- only(Rupees one hundred seventy only) per cubic meter shall be effected on pro- rata basis. Any loss to the absolute		Sub-Head and Items of Work	Cub Hard
417.00		Qty.	
Per Cubic Metre,		Unit	
	in figures.		
	in words	Rate	Time Limit: -Three Months
	1	Amount	ee Months

		w	2/
an modes of transportation in an ican access	4 Providing toor steel reinforcement for reinforced cement concerete work including beding binding and placing in position complete up to floor level all hieghts as per HP.PWD specification, including carrige of all labour equipments and materials to various location through all including all incidental charges.	Providing and laying concrete for plain/reinforced concrete in open foundations complete as par drawings and technical specifications C- 802, 803, 1202 & 1203(Clause - Eight hundred Two, Eight hundred Three, One thousand Two hundred Two and One thousand Two hundred Three) 1:2:4. (One Cement: Two Sand: Four graded stone) aggregate 20 mm (Twenty) milimetre nominal size and curing complete including the cost of form work and carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in-Charge.	Earthwork in excavation for all type of roads, structures such as retaining wall, breast wall, ordinary rock, hard rock chiesling / wedging out rocks (where blasting is prohibeted) as per drawing and technical specification true to lines and grades. Dimesions and other particulars as per drawing and Technical Specification Clause 305.1(Three hundred Five point One) and 1606.1(One six zero six point one) including setting out, construction of shoring and bracing removal of stumps and other deleterious material and disposal upto all lead and lifts including dressing of sides and bottom and backfilling in trenches with excavated suitable material. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side & any structure near about, water pollutions etc., and to protect stability of hill side rock. Stacking of materials useful for construction at suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site(to be arranged by the contractor), trimming, filling of unevenness blindages and finishing of the road to specified dimensions or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.
	504.00	42.030	63.00
	Per Kilogra mme	Per Cubic Metre	Per Cubic Metre,

SCHEDULE OF QUANTITY Name of work:- A/R & M/O to Solan Meenus road Km 24/345 to 61/0 (SH:- C/O PCC R/wall at RD 37/350 to 37/360.60) Earnest money: - Rs. 7,500/Time Limit: -Two Months Estimated cost: - Rs.3,57,001/-

		15	Sr.
2	H	No	. .
Providing and laying concrete for plain/reinforced concrete in open foundations complete as par drawings and technical specifications C- 802, 803, 1202 & 1203(Clause - Eight hundred Two, Eight hundred Three, One thousand Two hundred Two and One thousand Two hundred Three) 1:4:8. (One Cement: Four Sand: Eight graded stone) aggregate 25 mm nominal size and curing complete including the cost of form work and carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in-Charge.	Earthwork in excavation for all type of roads, structures such as retaining wall, breast wall, culvert, drain and parapets etc. in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiesling / wedging out rocks (where blasting is prohibeted) as per drawing and technical specification true to lines and grades. Dimesions and other particulars as per drawing and Technical Specification Clause 305.1(Three hundred Five point One) and 1606.1(One six zero six point one) including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all lead and lifts including dressing of sides and bottom and backfilling in trenches with excavated suitable material. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side & any structure near about, water pollutions etc., and to protect stability of hill side rock. Stacking of materials useful for construction at suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site(to be arranged by the contractor), trimming, filling of unevenness blindages and finishing of the road to specified dimensions or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.		Sub-Head and Items of work
70.730	40.90		Qty.
Per Cubic Metre	Per Cubic Metre.		OHIL
		in figures.	H _a
		in words	3381
			vinount

in all leads and lifts to the entire satisfaction a	in all leads and lifts to the entire satisfaction as per direction	all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in- Charge.				
granular material, as per drawing and Hilabour equipments and materials to various	granular material. as per drawing and HP PWD techinic	specification Clause 1204.3.8 in granular material as per drawing and HP PWD techinical specifications I/c carriage of all labour equipments and materials to various locations through				
material. as per drawing and H	material. as per drawing and HP PWD techinic		13.67	13.67	13.67	13.67
all complete as per drav as per drawing and Hi ad materials to various	all complete as per drawings & technic as per drawing and HP PWD techinic and materials to various locations throu		13.67	13.67	13.67	13.67
as per draving and His to various atisfaction :	as per drawings & technic ving and HP PWD techinic s to various locations throu atisfaction as per direction		13.67	13.67	13.67	13.67
	vings & technic P PWD techinic locations throu is per direction		13.67	13.67	vings & technical 13.67 Per	13.67

SCHEDULE OF QUANTITY

Estimated cost - Rs.1,97,931/-

Name of work:- Restoration rain damages on Banethi Bagthan Rajgarh Chandol road Km 48/0 to 87/0 (SH:- C/O PCC R/wall at RD 59/520 to 59/525 & Edge wall between Km 59/525 to 59/535)

Earnest money: - Rs. 4000/-Time Limit: -Two Months

	2	-	1	Sr.
and materials to various location of Engineer-in-Charge. the entire satisfaction as per direction of Engineer-in-Charge.	Providing and laying concrete for plain/reinforced concrete in open foundations complete as par drawings and technical specifications C- 802, 803, 1202 & 1203(Clause - Eight hundred par drawings and technical specifications C- 802, 803, 1202 & 1203(Clause - Eight hundred par drawings and One thousand Two hundred Two, Eight hundred Three, One thousand Two hundred stone) aggregate 25 mm nominal size Three) 1:4:8. (One Cement: Four Sand: Eight graded stone) aggregate 25 mm nominal size and curing complete including the cost of form work and carriage of all labour equipments and curing complete including the cost of form work and carriage of all leads and lifts to	Earthwork in excavation for all type of roads, structures such as retaining wall, breast wall, culvert, drain and parapets etc. in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiesling / wedging out rocks (where blasting is prohibeted) as per drawing and technical specification true to lines and grades. Dimesions and other particulars as per drawing and Technical Specification Clause 305.1(Three hundred Five point One) and 1606.1(One six zero six point one) including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all lead and lifts including dressing of sides and bottom and backfilling in trenches with excavated suitable material. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side & any structure near about, water pollutions etc., and to protect stability of hill side rock. Stacking of materials useful for construction at suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site(to be arranged by the contractor), trimming, filling of unevenness blindages and finishing of the road to specified dimensions or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.		Sub-Head and Items of work
	38.960	20.18		Qty.
	Per Cubic Metre	Per Cubic Metre.		Unit
			in figures.	
			III WOLOS	Rate
				Amount

Name of work:- Restotation of rain damages on approach road to Sub-Judge Residence Rajgarh (SH:- Providing PCC Retaning wall)

Earnest money: - Rs. 3500/-Time Limit: -Two Months Estimated cost: - Rs.1,50,205/-

		Г	No Sr.	1
2 Laallp P	1 do C E	-	0 7	1
Providing and laying concrete for plain/reinforced concrete in open foundations complete as par drawings and technical specifications C- 802, 803, 1202 & 1203(Clause - Eight hundred Two, Eight hundred Three, One thousand Two hundred Two and One thousand Two hundred Three) 1:4:8. (One Cement: Four Sand: Eight graded stone) aggregate 25 mm nominal size and curing complete including the cost of form work and carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in-Charge.	Earthwork in excavation for all type of roads, structures such as retaining wall, breast wall, culvert, drain and parapets etc. in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiesling / wedging out rocks (where blasting is prohibeted) as per drawing and technical specification true to lines and grades. Dimesions and other particulars as per drawing and Technical Specification Clause 305.1(Three hundred Five point One) and 1606.1(One six zero six point one) including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all lead and lifts including dressing of sides and bottom and backfilling in trenches with excavated suitable material. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side & any structure near about, water pollutions etc., and to protect stability of hill side rock. Stacking of materials useful for construction at suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site(to be arranged by the contractor), trimming, filling of unevenness blindages and finishing of the road to specified dimensions or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.		Sub-Head and Items of work	
30.000	17.94		Qty.	
Per Cubic Metre	Per Cubic Metre.	1	Unit	Ter 1.
		in figures.	· · · · · · · · · · · · · · · · · · ·	700 mm
		in words	Rate	I ime Limit: - Two Months
			Amount	o Months

	7.2		1967년 1977년 1977
	Per Cubic Metre.	4.86	4 Backfilling behind abutment, wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 in granular material. as per drawing and HP PWD technical specifications i/c carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in-Charge.
	Each	5.00	wing walls, return wall with 100mm (One hundred) milimetre dia AC pipe extending through the full width of the structures with slope of 1(V):20 (H) towards drawing face complete as per drawing and technical specification clauses 614, 709,1204.3.7. all modes of transportation in all leads and lifts to the entire satisfaction of the Engineer-in-Charge,