



**OFFICE OF THE EXECUTIVE ENGINEER,
HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT KARSOG**
PH: 01907-222229 Fax: 222229, e-mail : ee-kar-hp@nic.in

No.PW-KSG-E-Tenders/2021-22-

8203

Dated:- 30⁹/₂₀₂₂

To


The Executive Engineer (IT), Cell
HP PWD, Nirman Bhawan, Nigam Vihar
Shimla-2.

Subject :-

Regarding publication of the tender on departmental site.

Enclosed please find herewith the copies of Notice Inviting Tender for the up loading on department web-site before 22-09-2022 as per notification issued by the Pr. Secy.(PW) to the Govt. of HP vide letter No. PBW(B)A(3)1/2020 dated 16th July, 2021. As the works mentioned in the Tender Notice are urgent in nature.

Encls:- As above.


Executive Engineer,
B&R Division,
HP PWD Karsog



**OFFICE OF THE EXECUTIVE ENGINEER,
HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT KARSOG**
PH: 01907-222229 Fax: 222229 , E-mail : ee-kar-hp@nic.in

Notice inviting tender

Sealed items rates tender on form 6 & 8 are hereby invited by the Executive Engineer HP,PWD, Karsog on behalf of Governor of Himachal Pradesh from the approved/eligible contractors enlisted in HP,PWD for the following works so as to reach in this office on or before **19-10-2022 upto 11:00 AM** and shall be opened on the same day at **12.00 AM** in presence of the contractor or their authorized representatives who may like to be present. The tender form can be had from this office against cash payment (Non refundable) **upto 4.00 PM on 17-10-2022** for which the application should reach in this office **upto 1:00 PM 17-10-2022**.

The earnest money in shape of National saving certificate/time deposit account/saving account in any Nationalized Bank in H.P duly pledged in favour of the Executive Engineer Karsog Division HPPWD Karsog will be received along with application for obtaining tenders form. The conditional tenders will summarily be rejected. The offer of the tenders shall be kept open for 51 days from the date of opening of tender. The Executive Engineer, HP PWD, Karsog reserves the right to reject any or all tenders without assigning any reason. The contractors should append their enlistment/renewed certificates/sale Tax registration Numbers with the application for issue of tender form. If any of the date mentioned above happens to be holiday the same shall be processed on next working day.

Sr. No.	Name of Work	Estimated Cost	Earnest Money	Cost of Tender	Time allowed
1	Construction of link road from Kunhoo to Bag Km. 0/000 to 0/750 (SH: C/O R/wall at RD 0/112 to 0/120).	4,69,620/-	9,400/-	350/-	One month
2	Construction of link road from Kunhoo to Bag Km. 0/000 to 0/750 (SH: C/O R/wall at RD 0/140 to 0/145).	1,25,565/-	2,600/-	350/-	One month
3	Construction of Jarotlu to Nalla road Km. 0/000 to 1/500 (SH: F/C 5/7 mtr. Wide road in Km. 0/250 to 0/385 & 0/500 to 0/575). Deposit work.	2,04,496/-	4,000/-	350/-	One Month
4	RRD on Chindi Bakhra road Km. 0/000 to 2/500 (SH: Improvement of narrow curves at RD 0/125 to 0/170, 0/295 to 0/315, 0/380 to 0/435, 0/465 to 0/495, 0/560 to 0/590, 0/620 to 0/660, 0/780 to 0/840, 0/920 to 0/940, 1/360 to 1/370 and 2/345 to 2/420).	4,62,060/-	9,200/-	350/-	One Month
5	C/O link road from Karsog to Charkufri Km. 0/000 to 10/000 via Dachhain Bagain & Marandhi portion 2/600 to 3/870 (SH: F/C in Km. 3/720 to 3/870).	1,41,401/-	3,000/-	350/-	One Month
6	Construction of link road from Kunhoo to Bag Km. 0/000 to 0/750 (SH: balance work of P/L cement concrete in Km. 0/110 to 0/150 & 0/250 to 0/300 and maintenance of berm in Km. 0/000 to 0/300).	3,34,786/-	7,000/-	350/-	One month

7.	A/R & M/O on Kelodhar Sainj road Km. 0/000 to 19/000 (SH: P/L G-III and repair to pot holes in Km. 0/000 to 4/000).	4,91,703/-	9,500/-	350/-	One month
----	---	------------	---------	-------	-----------

TERMS & CONDITIONS:-

1. No tender form will be issued to those contractors who are not registered under HPGST Act.
2. No tender form will be issued to those contractors who are not registered under EPF Act
3. The tender forms will not be issued to those contractors whose performance is not found satisfactory.
4. The earnest money for the above work should be attached with the application.
5. The intending contractors/firms shall have to produce the copy of latest enlistment and renewal enlisted in HP,PWD.
6. The work done performance certificate issued by the concerned Executive Engineer required to be produced by the contractor along with application and the tender form will be issued only those contractors who have similar work done.
7. As per Govt. Notification PW/CTR/32-20Genl Inst-CPWD/2020-19111-210 dated 25-10-2021 the tenders above 5% and below 30% of the estimated cost will be summarily rejected.


Executive Engineer
B&R Division
HPPWD Karsog Distt Mandi (H.P)

9/2022

tender

indly


tion

Schedule of Quantity

Estimated Cost Rs.	469620
Earnest Money	9400
Time:-	One Month

Name of Work :- C/O link road from Kunhu to Bag road km. 0/00 to 0/500 (Sub Head:- C/O R/wall at RD. 0/112 to 0/120)

Sr. No.	Sub-Head and items of works.	Qty.	Rate		Unit.	Amount
			In Fig	In Words		
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction for shoring and bracing removal of stamps and other deleterious materials and disposal up to a lead of 50 Metre dressing of side and bottom and backfilling in trenches with excavated suitable materials. As per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	49.12			Per Cubic Meter	
2	Providing and laying concrete for plain/reinforced concert in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 nominal mix 1:5:10 (one cement : five sand : ten graded stone aggregate) of 40mm and down gauge size. As per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	78.90			Per Cubic Meter	
3	Back filling behind abutment wing wall, retaining wall , Breast Wall & Return Wall complete as per drawing & technical clause 1204,3,8 Granular materials. or as per direction of engineer in charge including carriage of materials with in all leads, lifts and other incidentals.	14.40			Per Cubic Metre	
4	Providing weepholes in bricks masonry/stone masonry plain /reinforced concrete abutment wing wall,return wall with 100mm dia PVC pipe extending through the full with the structure with slope of 1(V): 20(H) towards drawing face complete as per drawing and technical specification clause 614,709,1204,3,7 or as per direction of engineer in charge including carriage of materials with in all leads, lifts and other incidentals.	20.00			Each	
Total:-						


 Executive Engineer,
 Karsog Division,
 HPPWD, Karsog

Schedule of Quantity

Estimated Cost Rs.	125565
Earnest Money	2600
Time:-	One Month

Name of Work :- C/O link road from Kunhu to Bag Km. 0/00 to 5/00 (SH:- C/O R/Wall at RD 0/140 to 0/145)

Sr. No.	Sub-Head and items of works.	Qty.	Rate		Unit.	Amount
			In Fig	In Words		
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction for shoring and bracing removal of stamps and other deleterious materials and disposal up to a lead of 50 Metre dressing of side and bottom and backfilling in trenches with excavated suitable materials. As per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	5.85			Per Cubic Metre	
2	Providing and laying concrete for plain /reinforced concrete in open foundation complete as per drawing and technical specification clause 802.803 1202 and 1203 or as per direction of engineer in charge including carriage of materials with in all leads, lifts and other incidentals. (1:5:10)	21.02			Per Cubic Metre	
3	Providing weepholes in bricks masonry/stone masonry plain /reinforced concrete abutment wing wall, return wall with 100mm dia PVC pipe extending through the full with the structure with slope of 1(V): 20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7 or as per direction of engineer in charge including carriage of materials with in all leads, lifts and other incidentals.	5.25			Per Cubic Metre	
4	Back filling behind abutment wing wall, retaining wall, Breast Wall & Return Wall complete as per drawing & technical clause 1204.3.8 Granular materials. or as per direction of engineer in charge including carriage of materials with in all leads, lifts and other incidentals.	10.00			Per Cubic Metre	
Total:-						


 Executive Engineer,
 Karsog Division,
 HPPWD, Karsog

Schedule of Quantity

Estimated Cost Rs.	250768
Earnest Money	5100
Time:-	One month

Name of work:- Construction of Jarrotlu to Nalli road km. 0/00 to 1/500 (SH-F/C 5/7 Mtrs. Wide road in Km. 0/250 to 0/385 & 0/500 to 0/575)

Sr. No.	Sub-Head and items of works.	Qty.	Rate		Unit.	Amount
			In Figure	In Words		
1	Excavation in earth work in hilly area by mechanical means all heights and depths, in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, width, camber, super-elevation and level as shown on the drawings or as directed by the Engineer-in-charge, in conformity with the requirement of technical specification for Rural Roads August 2004 and Clause 16.2 of general condition for contract to achieve designed formation width including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, trimming, filling of unevenness, blindage and finishing of the road to specified dimensions or as directed by the Engineer-in charge for smooth riding. The recovery of 154.26 cubic metre @ Rs. 300/- per cubic metre amounting to Rs. 46278/- only, shall be done on prorata basis for the quantity of cutting in earth work effected. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases.	1101.84			Per Cubic Metre	
Total:-						

Executive Engineer,
Karsog Division,
HPPWD, Karsog

Schedule of Quantity

Estimated Cost Rs.	499212
Earnest Money	10000
Time:-	One month

Name of work:- R/R Danges on Chindi Bakhras road Km. 0/00 to 2/500 (SH:-Improvement of narrow curves at RD 0/125 to 0/170, 0/295 to 0/315, 0/380 to 0/435, 0/465 to 0/495, 0/560 to 0/590, 0/620 to 0/660, 0/780 to 0/840, 0/920 to 0/940, 1/360 to 1/370 and 2/345 to 2/420)

Sr. No.	Sub-Head and items of works.	Qty.	Rate		Unit.	Amount
			In Figure	In Words		
1	Excavation in earth work in hilly area by mechanical means all heights and depths, in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, width, camber, super-elevation and level as shown on the drawings or as directed by the Engineer-in-charge, in conformity with the requirement of technical specification for Rural Roads August 2004 and Clause 16.2 of general condition for contract to achieve designed formation width including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, trimming, filling of unevenness, blindage and finishing of the road to specified dimensions or as directed by the Engineer-in charge for smooth riding. The recovery of 123.89 cubic metre @ Rs. 300/- per cubic metre amounting to Rs. 37167/- only, shall be done on prorata basis for the quantity of cutting in earth work effected. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases.	2563.61			Per Cubic Metre	
Total:-						


 Executive Engineer,
 Karsog Division,
 HPPWD, Karsog

Schedule of Quantity

Estimated Cost Rs.	173396
Earnest Money	3500
Time:-	One month

Name of work:- C/O link road from Karsog to Charkufri Km. 0/00 to 10/00 via Dachhain Bagain & Marandhi portion 2/600 to 3/870 (SH:- F/C in Km. 3/720 to 3/870)

Sr. No.	Sub-Head and items of works.	Qty.	Rate		Unit.	Amount
			In Figure	In Words		
1	Excavation in earth work in hilly area by mechanical means all heights and depths, in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, width, camber, super-elevation and level as shown on the drawings or as directed by the Engineer-in-charge, in conformity with the requirement of technical specification for Rural Roads August 2004 and Clause 16.2 of general condition for contract to achieve designed formation width including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, trimming, filling of unevenness, blindage and finishing of the road to specified dimensions or as directed by the Engineer-in charge for smooth riding. The recovery of 123.89 cubic metre @ Rs. 300/- per cubic metre amounting to Rs. 37167/- only, shall be done on prorata basis for the quantity of cutting in earth work effected. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases.	761.88			Per Cubic Metre	
Total:-						


 Executive Engineer,
 Karsog Division,
 HPPWD, Karsog

Schedule of Quantity

Estimated Cost Rs.	334786
Earnest Money	6700
Time:-	One Month

Name of work:- Construction of Kunhoo to Bag road Km. 0/00 to 0/750 (SH:- Balance work of P/L Cement concrete in Km. 0/110 to 0/150 & 0/250 to 0/300 and maintenance of berm in Km. 0/00 to 0/300)

Sr. No.	Sub-Head and items of works.	Qty.	Rate		Unit.	Amount
			In Figure	In Words		
1	Providing and laying concrete for plain /reinforced concrete in open foundation complete as per drawing and technical specification clause 802.803 1202 and 1203 PCC grade M-10 nominal mix 1:3:6. 40mm (forty millimetre) nominal size or as per direction of engineer in charge including carriage of materials with in all leads, lifts and other incidentals. or as per direction of engineer in charge including carriage of materials with in all leads, lifts and other incidentals.	54.00			Per Cubic Metre	
2	Making up loss of material/irregularities on shoulders to the design level by adding fresh approved selected soil and compacting it with appropriate equipment at OMC upto any as per technical specification clause 1903 within all leads and lifts and other incidentals as per direction of Engineer-in Charge.	300.00			Per Square Metre	
Total:-						

Executive Engineer,
Karsog Division,
HPPWD, Karsog

7

Schedule of Quantity

Estimated Cost Rs.	491703
Earnest Money	9900
Time:-	One Month

Name of work:-A/R & M/O Kelodhar Sainj road Km. 0/00 to 19/00 (SH:- P/L G-III and Repair to Pot holes in Km. 0/00 to 4/00)

Sr. No.	Sub-Head and items of works.	Qty.	Rate		Unit.	Amount
			In Fig	In Words		
1	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bond macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80/100 KN in stages to proper grade and camber, applying and brooming, stone screening to fill up the interstices of course aggregate, watering and compacting to the required density grading-III as per technical specification clause 405 by manual means. or as per direction of engineer in charge including carriage of materials with in all leads, lifts and other incidentals.	42.99			Per Cubic Meter	
2	Repair of pot holes and removal of loose material, trimming of sides, cleaning of surface by providing tack coat with bitumen emulsion 20mm (twenty millimetre) thick premix carpet using colonic bitumen emulsion as per technical specification. as per direction of Engineer-in-Charge within all leads, lifts and other incidentals.	1124.82			Per Square Meter	
Total:-						


Executive Engineer,
Karsog Division,
HPPWD, Karsog