### Himachal Pradesh Public Works Department

No. PW-SKT-CB -Tender/2022-23

10583

Dated: - 29 - 9 - 222

To,

The Executive Engineer I.T. Cell, Nigam Bihar Shimla -2

Subject:-

Publishing of Notice inviting tenders.

Enclosed please find herewith copies of notice inviting tender for the up loading on department website before 12.10.2022 as per notification issued by Pr. Secy. (PW) to the Govt. of HP vide letter No. PBW (B) A (3)1/2020 dated 16th July 2021. As the works mentioned in the Tender Notice are urgent nature.

DA:-As above

Executive Engineer, Sarkaghat Division HP.PWD.Sarkaghat

## Himachal Pradesh Public Works Department "Notice Inviting Tender"

Sealed item rate tender are hereby invited in form No. 6&7 by the Executive Engineer B&R Division, HP.PWD. Sarkaghat HP. on behalf of the Governor of Himachal Pradesh for the following works from the instruction and are also registered contractor of appropriate class enlisted in HP.PWD whose registration stood renewed as peer revised instruction and are also registered dealers under the Himachal Pradesh General sales Tax Act.1968.The important dates of tender are as under:-

The last date and time of receipt of application for tender form 10.10.2022 up to 4.00 P.M.

The last date for sale of tender is up to 11.10.2022 at 4.00PM.

The tender shall be received up to 11:00 AM on 12.10.2022 to be opened on the same day at 11:30 AM. In presence of the intending contractors or their authorized representative who may like to be present. The tender form can be had from this office against cash payment as shown below (Non refundable) during the working hours on 12.10.2022. The earnest money in the shape of National saving certificate, time deposit account in any post office/bank in HP. duly pledged in favor of the Executive Engineer B&R Division HP.PWD. Sarkaghat must accompany with each tender Conditional & in complete tenders and the tender received without earnest money will be summarily rejected. The offer of tender shall be kept open for 90 days. The Executive Engineer, reserved the right to accept or reject, the tender without assigning any reason.

Sr. No.	Name of work	Estimated cost.	Earnest Money.	Cost of form.	Time allowed.
1.	R/R Damages on Rissa Surangri Bhaderwar via Garroru Road km. 0/0 to 8/500 (SH:- Construction of R/wall in wire crate at RD 5/765 to 5/780)	357222	7000	350	One Month
2.	R/R Damages on Sarkaghat Maseran Baggi Road km. 9/0 to 20/0 (SH:- Construction of R/wall in wire crate at RD 9/060 to 9/073)	499715	10800	350	One Month
3.	Construction of Play Ground at GMS Gounta Sub Tehsil Bhadrota Distt. Mandi (HP) (SH:- Cutting in front play ground i/c Construction of R/wall L-15/0 to 18/0 mtrs) Deposit	498889	9900	350	One Month
4.	Restoration of rain Damages at B.D.O Office (SH:- Construction of B/wall with in PCC 1:5:10)	146422	3000	350	One Month

### TERMS AND CONDITONS:-

Following documents should accompany with the application for tenders.

- 1. The contractor/firms should be registered as or/dealer under HP Sales Tax Act. 1968/GST
- 2. The intending contractors/firms shall have to produce the copy of latest enlistment in HPPWD.
- 3. The contractor is required to submit an affidavit for not having more than two works in hand in the shape of affidavit duly attested by the competent authority.
- 4. If any of the date mentioned above happened to be Gazette Holiday the same shall be processed on next working day.
- 5. The contractor should quoted the rate of all the items in the tender both in figures and in words failing which tender is likely to be rejected.
- 6. The copy of Employees Provident Funds (EPF Number) GST, Pan Number, should be attached with application.
- 7. Minimum one similar work done of amount not less than 40% (Forty percent) of the estimated cost (without liquidated Damage or compensation) in last five years)
- 8. The tender shall be awarded to the lowest bidder without any negotiation if his tendered amount is within limit of (+) 5% to (-) 30% of the amount put to tender, otherwise the tender will be cancelled and recalled.

- 9. The earnest money shall be deposited duly pledged in favour of Executive Engineer B& R Division HPPWD Sarkaghat 8 Cost of tender form for the above works should be submitted with the application for the purchase of the tender forms.
- The application received without earnest money & cost of tender form shall summarily be rejected.

10584-90

10. All the required documents should be submitted with the application others wise single application may be rejected.

Executive Engineer,
Sarkaghat Division
HP.PWD,Sarkaghat.
Dated: 99-9-2022

No. PW-SKT-CB-Tender/2022-23

1. The Engineer - in- Chief HPPWD Nirman Bhawan Shimla for information please.

2. The Chief Engineer Hamirpur Zone HP.PWD. Hamirpur for information please.

3. The Superintending Engineer Dharampur Oircle, HP.PWD. Dharampur for information please.

4. Block Development officer Sarkaghat for information please.

5. Copy to the Assistant Engineer B&R Sub- Division HP.PWD Sarkaghat/ Baldwara /Bhaderwar for information.

6. Copy to Drawing Branch of this office for information.

7. Notice Board.

Executive Engineer, Sarkaghat Division HP.PWD,Sarkaghat.

# SCHEDULE OF QUANTITY

. 5	5/780)	at KD o	01 00/	Earnest money:-	Rs. 7000/-
				Laillest moliey.	NS. / 000/-
2				Time allowed:-	One month.
No.	Description of item	Quantity		Rate	Unit Amo
			In figure	In words	
	Earth work in excavation for structure as per drawing and technical specification Clause 305.1 includding setting out, construction of shoring and bracing, removal of stumps and other deleterious materials, and disposal upto lead of 50 metres dressing of sides and bottom and back filling in trenches with approved material and disposal of all surplus excavated earth in specified site and direction of Engineer-in-charge.	43.20			Per cubic metre
2	Providing and laying bouler apronlaid in wirecrates with 4mm (four millimetre) dia GI wire confirming to IS -280and IS 4826 in	94.91			Per cubic
	extra for lapsand joints laid with stone boulders weighting not less than 25 Kg (twenty five kilograme) as per drawing and technical specification clause 1301 asper the direction of engineer-in charge.	*			metre
					Total:-

Executive Engineer
B & R Division HPPWD
Sarkaghat

Name of work:- R/R damages on Sarkaghat Maseran baggi road Km 9/0 to 20/0 /CIL. COCK.

		ω	^		_		No.	Sr.		
	technical specifications clause 1204.3.8 in all leads and lifts and carriage of materials by all modes of transportation and as per the direction of Engineer-in-Charge.	technical specification clause 1301 asper the direction of engineer-in charge.  Back filling behind refaining walls, broost walls, abstract, with the second specification clause 1301 asper the direction of engineer-in charge.	26 in	dressing of sides and bottom and back filling in trenches with approved material and disposal of all surplus excavated earth in specified site and direction of Engineer-in-charge.			Coscilption of Items	Description of from		
	6.00		133.56		29.38		Quantity			(0.000)
						In figure				
						In words	Rate	Time allowed:-	Earnest money:-	בשווומופע החצוי-
Total:-	Per cubic metre		Per cubic metre	metre	Per cubic		Unit	One month.	Rs. 10800/-	KS.4,99,715/-
							Amou	5	-/0	15/-

Executive Engineer
B & R Division HPPWD
Sarkaghat

## SCHUDULE OF QUANTITY

NA	NAME OF WORK :- Construction of play ground at GMS Gounta Sub Tehsil Bhadrota Distt.Mandi (HP) (SH:- cutting in	) (SH:- c	utting in	Estimated cost :-		Rs. 4,98,889
fron	front of playground i/c C/O R/Wall L-15/0 to 18/0 m) Deposit work			Earnest money:-		Rs. 9900/-
				Time allowed:-		One month
Sr.No	Description of Item	Quantity		Rates	Unit	Amount
			In figure	In words		
_	Excavation in Hilly area in all kinds of soil such as pick work, jumper work, soft and hard rock including	799.20			Per cubic	
	chiseling wedging out of rock (where blasting is prohibited ) if required and saturated soil and their intermediate classification of soil setting out true to the required line grades width cutting and trimming of				metre.	
	side slopes and level as shown in the drawings and as directed by the Engineer-In-Charge at site and sorting out useful material and stacking the same in all leads and lifts on acquired width of the road and transportation of material for filling in road ways camber embankment grade improvement and disposal transportation of material for filling in road ways camber embankment grade improvement and disposal					
	of all surplus material in all leads and lifts to the approved dumping site through all modes of transportation including head load or animal transport or mechanical means alongwith its leveling and fine					
	dressing complete in all height and depth. Any loss to public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by			*		
	him at his on cost in all cases. Recovery for useful stone 183.33 cubic metre at the rate of Rs.300/- per cubic metre shall be made from the contractor on prorata basis from every running bill. The work shall be					
	carried out as per technical specification clause 1603.1 and 1603.2 and as per the entire satisfaction and direction of Engineer-in-charge.					
2	Earth work in excavation in all kind of classification of soil in foundation of structures up to all depth/ height as per drawing and technical specification Clause 1104 includding setting out, construction of	12.15			Per cubic metre.	
	shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and					
	back filling with approved material and disposal of all surplus excavated earth in specified site and direction of Engineer-in-charge complete.					
	Random rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:6:12 (one cement : six coarse sand : twelve graded stone aggregate 20 mm (twenty millimetre	6.33			Per cubic metre	
ω						
4		14.33			Per cubic	
	shuttering - All work up to plinth level 1:5:10 (one cement: five fine sand: ten graded stone aggregate 40 mm (forty millimetre nominal size) including the carriage of materials within all leads, lifts and other incidentals.				metre.	
5		2.40			Per cubic metre	
	within all leads, lifts and other incidentals and direction of the Engineer-in-Charge.					

13	1 1		2 6	10 (	٥	×	7
(twenty millimetre) thick fine dressed stone flooring in cement mortar 1:5 (one cement five sand) over cement concrete bedding complete as per drawing and technical specification with joint finished flush red stone within all leads, lifts and other incidentals.	Steel work weided in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	breast walls and the like with 100mm ( One hundred ) dia PVC pipe extending through the full width of the structure with slope of 1 vertical: 20 horizontal towards drawing face complete as per drawing and technical specification clauses 614,709,1204.3.7 in all leads and lifts and carriage of material by all modes of transportation as per the direction of Engineer- in-chrage.			drawing and technical specifications clause 1204.3.8 in all leads and lifts and carriage of materials by all modes of transportation and as per direction of Engineer-in-Charge.  Construction of subgrade and earther should carrie as per direction of Engineer-in-Charge.	foundation excluding the cost of centering, shuttering, finishing and reinforcement - All reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :1:2:4 (one cement : two coarse sand) :four graded stone aggregate 20 mm. (twenty millimetre) nominal size)  Back filling behind retaining walls broast walls should be the control of the con	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.  Providing and laving in position specified grade of reinforced compart concrete in coop.
68.46	228.14	10	8.04	43.86	: 3.60 0	0.04	137.77
			*	T W			
Per cubic metre	per Kg	Each	Per cubic metre	Per cubic metre	Per cubic metre	Per cubic metre	per Kg
	0				Same		

Executive Engineer

B & R Division HPPWD

Serksghise

# SCHEDULE OF QUANTITY

•	Total:-					
	Per cubic metre		- Sec. 1975	1.60	Stone filling behind retaining walls back filling for pitching including supplying of required materials and consolidation etcetra. Complete with Moorum with in all leads and lifts and carriage of materials by all modes of transportation and as per direction of Engineer-in-Charge.	4
	Each			11.00	Providing weep holes in brick masonry / Stone masonry / plain/reinforced concrete in retaining walls, breast walls and the like with 110mm (One hundred ten millimetre) dia PVC (Polyvinyl Chloride) pipe extending through the full width of the structure with slope of 1 vertical: 20 horizontal towards drawing face complete as per drawing and technical specification clauses 614,709,1204.3.7 with in all leads and lifts and carriage of material by all modes of transportation as per the direction of Engineer- in-Chrage.	· ω
THE STATE OF THE S	Per cubic metre			24.01	Providing and laying in position cement concrete of specificed grade exciuding the cost of centering and shuttering -All work up to plinth level 1:5:10 (one cement :five fine sand :ten graded crushed stone aggregate) 40 mm (forty millimetre) nominal size as per drawing and HP,PWDD technical specification including carriage of materials with in all leads and lifts and direction of Engineer-in-	2
	Per cubic metre			10.21	Earth work in excavation by mechanical means (Hydraulic excavator) manual means over areas exceeding 30 cm (thirty centimetre) in depth, 1.5 m (one point five metre) in width as well as 10 sqm (ten square metre) on plan including getting out and disposal of excavated earth lead upto 50 m (fifty metre) and lift upto 1.5 m, (one point five metre) including carriage of materials with in all leads and lifts and direction of Engineer- in- Charge.	
Amount .	Unit		In Figure	Quantity	Description of item/Sub Head	
22.00 h	Rs. 1,46,422.00 Rs. 3000.00 One month	Estimated cost :- Earnest Money:- Time Limit:-	1:5:10)	th in PCC 1	Name of Work:- Restrotation Rain Damages at B.D.O Office (SH:- Construction of B/wall with in PCC 1:5:10)	Na

Executive Engineer, B&R Divison, HP PWD, Sarkaghat.