HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

Sealed item rate tender on form No. 6 & 8 are hereby invited by the Executive Engineer, HP PWD Division Tanda at Nagrota Bagwan on behalf of Governor of Himachal Pradesh for the following work from the approved and eligible contractors enlisted in HP PWD (B & R) whose registration stood renewed as per revised rules so as to reach in his office on or before on 13.10.2022 up to 11:00 A.M. And the same shall be opened on the same day at 04:00 P.M. in the presence of intending contractors or their authorized representatives. The tender form can be obtained from his office on cash payment (non refundable) on 12.10.2022 up to 4:00 P.M and the application for issue of tender form shall be received on 11.10.2022up to 12:00 noon. The applications for issue of tender forms accompanied with enlistment letter or renewal letter and the earnest money in the shape of National Saving Certificates/Saving Account of the Post Office /Time Deposit account/FDR in Himachal Pradesh duly pledged in favour of Executive Engineer, HP PWD Division Tanda at Nagrota Bagwan.

The conditional tender and the tender received without earnest money will summarily be rejected. The offer of the tender shall be kept open for 120 days.

Sr. No.	Name of work	Estimated Cost	Earnest Money	Time limit
1.	Improvement of black spots on Kahanphatt Toru road in Distt Kangra (HP) (SH:-Construction of retaining wall at RD 2/750 to 2/759).	498446/-	10000/-	Three months
2.	Restoration of rain damages on link road from Kawari to Rainbow International School at Kawari Km 0/000 to 0/500 in Distt Kangra (HP) (SH:-Construction of cement concrete pavement at various RDs in extended portion)	147446/-	3000/-	Three months
3.	Restoration of rain damages on link road from Massal to Sakra Basti in Distt Kangra (HP) (SH:-Construction of retaining wall at RD 0/300 to 0/325).	497968/-	10000/-	Three months
4.	Restoration of rain damages on link road Nihargalu to SC Basti Lahru Mata road in Distt Kangra (HP) (SH:-Improvement of road by providing retaining walls at various RDs and providing and laying cement concrete pavement at RD 0/000 to 0/100).	499885/-	10000/-	Three months

Terms & Conditions:-

- The contractor/firm should be registered as or dealer GST No.
- The intending contractor / firm have to produce the copy of latest enlistment and renewal enlisted in HPPWD.
- 3. If any of the date mentioned above happened to be Gazetted Holidays the same shall be processed on next working day.
- 4 The Executive Engineer reserves the right to accept/reject any tender/application or all tenders without assigning any reason.
- 5 The Contractor will have to submit affidavit along with application for issue of tender that he has not more than two works in hand.

6. Next tender will be issued only after completion of previous works in hand.

HIMSUCHANA AVAM & JAN SAMPARK

Engineer H.P.P.W.D. Tanda Division at Nagrota Bagwan

(On behalf of Governor of Himachal Pradesh)

Dated/

No.PW/NBD/TA/Tender/NIT/2022/ | 0293 - 10322

Copy to the following for information and necessary action:-

1. The Principal Secy. (PW) to the Govt. of H.P. Shimla 2. The Engineer-in-Chief, HPPWD, Shimla

The Chief Engineer (KZ), HPPWD, Dharamshala. 3.

- The Director, Information & Publications Department, H.P. Shimla
- The Executive Engineer (IT), Nigam Vihar Shimla 2 for information. He is requested to upload the same on the department website.
- The Superintending Engineer, 5th Circle, HPPWD, Palampur. 6.
- The Principal, Dr. RPGMC, Tanda.
- 8. The Deputy Commissioner, Kangra at Dharamshala
- 9 All the S.E.s/E.E.s under North Zone
- 10. The Sub-Divisional Officer(C) Nagrota Bagwan.
- 11. The Block Development Office Nagrota Bagwan
- 12. All the Assistant Engineer under this Division.
- 13. The Drawing /Accounts Branch in this office.
- 14. The Contractors concerned
- 15. Notice Board.

H.P.P.W.D. Tanda Division Nagrota Bagwan

Schedule of Quantity

TIME LIMIT

ESTIMATED COST: - EARNEST MONEY: -

Rs.

498446.00 10000.00

THREE MONTHS

NAME OF WORK: - Improvement of black spots on Kahanphatt Toru road in Distt. Kangra (H.P.).

SUB HEAD: - Construction of Retaining wall at RD 2/750 to 2/759

	TOTAL:-	TO				
	metre			menes	Incharge including carriage of material within all leads, lifts and other incidentals.	
	cubic			Cubic	complete as per drawing and HP.PWD technical specifications and as directed by Fnoineer.	
	Per				layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering	
	Daw			22.42	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in	U
	metre			metres	The state of marketain within an ieads, into and other incidentals.	
	cubic			Cubic	including carriage of materials within all leads life and other including carriage of materials within all leads life and other including	
	Per			14.11	specification Clause 1200.3.8 creamles material wall complete as per drawings and technical	4
					whilli all leads, lifts and other incidentals.	1
					within all loads life and all it is a directed by the Engineer-Incharge including carriage of materials	
	metre			metres	clauses 614 700 1704 2.7 co. Jimest 11. J. F. J.	
	running			Running	slone of I(V):20(H) towards drawing face complete of all districtions with	
	Per			45.18	wall, return wall with 100 mm dia PVC nine extending through the full wild a full controlled adminent, wing	
				15.10	Providing weepholes in brick masonry/stone masonry plain/reinforced concrete chutmont	3
					lifts and other incidentals.	
	metre			metres	specifications and as directed by Engineer-Incharge including carriage of material within all leads	
	cubic			Cuoto	stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP PWD technical	
	1			Cuhic	and shuttering - All work up to plinth level 1:5:10 (One cement : Five coarse sand : Ten graded	
	Der			126.15	rroviding and laying in position cement concrete of specified grade including the cost of centering	1
					The state of the s	3
					incidentals	
					directed by Engineer Inchange includes a security of the second and as	
	metre			meters	excavated suitable material complete as ner drawing and HP DWD technical manifestimes will	
	cubic			Cubic	material and disposal upto any lead, dressing of sides and hottom and hackfilling in translate with	
	Per			23.78	including setting out, construction of sharing and bracing removed of ctumes and but including setting out, construction of sharing and bracing removed of ctumes and but it is including setting out, construction of sharing and bracing removed of ctumes and but it is including setting out, construction of sharing and bracing removed of ctumes and but it is included as the construction of sharing and bracing removed of ctumes and but it is included as the construction of sharing and bracing removed of ctumes and but it is included as the construction of sharing and bracing removed of ctumes and but it is included as the construction of sharing and bracing removed of ctumes and but it is included as the construction of sharing and bracing removed of ctumes and but it is included as the construction of sharing and bracing removed of ctumes and but it is included as the construction of ctumes and but it is included as the construction of ctumes and but it is included as the construction of ctumes and but it is included as the construction of ctumes and but it is included as the construction of ctumes and but it is included as the construction of ctumes and but it is included as the construction of ctumes and the construction of ctumes are also as the construction of ctumes and the construction of ctumes are also as the construction of ctumes and ctumes are also as the construction of ctumes and ctumes are also as the construction of ctumes and ctumes are also as the construction of ctumes are also as the ctumes are also as a ctume and a ctumes are also as a ctume and a ctume are also as	
7	6	5	4	w	Earthwork in excavation for structures of the description of the structures of the structure of the structur	1
		In words	In fig.		3	1
Amount	Unit	Rate		Quantity	Description of Items	No.
					Description of items	S

Executive Engineer,
H.P.P.W.D., Division,
Tanda at Nagrota Bagwan.

Schedule of quantity

TIME LIMIT **EARNEST MONEY:-**Rs. Rs. THREE MONTHS 147446.00 3000.00

ESTIMATED COST: -

NAME OF WORK :-SUB HEAD :-Restoration of rain damages on link road from Kawari to Rainbow Internation School at Kawari Km 0/0000 to 0/500 in Distt. Kangra (H.P.).

Construction of cement concrete pavement at various RDs in Extended Roffing)

TOTAL:-	To				7
Per cubic metre			25.42 Cubic meters	per drawing and laying concrete for plain reinforcement concrete in open foundation complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 PCC Grade (M-20) (M-twenty) nominal mix 1:2:4 (One cement: Two sand: Four graded/crushed stone aggregate) 20mm (TWenty millimetres) thickness as per HPPWD technical specification and as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	
Per cubic metre			3.35 Cubic metres	Providing, laying, spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimeter to forty five millimeter) Grading-II size [75mm (seventy five millimeters) compacted thickness] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber applying and brooming, stone screening type-A of size 13.2mm (thirteen point two millimetres) nominal size at the rate of 0.22 cum (zero point twenty two) cubic metres per 10 sqm (per ten square metres) and binding material at the rate 0.06 cum (zero point zero six cubic metre) to fill up the interstices of coarse aggregate, watering and compacting to the required density as per technical specifications clause No. 405 and as per drawing and HP.PWD technical specifications, as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	7
	S S S S S S S S S S S S S S S S S S S	7 8.6	٠.	2	1
925.05-	Rate	In fig	Quantity	Description of items	No.
			1	,	0

Executive Engineer,
HPPWD Division,
Tanda at Nagrota Bagwan.

Schedule of Quantity

ESTIMATED COST: EARNEST MONEY: -

Rs.

497968.00 10000.00

THREE MONTHS

TIME LIMIT

NAME OF WORK : -Restoration of rain dmages on link road from Massal to sakra Basti in Distt. Kangra (HP). Construction of Retaining wall at RD 0/300 to 0/325

Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation of shoring and bracing, removal of stumps and other deleterious clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Z3.78 directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (One cement: Five coarse sand: Ten graded Cubic stone aggregate 40 mm (Forty millimeters nominal size) as per drawing and the pPWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Providing weepholes in brick masomy/stone masomy, plain/reinforced concrete abutment, wing slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications metres with slope of 1(V):20(H) towards drawing face complete as per drawing carriage of materials within all leads, lifts and other incidentals. Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specifications metres with neters of the structures with return wall complete as per drawing and technical specifications metres within all leads, lifts and other incidentals. Backfilling behind abutment, wing wall and return wall complete as per drawings and technical contains metres within all leads, lifts and other incidentals.		IOIAL:-	70				
Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications and and disposal upto any lead, dressing of sides and bottom and backfilling in trenches with meters incidentals. Per directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Providing and laying in position cement concrete of specified grade including the cost of centering and substituting - All work up to plinth level 1:5:10 (One cement: Five coarse sand : Ten graded substituting - All work up to plinth level 1:5:10 (One cement: Five coarse sand : Ten graded concrete abuttering - All work up to plinth level 1:5:10 (One cement: Five coarse sand : Ten graded concrete of per graded including weepsholes in brick masomy/stone masomy, plain/reinforced concrete abuttnent, wing slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications metres with materials within all leads, lifts and other incidentals. Per wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with Running slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications metres within all leads, lifts and other incidentals. Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification metres within all leads, lifts and other incidentals.		ATT AT					
Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications and and technical and disposal upto any lead, dressing of sides and bottom and and backfilling in trenches with excavated suitable material complete as per drawing and brackfilling behind abutment, wing within all leads, lifts and other incidentals. Providing weepholes in brick masomy/stone masomy, plain/reinforced concrete abutment, wing slope of 1(V),20(H) towards drawing face complete as per drawing and technical specifications metres with all leads, lifts and other incidentals. Per muning within all leads, lifts and other incidentals. Earthwork in excavation for structures as per drawing and technical specifications and as directed by Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals. Earthwork in excavation for structures as per drawing and technical specifications metres with Rumning metres with Rumning solpe of 1(V),20(H) towards drawing face complete as per drawing and technical specifications metres with solutions and other incidentals. Earthwork in excavation of shoring and brackfilling behind abutment, wing solitication Clause 12,4,70 Earthwork in excavation of shoring and becknical specifications metres with fall within all leads, lifts and other incidentals.							
Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 2 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 2 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 2 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 2 Earthwork in excavation for structures as per drawing and technical specifications and other deleterious complete as per drawing and backfilling in trenches with meters and shutched as per drawing and HP_PWD technical specifications and as directed by Engineer-Incharge including grade including the cost of centering 126.15 Froviding and laying in position cement concrete of specified grade including the cost of centering 126.15 Earthwork in excavation for structures as per drawing and HP_PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Earthwork in excavation for structures as per drawing and HP_PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Earthwork in excavation for structures and backfilling in trenches with per drawing and technical specifications and as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals. Earthwork in excavation of slowing and backfilling in trenches with per drawing and technical specifications. Earthwork in excavation of slowing and backfilling in trenches with per drawing and technical specifications and as directed by the Engineer-Incharge including carriage of materials cubic. Earthwork in excavation of slowing and backfilling in trenches with per delated as per drawing and technical specifications. Earthwork in excavation of slowing and backfilling in trenches with per delated as per drawing and technical specifications. Earthwork in		metre		O 3	metres	within all leads, lifts and other incidentals.	
Earthwork in excavation for structures as per drawing and technical specifications. Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications. Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications. Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications. Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications. Cubic material and disposal upto any lead, dressing of sides and bottom and backfilling in trenches with excavated suitable material complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications metres with Running slope of 10(V):20(H) towards drawing face complete as per drawing and technical specifications metres with mall leads, lifts and other incidentals. Per validing behind abutment, wing wall and return wall complete as per drawings and technical specifications metres with Running metres with Running metres with Running metres with meters and technical specifications. Per validing behind abutment, wing wall and return wall complete as per drawings and technical specifications. Per validing behind abutment, wing wall and return wall complete as per drawings and technical specifications.		cubic				specification Clause 1204.3.8, as directed by the Engineer-Incharge including carriage of material	
Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (One cement : Five coarse sand : Ten graded clubic stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing slope of 1(V)-20(H) towards drawing face complete as per drawing and technical specifications metres with rumning scauses 614, 709, 1204.3.7 as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.		Per			14.70	Backfilling behind abutinent, wing wall and return wall complete as per drawings and technical	
Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications and as directed by Engineer-Incharge including the cost of centering incidentals. Providing and laying in position cement concrete of specified grade including the cost of centering including interest and as directed by Engineer-Incharge including carriage of material within all leads, iffs and other incidentals. Per cubic metre subtle structures with inches in brick masonry/stone masonry, plain/reinforced concrete abutment, wing increased including inclu							
Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications and at disposal upto any lead, dressing of sides and bottom and backfilling in trenches with meters cubic excavated suitable material complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Per cubic stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Per cubic stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Per cubic stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical metres specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Per cubic metre sometimetrial within all leads, lifts and other incidentals. Per cubic metres sometimetrial within all leads, lifts and other incidentals. Per cubic metres sometimetrial within all leads, lifts and other incidentals. Per cubic meters sometimetrial within all leads, lifts and other incidentals. Per cubic meters sometimetrial within all leads, lifts and other incidentals. Per cubic meters sometimetrial within all leads, lifts and other incide						within all leads, lifts and other incidentals.	
Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other meters and shuttering - All work up to plinth level 1:5:10 (One cement : Five coarse sand : Ten graded content as specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing super of 1(V):20(H) towards drawing face complete as per drawing and technical specifications metres in metres around the full width of the structures with Running metres in metres in metres.						clauses 614, 709, 1204.3.7 as directed by the Engineer-Incharge including carriage of material	
Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications and other deleterious Cubic material and disposal upto any lead, dressing of sides and bottom and backfilling in trenches with excavated suitable material complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including the cost of centering and other incidentals. Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abuttment, wing leads, for the control of the structures with Running and P.P.PWD technical metres with running specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abuttment, wing some plant in the control of the structures with Running some plant in the control of the structures with Running some plant in the control of the structures with Running some plant in the control of the structures with Running some plant in the control of the structures with Running some plant in the control of the structures with Running some plant in the control of the structures with Running some plant in the control of the structures with Running some plant in the control of the structures with Running some plant in the control of the structures with Running some plant in the control of the structures with Running some plant in the control of the structures with Running some plant in the control of the control of the control of the control	٠	metre				slope of I(V).20(II) lowards drawing lace complete as per drawing and technical specification	
Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Per Cubic stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Per Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abuttnent, wing 57.65 Per Per Per Power of the Constitution of the providing the cost of centering and HP.PWD technical metres abuttnent, wing 57.65		running		<u>8</u>		slope of 1(V):20(H) towards drawing food complete a mough the full width of the structures with slope of 1(V):20(H) towards drawing food complete a mough the full width of the structures with the structures with the structures with the structures with the structure of the struc	
Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and other deleterious cubic material and disposal upto any lead, dressing of sides and bottom and backfilling in trenches with meters directed by Engineer-Incharge including and HP.PWD technical specifications and as directed by Engineer-Incharge including the cost of centering praded cubic stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Per cubic metres including carriage of material within all leads, lifts and other incidentals.		Per				well return well with 100 mm die DVC eine at 11 de 11 de 11 de 12	
Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 including setting out, construction of shoring and bracing, removal of stumps and other deleterious cubic material and disposal upto any lead, dressing of sides and bottom and backfilling in trenches with excavated suitable material complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (One cement : Five coarse sand : Ten graded specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Per cubic metre sond : Ten graded Cubic metres specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.							
Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 23.78 Earthwork in excavation for structures as per drawing and other deleterious material and disposal upto any lead, dressing of sides and bottom and backfilling in trenches with excavated suitable material complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Providing and laying in position cement concrete of specified grade including the cost of centering and HP.PWD technical metres some aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical metres metre cubic metre expecifications and as directed by Engineer-Incharge including carriage of material within all leads, metres metre expecifications and as directed by Engineer-Incharge including carriage of material within all leads, metres including the cost of centering to the cos						lifts and other incidentals.	
Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Per including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto any lead, dressing of sides and bottom and backfilling in trenches with meters excavated suitable material complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (One cement : Five coarse sand : Ten graded cubic metres or cubic metres) Per cubic metres Rate In Hyg. In						specifications and as directed by Engineer-Incharge including carriage of material within all lead	
Per including setting out, constructures as per drawing and technical specifications Clause 305.1 23.78 including setting out, construction of shoring and bottom and backfilling in trenches with excavated suitable material complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Providing and laying in position cement concrete of specified grade including the cost of centering and cubic per cubic of centering and shuttering - All work up to plinth level 1:5:10 (One cement: Five coarse sand: Ten graded Cubic cubic cubic cubic cubic per cubic cubic cubic meters incidentals.		metre		S	85	stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical	
Description of items Quantity In fig. In words In words In fig. In words In wor		cubic				and shuttering - All work up to plinth level 1:5:10 (One cement: Five coarse sand: Ten grade	
Description of items Quantity In fig. In words A Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and bracing, removal of stumps and other deleterious cubic material and disposal upto any lead, dressing of sides and bottom and backfilling in trenches with excavated suitable material complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals. Cubic meters cubic meters directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.		Per		5		Providing and laying in position cement concrete of specified grade including the cost of centerin	
Description of items Quantity In fig. In words A Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications and as drawing and other structures as per drawing and technical specifications and as drawing and technical specifications and							
Description of items Quantity In fig. In words In words Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation for structures as per drawing and technical specifications and as meters are cubic meters excavated suitable material complete as per drawing and HP.PWD technical specifications and as meters excavated suitable material complete as per drawing and HP.PWD technical specifications and as meters excavated suitable material complete as per drawing and HP.PWD technical specifications and as meters excavated suitable material complete as per drawing and technical specifications and as meters excavated by Engline excavated by Engline excavated suitable material within all leads, lifts and other						incidentals.	
Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 cubic material and disposal upto any lead, dressing of sides and bottom and backfilling in trenches with excavated suitable material complete as per drawing and HP.PWD technical specifications and as excavated suitable material complete with excavated suitable material complete as per drawing and HP.PWD technical specifications and as excavated suitable material complete as per drawing and HP.PWD technical specifications and as excavated suitable material complete as per drawing and HP.PWD technical specifications and as excavated suitable material complete as per drawing and HP.PWD technical specifications and as excavated suitable material complete as per drawing and HP.PWD technical specifications and as excavated suitable material complete as per drawing and HP.PWD technical specifications and as excavated suitable material complete as per drawing and HP.PWD technical specifications and as excavated suitable material complete as per drawing and HP.PWD technical specifications and as excavated suitable material complete as per drawing and HP.PWD technical specifications and as excavated suitable material complete as per drawing and HP.PWD technical specifications and as excavated suitable material complete as per drawing and HP.PWD technical specifications are considered as per drawing and HP.PWD technical specifications are considered as per drawing and HP.PWD technical specifications are considered as per drawing and HP.PWD technical specifications are considered as per drawing and HP.PWD technical specifications are considered as per drawing and technical specific						directed by Engineer-Incharge including carriage of material within all leads, lifts and other	
Description of items Quantity In fig. In words In fig. In words Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation of shoring and bracing, removal of stumps and other deleterious cubic material and disposal upto any lead, dressing of sides and bottom and backfilling in trenches with meters Quantity In fig. In words 6 Per cubic metre						excavated suitable material complete as per drawing and HP.PWD technical specifications and	
Description of items Quantity In fig. In words Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Earthwork in excavation of shoring and bracing, removal of stumps and other deleterious Cubic Cubic		metre		· ·		material and disposal upto any lead, dressing of sides and bottom and backfilling in trenches will	
Description of items Quantity In fig. In words Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Quantity In fig. 3 4 5 6 Per		cubic		6	-	including setting out, construction of shoring and bracing, removal of stumps and other deleterior	
Description of items Quantity In fig. In words 2 3 4 5 6		Per				Earthwork in excavation for structures as per drawing and technical specifications Clause 305	1
Description of items Quantity In fig. In words	7	6	5	4		2	.
Description of items Quantity Rate Unit			In words	In fig.			NO.
	Amount	Unit	Rate	ity	Quanti	Description of items	

Executive Engineer,
H.P.P.W.D., Division,
Tanda at Nagroja Bagwan.

Schedule of Quantity

ESTIMATED COST: EARNEST MONEY: TIME LIMIT: Rs. 499885.00 10000.00 THREE MONTHS

SUB HEAD : -NAME OF WORK :-Restoraation of rain damages on link road Nihargalu to SC Basti Lahru Mata road in Distt. Kangra (H.P.) Improvement of road width by providing Retaining walls at various RDs and Providing and laying cement concrete pavement

	C,	4	w	2		1	No.	SUL
template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber applying and brooming, stone screening type-A of size 13.2mm (thirteen point two milimetres) nominal size at the rate of 0.22 cum (zero point twenty two) cubic metres per 10 sqm (per ten square metres) and binding material at the rate 0.06 cum (zero point zero six cubic metre) to fill up the interstices of coarse aggregate, watering and compacting to the required density as per technical specifications clause No. 405 within all leads and lifts and other incidental.	Providing, laying, spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimeter to forty five millimeter) Grading-II size [75mm (seventy five millimeters) compacted thickness] to water bound Macadam specification including spreading in uniform thickness using	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification Clause 1204.3.8, as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abuttment, wing wall, return wall with 100 nm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7 as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (One cement: Five coarse sand: Ten graded stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto any lead, dressing of sides and bottom and backfilling in trenches with excavated suitable material complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	2	Description of items	SUB HEAD :- Improvement of road width by providing Retaining walls at various RDs and Providing and laying cement concrete pavement at RD 0/000 to 0/100
	Cubic metres	12.48 Cubic metres	22.15 Running metres	48.84 Cubic metres	38.94 Cubic meters	w	Quantity	nd laying c
						4	In fig.	ement concre
						5	Rate In words	te pavement at RD 0/000 to 0/1
	Per cubic metre	Per cubic metre	Per running metre	Per cubic metre	Per cubic metre	6	Unit	100
						7	Amount	

undation complete as per 45.90 PCC Grade (M-20) (M-Cubic stone aggregate) 20mm meters and as directed by the other incidentals. Per cubic cubic metre		6 Providing and laying concrete for plain reinforcement concrete in open foundation complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 PCC Grade (M-20) (M-twenty) nominal mix 1:2:4 (One cement: Two sand: Four graded/crushed stone aggregate) 20mm (TWenty millimetres) thickness as per HPPWD technical specification and as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.
45.90 Cubic meters		Indation complete as per OCC Grade (M-20) (M- stone aggregate) 20mm and as directed by the other incidentals.
Per cubic metre		Cubic meters
Per cubic metre		
	TOTAL:-	Per cubic metre

Executive Engineer;
H.P.P.W.D., Division,
Tanda at Nagrota Bagwan.