



**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT**

Telephone No:-01782-240075
e-mail:-ee-kum-hp@nic.in

No. PW-KMS-AB-NIT/2023-24- 502-04

Dated: - 21/4/2023

To


✓
The Executive Engineer (IT Cell),
HP, PWD, Shimla-2

Subject: -

Publication of Tender Notice

Enclosed please find herewith the tender of works as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW(B)1/2020 dated 16.07.2021 as the works mentioned in the tender notice are urgent in nature and public interest.

**Encl: - Notice Inviting tender &
Schedule of Quantity and certificate.**


Executive Engineer,
Kumarsain Division,
HPPWD Kumarsain


Copy to the Superintending Engineer, 11th Circle,
HP.PWD., Rampur Bsr. for information please.

Copy to Drawing Branch in this office.

✓
Executive Engineer,
Kumarsain Division,
HPPWD Kumarsain

CERTIFICATE

CERTIFIED THAT THE TENDERS OF WORKS, AS
CALLED VIDE THIS OFFICE LETTER NO. PW-KMS-AB-NIT/ 2023-24-
452-501 DATED 21.4.23 ARE URGENT NATURE AND
PUBLIC INTEREST.


Executive Engineer,
Kumarsain Division,
HPPWD Kumarsain

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT**

"NOTICE INVITING TENDER "

Scaled item/percentage rate tenders are hereby invited by the Executive Engineer, Kumarsain Division, and HP.PWD, Kumarsain from the experienced contractors enlisted with PWD for B&R works, so as to reach in this office on or before **03.05.2023** up to **3:00 PM** and will be opened on same day at **3:30 PM**, in the presence of intending contractors or their authorized representatives who may wish to be present.

The application for issue of tender form shall be received on **02.05.2023** up to **5.00 PM**. The tender form can be had from his office against cash payment (Non-refundable) on **03.05.2023** up to **1.00 P.M.**

The earnest money in the shape of National saving certificate/Time deposit receipt of any recognized Bank in H.P. duly pledged in the name of XEN must accompany with each application for obtaining the tender form. The Executive Engineer reserves the right to reject the tenders without assigning any reasons.

1. **Name of Work :-** R/O R/D on Narkanda Thanedhar Kotgarh Bithal road Km.0/000 to 44/000 (SH:- C/O PCC R/Wall at Rd.0/828 to 0/841). Estimated Cost:-4,99,280/- Earnest Money:-10000/- Time:- One Month.
2. **Name of Work:-** Improvement of link road to village Sanaogi Km.0/000 to 3/375 (SH:- C/O Wire Crate R/Wall for improvement of curves at Rd.3/128 to 3/144.80). Estimated Cost:-4,97,046/- Earnest Money:-10000/- Time:- One Month.
3. **Name of Work:-** R/O R/D on various roads under Kotgarh Section (SH:- Hiring of JCB for removal of alips at various roads). Estimated Cost:-4,88,770/- Earnest Money:-9800/- Time:- One Month.
4. **Name of Work:-** C/O 50 Beded Civil Hospital at Kumarsain Distt. Shimla H.P.(SH:-Providing stand for placing water tanks) Balance work. Estimated Cost:-3,88,092/- Earnest Money:- 7800/- Time allowed: One Month.
5. **Name of Work:-** R/O R/D on Kotgarh Brail road Km.0/000 to 1/650 (SH:- Removal of slips at various Rds).Estimated Cost:-3,73,125/- Earnest Money:- 7500/- Time allowed: -One Month.
6. **Name of Work:-** Improvement of link road from Devjubber to Shelag Km.0/000 to 2/045 (SH:- Widening of road at various Rds between Km.0/960 to 2/045) .Estimated Cost:-3,61,964/- Earnest Money:- 7240/- Time allowed: -One Month.
7. **Name of Work:-** R/O R/D on Upper Shathla to Lower Shathla Km0/000 to 1/000 (SH:- C/O PCC R/Wall at Rd.0/880 to 0/895, 0/930 to 0/938 & P.C.C B/Wall at Rd.0/980 to 0/986). Estimated Cost:-2,78,274/- Earnest Money:- 5600/- Time allowed: -One Month.
8. **Name of Work:-** R/O R/D on Oddi Kacheri road Km.0/000 to 0/700 (SH:- C/O PCC R/Wall at Rd.0/395 to 0/400.50). Estimated Cost:-1,54,791/- Earnest Money:- 3100/- Time allowed: -One Month.

9. **Name of Work:-** A/R & M/O HPPWD Rest House Building at Kotgarh (SH:- Distempering, Painting & other finishing work). Estimated Cost:-99,314/- Earnest Money:- 2000/- Time allowed: One Month.
10. **Name of Work:-** R/O R/D on Bharara Kumarsain road Km.0/000 to 1/165 (SH:- C/O PCC R/Wall at Rd.1/073 to 1/080). Estimated Cost:-86,794/- Earnest Money:- 1800/- Time allowed: One Month.

Terms and conditions:-

1. The contractors shall produce their latest registration/renewal of their registration/GST No/EPF No along with their application.
2. The single/conditional tender will be rejected.
3. The offer shall remain valid up to 90 days.

Note:- The rates quoted by the contractors should be 5% above only otherwise the tenders will be rejected.

Executive Engineer,
Kumarsain Division
HP.PWD, Kumarsain

No.PW-KMS-AB-NIT/2023-24-

452-501

Dated:- 21/4/2023

Copy to the Engineer-in-Chief, HP.PWD., Shimla-2.
Copy to the Deputy Commissioner Shimla, District Shimla (H.P.)
Copy to the Sub-Divisional Officer © Kumarsain, Distt. Shimla (H.P.)
Copy to the Superintending Engineer, XIth Circle, HP.PWD., Rampur.
Copy to Block Development office, Narkanda Distt. Shimla, (H.P.)
Copy to all Assistant Engineers under this Division for information & n.a.
Copy to various contractors for information.
Copy to Notice Board of this office.

Executive Engineer,
Kumarsain Division,
HP.PWD. Kumarsain

SCHEDULE OF QUANTITY


Estimated cost:-Rs.499280/-

Earnest money:-Rs.10000/-

Time allowed:-One month.

Name of work:-Restoration of rain damages on Narkanda Thandhar Kotgarh Bithal road Km.0/000 to 44/000 (SH:-Construction of P.C.C Retaining wall at RD.0/828 to 0/841).

S. No.	Sub-Head/Items of work.	Quantity.	Rate.		Unit.	Amount.
			In fig.	In words.		
1	Earth work in excavation for structures as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing removal of stumps and other deleterious material and disposal upto all leads and lifts dressing of sides and bottom backfilling in trenches with excavated suitable materials upto all leads and lifts as per directions of the Engineer-in-Charge.	35.23 m3			Per cubic metre.	
2	Providing and laying concrete for plain reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203) P.C.C nominal mix 1:5:10 (40mm aggregates) including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	90.87 m3			Per cubic metre.	
3	Providing and laying weapholes in brick masonry/stone masonry/plain reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pie extending through the full width of the structures with slop of 1 (V):20(H) towards drawing face complete as per drawing and technical specification clauses 614,709,1204.3.7 including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	33 Nos			Each.	
4	Back filling behind abutment, retaining wall/breast wall including entire carriage of materials in all leads and lifts.	7.80 Cum			Per cubic metre.	
Total:-						


Executive Engineer,
Kumarsain Division,
HP.PWD., Kumarsain

SCHEDULE OF QUANTITY


Estimated cost:-Rs.497046/-

Earnest money:-Rs.10000/-

Time allowed:-One month.

Name of work:-Improvement of link road to village Sanaogi Km.0/000 to 3/375(SH:-C/O Wire crate Retaining wall for improvement of curve at RD.3/128 to 3/144.80).

S. No.	Sub-Head/Items of work.	Quantity.	Rate.		Unit.	Amount.
			In fig.	In words.		
1	Excavation in soil in hill area by manual means/mechanical means including cutting and trimming of side slope and disposing of excavated earth with in all leads and lifts as per drawing and technical specification clause 1603.10 as per direction of the Engineer-in-charge.	40.66 m3			Per cubic metre.	
2	Earth work in excavation for structures as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing removal of stumps and other deleterious material and disposal upto all leads and lifts dressing of sides and bottom backfilling in trenches with excavated suitable materials upto all leads and lifts as per directions of the Engineer-in-Charge.	16.13 m3			Per cubic metre.	
3	Providing and laying of boulder apron laid in wire crates with 4mm dia GI wire conforming to IS:280 and IS 4826 in 100mm x100mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg. each as per drawing and technical specification Clause 1301 including entire carriage of materials in all leads and lifts as per direction of the Engineer-in-Charge.	169.34 m3			Per cubic metre.	
	Total:-					


Executive Engineer,
Kumarsain Division,
HP,PWD, Kumarsain.

SCHEDULE OF QUANTITY


Estimated cost:-Rs.488770/-

Earnest money:-Rs.9800/-

Time allowed:-One Month.

Name of work:-Restoration of rain damages on various roads under Kotgarh Section.(SH:-Hiring of JCB for removal of slips at various roads).

S. No.	Sub-Head/Items of work.	Quantity.	Rate.		Unit.	Amount.
			In fig.	in words.		
1	Hiring of J.C.B front end loader I cum. Bucket capacity for removal of snow/slips including P.O.L. as per direction Engineer- in-Charge Any loss to Public and Private Property during the course of execution and disposal of serviceable/unserviceable materials shall be absolute responsibility of the contractor which shall be duly compensated to the full extent him in all respect and in all cases.	370.00 Hour			Per Hours	
	Total:-					


Executive Engineer,
Kumarsain Division,
HP.PWD., Kumarsain.

SCHEDULE OF QUANTITY


Estimated cost:-Rs.388092/-

Earnest money:-Rs.7800/-

Time allowed:-One month.

Name of work:-Construction of 50 bedded Civil Hospital at Kumarsain Tehsil Kumarsain Distt. Shimla HP(SH:-Providing stand for placing water tanks).Balance work.

S. No.	Sub-Head/Items of work.	Quantity.	Rate.		Unit.	Amount.
			In fig.	In words.		
1	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	3357.20 Kg.			Per Kilogramme.	
	Total:-					


Executive Engineer,
Kumarsain Division,
HP, PWD, Kumarsain.

SCHEDULE OF QUANTITY


Estimated cost:-Rs.373125/-

Earnest money:-Rs.7500/-

Time allowed:-One Month.

Name of work:-Restoration of rain damages on Kotgarh Brail road Km 0/000 to 1/650(SH:- Removal of slips at various RD's)

S. No.	Sub-Head/Items of work.	Quantity.	Rate.		Unit.	Amount.
			In fig.	in words.		
1	Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slops and disposal of cut material with in all leads and lifts as per technical specification 302.3.5 and 1611 including entire carriage of materials in all leads and lifts as per direction of Engineer-in-Charge	2985.00 m3			Per cubic metre.	
	Total:-					


Executive Engineer,
Kumarsain Division,
HP.PWD. Kumarsain.

SCHEDULE OF QUANTITY.

Estimated Cost:-Rs.361964/-

Earnest money:-7240/-


Time allowed:-One month.

Name of work:-Improvement of link road from Devjubber to Shelag Km.0/000 to 2/045 (SH:-Widening of road at various RDs between Km.0/960 to 2/045).

S.No.	Sub-Head/Items of work.	Quantity.	Rate.		Unit.	Amount.
			In fig.	In words.		
1	5.7 meters wide (5 meters wide in straight and 7 meters on curves) Excavation in soil in hilly area by mechanical means including cutting and trimming of side slopes and disposal of excavated earth in all height and depths in all kinds of soil, including saturated soil comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock where blasting is prohibited and their intermediate classification of soils including dewatering wherever required, setting out true to the required lines, grades, side, slopes, trimming of bottom and levels as shown on the drawing and as directed by the Engineer -in Charge, at site according to the HP.PWD specification of 1990 volume-I and sorting out useful and un-useful material and stacking the same in all leads and lifts and transportation of the un serviceable materials for filling in roadways, embankment s for grade improvement and leveling to required grades and then disposing of all surplus excavated materials in acquired width of the road or on approved dumping site sites through all labours machineries materials, tools, equipments and safety measures and other incidental necessary to complete the work by mechanical means and or labour if any required. The recovery for stones, whether useful or not for 204.21(Two hundred four point twenty one) Cubic Meter in all cases at the rate of Rupees 300/- only (Rupees three hundred only) per cubic meter shall be effected on pro rata basis in all circumstances. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases.	1164.92 m3			Per cubic metre.	
	G.Total:-					

Note:-The following materials will be issued from P.W.D Store at Kumarsain.

- | | |
|-------------------------------|------------------------|
| 1 Gelatine @ Rs.88.53 Per Kg. | } +3% storage charges. |
| 2 Detonator @ Rs.3.39/Each. | |
| 3 S.F coil @ Rs.31/Coil | |


Executive Engineer,
Kumarsain Division,
HP.PWD., Kumarsain.

SCHEDULE OF QUANTITY

Estimated cost:-Rs.278274/-

Earnest money:-Rs.5600/-

Time allowed:-One month.

Name of work:-Restoration of rain damages on Upper Shathla to Lower Shathla road Km.0/000 to 1/000(SH:-C/O P.C.C Retaining wall at RD.0/880 to 0/895, 0/930 to 0/938 & P.C.C. Breast wall at RD.0/980 to 0/986).

S. No.	Sub-Head/Items of work.	Quantity.	Rate.		Unit.	Amount.
			In fig.	In words.		
1	Excavation in soil in hill area by manual means/mechanical means including cutting and trimming of side slope and disposing of excavated earth with in all leads and lifts as per drawing and technical specification clause 1603.10 as per direction of the Engineer-in-charge.	10.77 m3			Per cubic metre.	
2	Earth work in excavation for structures as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing removal of stumps and other deleterious material and disposal upto all leads and lifts dressing of sides and bottom backfilling in trenches with excavated suitable materials upto all leads and lifts as per directions of the Engineer-in-Charge.	14.13 m3			Per cubic metre.	
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203) P.C.C nominal mix 1:5:10 (40mm aggregates) including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	48.78 m3			Per cubic metre.	
4	Providing weapholes in brick masonry/stone masonry/plain reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pie extending through the full width of the structures with slop of 1 (v):20(H) towards drawing face complete as per drawing and technical specification clauses 614.709,1204.3.7 including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	20 Nos			Each.	
5	Back filling behind abutment, retaining wall/breast wall including entire carriage of materials in all leads and lifts.	11.16 Cum			Per cubic metre.	
Total:-						


Executive Engineer,
Kumarsain Division,
HP.PWH, Kumarsain.

SCHEDULE OF QUANTITY


Estimated cost:-Rs.154791/-

Earnest money:-Rs.3100/-

Time allowed:-One month.

Name of work:-Restoration of rain damages on Oddi Kacheri road Km.0/000 to 0/700(SH:-C/O P.C.C Retaining wall at RD.0/395 to 0/400.50).

S. No.	Sub-Head/Items of work.	Quantity.	Rate.		Unit.	Amount.
			In fig.	In words.		
1	Excavation in soil in hill area by manual means/mechanical means including cutting and trimming of side slope and disposing of excavated earth with in all leads and lifts as per drawing and technical specification clause 1603.10 as per direction of the Engineer-in-charge.	8.91 m3			Per cubic metre.	
2	Earth work in excavation for structures as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing removal of stumps and other deleterious material and disposal upto all leads and lifts dressing of sides and bottom backfilling in trenches with excavated suitable materials upto all leads and lifts as per directions of the Engineer-in-Charge.	7.48 m3			Per cubic metre.	
3	Providing and laying concrete for plain reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203) P.C.C nominal mix 1:5:10 (40mm aggregates) including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	27.23 m3			Per cubic metre.	
4	Providing weapholes in brick masonry stone masonry/plain reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pie extending through the full width of the structures with slop of 1 (v):20(H) towards drawing face complete as per drawing and technical specification clauses 614,709,1204.3.7 including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	12 Nos			Each.	
5	Back filling behind abutment, retaining wall-breast wall including entire carriage of materials in all leads and lifts.	2.48 Cum			Per cubic metre.	
Total:-						


Executive Engineer,
Kumarsain Division,
HP.PWD, Kumarsain

SCHEDULE OF QUANTITY

Estimated cost:-Rs.99314/-


Earnest money:-Rs.2000/-

Time allowed:-One month.

Name of work:-A/R & M/O HPPWD Rest House Building at Kotgarh (SH:-Distempering, Painting and other finishing work).

S. No.	Sub-Head/Items of work.	Quantity.	Rate.		Unit.	Amount.
			In fig.	In words.		
1	Painting on G.S. sheet with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:-New work (two or more coats) including a coat of approved steel primer but excluding a coat of mordant solution including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	140.86 m ²			Per square metre.	
2	Painting two coat with synthetic enamel paints of approved shade of asian paint or its equivalent finish for interior painting with brushes plains smooth finish and including papering the surface by thoroughly brushing the surface free from mortar droppings and other foreign mortar, sand papering the surface smooth including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	304.16 m ²			Per square metre.	
3	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade (two coats) over and including water thinnable priming coat with cement primer including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	41.54 m ²			Per square metre.	
4	Renewing glass panes and refixing existing wooden fillets:Float glass panes of nominal thickness 5 mm (weight not less than 12.5kg/sqm) including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	1.23 m ²			Per square metre.	

5	Providing and fixing PVC water storage tank of ISI : 12701 marked, G.I. inlet and outlet connection, 15mm nominal bore ball valve and mosquito proof PVC cover with locking arrangement including hoisting up to all heights above ground level :- 2000 litres net capacity tank including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	1 no.			Each.	
6	Polishing two coat with french polish on previously polished wood and wood based surface to give an even surface including cleaning the surface of all dirt,dust and sand papered smooth and including a coat of wood filler including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	141.90 m ²			Per square metre.	
Total:-						


 Executive Engineer,
 Kumarsain Division,
 HP.P.W.D. Kumarsain.

SCHEDULE OF QUANTITY


Estimated cost:-Rs.86794/-

Earnest money:-Rs.1800/-

Time allowed:-One month.

Name of work:-Restoration of rain damages on Bharara Kumarsain road Km.0/000 to 1/165(SH:-C/O P.C.C Retaining wall at RD.1/073 to 1/080).

S. No.	Sub-Head/Items of work.	Quantity.	Rate.		Unit.	Amount.
			In fig.	In words.		
1	Excavation in soil in hill area by manual means/mechanical means including cutting and trimming of side slope and disposing of excavated earth with in all leads and lifts as per drawing and technical specification clause 1603.10 as per direction of the Engineer-in-charge.	5.04 m3			Per cubic metre.	
2	Earth work in excavation for structures as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing removal of stumps and other deleterious material and disposal upto all leads and lifts dressing of sides and bottom backfilling in trenches with excavated suitable materials upto all leads and lifts as per directions of the Engineer-in-Charge.	1.89 m3			Per cubic metre.	
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203) P.C.C nominal mix 1:5:10 (40mm aggregates) including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	15.75 m3			Per cubic metre.	
4	Providing weapholes in brick masonry stone masonry/plain reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pie extending through the full width of the structures with slop of 1 (v):20(H) towards drawing face complete as per drawing and technical specification clauses 614,709,1204,3.7 including entire carriage of materials through all modes of transportation with in all leads and lifts as per direction of the Engineer-in-Charge.	18 Nos			Each.	
5	Back filling behind abutment, retaining wall/breast wall including entire carriage of materials in all leads and lifts.	1.26 Cum			Per cubic metre.	
Total:-						


Executive Engineer,
Kumarsain Division,
HP PWD., Kumarsain.