OFFICE OF

EXECUTIVE ENGINEER, CHAMBA DIVISION HPPWD CHAMBA HIMACHAL PRADESH, PUBLIC WORKS DEPARTMENT CHAMBA Phone No. 01899-222229 Email ee-cha-hp@nic.in

NOTING INVITING TENDER

Sealed item rate tender on form 6&8 are hereby invited by the undersigned on behalf of the Governor of Himachal Pradesh from the approved and eligible contractors enlisted in HPPWD. So as to reach in his office on or before 03-06-2023 to 11:00 AM and will be opened on the same day at 11:30 AM, in the presence of the intending Contractor or their authorized representatives if any. The tender application will be received in this office on 0/06/2023 upto 10.00 AM to 12.30 PM and tender form can be had from this office on 02/06/2023 from 3.00 PM to 5.00 PM. The earnest money in the form of FDR from nationalized bank in HP duly pledged in favour of the Executive Engineer, Chamba Division HPPWD Chamba must be accompanied with each tender. The tender form will be issued to contractor who giving proof of enlistment ,GST ,Conditional tenders and the tenders received without earnest money will summarily be rejected. The offer of the tender shall be kept open for 75 days. The Executive Engineer, reserves the right to reject the tender without assigning any reason. Special care should be taken to write the rates both in figure and in words.

Sr. No	Name of work	Estimated Cost	Earnest money	Cost of form	Time limit	Eligible Class
1.	Annual maintenance of Chamba Sahoo road Km. 0/0 to 1/0 (SH:- Providing & fixing hot applied thermoplastic Centre line/edge	1,92,240/-	3,900/-	350/-	One Month	D&C
2	Annual maintenance of Chamba Sahoo road Km. 1/0 to 2/0 (SH:- Providing & fixing hot applied thermoplastic Centre line/edge	1,92,240/-	3,900/-	350/-	One Month	D&C
3	line) Annual maintenance of Chamba Sahoo road Km. 2/0 to 3/0 (SH:- Providing & fixing hot applied thermoplastic Centre line/edge		3,900/-	350/-	One Month	D&C
4	line) Annual maintenance of Chamba Sahoo road Km. 3/0 to 4/0 (SH:- Providing & fixing hot applied thermoplastic Centre line/edge	1,92,240/-	3,900/-	350/-	One Month	D&C
5	Annual maintenance of Chamba Sahoo road Km. 10/0 to 11/0 (SH:- Providing & fixing hot applied thermoplastic Centre line/edge line)	1,92,240/-	3,900/-	350/-	One Month	D&C

6	Annual maintenance of Chamba Sahoo road Km. 11/0 to 12/0 (SH:- Providing & Fixing hot applied thermoplastic centre line/Edge Line)	1,92,240/-	3,900/-	350/-	One Month	D&C
7	A	1,92,240/-	3,900/-	350/-	One Month	D & C
8	Annual maintenance of Chamba Sahoo road Km. 13/0 to 14/0 (SH:- Providing & Fixing hot applied thermoplastic centre line/Edge Line)	1,92,240/-	3,900/-	350/-	One Month	D&C
9	Sahoo road Km. 14/0 to 15/0 (SH:- Providing & Fixing hot applied thermoplastic centre line/Edge Line)	1,92,240/-	3,900/-	350/-	One Month	D&C
10	Annual maintenance of Chamba Sahoo road Km. 15/0 to 16/0 (SH:- Providing & Fixing hot applied thermoplastic centre line/Edge Line)	1,92,240/-	3,900/-	350/-	One Month	D&C
11		1,00,155/-	2,000/-	350/-	One Month	D&C
12	Annual maintenance of Rajera Dhulara road Km. 14/0 to 15/600 (SH:- Providing & Fixing cat eyes studs)	71,060/-	1500/-	350/-	One Month	D & C
13	Annual maintenance of Rajera Dhulara road Km. 0/0 to 4/0 (SH:-SH:- Providing & Fixing cat eyes studs)		7,100/-	350/-	One Month	D&C
14	Annual maintenance of Ludera Suri Kaila road Km. 5/540 to 9/0 (SH:- Providing & Fixing hot applied thermoplastic centre line/Edge Line)			350/-	One Month	D&C
15	Annual maintenance of Ludera Suri Kaila road Km11/0 to 15/540 (SH:- Providing & Fixing hot applied thermoplastic centre line/Edge Line)		58,00/-	350/-	One Month	D&C

Certificated that tender of above works are being called of emergent nature in exigency of public interest

TERMS AND CONDITIONS:-

1. The contractor should produce a copy of enlistment /renewal at time of application .

- Executive Engineer reserves the right to reject/cancel any or all the tenders without assigning any
- 3. The contractor /firm have his registration and GST No. , the copy of same be attached with the
- 4. The earnest Money shall be deposited duly pledged in favour of executive Engineer. Chamba Division HPPWD Chamba and cost of tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money & cost of tender form shall summarily be rejected.
- 5. The contractor /firms are requested to insert the rate of each item in works as well as in figures failing which XEN reserves the right to accept/reject any tender without assigning any reasons at any stage.

The tender shall be issued to those contractor who have more than two works in hand.

Chamba Division HPPWD Chamba

No. PWC-WA-II/Contract/2022-23- 1757-1806 Dated:- 15-05-2013

1. The F.C-Cum-Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information, please.

- 2. The Engineer-in-Chief, HPPWD., Shimla
- 3. The Chief Engineer (KZ) HPPWD Dharamshala
- 4 The Superintending Engineer, 7th Circle HPPWD Dalhousie
- 5.The Executive Engineer (IT Cell) office of Engineer-in-Chief HPPWD Shimla for uploading the NIT on the Departmental website
- 6 All the Assistant Engineers under Chamba Division
- All the Contractor working under this division
- 8. H.D.M./Supdt./Acctt. of this office.
- Notice Board..

HPPWD Chamba (

OFFICE OF EXECUTIVE ENGINEER, CHAMBA DIVISION HPPWD CHAMBA HIMACHAL PRADESH, PUBLIC WORKS DEPARTMENT CHAMBA Phone No. 01899-222229 Email ee-cha-hp@nic.in

CERTIFICATE

Certified that tender of works, as called vide this office letter No. PWC-WA-II/Contract/2022-23- 1757-1806 Dated: 15-05-2023 are emergent nature in exigency of public interest

> Executive Engineer, , Chamba Division

Division, HPPWD.,

Vamo	DRAFT SCHEDULE OF					
ame	of work:- Annual maintenance of Chamba Sahoo road Km. 0/0 to 1/00 (SH:	- Providin	g & laving	Estimated cost:	Rs1 92 240/-	
iot ap	oplied thermoplastic centre line/Edge line)	Earnest money				
S.No		Time One mo	onth			
S.No	Sub Head/Item of work	Qty		Rate	Unit	Amount
		-	In Figure			Amount
	Providing, and laying of hot thermoplastic road marking paint compound 2.5 mm (two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and other incidentals.	320.00			Per Square Metre	
					Total	

Executive Engineers
Chamba Division A
H.P.P.W.D. CHAMBA

	e of work:- Annual maintenance of Chamba Sahoo road Km. 1/0 to 2/00 (SH: pplied thermoplastic centre line/Edge line)	- Providin	g & laying	Estimated cost Earnest money Time: One me	: Rs. 3900/-	
S.No	Sub Head/Item of work	Qty	Rate		Unit	Amount
1	Providing, and laying of hot thermoplastic road marking paint compound 2.5 mm		In Figure	In Words		Amount
t s s	(two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local axes and including carriage of material with in all leads and lifts and other necidentals.	320.00			Per Square Metre	

Exocult Engineer Chamba Division H.P.P.W.D. CHAMBA

iot ap	of work:- Annual maintenance of Chamba Sahoo road Km. 2/0 to 3/00 (SH: oplied thermoplastic centre line/Edge line)	Estimated cost Earnest money Time: One mo	: Rs. 3900/-			
No	Sub Head/Item of work	Qty		Rate	Unit	Amount
			In Figure	In Words		·······································
	Providing, and laying of hot thermoplastic road marking paint compound 2.5 mm (two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and other incidentals.	320.00			Per Square Metre	
					Total	

Executive Engineer Chamba Division H.P.P.W.D. CHAMBAN

1	of work:- Annual maintenance of Chamba Sahoo road Km. 3/0 to 4/00 (SH)	:- Providin	g & laying	Estimated cost Earnest money	: Rs.3900/-	
No	Sub Head/Item of work	Qty		Time : One me	Unit	
-	Providing, and laying of hot thermoplastic road marking paint compound 2.5 mm		In Figure	In Words	- Cint	Amount
	(two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and other incidentals.	320.00			Per Square Metre	
					Total	

Executive Engineers
Chamba Division
H.P.P.W.D. CHAMBA

me of work:- Annual maintenance of Chamba Sahoo road Km. 10/0 to 11/00 (Sing hot applied thermoplastic centre line/Edge line)	H:- Provid	ing &	Estimated cost: Earnest money Time: One mo	: Rs.3900/-	
Sub Head/Item of work	Qty		Rate	Unit	Amount
Providing, and laying of hot thermoplastic road marking paint compound 2.5 mm (two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and other incidentals.		In Figure	In Words	Per Square Metre	

Executive Engineer Chamba Division H.P.P.W.D. CHAMBA

S.No Sub Head/Item of work Providing, and laying of hot thermoplastic road marking paint compound 2.5 mm (two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and other incidentals.	layng	of work:- Annual maintenance of Chamba Sahoo road Km. 11/0 to 12/00 (Sahot applied thermoplastic centre line/Edge line)	Estimated cost: Earnest money	: Rs.3900/-			
Providing, and laying of hot thermoplastic road marking paint compound 2.5 mm (two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and other	S.No	Sub Head/Item of work	Otv				
(two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five millimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and other				In Figure		Unit	Amount
		(two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and other	320.00			The second secon	

Executive Engineer Chamba Division & H.P.P.W.D. CHAMBA

me	DRAFT SCHEDULE OF	QUANTI	TY			
ing	of work:- Annual maintenance of Chamba Sahoo road Km. 12/0 to 13/00 (Sahot applied thermoplastic centre line/Edge line)	SH:- Provi	ding &	Estimated cost		1-
2				Earnest money		
No	Sub Head/Item of work		_	Time: One m		
	A COLOR OF THE LABOR TO SERVICE AND A SERVIC	Qty		Rate	Unit	Amount
F	Providing, and laying of hot thermoplastic road marking paint compound 2.5 mm		In Figure	In Words		
10	two point five millimetre) thick including reflects it is a compound 2.5 mm	320.00			Per Square	
la	two point five millimetre) thick including reflectorising glass bends @ 250 gram		1 1		Metre	
fi	two hundred fifty gram) Per square metre area thickness of 250 mm(two point		1 1		1 1	
1	is exclusive of surface applied glass beads as per IDC 25 :		1 1		1 1	
Į ^a	coordined with Ministry of road transport specification (I start revision) and ID C		1		1 1	
1~	ode. If widdl of 0.10 mm (zero point one zero meter) in centre lines/s des 1				1 1	
l'ai	0.13 iii (zero point one five) metre on curves/ curve line, including corrieges of				1	
1,,,,	laterial with in all leads and lifts and as per directions and entire setions.	1	- 1			
th	e Engineer -in-Charge. The finished surface to be level, uniform and free from	- 1	1		1	
str	rains and holes. The rate quoted by the contractor shall be inclusive of all taxes	- 1	- 1	1	- 1	
su	ch as municipal, octroi, forest Malkana royality toll tax, GST and other local		- 1	1	1	
tax	xes and including carriage of metalial royality toll tax, GST and other local	- 1	1	- 1		
inc	kes and including carriage of material with in all leads and lifts and other		- 1		1	
					Total	

Exocytud Engineer Chamba Division H.P.P.W.D. CHAMBA

Name	of work:- Annual maintenance of Chamba Sahoo road Km. 13/0 to 14/00 (Shot applied thermoplastic centre line/Edge line)	QUANTI	ΓY			
lying	hot applied thermoplastic centre line/Edge line)	H:- Provid	ding &	Estimated cost	t Rs1,94,240 /-	
-	that Euge line)			Earnest money	/: Rs.3900/-	
.No	Sub Head/Item of work			Time: One m	onth.	
_		Qty		Rate	Unit	Amount
1	Providing, and laying of hot thermoplastic road marking paint compound 2.5 mm		In Figure	In Words	7 1	
a a c a m th st su ta	(two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC ode. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from trains and holes. The rate quoted by the contractor shall be inclusive of all taxes and as municipal, octroi, forest Malkana royality toll tax, GST and other local endeated.	320.00			Per Square Metre	
			-		Total	

Experience Engineer
Chamba Unision St.
H.P.P.W.D. CHAMBA

lame	of work:- Annual maintenance of Chamba Sahoo road Km. 14/0 to 15/00 (Sg hot applied thermoplastic centre line/Edge line)	QUANTI	TY			
aying	that applied thermoplastic centre line/Edge line)	H:- Provi	ding &	Estimated cos	Rs1,94,240 /-	
, i	and Edge Inter		. –	Earnest mone	NAMED OF STREET, STATE OF STATE OF STREET, STATE OF STATE OF STREET, STATE OF STATE OF STATE OF STREET, STATE OF STATE	
.No	Sub Head/Item of work			Time: One m		
	Sub Head/Hem of work	Qty		Rate	Unit	Amount
1	Providing, and laying of hot thermoplastic road marking paint compound 2.5 mm (two point five millimetre) thick install		In Figure	In Words	7	/*************************************
t s s ta	(two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local axes and including carriage of material with in all leads and lifts and other necidentals.	320.00			Per Square Metre	
					Total	

Exosa Engineer Chamba Division & H.P.P.W.D. CHAMBA

JUD W. 10

wine	of work:- Annual maintenance of Chamba Sahoo road Km. 15/9 to 16/90 (S	QUANTI	TY	15	5-1016	
Link	hot applied thermoplastic centre line/Edge line)	mo Prosi	ling &	Estimated cost	CONTRACTOR OF STREET OF STREET, STREET	-
No				Earnest money	THE RESERVE THE PARTY AND PARTY AND PARTY AND PARTY.	
CNO	Sub Head/Item of work			Time: One im	onth.	
_		Qty		Rate	Linit	Amount
1	Providing, and laying of hot thermoplastic road marking paint compound 2.5 mm. (two point five millimetre) thick including rathestocking paint compound 2.5 mm.		In Figure	In Words	7	
a a ti	(two point five millimetre) thick including reflectorising glass bends @ 250 grams (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC and 0.15 m (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of the Engineer -in-Charge. The finished surface to be level, uniform and free from trains and holes. The rate quoted by the contractor shall be inclusive of all taxes are and including carriage of material with in all leads and other local evidentale.	3 219 1909			Per Square Metre	
				-	Total	

Exact Enginear
Otemba Bivlaron
H.P.P.W.D. CHAMBA

Jupm, 11

ame of	work:- Annual maintenance of Rajera Dhullara road Km. 14/0 to 15/600 (SH:-	Providing	& laying	Estimated co	st: Rs 1,00,15	55 /-	
E T				Earnest money : Rs. 2000/- Time : One month.			
S.No	Sub Head/Item of work	Qty	I	Rate	Unit	Amount	
1	Providing, and laying of hot thermoplastic road marking paint compound 2.5 mm	165.00	In Figure	In Words	Per Square		
	(two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and other incidentals.				Metre		

Executive Engineer Chamba Division H.P.P.W.D. CHAMBA मजबूत लोकतंत्र

Lucidy Conor

20 m. 12

Name of work:- Annual maintenance of Rajera Dhullara road Km. 14/0 to 15/600 (SH:- Providing and fixing Estimated cost Rs 71,060 /- Earnest money : Rs. 1500/- Time : One month. Sub Head/Item of work Qty Rate Unit Amount In Figure In Words Providing & fixing of road studs 100 x 100 mm (one hundred into one hundred millimeters) dia cast in plastic or 3 M or equivalent make, resistant to corrosive effect of salt and grif fitted with lenses, reflectors installed in concrete or asphaltic surface by drilling holes 30mm (Thirty millimeters) upto a depth of 60mm (sixty millimeters) bedded in a suitable bituminous grout of expoxy mortar. All as per (Bs 873 (Part-4) 1973 including The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and other incidentals.	James 6	DRAFT SCHEDULE OF QUAN	YTITY				
Earnest money : Rs. 1500/- Time : One month.	vame of	work:- Annual maintenance of Rajera Dhullara road Km. 14/0 to 15/600 (SH:-	Providing	and fixing			
Providing & fixing of road studs 100 x 100 mm (one hundred into one hundred milimeters) dia cast in plastic or 3 M or equivalent make, resistant to corrosive effect of salt and grit fitted with lenses, reflectors installed in concrete or asphaltic surface by drilling holes 30mm (Thirty millimeters) upto a depth of 60mm (sixty millimeters) bedded in a suitable bituminous grout of expoxy mortar. All as per (Bs 873 (Part-4) 1973 including The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and	at eyes si	tuds)			Earnest mone	y : Rs. 1500	/-
Providing & fixing of road studs 100 x 100 mm (one hundred into one hundred milimeters) dia cast in plastic or 3 M or equivalent make, resistant to corrosive effect of salt and grit fitted with lenses, reflectors installed in concrete or asphaltic surface by drilling holes 30mm (Thirty millimeters) upto a depth of 60mm (sixty millimeters) bedded in a suitable bituminous grout of expoxy mortar. All as per (Bs 873 (Part-4) 1973 including The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and	5 No				Time: One r	nonth.	
Providing & fixing of road studs 100 x 100 mm (one hundred into one hundred milimeters) dia cast in plastic or 3 M or equivalent make, resistant to corrosive effect of salt and grit fitted with lenses, reflectors installed in concrete or asphaltic surface by drilling holes 30mm (Thirty millimeters) upto a depth of 60mm (sixty millimeters) bedded in a suitable bituminous grout of expoxy mortar. All as per (Bs 873 (Part-4) 1973 including The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and	20.110	Sub Head/Item of work	Qty	Rate Unit		Amount	
hundred milimeters) dia cast in plastic or 3 M or equivalent make, resistant to corrosive effect of salt and grit fitted with lenses, reflectors installed in concrete or asphaltic surface by drilling holes 30mm (Thirty millimeters) upto a depth of 60mm (sixty millimeters) bedded in a suitable bituminous grout of expoxy mortar. All as per (Bs 873 (Part-4) 1973 including The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and		Description 0.5:		In Figure	In Words		
		resistant to corrosive effect of salt and grit fitted with lenses, reflectors installed in concrete or asphaltic surface by drilling holes 30mm (Thirty millimeters) upto a depth of 60mm (sixty millimeters) bedded in a suitable bituminous grout of expoxy mortar. All as per (Bs 873 (Part-4) 1973 including The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and	187.00	380.00			

Executor Inginesis Chamba Division 15 H.P.P.W.D. CHAMBA

Now 13

E STRUCK)				Estimated cost: Rs 3,54,920 /- Earnest money : Rs. 7100/-			
S.No	Sub Head/Item of work			Time : One month.		Amount	
			In Figure	In Words	1		
	Providing & fixing of road studs 100 x 100 mm (one hundred into one hundred milimeters) dia cast in plastic or 3 M or equivalent make, resistant to corrosive effect of salt and grit fitted with lenses, reflectors installed in concrete or asphaltic surface by drilling holes 30mm (Thirty millimeters) upto a depth of 60mm (sixty millimeters) bedded in a suitable bituminous grout of expoxy mortar. All as per (Bs 873 (Part-4) 1973 including The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and other incidentals.	934.00			Per Square Metre		

Executive Engineer Chamba Vivision A H.P.P.W.D. CHAMBA

	DRAFT SCHEDULE OF	QUANTI	TY					
Name of work:- Annual maintenance of Ludera Suri Kaila road Km. 5/540 to 9/0 (SH:- Providing & Estimated cos laying hot applied thermoplastic centre line/Edge line)								
5.50	CIN IS				Time : One month.			
SCHO	The state it all of work	Qty	Rate		Unit	Amount		
			In Figure	In Words	7 1			
i t	Providing, and laying of hot thermoplastic road marking paint compound 2.5 mm (two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five millimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local axes and including carriage of material with in all leads and lifts and other necidentals.	363.30			Per Square Metre			
					Total			

Executival Engineer Chamba Division H.P.P.W.D. CHAMBA

Sub Head/Item of work Qty Rate In Figure In Words Per Square (two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five millimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroi, forest Malkana royality toll tax, GST and other local taxes and including carriage of material with in all leads and lifts and other incidentals.	Name of work:- Annual maintenance of Ludera Suri Kaila road Km. 11/0 to 15/540 aying hot applied thermoplastic centre line/Edge line)			roviding &	Estimated cost: Earnest money	Rs 5800/-	
Providing, and laying of hot thermoplastic road marking paint compound 2.5 mm (two point five millimetre) thick including reflectorising glass bends @ 250 gram (two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes	S.No	Sub Head/Item of work	Qty				Amount
(two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes	1	Providing, and laying of hot thermoplastic road marking paint compound 2.5		In Figure	In Words		Amount
	f a c c a m th	(two hundred fifty gram) Per square metre area thickness of 250 mm(two point five mllimetre) is exclusive of surface applied glass beads as per IRC-35 in accordence with Ministry of road transport specification (Latest revision) and IRC code. In width of 0.10 mm (zero point one zero meter) in centre lines/edge line and 0.15 m (zero point one five) metre on curves/ curve line including carriage of material with in all leads and lifts and as per directions and entire satisfaction of the Engineer -in-Charge. The finished surface to be level, uniform and free from strains and holes. The rate quoted by the contractor shall be inclusive of all taxes such as municipal, octroic forest Malkage and the strains and holes.	470.70				

Executive Engineer Chamba Division H.P.P.W.D. CHAMBA