

Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

"NOTICE INVITING TENDER"

Sealed item/percentage rate tenders on forms 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before 28.06.2023 up to 11.00 A.M and will be opened on the same day at 11.30 A.M in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on 27.06.2023 between 2.00 PM up to 4.30 P.M and the application for issue of tender forms shall be received on 26.06.2023 up to 12.00 Noon.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr. No.	Name of work.	Amount put to tender/Estimated cost.	Earnest Money	Cost of tender form	Time limit
1	Repair and restoration work of path to Mandiyal colony area in N.P. Baijnath Paprola ward No.5 (SH: P/L C.C Pavement and Kharnja stone soling at RD 0/055 to 0/100)	Rs. 1,86,496/-	Rs. 3,800/-	Rs. 350/-	One Months
2	Improvement of upper Thehad to Chadhiar Via Bakshi Partap Singh house km 0/0 to 2/060 (SH: Cutting in earth work at RD 1/855 to 1/870 and 1/940 to 1/960, C/o R/Wall at RD 1/900 to 1/920)	Rs. 4,15,255/-	Rs. 8,400/-	Rs. 350/-	Three Months
3	Rakkar Rajot Noun Road km 0/0 to 4/0 (SH: Construction of 1.00 mtr Span RCC slab culvert at RD 1/405)	Rs. 1,45,091/-	Rs. 2,900/-	Rs. 350/-	Two Months
4	C/o Approach Road in Railway over Bridge at Ganesh Bazar (SH: M/T for approaches on Baijnath Chobin Balander road and Construction of pedestal)	Rs. 3,07,436/-	Rs. 6,200/-	Rs. 350/-	One Months
5	Special Repair of CHC Building at Chadhiar Distt. Kangra (SH: Distempering, Finishing wall with premium emulsion white cement base putty, repair of plaster and painting etc.)	Rs. 4,28,335/-	Rs. 8,600/-	Rs. 350/-	Two Months
6	R/D on Padhiarkhar to Saliana via Chathambi road (SH: C/O 1.00 mtr span RCC slab culvert at RD 0/820 and P/L WBM G-II and CC pavement at km 0/865 to 0/915 and 0/990 to 1/035)	Rs. 4,76,069/-	Rs. 9,600/-	Rs. 350/-	Three Months
7	C/O Ahju Bir Gunehar road km 0/0 to 6/0 (SH: C/O Hume Pipe with wing wall for 900 mm dia Hume Pipe culvert at RD 5/740)	Rs. 2,18,328/-	Rs. 4,400/-	Rs. 350/-	Two Months
8	Restoration of Rain Damages on Sangrehar Dharman road km 0/0 to 2/100 (SH: Construction of R/wall in wire crate at RD 0/090 to 0/115)	Rs. 4,90,296/-	Rs. 9,900/-	Rs. 350/-	Two Month
9	C/O Bir Palampur Road to Village Lambahar & link road to village Bari (Portion link road to village Bari km 0/0 to 1/200) (SH: Construction of 900 mm dia Hume Pipe culver at RD 0/230)	Rs. 1,02,114/-	Rs. 2,100/-	Rs. 350/-	Two Months
10	A/R & M/O various road under Bijnath Sub-Division HP.PWD, Baijnath (SH: Hiring of Tractor with Trolley)	Rs. 1,24,200/-	Rs. 2,500/-	Rs. 350/-	Two Months
11	C/O Bir Palampur road to village Lambahar & link road to village Bari (Portion link road to Village Bari Km 0/0 to 1/200 (SH: Providing and Laying WBM G-I (90mm to 40mm) at km 0/00 to 0/400)	Rs. 4,33,206/-	Rs. 8,700/-	Rs. 350/-	Two Months
12	C/O link road to village Banwar Kuran to village Uhldhar km 0/00 to 1/800 (SH: Providing & Laying Kharanja Stone soling in km 0/00 to 0/400)	Rs. 2,95,021/-	Rs. 6,000/-	Rs. 350/-	Two Months
13	C/O Jeepable road from kali Mata temple to Ravinder Goswami, Aman Singh, Maan Singh, & other houses, W.No.1, G.P Sehal, Block and Tehsil Baijnath (under MPLAD) (SH: C/O Jeepable road at RD 0/00 to 0/074).	Rs. 2,46,648/-	Rs. 5,000/-	Rs. 350/-	Two Months

14	Restoration of road damages due to laying OFC on Baijnath Deol Phatar road km 0/00 to 9/00 (SH: Providing and laying GSB for earthen shoulders at various reaches)	Rs. 4,87,680/-	Rs. 10,000/-	Rs, 350/-	Four Months
15	Restoration of Road Damages caused by laying of OFC on Uttrala to Surahi Pass Road KM 0/00 to 5/00 (SH: Providing and laying GSB for earthen shoulder at various reaches)	Rs. 1,17,348/-	Rs. 2,400/-	Rs. 350/-	Two Months
16		Rs. 4,14,367/-	Rs. 8,400/-	Rs. 350/-	Three Months

Terms and conditions:-

- The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.
- The Pan Number, latest Income Tax clearance certificate and EPF No(Where applicable) duly attached with the application.
- The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.
- In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue,
- The application form should accompany the earnest money in the shape of FDR/NSC duly pledged in favour of Executive Engineer, PWD Baijnath otherwise no forms will be issued.
- The contractor will also have to attach the labour employer license from the labour office with the application.
- Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.
- The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
- The contractor shall have all required machinery such as Truck/ Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.
- The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
- 11. All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-10A.
- 12. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit.

Executive Engineer, Baijnath Division., H.P.PWD..Baijnath.

For & On behalf of the governor of H.P.

NO:-PWD/BD/TA/NIT/2023-24/- 3590- 3640

Dated:- 15 6 23

- Copy to the F.C. cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
- The Engineer-in-chief, HPPWD, Shimla.
- The Chief Engineer (MZ), HPPWD, Mandi. The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar.
- All the Assistant Engineer working under this Division.
- Drawing Branch in this office.
- Notice Board.
- The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer, Baijnath Division.,

H.P.PWD. Baijnath



Office of Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

CERTIFICATE

CERTIFIED THAT THE TENDERS OF WORKS, AS CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-24/-3590-3646 DATED 15-06-2023 ARE URGENT NATURE AND PUBLIC INTEREST.

Executive Engineer, Baijnath Division, HP.PWD, Baijnath.

DRAFT SCHEDULE OF QUANTITY

	Tig		3	-	6
Total	Providing and taying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilogramms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803,1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentalsand entire satisfaction. The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	Providing and Laying Stone soling properly hand packed filling intersects with kharanja stone and consolidating with power? Hand road tolker to the requested gradient and camber including spreading watering and rolling of hinding moorum or earth etc complete as per HPPW13 specification 100 mm. (hundred millimeter) spread thickness i fineshed work including materials and labour) as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and entire satisfaction. The rate including of octroi, royality, Malkani, tolliax, Sale flax or other taxes imposed by the government.	rescription of work		Namesof Work: Repair and restoration work of path to Mandixal colony area in Nagar Panchayat, Baijnath Paprola Ward no. 5 (SH:-P/L C. C. Pavement and Kharnja stone soling, ATRD 0/0855 to 0/100)
	21.26	21.26	No. or		
	Per Cubic metre	Per Cubic Metre	Loit		
			Rate		Estimate (.ost: 1,86,496,00): Earnest Money: 3,800,00): Firme Limit (One Months
		3	TNJOWN		

Executive Engineer Baljnath Division H.P.P.WD., Baljnath

(SH:- Cutting In Earth Work at RD 1/855 to 1/870 and 1/940 to 1/960, C/O R/Wall at RD 1/900 to 1/920.) Name of Work: Improvement of Upper Thehad to Chadhiar Via Bakshi Partap Singh House Km 0/00 to 2/060. 14 rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their all means including saturated soil comprising of ordinary will well rocks, hard octroi, royality. GST, toll tax. Sale Tax or other taxes imposed by the government machineries, materials, tools equipments and safety measures. The rate is including through all modes of transporation including head load or animals transport or specification section 1000 & 300 and sorting out useful materials and stacking as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical width cutting and trimming of side slopes and level as shown on the drawing and intermediate classification of soil, setting out true to the required line, grades, excavation in soil in hilly area in all heights and depths and in all kind of soil by bottoms, lift upto 1.5 mtr. (one point fifty meter) including getting out the meter) in width or 10 sqm on plan) including dressing of sides and ramming of Earth work in exercation by mechanical means (Hydraulic excavator) / manual mechanical means along with its leveling fine dressing and hading /carriage of improvements and disposal of all surplus material at approved dumping sites useful material for filling in road, ways, camber, embankments for grade the same in all leads and lifts in acquired width of the road and transportation of 50mtr (Fifty meter). All kinds of soil, with in all leads by any mode of trasportation excavated soil and disposal of surplus excavated soil as directed, within a lead of means in foundation trenches or drains (not exceeding 1.5mtr (one point lifty Providing and laying cement concrete 1-5:10(one cement: five sand:ten graded and other incidental as per direction and entire satisfation of Engineer in -charge walls, in or under water complete including, pumping or bailing out water and curing complete including the cost of form work in Retaining walls Breast crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums imposed by the Government. and as per the direction of Engineer-in-Charge - including carriage of material laying under water complete for all heights/depths including cost of form work as The rate including Royality, Malkhana. Octroi, toll tax, GST or other taxes Malkhana. Octroi, toll tax, GST or other taxes imposed by the Government within all leads and lifts and other incidentals. The rate including Royality, per drawings and MORD technical specifications section 800, 900, 1200 & 1600 dewatering renoval of slush as required at site which may arisen at the time of Description of work SCHEDULE OF QUANTITY 228,05 Oty. No.or 21.00 68.00 Cum H Cum CHI Figure Estimated Rate Earnest Money Estimated Cost Time light 415255.00 8400.00 Three Months AMOUNT Rs.

. Un	950
Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia PAC, pipe extending through the full width of the structures with slope of L(v); 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, fiffs and other incidental complete in all respect and as per the direction of Engineer-Inchange. The rate including Royality, Malkhana. Octroit toll tax, GST or other taxes imposed by the Covernment.	Back filling. Behind abutments, wing walls and return walls complete as per- drawing and M.O.R.D. technical specification clause 1203 and 1604 and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate including Royality, Malkhana. Octivit toll tax, GST or other taxes imposed by the Government.
19.00	27,400
Each	, (in)
>	

1-xecove Engineer Baijnath Division HPPWD Baijnath

	Name of Work: Marketten Rakkar Rajot Noun. Road Km 0/00 to 4/00. (SH: Construction of 1.00m Span RCC Slab Culvert at RD 1/405).	SCHEDULE OF QUANTITY
Estimated Buts	Estimated Cost Earnest Money Time limit	
ENHOWY	145091.00 29 0 0.00 Two Months	

\$ Z	S S			
Name of Work: Name 2023 Rakkar Rajot Noun Road Km 0/00 to 4/00. (SH: Construction of L00m Span RCC Slab Culvert at RD 1/405).	Description of work	Larthwork in excavation for structures as per drawing and technical specifications. Clause 30% Uncluding setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m. (fifty meter) dressing of sides and bottom and backfilling in trenches with excavated suitable material, as per the entire satisfaction and direction of Ungineer-in-Charge. The rate including Royality, Malkhana. Octroi, foll tax, GST or other taxes imposed by the Government.	2 Providing and laying mechanically mixed and vibrated plain coment concrete in open foundation for all type of structure complete using plain coment concrete grade N-10 (M ten) per cubic metre nominal mix 1:3:6 (one coment concrete sand is to six crushed stone agg. 40mm) forty millimetre) pominal size) in or under water and curing complete including pumping or bailing out water. dewatering removal of slush as required at site which may arrise at the time of laying under water complete. For all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation—in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax. Sale Tax or other taxes imposed by the government.	3 Providing and laying mechanically mixed and vibrated plain/ element concrete in sub-structure for all type of structure complete using plain element concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilograme) per cubic metre in or under water including curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water ecomplete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /curriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect, the rate is including octroi, royality, GS1, toll tax. Sale Tax or other taxes imposed by the government.
	No.or Qty.	23.66	2.57	13.55
	Unit	(mm)	Cum	Cum
	Figure Esti			
Earnest Money Time limit	Estimated Rate Words			
29 0 0.00 Two Months	AMOUNT Rs. P			



0	596	4-
Steel reinforcement for R.C.C. work including straightening, cutting, bending placing in position and binding all complete upto plinth level. Mild steel and Medium Tensile steel bars. The rate is including octroit royality. GST, tell tax, or other taxes imposed by the government.	Providing and laying mechanically mixed and vibrated reinforced cement concrete in super structure as per drawing and M.O.R.D., technical specification section 800, 900 and1400 using R.C.C. grade M-25 (wenty five) design mix with cement contents not less then 400 kgs (four hunderd kilogram) per cubic meter with 20 mm (twenty millimeter) nominal size graded crushed stone aggregate and curing complete including cost of form work but excluding the cost of reinforcement for reinforced concrete work in deck slab and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including oxtroi, royality. (iST, toll tax, Sale Tax or other taxes imposed by the government.	Providing and laying mechanically mixed schrated reinforced coment concrete in substructure using concrete grade M-20 (M twenty) design Mix with coment contents not less then 330 kg (three hundred and thiny kilogram.) per cubic meter as per drawing and M-O.R.D. technical specification section 800, 900,1200. Including the cost of form work in bed block and dirt wall etc. excluding the cost of yeinforcement for reinforced concrete work but telluding curing complete as per direction of Engineer - in- Charge including hauling carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroit royality, GST, tell tax. Safe Tax or other taxes imposed by the government.
228.93	1,92	0,60
Kgo	Can	(m)





Name of Work: C/O Approach Road in Railway Over Bridge at Ganesh Bazar
(SH: Metelling and Tarring for approaches on Baijnath Chobin Balander Road and construction of padestal).

ALC: NO. THE
- C -
60
TO.
100
-
0.00
-
100
1000
-
- 20
13

Estimated Cost: Rs. 307436/-

SCHEDULE OF WORKS

2 00	100	
Description of work		Earth work in excavation by mechanical means in foundation strenches or drian (not exceeding 1.5.) (one point five) meter in width all 10 (ten) square meter on plan) including dressing of sides and ramming of bottom lift up to 1.5 (one point five) meter including getting out the execuated soil and disposal of surplus execuated soil as directed within all lead and lifts of 50 (fifty) meter all kind of soil, as directed by the Enginer-in-Charge. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is including Royality, Malkhana, Octroi, toll tax, or any other taxes imposed by the Government excluding GST.
No.or	QŊ.	
Unit		Per Cubic Meter
Estim	Figure	
Estimated Rate	Words	
INDOMY	RS. P	

_			
	N	1)
/	٠	1	

millimetre to forty five millimetre) Grading-I to water bound Macadam specialistic (Native Coller in stages to proper grade and camber, applying and brooming, stone screening type-B of size II 2mm (eleven decimal point two millimetre) nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metro) per ten square metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six) cubic metre per ten square metre to fill up the intestitices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications chause No. 405 and to the entire satisfaction and direction of Engineer - in- Charge including hauling carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate includes octroi, royality, Malkana, toll tax, sale tax or other taxes imposed by the Government. Providing and applying primer coat with Bitumen emulsion (SS-1) on prepared surface of gramular base including cleaning of road surface with hydraulic boson and spraying primer at the rate of 0.70 to 1.00 Kg. per Square metres using mechanical means as per MORD technical specification clause 502, and as per directions of Engineer - in- Charge The rate includes octroi, royality, Malkana, toll tax, sale tax or other taxes imposed by the Government. Per distributor at the rate of 0.20 0.25 kg. (zero point two zero to zero point two five kilograms) per Square metre on the prepared bituminous cleaned with hydraulic broom as per MORD technical specifications section No. 503 as per the entire satisfaction and direction of Engineer-In technical specifications section No. 503 as per the entire satisfaction and direction of Engineer-In metre including of octroi, royality, Malkana, toll tax, sale tax or other taxes imposed by the
585.00
metre metre Per Square metre Per Square metre

millimeter) thickness composed of 12.7 amon thirteen decimal two millimeter) and 11.20 (Square eleven decimal twenty millimeter) aggregate mixed in the ratio 2.1 (two is to one) and (@ 0.27 enter cum (zero decimal twenty seven cubic merres) mixed with hitmen VG-10 (ten) (@ 1446) kg (fourteen point skxy kilogram) per ten square metre of road surface required line grade and level to serve as wearing course on a previously prepared base, including heating binder and aggregate in plant 30.40 ton capacity per hour transporting mixed material with tippers and laying with pavers finisher to the required grade to be followed by seal coad of type-B and camber and rolling with a three Wheel 80.400 KN static road roller to required level and grade as per MORD technical specifications clause 80.506 and as per directions of Engineer-In-Charge including hauling (carriage of materials to various location through all modes of transporation in all leads, lift and other incidental complete in all respect. The rate includes octroi, royality, Malkana, toll tax, sale tax or other taxes imposed by the Government. 6 Providing and laying seal coat sealing the voids in a bituminous surface laid to specified level grade and cross fall using type-B as per MO.R.D. technical specification clause 508 premixed with 6.8 kg (six point eight) kilogram VG-10 (ten) bitumen 0.06 (zero point zero six) cubic metre of fine aggregate per 10 sqm (ten square metre) heated in mini bot mix plant and laying of mixed materials to various location through all modes of transporation in all leads, lift and other incidental complete in all respect. The rate includes octroi, royality, Malkana, toll tax, sale tax or other taxes imposed by the Government. 7 Brick work with common burnt clay F.P.S. (non modular) bricks of first class designation in superstructure above plinth level up to floor in all shapes and sizes in cement motor 1:4 (one cement four actions) and the proposed by the Government. 8 Per Cum literate and other motor 1:4 (one cement four plants) b			
millimeter) thickness composed of 13.2mm (thirden decimal two millimeter) and 11.20. (cleven decimal twenty millimeter) aggregate mixed in the ratio 2:1 (two is to one) and 11.20. (cleven decimal twenty seven cubic metres) mixed with hitumen VG-10 (ten) @ 14.60 kg (fourteen point sixty kilogram) per ten square metre of road surface required line grade and level to serve as wearing course on a previously prepared base, including heating binder and aggregate in plant 30.40 ton capacity per hour transporting mixed material with tippers and laying with pavers finisher to the required grade to be followed by seal coat of type-B and camber and rolling with a three Wheel 80-100 KN static road roller to required level and grade as per MORD technical specifications clause No. 506 and as per directions of Engineer-In-Charge including hauling carriage of materials to various location through all modes of transporation in all leads, lift and other incidental complete in all respect. The rate includes octroi, royality, Malkana, toll tax, sale tax or other taxes imposed by the Government. Providing and laying seal coat sealing the voids in a bituminous surface laid to specified level grade and cross fall using type-B as per M.O.R.D. technical specification clause 508 premixed with 6.8 kg (six point eight) kilogram VG-10 (ten) bitumen 0.06 (zero point zero six) cubic metre of fine aggregate per 10 sqm (ten square metre) heated in minin bot mix plant and laying of mixed material and rolling with power road roller 8-10 (eight to the capacity) and as per direction of Engineer-In-Charge including hauling / carriage of materials to various location through all modes of transporation in all leads. If and other incidental complete in all respect. The rate includes octroi, royality, Malkana, toll tax, sale tax or other taxes imposed by the Government. Bisick work with common burnt clay F.P.S. (non modular) bricks of first class designation in superstructure above plant has per direction of Engineer-In-Charge including hauling / car			
	rick work with common burnt clay F.P.S. (non modular) bricks of first class designation in perstructure above plinth level up to floor in all shapes and sizes in cement motor 1:4 (one ment four sand.) as per diretion of Engineer-In-Charge including hauling / carriage of aterials to various location through all modes of transporation in all leads, lift and other cidental complete in all respect. The rate includes octroi, royality, Malkana, toll tax, sale tax or her taxes imposed by the Government.	roviding and laying seal coat sealing the voids in a bituminous surface laid to specified level rade and cross fall using type-B as per M.O.R.D. technical specification clause 508 premixd ith 6.8 kg (six point eight) kilogram VG-10 (ten) bitumen 0.06 (zero point zero six) cubic metre. If fine aggregate per 10 sqm (ten square metre) heated in mini hot mix plant and laying of mixed aterial and rolling with power road roller 8-10 (eight to te capacity) and as per diretion of ngineer-In-Charge including hauling / carriage of materials to various location through all odes of transporation in all leads, lift and other incidental complete in all respect. The rate chudes octroi; royality, Malkana, toll tax, sale tax or other taxes imposed by the Government.	millimeter) thickness composed of 13.2mm (thirteen decimal two millimeter) and 11.20 (leven decimal twenty millimetre) aggregate mixed in the ratio 2:1 (two is to one) and @ 0.27 um (zero decimal twenty seven cubic metres) mixed with bitumen VG-10 (ten) @ 14.60 kg fourteen point sixty kilogram) per ten square metre of road surface required line grade and level o serve as wearing course on a previously prepared base, including heating binder and aggregate or plant 30.40 ton capacity per hour transporting mixed material with tippers and laying with avers linisher to the required grade to be followed by seal coat of type-B and camber and offing with a three Wheel 80-100 KN static road roller to required level and grade as per MORD schnical specifications clause No. 506 and as per directions of Engineer-In-Charge including auling carriage of materials to various location through all modes of transporation in all leads fit and other incidental complete in all respect. The rate includes octroi, royality, Malkana, toll ix, sale tax or other taxes imposed by the Government.
Square metre Per Square metre Per Square metre	0.62	585.00	
	Per Cum	Per Square metre	Square

9	- 8
Finishing walls with water proofing cement paint of required shade New work (Two or more coats applied (a) 3.84 kg/10 sqm) (three point eighty four kilogram and ten square meter) as per direction of Engineer-In-Charge including hauling carriage of materials to various location through all modes of transporation in all leads, lift and other incidental complete in all respect. The rate includes octroi, royality, Malkana, toll tax, sale tax or other taxes imposed by the Government.	on the rough side of single or half brick wall as per diretion of Engineer-In-Charge including hauling / carriage of materials to various location through all modes of transporation in all leads, lift and other incidental complete in all respect. The rate includes octroi, royality. Malkana, toll tax, sale tax or other taxes imposed by the Government.
10.10	10.10
Per Square metre	Per Square metre



Name of Work: - Special Repair of CHC Chadhiar. Distt Kangra (H.P) SCHEDULE OF QUANTITY

(SH:- Distempering, Finishing wall with premium emulation, white cement base putty, repair of plaster, and painting etc. 0 3 1 1 the Covernment Providing and fixing high pressure PVC spigot and socket soil, waste and ventilating pipes ISI Marked i/c Engineer in charge. The rate including Royality, Malkhana, Octroi, toll fax, GST or other taxes imposed by fixing with approved adhesive etc. Upmplete 110 mm (one hundred ten millimeter) Dia as per directions of in charge. The rate including Royality, Malkhana. Octror, toll tax, GST or other taxes imposed by the (zero point seven five liter ten square meter) of approved brand and manufacture as per directions of Engineer ltr/10 sqm (zero point ninety liter ten square meter) over an under coat of primer applied (a)0.75 ltr/10 sqm Painting wood work with Deluxe Multi Surface Paint of required shade. Two or more cost applied @ 0.90 Royality, Malkhana, Octrol, toll tax, GST or other taxes imposed by the Government Renewing glass panes, with putty and nails wherever necessary including racking out the old putty float glass Malkhana. Octioi, toll tax, GST or other taxes imposed by the Government disposal of rubbish all complete as per directions of Engineer in charge. The rate including Royality, Repair to plaster of thickness 12mm to 20 mm (twelve millimeter to twenty millimeter.) in patches of area 2.5 preparing plastering the wall surface with white cement based polymer modified self curing mortar, including Malkhana. Octror, toll tax, GST or other taxes imposed by the Government per direction of Engineer-in-Charge as per directions of Engineer in charge. The rate including Royality, brand and manufacturer, over the plustered wall surface to prepare the surface even and smooth complete as sqm (two point five square meter) and under, including cutting the patch in proper shape taking out joints an Providing and applying white cement based putty of average thickness 1 mm (one millimeter), of approved panes of nominal thickness 4mm (four millimeter) as per directions of Engineer in charge. The rate including Removing white or colour wash by scrapping and sand papering the surface smooth including necessar including Royality. Malkhama. Octroi, tell lax, GN1 or other taxes imposed by the Government. Malkhana. Octros, toll tax, GST or other taxes imposed by the Government repairs to steatches etc. complete as per directions of Engineer in charge. The rate including Royality, required shade (Company Depot Tinted) with silicon additives as per directions of Engineer in charge. The rate line) and DV resistance as per IS 15489/2004. Alkali & lungal resistance, diri resistance exterior paint of Finishing walls with 100% Premium acrylic emulsion paint having VOC less than 50 gm/litre (1fty grain per iax, GST or other taxes imposed by the Government approved band as per directions of Engineer in charge. The rate including Royalin Malkhana, Octroi, toll undecorated wall surface to give an even shade over and including a prinning cost with distemper primer of Distempering with oil bound washable distemper of approved brand and manufacture and of required shade on Description of work C'mul sion SCHEDULE OF WORKS 597.45 50.93 235.71 2357(0) 5.12 78.55 Ony. 5.2 688 60 YO. OF Rmi Sqip Sqm Sum Sqm Unit Sqm Squi Sqm Figures Rate Earnest Money: Time Limit: AMOUNT Two Months 8,600,00



Estimate Cost:

Providing and fixing on wall face unplasticised - PVC invalided fittings: accessories for implasticised Rigid PVC rain water pipes conforming to IS - 13592 Type A including joining with seal ring conforming to IS - 5382. Jeaving 10 mm gap for thermal expansion 110 mm (one handred ten millimeter) hend as per directions of Engineer in charge. The rate including Royality. Malkhana. Oction foll fax, GST or other taxes imposed by the Government.
to:
Hach

Execute Engineer Barnath Davision HPPWD Barjnath S

7000		No. or Unit
Sr.	Description of work	
Earth work in excavation for structures in all depths as per drawing and M.O.R.D. technical specification section 300 & 1600 including setting out, construction of shoring and bracing removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Enginer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	Earth work in excavation for structures in all depths as per drawing and M.O.R.D. technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Enginer-in-Charge. If the foundation of	23.79 Per Cubic

Providing and laying mechanically mixed and cibrated plain centent concrete grade M-10 (M net) per cubic mote anomal mix 13.5 (one centent is to three sand is to six crushed stone age. Admin forty millimetre) nominal size) in or under water and curing complete sincluding pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights depths including pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights depths including pumping and modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including banding cleaning control of the taxes imposed by the government. Providing and laying mechanically mixed and vibrated plain/ cennent concrete in substructure for all type of structure complete using plain cennent concrete grade M-15 (M fifteen) design mix with cennent contents not less than 275 kg (two hundred severny five kilograme) per cubic meter in or under water including curing complete including the cost of form work in abunnents as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including banding/ Carriages of materials to various tocation through all modes of transportation in all leads, lifts and other incidental concrete grade M-20 (M twenty) design Mix with cennent contents not less then 330 kg (three hundred and thiny kilogram) per cubic meters as per drawing and M.O.R.D. technical specification section 800,900,1200, Including the cost of form work in but meters of materials to various to variou			
M-10 (M) shed stone lete ed at site pths O.R.D. and arious ttal Tax or Tax or 13.57 1-15 (M) enty five ding which may ing the cost on section various al complete her taxes al complete her taxes contents not wing and orm work in concrete cluding tation in all roi, royality,			
	Providing and laying mechanically mixed vibrated reinforced cement concrete in substructure using concrete grade M-20 (M twenty) design Mix with cement contents not less then 330 kg (three hundred and thitry kilogram) per cubic meter as per drawing and M.O.R.D. technical specification section 800, 900,1200. Including the cost of form work in bed block and dirt wall etc. excluding the cost of reinforcement for reinforced concrete work but icluding curing complete as per direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	Providing and laying mechanically mixed and vibrated plain/cement concrete in substructure for all type of structure complete using plain cement concrete grade M-15 (Mifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilograme) per cubic metre in or under water including curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various ocation through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	oundation for all type of structure complete using plain cement concrete in open oundation for all type of structure complete using plain cement concrete grade M-10 (M cn) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone necluding pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths necluding the cost of form work and open in foundation as per drawings and M.O.R.D. echnical specification section 800, 900 and 1200 and to the entire satisfaction and lirection through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.
Per Cubic metre Per Cubic metre Per Cubic metre	0.60	13.57	23 8
	Per Cubic metre	metre	metre

	7	i)
3	-	-	•

Frewiding and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-1 wenty) designed mix with minimum cement concents of 320 kgs (Three hundred twenty kilogramms) per cubic meter with 20 mm (1 wenty Milimeters) nominal size graded crushed broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications (Pause 802, 803, 1202 & 1203 and as per the direction of Engineerin-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royality, Malkana, tollax, Sale Tax or other taxes imposed by the government. Providing and laying mechanically mixed and vibrated reinforced cement concrete in super structure as per drawing and MORD, technical specification section 800, 900 and 400 using R.C.C. grade M-25 (twenty five) design mix with cement contents not less then 400 kgs (four hunderd kilogram) per cubic meter with 20 mm (twenty milimeter) nominal size gradid crushed stone aggregate and curing complete including cost of form work but excluding the cost of reinforcement for reinforced concrete work in deck slab and to the entire satisfaction and direction of Engineer-in-Charge including sating carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect including cost of binding wire including handing 'carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect including cost of binding wire including handing 'carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect including cost of binding wire including handing 'carriage of materials to various location through all modes of binding wire including handing 'carriage of materials to various location through all modes of bind	7	6	G.
	Supplying fitting and placing HYSD bar for reinforcement (Fe-415) in super structure complete as per drawing and M.O.R.D. technical specifications section 1000 including cutting, bending, binding and placing in position complete in all respect including cost of binding wire including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	Providing and laying mechanically mixed and vibrated reinforced cement concrete in super structure as per drawing and M.O.R.D technical specification section 800, 900 and 1400 using R.C.C. grade M-25 (twenty five) design mix with cement contents not less then 400 kgs (four hunderd kilogram) per cubic meter with 20 mm (twenty millimeter) nominal size graded crushed stone aggregate and curing complete including cost of form work but excluding the cost of reinforcement for reinforced concrete work in deck slab and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 320 kgs (Three hundred twenty kilogramms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803,1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.
Per Cubic metre Per Cubic metre Per Kilogram	228.93	1.92	#1.8
	Per Kilogram	Per Cubic metre	Per Cubic metre

11.04 Per Cubic Metre	11.04 P	leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	No. 405 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all	cubic metre per ten square metre to fill up the intersitices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause	nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six)	brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre)	including spreading in uniform thickness using template. hand packing, rolling with three	Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty libror millimetre) Grading-II to water bound Macadam specification
Per Cubic Metre	Per Cubic Metre							11.04
								Per Cubic Metre

Total



Name o	Name of Work: C/O Ahju Bir Gunchar Road Km 0/00 to 6/00. (SH: Construction of Hume Pipe & Wing wall for 900mm Dia Hume Pipe Culvert at RD 5/740).	5/740).			Estimated Cost Earnest Money
					Time limit
No.	Description of work	No.or Qty.	Unit	Figure	Estimated Rate Words
	Farthwork in excavation for structures as per drawing and technical specifications. Clause 305:1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m. (fifty meter) dressing of sides and bottom and backfilling in trenches with excavated suitable material, as per the entire satisfaction and direction of Engineer-in-Charge. The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	37.63	Cum		
5 5 5 5 5 7 8 5 5 5 7 F	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M-ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/depths including the cost of form work, and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling/carriage of materials to various location through all modes of transportation, in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality. GST, toll tax. Sale Tax or other taxes imposed by the government.	2.51	Cum		
D = X 0 =	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 804, 805, 806,807,1202 and 1204 M-15 (1:2.5:5) (one: cement two and half: sand five: stone agreegate). The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	9,44	Cum		
4	Providing and laying cement concrete for plain reinforcement concrete in open foundation complete as per drawing and technical specifications clouse 802. 803. 1202. 1203. (1.5:10 40 mm aggregate size) and curing complete inculding cost of form work in R/Wall or B/Wall including entire carriage of material within all leads and lifts and other incidental. The rate including Royality. Malkhana. Octroi, toll tax, GST or other taxes imposed by the	21.46	Cum		

		~4	٥	¥.01
TOTAL	Providing and laying reinforced cement concrete pipe NP2 for culverts first class bedding of granular material. (light duty)R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete 900 mm (Nine Hundred milimeter). dia R.C.C. pipe as per the entire satisfaction and direction of Engineer-in-Charge. The rate including Royality, Malkhana. Octroi, toll tax, GST or other taxes imposed by the Government.	Construction of embankment with approved material deposited at site from borowpits and excavation from drain and foundation of other structures graded and compacted to meet requirement to tables 300.1 and 300.2 as per tecgnical specification clause 301.5 as per the direction of Engineer-In-Charge. The rate including Royality, Malkhana, Octroi, toll tax. GST or other taxes imposed by the Government.	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of I (v): 20(H) towards dramage face complete as per drawing and M.O.R. D. technical specification clauses 614, 709 & 1204.3.7 including hauling carriage of materials to various location through all modes of transportation in all leads. lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge. The rate including Royality, Malkhana, Octroi, toll tax. GST or other taxes imposed by the Government.	Back filling behind abutments, wing walls and return walls complete as per drawing and M.O.R.D. technical specification clause 1203 and 1604 and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate including Royality, Maikhana. Octroi, toll tax, GST or other taxes imposed by the Government.
	5.00	0.69	12.00	4.59
	Rmt	Cum	Each	Cum
7				

Executive Engineer
Explicate Division
H.P.P.W.D., Beijnath

	materials within all leads and lifts and other incidentals, as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental. The rate is including oetroi, royality, GST, toll tax. Sale Tax or other taxes imposed by the government.	materials within Including carriag octroi, royality.
	drawing and MORD technical specification clause 1204.3.8 granular material including entire	drawing and MO
CHIM	Back filling with oranglar material behind abutment wine walls, return wall complete as per 13.50	Back filling with

Executive Engineer
Baijnath Division
H.P.P.W.D., Baijnath

Name of the last	Name of Work: (1/O Rir Palamour Road to Village Lambahar & link road to Village Bart / Portion kink road	ari / Partion		to Village bari Km	Estimated Cost	102114-00
0/001	0/00 to 1/200. SH-Construction of 900mm Dia Hume Pine Culvert at RD 0/230).				Earnest Money Time limit	2100.00 Two Months
Sr	Description of work	No.or	Unit	Esti	Estimated Rate	AMOUNT
V0.		Oty.		Figure	Words	Rs. P
7,-	Lantiwork in excavation for structures as per drawing and technical specifications. Chause 305.1 including setting out, construction of shoring and bracing, removal of	27.07	Сит			
	sumps and other deleterious material and disposal upto a lead of 50 m, (18By meter) dressing of sides and bottom and backfilling in trenches with excavated suitable material, as per the entire satisfaction and direction of Engineer-in-Charge. The rate including Royality, Malkhana. Octoo, toll tax, GST or other taxes imposed by the Concernment.					
ra:	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade. M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm (forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work, and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling/carriage of materials to various location through all modes of transportation—in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax. Sale Tax or other taxes imposed by the government.	2.51	Cum			
(Se)	Providing and laying mechanically mixed and vibrated plain/ cement concrete in sub-structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilograme) per cubic metre in or under water including curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, (iS1, toll tax, Sale Lax or other	9,44	Cum			

5,000 Rmit

Execute Engineer
Baijnath Division
HPPWD Baijnath



	Z	
	100	
	-	,
	D 14	
		ė
	-	i
	l/T	
	Ξ	
	-	i
	100	
	_	۱
	è	
1	_	
	-	
ı		
1	OF	
1		
1	-	
а		
1	9	
١	_	
1	_	
	-	
	_	
	-	
	-	
	_	
	_	
	_	
	_	
	_	
	2	
	-	

Name of		S S		
Name of Work: A/R & M/O Various roads under Baijnath Sub Division, HPPWD Baijnath (SH: Hiring of Tractor with Trolley).	SCHEDULE OF WORKS	Description of work		thring of tractor with trolley having engine capacity of 35 (Thirty Five) HP Horse Power with taller capacity 2.5 Cum (two point five) cubic meter in working condition per day basis with minimum 6 (six) hours per day. The operational and maintenance charges POL charges and other miscellanous supply / replacement required for smooth running of vehicle will be borne by the owner of the tractor. The rate including hauling /carriage of materials to various location of transportation in all leads, lifts and other incidental complete in all respect and entire satisfication of Engineer-in-Charge. The rates are inclusive all texes levy by the Govt, time to time including GST.
		No.or	8	60.00
		Unit		Days
Estimated C Earnest Mor Time Limit			Figure	
Estimated Cost: Rs. 124200/- Earnest Money: Rs. 2500/- Time Limit: Two Months		Estimated Rate	Words	
		AMOUNT	7.5	

Executive Engineer
Baijnath Division,
H.P.P.W.D. Baijnath (H.P.)



(SH: Providing and Laying WBM (-1 (90mm to 40mm) at Km 0/00 to 0/400). 0/00 to 1/200. Name of Work: C/O Bir Palampur Road to Village Lambahar & link road to Village Bari (Portion link road to Village bari Km Estimated Cost Time limit Earnest Money 8700.00 Two Months 433206.00

No.	197		1607
Description of work	Preparation of Sub Grade by dressing to camber (Earth work for cutting involved for sub-grade to paid for separately) depending upon the classification of soil completed as per HPPWD specification compelete as per the entire satisfaction and direction of Engineer-in-Charge. The rate including Royality. Malkhana, Octron, toll cax, GST or other taxes imposed by the Government.	2 consolidation of sub-grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm (twenty two point fifty centimeters.) depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub-grade and disposal of surplus carrhwith lead upto 50 metres (fifty meter.) as per the entire satisfaction and direction of Engineer-in-Charge. The rate including Royality, Malkhana. Octroi, toll-ray, GSI or other taxes imposed by the Government.	3 Providing, laving spreading and compacting stone aggregate of specific size 90 mm to 40 turn (Ninety three millimeter to forty millimeter) to water hound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100KN static roller in stages to proper grade and camber, applying and browning stone screening. Funding material to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 1 as per technical specification Clause 405 by Mechanical means including carriage of material with in all leads and lifts and the entire satisfaction of engineer-incharge. The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes
Vo.or Op.	1407.00	1407.00	140.70
Unit	Sqm	Sqm	Per Cubic Meter
Figure			
Estimated Rate Words			
AMOUNT Rs. P			





-	-		5				
1			2	b	7	٦	ľ
Ñ	Ň		٠	ý		4	ĵ.
Θ	ì	`	•	٢	S	j	
1	Ġ			ø	ø	5	

	har Km 0/00 to 1/800. No.or Unit Figur	No.or Unit Oty. Per Sam
B. P.	Unit Figur	Unit Estim Figure Per Sqm
	Unit Figur	Unit Estim Figure Per Sqm
	Figure	stim

Executive Engineer
Baifnath Division
HPPWD Baijnath

W.No.1, G.P Sehal, Block and Tehsil Baijnath (under MPLAD) Name of Work :- C/O Jeepable Road from Kali Mata Temple to Ravinder Goswami, Aman Singh, Maan Singh and other Houses, Estimated Cost 246648.00

ST.					Time limit
3 4	Description of work	No.or	Unit		Estimated Rate
	Stone soling properly hand-packed filling interstices with Kharanja stone and consolidating with power road roller to the requested gradient and comber including spreading watering and rolling of binding materials moorum or earth etc. complete as per HP.PWD specification, 100 mm spread thickness (finished work including materials and labour) as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals satisfaction. The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	e and 28.35 er er er en oll	Per Sqm	3	m
2 Pr Co hu hu in tec of an	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilogramms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803,1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals satisfaction. The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	1 28.35 f- lers) te ction d lifts	Per Cubic Meter	oic .	NC .

Belpath Division HPPWD Baijnath

,	_		
(1	7	1
1	~	8	1

	Name Provid	Sr	No.		10
SCHEDULE OF QUANTITY	Name of Work :- Restoration of Road Damages Due to . , laying OFC on Baijnath Deol Phatar Road Km 0/00 to 9/00 (SH:- Providing and laying GSB for earthen shoulders at various reaches)	Description of work		Prepartion and consolidation of sub grade dressing to cambers and consolidating making good the undulation etc. to sub grade and disposal of ruspuls earth with lead upto 50m. (lifty meter) as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals satisfaction. The rate including Royality. Makhana, Octroi, toll tax. (iST or other taxes imposed by the Government.	Providing and laying Granular sub-base surface by providing well graded material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per Technical Specification Clause 408.as per direction of Engineer with in all leads and lifts and other incidental. The rate including Royality.
OUANT	ol Phatar R	No.or	Qty.	1920.00	288.00
YE	oad Km 0/00 to 9/0	Unit		Per Sqm	Per Cubic Meter
	-:HS) 0(Esti	Figure		
	Estimated Cost Earnest Money Time limit	Estimated Rate	Words		
	487680.00 10000.00 Four Months	LAJOMA	Rs. P		



		_	-	
- 1	г	٠	٠	2
1		Ŧ		3
Л		ч	4	n
и	Ç,	А	ü	71
	N.		•	

	No.	2	Name (SH:-	
Prepartion and consolidation of sub grade dressing to cambers and consolidating making good the undulation etc. to sub grade and disposal of ruspuls earth with lead upto 50m. (Lifty meter) as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals satisfaction. The rate including Royality, Malkhana. Octroi, toll tax, GST or other taxes imposed by the Government.	Description of work		Name of Work :- Restoration of Road Damages caused by laying of OFC on Uttrala to Surahi pass Road KM 0/00 TO 5/00 . (SH:- Providing and laying GSB for earthen shoulders at various reaches)	SCHEDULE OF QUANTITY
462.00	Qıy.	No.or	Surahi pass	QUANTI
Per Sqm		Unit	Road KM 0/00	Y
	Figure	Esti	TO 5/00.	
	Words	Estimated Rate	Estimated Cost Earnest Money Time limit	
	Rs. P	TNOOMY	117348.00 2400.00 Two Months	

Providing and laying Granular sub-base surface by providing well graded material spreading in uniform layers with motor grader on prepared surface.

69.30

Per Cubic Meter

mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause

401.4 as per Technical Specification Clause 408.as per direction of Engineer with in all leads and lifts and other incidental. The rate including Royality.

Malkhana. Octroi, toll tax, GST or other taxes imposed by the Government.

Exactive Engineer
Raijnath Division
H.P.P.W.D., Beijnath

(Sh:- Co	(Sh:- Construction of R/Wall at R.D 0/300 to 0/310 & 0/490 to 0/500 & 0/650 to 0/660.)			Earnest Money:8400/- Time Limit: Three Months
Sr.	Description of work	No. or	Unit	Rate
I Ean correction of the thick was other ot	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiscling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge, including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	32.1	cum	Figures
2 Pro as I agg ent in-c	Providing and laying cement concrete for plain reinforcement concrete in open foundation complete as per drawing and technical specifications clouse 802, 803, 1202, 1203, (1:5:10-40 mm aggregate size) and curing complete inculding cost of form work in R/Wall or B/Wall including entire carriage of material within all leads and lifts and other incidental, as per direction of Engineer-in-Charge, Including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	78.60	cum	
3 Bac dra can mat Inc	Back filling with granular material behind abutment wing walls, return wall complete as per drawing and MORD technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals, including entire carriage of materials within all leads and lifts and other incidentals, as per direction of Engineer-in-Charge, Including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	15.90	cum	

(2)



Rupees Two Hundred Ninety And Paise Thirty Only

D.N.I.T. Checked and approved for Rs. 414,367.00 only
Rupees Three Lakh(s) Thirty Two Thousand Seven Hundred
Ninety Four Only

Executive Engineer
Baijnath Division
HPPWD Baijnath