HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

NO.PW.ED.II.GA.TENDER/23-24- 1238-40 DATED:-6 6 23

The Executive Engineer (IT) Nirman Bhawan HPPWD Shimla-2

Subject: -

Publication of Tender Notice.

Sir,

Jai Hind

Please find herewith the tender notice of works as given in the notice inviting tender for uploading on department website as per Notification vide Pr.Secy.(PW) to the Govt.of Himachal Pradesh letter No.PBW(B)1/2020 dated 27th May,2021 and PBW(B)A(3)1/2020 dated 16th July,2021 and even file dated 12.01.2023 as the works mentioned in the tender notice is (are) urgent in nature and in public interest.

Executive Engineer, Elect. Division No II HP PWD, Shima-1

Copy forwarded for further necessary action to the:-

1. The Superintending Engineer, Electrical Circle, HP PWD, Shimla-9 for information please.

2. Computer Cell O/O the Executive Engineer (IT Cell) Nigam Vihar Shimla-2

Executive Engineer, Elect. Division No.II HP PWD, Shimla-1

HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

Office of Executive Engineer Electrical Division No-II HPPWD Shimla -171 001 Website: www.hppwd.gov.in e-mail: ee-eled2-hp@nic.in Tel/Fax: 0177-2990187

No.PW.ED.II.GA.Tender/2023-2024-

1241-65

Dated: 6/6/23

NOTICE INVITING TENDER

Sealed percentage rate tenders are hereby invited by the Executive Engineer, Electrical Division NO II HPPWD Shimla-1 in form No.6&8 on behalf of Governor of H.P.for the following works from the contractors of appropriate class enlisted with HPPWD (Electrical). The tenders shall be opened in the presence of contractors/firms or their authorized representative who wish to be present.

TIME SCHEDULE OF TENDER

(i) Last date of receipt of application:

(ii) Date of sale of tenders

(iii) Last date of receipt of bids: -

(iv) Date of bid opening: -

14.06.2023 Up to 1.00 P.M

14.06.2023 Up to 2 PM to 5.00 PM

15.06.2023 Upto 10.30 A.M

15.06.2023 AT 11.30 A.M

The tender form will be issued to only those contractors who qualify the criteria after the scrutiny of application forms by the committee constituted for the purpose.

Work No. (1) Providing LVVVF drive of 26 passenger elevator (Machine No.MH6336 Otis make) installed at block-A of HPGDC Shimla. Estimated cost Rs.2,33,645/-Earnest money Rs.4700/- Time: 1 Month. Cost of form Rs.350/NR

Work No. (2)C/O Vetenary hospital building at Jubbal Distt. Shimla (SH:Prov.El therein)Estimated cost Rs. 2,70,832/-Earnest money Rs.5500/-Time: 1 month. Cost of Form Rs.350/NR

Work No.(3)Construction of PHC building at Baghi Tehsil Kotkhal Distt.Shimla(SH:Prov.LED street light therein)Estimated cost Rs., 3,41,832/-Earnest money Rs. 6900/-Time:15 days. Cost of form Rs.350/only

Work No. (4)C/O HSC building at Gujandali Tehsil Tikker Distt.Shimla (SH:Prov.El therein) Estimated cost Rs.1,25,834/-Earnest money Rs.2600/-Time: 1 Year. Cost of form Rs.350/NR

TERMS AND CONDITIONS:-

- 1. The earnest money in the shape of National Saving certificate. Time deposit account in any of the post office in HP/FDR or any Bank duly pledged in favour of Executive Engineer, Elect Division No II HPPWD Shimla-1 accompanied with the application for receipt of tender form along with cost of form.
- 2. The contractor/firm should possess the following documents (photo copy to be self attested with application for obtaining the tenders documents.
- a) Latest enlistment/renewal orders with application.
- b) GST Number issued by the Sale Tax Department.
- c) PAN (Permanent Account Number) issued by the Income Tax Department and copy of EPF issued from competent authority.
- 3. The Executive Engineer, Electrical Division No.II, HPPWD Shimla-1 reserves the right to reject any tender without assigning any reason(s)
- 4. The Cess charges @ 1% will be deducted from the gross amount of work done of the contractor.

Contd., P.TO...

- 5. The work will be completed by the contractor within the stipulated period.
- 6. The tender shall be issued to only those contractor/firms who are eligible suitable and competent.
- 7. The tender forms shall be issued to eligible contractors depending upon their past performance and work experience which shall be duly evaluated by the technical evaluation committee.
- 8. The contractor /firm having necessary documents and past adequate experience shall be preferred.
- 9. The contractor who has failed to start/complete the work already allotted in his favour within stipulated period shall not be issued tender forms.

1241-65

- 10. A contractor enlisted in a particular class be eligible to tender for his own class and one step below
- 11. Only two number tender forms will be issued to the eligible contractor.
- 12. If any kind of holiday to be happened, the tender shall be opened on the next working day at 11.30 a.m.
- 13. GST will be deducted as per rates fixed by the Government.

CERTIFICATE:-

It is to certify that tender for the above works are urgently required please.

Executive Engineer, Elect. Division No.II, HPPWD Shippa-1

Copy forwarded for information to the:-

1. Chief Engineer (SZ) HPPWD Simla-2

2. The Superintending Engineer, 1st Electrical Circle, HPPWD Shimla-9.

3. Deputy Commissioner Shimla.

- 4. All the Assistant Engineers working under this Division.
- 5. All the intending contractors in HPPWD

9. Notice Board.

Executive Engineer, Elect. Division No.II,

HPPWD Somla-1

	,	a	1.00		S.No.	Name Block			
Total:-	G5/L7 to L000 VVVF open Loop to Close.	Supply, Installation, Testing and Commissioning of L-1000 Drive.	Providing important equipments strongly recommended by manufacturer of 26 Passenger-cum-bed lift installed at Block-A of HP Govt. Dental College, Shimla.(Machine No-H006336 OTIS make)		Description of Items	Name of work:- Providing L-VVVF drive at 26 passenger elevator(Machine No. Block-A of HP Govt. Dental College, Shimla.			DRAFT SCHEDULE OF QUANTITY
	1.00				Qty.	nger			EDU
	Each				Qty. Unit	eleva			LE (
	1.00 Each 233645.00 Six H			In Figures		ıtor(Mach			OF QUAI
	Six Hundred Forty Five			In words	Rate	ine No. MH6336 OTIS make) installed at	Earnest Money:- Rs.4700 /- only Time:-One Month	Estimated Cost:- Rs2,33,645/- only	VTITY
233645.00	233645.00				Amount	stalled at			

Jor Rs. 233, 645/-on y (Rs Two lake, Thirty Three
Thousand, size hundred & Just Hive on y.)

Executive Engineer.

Electrical Division No.-11.

HP PWD (U.Suchus) Shimla-1



DRAFT SCHEDULE OF QUANTITY

Estimated Cost:- Rs.2,70,832/- only

Earnest Money:- Rs.5500/- only

Time:- One month

therein.) Name of work:- C/O Veterinary Hospital building at Nekrari Tehsil Jubbal District Shimla. (H.P.) (SH:- Providing E.I.

	2.01	2.00	1.03	1.02	10.1	1.00		S.No.	
	Twin Control. Group C.	Wiring for twin control light point with 1.5 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit with 2-way, 5/6 amps. piano type switch and earthing the light point with 1.5 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable as required.	Call Bell Point	Fan Point	Light Point	Wiring for light point / fan point / exhaust fan / call bell point with 1.5 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit and earthing the light point with 1.5 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable as required. Group C.		Description of Items	
	2.00		2.00	3.00	33.00			Qty.	
	Point		Point	Point	Point			Unit	
1	1600.00		1595.00	1595.00	1595.00		In Figures		
	Rs. One Thousand Six Hundred only		Rs. One Thousand Five Hundred Ninety Five only	Rs. One Thousand Five Hundred Ninety Five only	Rs. One Thousand Five Hundred Ninety Five only		In words	Rate	
	3200.0		3190.0	4785.0	52635.C			Amoun	

1	_	4
1		
1		7
14	T	11
	1	The same

00		8	8	0	9
22125.00		00.02062	32490.00	6480.00	00.0969
Rs. Two Hundred Ninety Five only		Ks. Infee Hundred Sixty Six only	Ks. Five Hundred Seven only	Rs. Three Hundred Twenty Four only	Rs. Six Hundred Ninety Six only
295.00		00000	00.700	324.00	00.969
Point			Meter	Meter	10.00 Meter
75.00		00.07	0.07	20.00	10.00
Wiring for light plug with 2x1.5 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit along with 1 No.1.5 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable for earthing as required.	Wiring for power plug with 2x4 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit along with 1 No.4 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable for earthing as required.	Wiring for power plug with 4x4 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit along with 2 No.4 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable for earthing as required.	Wiring for circuit/sub-main with following size PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit along with 1 No.HRFRLS/PVC insulated single core copper conductor cable of same size for earthing as required.	2x2.5 Sq. mm. (For Street Light)	6.02 2x10 Sq. mm. (For main board)
3:00	4.00	5.00	00.9	6.01	6.02

四人

11.00	10.02	10.01	10.00	.9.00	8.00	7.00
Supplying and erection of 40/50/63 amps rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the existing MCB DB complete with connections etc. as required:-	Single pole. 16 Amps Cat-A.	Single pole. 6 Amps Cat-A.	Supplying and erection of 6 amps. to 32 amps. rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the existing MCB DB complete with connections etc. as required:-	Supplying and fixing Ding-Dong / Electronic musical bell, suitable for D.C./A.C. single phase,230 volts complete as required:-	Supplying (nominal laminated 6 pin 15/16 connection	
	10.00	5.00		2.00	10.00	10.00
	Each	Each		Each	Each	Each
	235.00	235.00		286.00	539.00	399.00
	Rs. Two Hundred Thirty Five only	Rs. Two Hundred Thirty Five only		Rs. Two Hundred Eighty Six only	Rs. Five Hundred Thirty Nine only	Rs. Three Hundred Ninety Nine only
	2350.0	1175.0		572.00	5390.0	3990.0

T	
71	P
T	1

15.00	14.01	14.00	13.01	13.00	AND STREET OF THE PARTY OF THE	12.00	11.01
Supplying and fixing of fancy wall bracket containing thread type CFL lamp holder (s) of all sizes and shapes, complete with all accessories but excluding CFL lamp including making connections, testing etc. as required.	Exhaust Fan, Light duty, (Domestic) 300 mm sweep	Providing and installation of exhaust fan of following sizes in the existing opening, including making the hole to suit the size of the above fan, making good the damages, connections, testing and commissioning etc. as required:-	Double door-12 way	neutral sheet steel MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus- bar, wire-set, neutral link, earth bar, din-bar, detachable gland plate, blanking plate, cable, identification labels interconnections, phosphatized and powder painted, including earthing etc. as required:-	Amps. Cat-A	Supplying and fixing following rating, double pole (single phase & neutral) 240 volts, residual current circuit breaker (RCCB), having a sensitivity current up to 300 miliampers in the existing MCB DB complete with connections, testing and commissioning etc. as required.	MCB DP 40\50\63 Amp.
09 6	3.00	<u> </u>	1.00		2.00	04 04 3 6	2.00
	Each	ě.	Each		Each		Each
	2130.00	- Ar - w -	2298.00		3333.00		1147.00
	Rs. Two Thousand One Hundred Thirty only		Rs. Two Thousand Two Hundred Ninety Eight only		Rs. Three Thousand Three Hundred Thirty Three only		Forty Seven only
	6390.00		2298.00		6666.00		2294.00

口口

18.00	17.01	17.00	16.01	16.00	15.01
Providing and installation of following type of ultra slim decorative LED batten with extruded aluminium heat sink, with anti glare polycarbonate diffuser and energy efficient constant integral, electronic driver, suitable for input voltage: AC 220-240 V,50/60Hz, complete with all accessories, including mounting clips & loop in loop out wire, connections, testing and commissioning etc. as required. Make: Philips, Syska, GE, Bajaj, C & S, Panasonic or any other approved by Engincer-in-Charge.	17.01 Armoured cable 10 sq. mm (twin core)	Providing and laying of one No. aluminium conductor, PVC insulated and PVC sheathed, armoured/XLPE power cable, working voltage 1100 volts grade direct in ground; to be laid 1 meter below the ground level including excavation and refilling the trench etc.as required, but excluding sand cushioning and protective covering:-	16.01 32 mm dia. G.I. pipe, heavy class	Supplying and erection of street light bracket made of G.I. pipe 'A' class of suitable length and dia, the pipe bended to give an angle of 100 to 110 degree fitted with bolt & nuts at the top of existing pole or wall including painting the pipe with two coats of approved paint over priming coat complete in all respects as required:-	Fixed type wall bracket 150 dia, single lamp.(Category-A)
Master In the Local	30.00	12 09 - 0 (2	2.00	S 1 04 0 1	6.00
	30.00 R.Mtr.	7	Each		Each
	252.00		514.00	1.1	650.00
	Rs. Two Hundred Fifty Two only		Rs. Five Hundred Fourteen only		Rs. Six Hundred Fifty only
	7560.0		1028.00		3900.0

I

fred	Six Hundred	Thousand	Rs. One Sixteen only	1616.00	Each	8.00	20.01 Surface mounting ceiling fitting 15 watt	20.01
						4	Supplying and fixing of surface mounting square ceiling lights LED type of all size and shapes, complete with all accessories including making connections, testing etc. as required to the best satisfaction of Engineer-in-Charge as required. Make:- Philips, Syska, GE, Crompton, Bajaj, C & S, Panasonic, Surya, Havell's or any other approved by Engineer-in-Charge with two year warranty.	20.00
	our only	dred Forty F	Rs. Six Hundred Forty Four only	644.00	Each	2.00	Sleek Surface 8 WH SQ 8 watt LED	19.01
				11		in .	Providing and installation of following type of LED SLEEK surface mounted square Downlight with polycarbonate body and aluminium heat sink, suitable for input voltage: AC 220-240V, 50/60 Hz including mounting the fixture, testing etc. as required complete in all respects with two year warranty & 100 lumens / watt. Make:- Philips, Syska, GE, Bajaj, C & S, Panasonic or any other approved by Engineer-in-Charge:	19.00
	ty Seven o	undred Eigh	Rs. Seven Hundred Eighty Seven only	787.00	Each	20.00	LED Batten Light 20 W 1200mm	18.02
	Two only	ndred Ninety	Rs. Five Hundred Ninety Two only	592.00	Each	2.00	LED Batten Light 10 W 600mm	18.01

同一

	τ			
23.00	22.01	22.00	21.01	21.00
Providing, Installation of following type of LED lamps for fancy wall bracket suitable for input voltage: AC 220-240V, 50/60 Hz including testing etc. as required complete in all respect with two year warranty & 100 lumens / watt. Make:- Philips, Syska, GE, Bajaj, C & S, Panasonic or any other approved by Engineer-in-Charge.	LED Street Light 45 watt.	Providing and installation of following street light LED luminaire with pressure die cast housing with epoxy power coated dark graphite gray colour finish. Prismatic polycarbonate cover with individual LED lenses and seprated energy efficient constant current, non-integral, electronic driver, suitable for input voltage: AC 220-240 V,50/60Hz, complete with all accessories, connections, testing and commissioning etc. as required with minimum two years warranty. Make: Philips, Syska, GE, Bajaj, C & S, Panasonic or any other approved by Engineer-in-Charge.	LED 2 X 2 luminaire 36 watt Recess / Surface mounting	Supplying and fixing of Bajaj make SKYLITE Recess / Surface mounting LED 2X2 luminaire Cat No.BCTBLR 36 ZTN WH, white powder coated CRCA housing with highpower LEDs. Aluminium front frame with flat white high transmission acrylic cover complete with all accessories inclduing making connections, testing etc. to the best satisfaction of Engineer-in-Charge as required with two year warranty & 100 lumens / watt. Make:- Philips, Syska, GE, Bajaj, C & S, Panasonic or any other approved Engineer-in-Charge.
	2.00		4.00	
	Each		Each	
	6883.00		3448.00	
	Rs. Six Thousand Eight Hundred Eighty Three only		Rs. Three Thousand Four Hundred Forty Eight only	
	13766.		13792.	

Total:-	24.00 Supplying and erection of MCCB DU 100 H4 pole 415 volts 50 Hz 30 KA in existing enclosure L & T and Indo Asian as approved by Engineer-in-Charge. Rs. S	23.01 LED lamps 6 watt 6.00 Each 175.00 Rs. One
	Rs. Six Thousand Nine Hundred 36.00 Eighty Six only	6.00 Each 175.00 Rs. One Hundred Seventy Five only 1050
27083		y 1050

						- T		
2.00	1.02	1.01	1.00		S.No.	Name		0
Providing & fixnig Atom LED wall light model No-581922 colour chrome material metal dimension L140XW140XH 125 LED intregrated 7 watt Lumen/CCT 350lM /3000k 240volts -50HZ philips makecomplete with all acessories including connection etc. as required.	ENDURALINEAREOBS 10WL led 865 S PCWH	ENDURALINEAREOBS 20WL led 865 S PCWH	Providing and installation of following type of basic all purpose surface and wall mounted LED batten with powdered coated aluminium housing & integrated electronic driver, suitable for input voltage: AC 220-240 V,50/60Hz, complete with all accessories, including mounting clips & loop in loop out wire, connections, testing and commissioning etc. as required. Make: Havell or any other approved by Engineer-in-Charge.		Description of Items	Name of work:- C/O of PHC building at Baghi Tehsil Kotkhai District Shimla. (SH:- Providing LED street light therein.)		DRAFT SCHEDULE OF QUANTIT
	7.00	37.00			Qty.	il Kotkha		HEDUL
	Each	Each			Unit	ıi Districi		E OF Q
	1222.00	1726.00		In Figures		Shimla.		UANTI
	Rs. One Thousand Two Hundred Twenty Two only	Rs. One Thousand Seven Hundred Twenty Six only		In words	Rate	(SH:- Providing LED street light	Estimated Cost:- Rs.3,41,916/- only Earnest Money:- Rs.6900/- only Time:- 15 Days	TY
	8554.00	63862.00			Amount	therein.)	m	

2.01

Wall LED light

20.00

Each

Rs. One Thousand Nine Hundred 1953.00 Fifty Three only

39060.00

5.01	5.00	4.01	4.00	3.01	3.00
PLANOSUR 2X2PLS 36 W LED 857S SO 720	Supplying and fixing of Havell make Aesthetically designed LED flat panel for Surface mounting which provides soft -light and glare free symmetrical illumination CRCA housing with highpower LEDs. Aluminium front frame with flat white high transmission acrylic cover. Complete with all accessories including making connections, testing etc. Make: Havell or any other approved by Engineer-in-Charge.	Watt.LED 830S 9	Providing, Installation, of following type of Elegantly designed sleek surface mounted pressure die -cast aluminum in powder coated white finish in square profile with optimized heat sink or efficient heat dissipation and independent electronic LED driver required complete in all respects .Make: havell or any other approved by Engineer-in-Charge.	Edgepro Surface 15watt.LED	Supplying and fixing of surface mounting Square Ceiling Lights LED type of all size and shapes, complete with all accessories including making connectoins, testing etc.as required. To the best setisfication of Engineer-in-Charge as required. Make:, Havell's or any other approved by Engineer-in-Charge.
9.00		11.00		21.00	3 # 04 TT (0
Each		Point		Each	
4997.00		1726.00		2271.00	
Rs. Four Thousand Nine Hundred Ninety Seven only		Rs. One Thousand Seven Hundred Twenty Six only		Rs. Two Thousand Two Hundred Seventy One only	
44973.00		18986.00		47691.00	

,∞	∞	7.	7	6		1
8.01	8.00	7.01	7.00	6.01	.00	
40 mm dia. G.I. pipe, heavy class	Supplying and erection of street light bracket made of G.I. pipe 'A' class of suitable length and dia, the pipe bended to give an angle of 100 to 110 degree fitted with bolt & nuts at the top of existing pole or wall including painting the pipe with two coats of approved paint over priming coat complete in all respects as required:-	ENDURASUNDOWNSL60WLED 765 PASYBOTG	Providing and fixing new generation energy and envirmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LED as lighting sourace and toughened glass having bottom opening seperate driver compartment with IP66 protection and input and impact resistance of IK 07 LED Street light luminiare complete with all acessories including making connection etc as reqd. Havell make	RUGBYGENXFTS10WLED 865SSYMBOPC	Providing and fixing Designed with beautiful aesthetics using new generation techonology in LED to enliven your outdoor and indoor area in prefect synchronization with functionality and aesthetics family of bulkhead light designed to complement the geometry of the raea with moden design. complete with all acessories including making connection etc as reqd.	
5.00		5.00		10.00		
Each		Each		Each		
592.00		6614.00		1499.00		
Rs. Five Hundred Two only		Rs. Six Thousand Six Hundred Fourteen only		Rs. One Thousand Four Hundred Ninety Nine only		
2960.00		33070.00		14990.00	Rose for	TIP

10.01	10.00	9.01	2.00
10.01 Armoured cable 6 sq. mm (twin core)	Providing and laying of aluminium conductor, PVC insulated and PVC sheathed, armoured/XLPE power cable, working voltage 1100 volts grade direct in ground in the same trench, in one tier horizontal formation to be laid 1 meter below the ground level including excavation and refilling the trench etc.as required, but excluding sand cushioning and protective covering etc. of required size:-	6 Meter long having nominal bore dia. 80 mm planting depth 120 cm with pit depth 135 cm.	Supplying and erection of Galvanized Iron (G.I.) pipe pole 'A' quality of suitable length and dia. 4.85 mm thickness, including fixing up to a given depth below G/L. The hole of excavation about 30 cm dia. and given depth to be filled in up to 15 cm below G/L with 1:3:6 cement concrete and there above plinth with 1:2:4 cement concrete up to a height of 45 cm from G/L. The radial thickness of the plinth above G/L should not be less than 6.35 cm and sufficient to completely flush a 180 mmx100 mmx 45 mm deep, glass filled Nylan F.R. grade box for housing a 16 Amp. MCB, the outer surface of the plinth to be finished with 1:3 cement plaster 6 mm thick, the fuse-box shall have a water tight cover, including painting of pole with two coats of approved color, brand and manufacture of paint over a priming coat complete in all respects as required:-
77.00		5.00	
R.Mtr.		Each	
231.00		5085.00	
Rs. Two Hundred Thirty One only		Rs. Five Thousand Eighty Five only	
17787.00		25425.00	

14	14	13	13	12	15
.01	.00	.01	.00	.01	2.00
14.01 Double door-4 way	14.00 Supplying and fixing of following way, single pole and neutral sheet steel MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus- bar, wire-set, neutral link, earth bar, din-bar, detachable gland plate, blanking plate, cable, identification labels interconnections, phosphatized and powder painted, including earthing etc. as required:-	13.01 16 Amp CatA	13.00 Supplying and erection of 6 amps. to 32 amps. rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the existing MCB DB complete with connections etc. as required:-	12.01 2x2.5 Sq. mm.	Wiring for circuit/sub-main with following size PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit along with l No.HRFRLS/PVC insulated single core copper conductor cable of same size for earthing as required.
6.00		5.00		40.00	
Each		Each		Meter	
1546.00		235.00		324.00	
Rs. One Thousand Five Hundred Forty Six only		Rs. Two Hundred Thirty Five only		Rs. Three Hundred Twenty Four only	
9276.00		1175.00		12960.00	

TIM

	15.01	5.00
Total:-	15.01 Double Pole CatA 63 Amp.	KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the existing MCB DB complete with connections etc. as required:-
	1.00	
	Each	
	1147.00	
	Rs. One Thousand One Hundred Forty Seven only	
341916.00	1147.00	

Joseph Schedule of Quentity approved

Joseph Schedule of Quentity appr

Executive Engineer, Electrical Division No.-II, HP PWD (U.S. Club) Shin

DRAFT SCHEDULE OF QUANTITY

Estimated Cost:- Rs.1,25,834/- only

Time:- One year

Name of work:- C/O HSC building Gujandali Tehsil Tikkar District Shimla. (H.P.) (SH:- Providing E.I. therein.)

	2.00	1.03	1.02	1.01	1.00		S.No.
	Wiring for light plug with 2x 1.5 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flex ible) copper conductor cable in surface/recessed steel conduit along with 1 No.1.5 Sq. mm. HRFRLS/PVC insulated single core copper conductor cable for earthing as required.	Group C Ex haust Fan Point	2 Group C Call Bell Point	Group C Light Point	Wiring for light point / fan point / ex haust fan / call bell point with 1.5 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flex ible) copper conductor cable in surface/recessed steel conduit and earthing the light point with 1.5 Sq. mm. HRFRLS/PVC insulated single core copper conductor cable as required.		o. Description of Items
20.0	d el	2.00	1.00	14.00	nt or		Qty.
20.00 Meter		Point) Point	0 Point			Unit
r 295.00		1595.00	1595.00	1595.00		In Figures	
Rs. Two Hundred Ninety Five only		Rs. One Thousand Five Hundred Ninety Five only	Rs. One Thousand Five Hundred Ninety Five only	Rs. One Thousand Five Hundred Ninety Five only		In words	Rate
5900.00		3190.00	1595.00	22330.00			Amount

6.00	5.02	5.01	. 5.00		4.00		3.00
	2 2x 10 Sq. mm.	2x 1.5 Sq. mm.	Wiring for circuit/sub-main with following size PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flex ible) copper conductor cable in surface/recessed steel conduit along with 1 No.HRFRLS/PVC insulated single core copper conductor cable of same size for earthing as required.	single core copper conductor cable for earthing as required.		single core copper conductor capte for earthing as required.	
6.00	5.00	20.00		15.00		40.00	
Each	Meter	20.00 Meter		15.00 Meter		40.00 Meter	
399.00	696.00	295.00		507.00	!!	366.00	
Rs. Three Hundred Ninety Nine only	Rs. Six Hundred Ninety Six only	Rs. Two Hundred Ninety Five only		Rs. Five Hundred Seven only		Rs. Three Hundred Sixty Six only	
2394.00	3480.00	5900.00		7605.00		14640.00	

10	10	9.	9.	.∞	7.
.01	.00	9.01	9.00	8.00	7.00
10.01 LED Miror Light 8 watt	Supplying and fixing of LED miror light of Havell make with decorative end cap, polycarbonate body and ribbed opal diffuser including making connection etc as reqd.	LED Wall light 20watt	Providing and fixing LED wall light 12 watt of K -lite make made of extruded lauminium with febericated aluminium frame with IP20 protection complete with all acessories including making connection etc as reqd.	Supplying and fixing call bell / buzzer, suitable for D.C./A.C single phase,230 volts complete as required:-	Supplying and fix ing metal box of 180 mm x 100 mm x 60 mm deep (nominal size) on surface/recess with suitable size phenolic laminated sheet cover in the front including providing and fix ing 6 pin 15/16 amps socket outlet and 15/16 amps, piano type switch, connections, painting etc. as required.
1.00		2.00		1.00	5.00
Each		Each		Each	Each
1202.00		493.00		179.00	539.00
Rs. One Thousand Two Hundred Two only		Rs. Four Hundred Ninety Three only		Rs. One Hundred Seventy Nine only	Rs. Five Hundred Thirty Nine only
1202.00	The second second	986.00		179.00	2695.00



四日

					1 - 0 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
13.00	12.02	12.01	12.00	11.01	11.00
Supplying and erection of 6 amps. to 32 amps. rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the ex isting MCB DB complete with connections etc. as required:-	LED Panel light 15 watt BGSLO Sleek Surface 15 w WH SQ	LED Panel light 8 watt BGSLO Sleek surface 8 W WH SQ	Providing and installation of following type of surface mounting slim square / round type LED panel light finish with anti mgalre poly carbonate diffuser and and seprated energy efficient constant current non- intregeal electronoc dirver suitable for input voltage AC 220-/240 V 50/60 Hz complete with all accessories, connection testing and commissioning etc. as required make Philips, Syska GE,Bajaj,C&S, Panasonic or any other approved by ErIn- Charge.	LED Panel light	Providing and installation of following type of surface mounting slim square / round type LED panel light finish with anti mgalre poly carbonate diffuser and and seprated energy efficient constant current non- intregeal electronoc dirver suitable for input voltage AC 220-/240 V 50/60 Hz complete with all accessories, connection testing and commissioning etc. as required make Philips, Syska GE,Bajaj,C&S, Panasonic or any other approved by Engineer-in- Charge.
	4.00	1.00		2.00	
	Each	Each		Each	
	904.00	637.00		2985.00	
	Rs. Nine Hundred Four only	Rs. Six Hundred Thirty Seven only		Rs. Two Thousand Nine Hundred Eighty Five only	
	3616.00	637.00		5970.00	

•	
~	
\Rightarrow	
)	
A. Comment	
00 Fach 235 00 Rs Two Hundred Thirty Five only	
T	
20	
2	
	
100	
0.00	
9	
()	
2	
\supset	
\supset	
\mathcal{D}	
Δ	
-	
d ¹	
<u> </u>	
)	
T'	
=	
=	
Ξ.	
O O	
2.	
,	
7	
2.	
7	211
オ	
I	
- .	
Ď.	
2	
_	
7	
-	
_	
00	
200	
	1
$\overline{\mathcal{S}}$	
\supset	
O	

	17.00			16.00	15.01	15.00	14.01	14.00	13.01
	Extra for using salt and charcoal for pipe earth electrode complete as required.	but without charcoal or coke and salt) complete as required.	cover plate having locking arrangement and watering pipe etc. (Double door-12 way	Supplying and fixing of following way, single pole and neutral sheet steel MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus- bar, wire-set, neutral link, earth bar, din-bar, detachabie gland plate, blanking plate, cable, identification labels interconnections, phosphatized and powder painted, including earthing etc. as required:-	14.01 Double pole. Cat-A.	Supplying and erection of 40/50/63 amps rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the ex isting MCB DB complete with connections etc. as required:-	13.01 Single pole. Cat-A.
1.00		1.00			1.00	20,04 0 2 22	1.00		8.00
Set		Set			Each		Each		Each
1059.00		5084.00			2298.00		1147.00		235.00
Rs. One Thousand Fifty Nine only		Rs. Five Thousand Eighty Four only			Rs. Two Thousand Two Hundred Ninety Eight only		Rs. One Thousand One Hundred Forty Seven only		Rs. Two Hundred Thirty Five only
1059.00		5084.00			2298.00		1147.00		1880.00

		20.01	20.00	19.02	19.01	19.00	18.00
	Total:-	20.01 LED Street light 45 watts LUX-SL B-45	20.00 Providing and fixing LED Street light luminiare complete with all acessories including making connection etc. as reqd.	Exhaust Fan, Heavy duty, 450 mm sweep	Exhaust Fan, Light dufy, (Domestic) 225 mm sweep	Providing and installation of exhaust fan of following sizes in the existing opening, including making the hole to suit the size of the above fan, making good the damages, connections, testing and co mm issioning etc. as required:-	Supplying and laying 6 SWG G.I. wire at 0.50 mtr. below ground level for earth electrode conductor, including soldering etc. as required.
1		4.00		1.00	1.00		
1		Each		Each	Each		20.00 Meter
0		5976.00		4981.00	1982.00	10)	59.00
A STATE OF THE STA		Seventy Six only		Rs. Four Thousand Nine Hundred Eighty One only	Rs. One Thousand Nine Hundred Eighty Two only		Rs. Fifty Nine only
	125834.0	23904.0		4981.00	1982.00		1180.00

Jos Rs 125, 834 Jone (ps one lake), two in theusand, city by one lake, two in Executive Engineer, Electrical Division No. 1.