HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

NO.PW.ED.II.GA.TENDER/23-24To

DATED:-14 | 6 | 27

The Executive Engineer (IT) Nirman Bhawan HPPWD Shimla-2

Subject: -

Publication of Tender Notice.

Sir,

Jai Hind

Please find herewith the tender notice of works as given in the notice inviting tender for uploading on department website as per Notification vide Pr.Secy.(PW) to the Govt.of Himachal Pradesh letter No.PBW(B)1/2020 dated 27th May,2021 and PBW(B)A(3)1/2020 dated 16th July,2021 and even file dated 12.01.2023 as the works mentioned in the tender notice is (are) urgent in nature and in public interest.

Executive Engineer, Elect. Division No.II HP PWD/Shimla-1

Copy forwarded for further necessary action to the:-

1. The Superintending Engineer, Electrical Circle, HP PWD, Shimla-9 for information please.

2. Computer Cell O/O the Executive Engineer (IT Cell) Nigam Vihar Shimla-2

Executive Engineer, Elect. Division No.II HP PWD, Shimla-1

PUBLIC WORKS DEPARTMENT

Office of Executive Engineer Electrical Division No-II HPPWD Shimla -171 001 Website: www.hppwd.gov.in e-mail: ee-eled2-hp@nic.in Tel/Fax: 0177-2990187

No.PW.ED.II.GA.Tender/2023-2024-

1472-1500

Dated:-14/6/28

NOTICE INVITING TENDER

Sealed percentage rate tenders are hereby invited by the Executive Engineer, Electrical Division NO II HPPWD Shimla-1 in form No.6&8 on behalf of Governor of H.P.for the following works from the contractors of appropriate class enlisted with HPPWD (Electrical). The tenders shall be opened in the presence of contractors/firms or their authorized representative who wish to be present.

TIME SCHEDULE OF TENDER

(i) Last date of receipt of application:

(ii) Date of sale of tenders

(iii) Last date of receipt of bids: -

(iv) Date of bid opening: -

20.06.2023 Up to 1.00 P.M

20.06.2023 Up to 2 PM to 5.00 PM

21.06.2023 Upto 10.30 A.M

21.06.2023 AT 11.30 A.M

The tender form will be issued to only those contractors who qualify the criteria after the scrutiny of application forms by the committee constituted for the purpose.

Work No. (1) Repair of Johnsons make 1No.20 persons (1360kg)passenger(Lift No.L-J9252)installed at new OPD block at IGMC Shimla. Estimated cost Rs 150,240/-Earnest money Rs.3100/- Time: 3Months. Cost of form Rs.350/NR

Work No. (2)C/O Science Lab of Govt.Sr.Secy.School at Jubbal Distt.Shimla (SH:Prov.El therein in 2nd floor) Estimated cost Rs.2,66,339/-Earnest money Rs 5300/-Time: 6 months. Cost of Form Rs.350/NR

TERMS AND CONDITIONS:-

- 1. The earnest money in the shape of National Saving certificate. Time deposit account in any of the post office in HP/FDR or any Bank duly pledged in favour of Executive Engineer, Elect Division No II HPPWD Shimla-1 accompanied with the application for receipt of tender form along with cost of form.
- 2. The contractor/firm should possess the following documents (photo copy to be self attested with application for obtaining the tenders documents.
- a) Latest enlistment/renewal orders with application.
- b) GST Number issued by the Sale Tax Department.
- c) PAN (Permanent Account Number) issued by the Income Tax Department and copy of EPF issued from competent authority.
- 3. The Executive Engineer, Electrical Division No.II, HPPWD Shimla-1 reserves the right to reject any tender without assigning any reason(s)
- 4. The Cess charges @ 1% will be deducted from the gross amount of work done of the contractor.
- 5. The work will be completed by the contractor within the stipulated period.
- 6. The tender shall be issued to only those contractor/firms who are eligible suitable and competent.
- 7. The tender forms shall be issued to eligible contractors depending upon their past performance and work experience which shall be duly evaluated by the technical evaluation committee.
- 8. The contractor /firm having necessary documents and past adequate experience shall be preferred.
- 9. The contractor who has failed to start/complete the work already allotted in his favour within stipulated period shall not be issued tender forms.

contd.,.PTO----

- 10. A contractor enlisted in a particular class be eligible to tender for his own class and one step below
- 11. Only two number tender forms will be issued to the eligible contractor.
- 12. If any kind of holiday to be happened, the tender shall be opened on the next working day at 11.30 a.m.
- 13. GST will be deducted as per rates fixed by the Government.

CERTIFICATE:-

It is to certify that tender for the above works are urgently required please.

Executive Engineer, Elect. Division No.II, HPPWD Shimla-1

Copy forwarded for information to the:-

- 1. Chief Engineer (SZ) HPPWD Simla-2
- 2. The Superintending Engineer, 1st Electrical Circle, HPPWD Shimla-9.
- 3. Deputy Commissioner Shimla.
- 4. All the Assistant Engineers working under this Division.
- 5. All the intending contractors in HPPWD
- 9. Notice Board.

Executive Engineer, Elect. Division No.II, HPPWD Shimla-1

Estimate 2 Cost 1 150240 forther Flower + 3 months

Item Rate BoQ

Tender Inviting Authority: Executive Engineer, Electrical Division No.II, HPPWD, US Club, Shimla-171001. Validate

Name of Work: Repair of Johnson 1 no. 20 persons (1360 Kgs) passanger lift (Lift no. L- J9252) installed at New OPD Block IGMC Shimla.

Contract No: PW.ED.II.GA.TENDER/22-23-

Dated:-

Firm/ Bidding Company Bidder/ Name of

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

1				No.	SI.	NUMBER
2					Item Description	TEXT#
4					Quantity	NUMBE TEXT#
5					Units	TEXT #
13	by the Bidder in	be entered Rs.	Figures To in	RATE In	BASIC	NUMBER
53		Rs. P	E.	RATE In AMOUNT In Words	TOTAL	NUMBER NUMBER
55				In Words	BASIC TOTAL TOTAL AMOUNT	TEXT#

Quoted Rate in Words	Total in Figures	Providing, Installation, testing and commissioning of 1). FUJI VVVF OPC-LM1-PR FOR ERN 1387 ENCODER type PMSM machine 1No. 2). ERN 1387 Encoder connection cable for SP3 with FR wire 1 No. 3). Encoder Heidenhain ERN 1387. 1No. 4). FUJI VVVF - FRN-5.5 K. W. 1 no. 5) Cable 0.5 sq mm. 6). ARD Battery (12V-7/7.2ah) 4no. 7). Charger Battery (12V- 2.5 AH) 1 No. 8). Serial Communication d. connector 9 pin with 3 mtr.cable 1 no. 9). FRC cable for SG 107 and SG 221.
INR O		d commissioning of 1). FUJI N 1387 ENCODER type 87 Encoder connection cable . Encoder Heidenhain ERN N-5.5 K. W. 1 no. 5) Cable V-7/7.2ah) 4no. 7). Charger 9). Serial Communication d. 1 no. 9). FRC cable for SG
ne Lakh Fifty Thousar	1502	
INR One Lakh Fifty Thousand Two Hundred & Forty Only	INR One Lakh Fifty Thousand 150240.00 Two Hundred & Forty Only	INR One Lakh Fifty Thousand 150240.00 Two Hundred & Forty Only

for As 150246= on Crs. one later Afty fousant two hundred of forty only (HP PWDAUS. Chub) Shimia-1

Validate

Help

Item Rate BoQ

	Tenner	Tanda
	IIIAIII	or Inviti
	S Autho	muiting Author
	rity:	
	Executive	1
	Engineer	
	avious Authority: Executive Engineer, Electrical Division No. II, HPPWD 118 Club Shimi.	
	d Division	
	No.II	
7 *** * ** **	HPPWI	
300	211	
Ciub,	Clink	
-RIIIIIIC	Shimle	
TANT.	171001	

Name of Work:C/O Science Lab (GSSS) at Jubbal Distt. Shimla H.P. (SH:- Providing E.I. thereof.) (2nd floor)

Contract No: PW.ED.II.GA.TENDER/22-23-10738-39

Name of

Firm / Bidding

Bidder/

Company

Dated:-18-03-2023

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

	1	-					No.	S.		NOMBE
	2	•						Item Description	1 1 1 2 1 1 1	TRYT#
+	_						Quantity		NOMBER #	
U							Units		TEXT#	
13		Rs. P	the Bidder in	entered by	Figures To be Rs. P	RATE In	BASIC	II NATIONAL III	NIMRER	
53					Rs. P	RATE In AMOUNT in In Words	TOTAL	INCIVIDEN#	NUMBER# TEXT# NIMBER# NIMBER#	
55		TOTAL STATE OF THE PROPERTY OF	THE PART PROPERTY OF THE PARTY			In Words	TOTAL AMOUNT	TEXT#		

2.01		1.02	1.01	
Group C. Twin control	PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed PVC conduit, with 2-way, 5/6 amps piano type switch and earthing the light point with 1.5 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable as required.	Fan Point	Light Point	bell point with 1.5 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed PVC conduit and earthing the light point with 1.5 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable as required.
2.00		17.00	23.00	
Point	X	Point	Point	
1365.00		1830.00	1830.00	
2730.00		31110.00	42090.00	
INR Two Thousand Seven Hundred & Thirty Only		INR Thirty One Thousand One Hundred & Ten Only	INR Forty Two Thousand &Ninety Only	

5.01		4.01	1.	3.02	3.01	3.00
Wire 4x4 sq mm for power plug	insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit along with 1 No.4 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable for earthing as required.	Wiring for power plug	insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit along with 1 No.4 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable for earthing as required.		2x1.5 Sq. mm.for Light	Wiring for circuit/sub-main with following size PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit along with 1 No.HRFRLS/PVC insulated single core copper conductor cable of same size for earthing as required.
40.00		60.00		40.00	40.00	
Meter		Meter	¥ X	Meter	Meter	
507.00		366.00		324.00	295.00	
20280.00		21960.00		12960.00	11800.00	
INR Twenty Thousand Two Hundred & Eighty Only		INR Twenty One Thousand Nine Hundred & Sixty Only		INR Twelve Thousand Nine Hundred & Sixty Only	INR Eleven Thousand Eight Hundred Only	

	7.01	6.01 7.00	6.00
	4x 10 sq mm Supplying and fixing metal box of 180mmx100mmx60mm deep (nominal size) on surface/recess with suitable size phenolic laminated sheet cover in the front including providing and fixing 5 pin 5/6 amps socket outlet and 5/6 amps, piano type switch, connections, painting etc. as required.	Wiring for circuit/sub-main with 4x10 sqmm PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit along with 2 No 10sqmmm (4x10+2x10).HRFRLS/PVC insulated single core copper conductor cable of same size for earthing as required.	Wiring for circuit/sub-main with 4x2.5 sqmm PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit along with 2 No 2.5sqmmm (4x2.5+2x2.5).HRFRLS/PVC insulated single core copper conductor cable of same size for earthing as required.
8.00	10.00	40.00	
Each	Meter	Meter	
399.00	1320.00	425.00	
3192.00	13200.00	17000.00	//
INR Three Thousand One Hundred & Ninety Two Only	INR Thirteen Thousand Two Hundred Only	INR Seventeen Thousand Only	

11.01			10.02	10.01	10.00	
RCCB40Amps. Cat-A.	required.	(single phase & neutral) 240 volts, residual current circuit breaker (RCCB), having a sensitivity current up to 300 miliampers in the existing MCB DB complete with connections testing and commissioning the state of the connections testing and commissioning the state of the connections.	Single pole, 16AMP Cat-A.	Single pole. 6AMP Cat-A.	6 pin 15/16 amps socket outlet and 15/16 amps, piano type switch, connections, painting etc. as required. Supplying and erection of 6 amps. to 32 amps. rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the existing MCB DB complete with connections etc. as required:-	180mmx100mmx60mm deep (nominal size) on surface/recess with suitable size phenolic laminated sheet cover in the front including providing and fixing
1.00	100		12.00	4.00	8.00	
Each	Tade Tade		Each	Each	Each	
2447.00			235.00	235.00	539.00	
2447.00			2820.00	940.00	4312.00	
INR Two Thousand Four Hundred & Forty Seven Only	Pile Property Theory Cong		INR Two Thousand Eight Hundred & Twenty Only	INR Nine Hundred & Forty Only	INR Four Thousand Three Hundred & Twelve Only	

13.01 l	12.01 12.02 13.00	12.00
Exhaust Fan,Light Duty (Domestic) 300 mm sweep Exhaust Fan,Heavy Duty (Domestic) 300 mm sweep	Double door-8 way Double door-12 way Providing and installation of exhaust fan of following sizes in the existing opening, including making the hole to suit the size of the above fan, making good the damages, connections, testing and commissioning etc. as required:-	Supplying and fixing of following way, single pole and neutral sheet steel MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus- bar, wire-set, neutral link, earth bar, din-bar, detachable gland plate, blanking plate, cable, identification labels interconnections, phosphatized and powder painted, including earthing etc. as required:-
3.00	1.00	1.00
Each	Each	Each
2130.00	1935.00 2251.00	3333.00
6390.00	1935.00	3333.00
INR Six Thousand Three Hundred & Ninety Only INR Eighteen Thousand Five Hundred & Thirty Five Only	INR One Thousand Nine Hundred & Thirty Five Only INR Two Thousand Two Hundred & Fifty One Only	INR Three Thousand Three Hundred & Thirty Three Only

15.01	15.00	14.01	14.00
LED Panel Light 36 Watt. (Size: -2'x2')	Providing and installation of following type of Surface / Recess mounting Round / Square type LED Panel Light, powder coated housing made of CRCA sheet, suitable for input voltage: AC 220-240 V, 50/60Hz, complete with all accessories, including making connections, testing and commissioning etc. as required with minimum 2 years warranty. Make: Twinkle, GE, Philips or any other approved by Engineer-in-Charge.	Surface mounting Ceiling Fitting 12watt.	Supplying and fixing of surface mounting Square Ceiling Lights LED type of all size and shapes, complete with all accessories including making connectoins, testing etc.as required. To the best setisfication of Engineer-in-Charge as required. Make: Philips, Twinkle, GE or any other approved by Engineer-in-Charge with two year waranty.
1.00		16.00	
Each		Each	
3448.00		1616.00	
3448.00		25856.00	//
INR Three Thousand Four Hundred & Forty Eight Only		INR Twenty Five Thousand Eight Hundred & Fifty Six Only	

0			
uoted Ra	Total in Figures	17.01	17.00
Quoted Rate in Words	gures	LED Batten 20 watt	Nos. of 5 Amp.switches and sockets on suitable size of metal box of 200mmX150mmX75mm deep (Nominal size) on surface or in recess with suitable size phenolic laminated sheet cover in the front vi/c providing and fixing 3 Nos.5 pin 5/6 Amp.socket outlet and 5/6 Amp.piano type switch,connections,painting etc.as reqd.(For Computor Point) Providing and installation of following type of ultra slim decorative LED batten with extruded aluminium heat sink, with anti glare polycarbonate diffuser and energy efficient constant integral, electronic driver, suitable for input voltage: AC 220-240 V,50/60Hz, complete with all accessories, including mounting clips & loop in loop out wire, connections, testing and commissioning etc.as required with two years warranty. Make: Philips, GE, Twinkle or any other approved by Engineer-in-Charge.
INR		18.00	8.00
INR Two Lakh Sixty Si		Each	Each
pet .		787.00	448.00
and Three Hundi	266339.00	14166.00	3584.00
Thousand Three Hundred & Thirty Nine Only	Thousand Three Hundred & Thirty Nine Only	INR Fourteen Thousand One Hundred & Sixty Six Only	INR Three Thousand Five Hundred & Eighty Four Only

Jorks. 266, 3391-only (RS. Two tales)
Sisty Sisc Thousand, The perhand and of
Thirty Nine only) Executive Engineer.
HP PWD (U.S. Club) Shimla-1